

# Cucumber Report

02-Sep-2021, 9:19:45 AM

**Start : Sep 02, 9:16:24.957 AM**

**End : Sep 02, 9:19:44.226 AM**

**Duration : 3 m 19.269 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 9**



**FAILED - 2**


**SKIPPED - 0**

**PASSED - 47**


**FAILED - 2**

**SKIPPED - 0**






#	Feature Name	T	P	F	S	Duration
1	Creation of Projects and validation of Project Setting Pop Up	11	9	2	0	3 m 19.269 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	10.700 s
2	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Project Setting pop up while selects Create Project Tab</u>	4	4	0	0	7.020 s
3	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	4	0	0	6.595 s
4	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	17.401 s
5	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	17.528 s
6	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	2	1	0	7.117 s
7	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	5	1	0	34.974 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	13.884 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	5	0	0	23.311 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	7	0	0	44.346 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to delete all Projects from Project listing page</u>	3	3	0	0	16.235 s

**(F)- Creation of Projects and validation of Project Setting Pop Up**



<b>FAILED</b>	<b>DURATION - 3 m 19.269 s</b>	Scenarios		Steps	
/ 9:16:24.957 AM // 9:19:44.226 AM /		Total - 11		Total - 49	
		Pass - 9		Pass - 47	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

**(S)- user is able to get Create Project Tab on Project Listing page**

<div>PASSED</div> <div>DURATION - 10.700 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:16:24.963 AM // 9:16:35.663 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @Positive</div> <div>@TC6 @CRP-Test1</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	2.079 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.317 s
2	When enter username and password	PASSED	0.413 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.804 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

**(S)- user is able to get Project Setting pop up while selects Create Project Tab**

<div>PASSED</div> <div>DURATION - 7.020 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:16:35.679 AM // 9:16:42.699 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Reg @Positive @TC7 @CRP-Test2</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.110 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.957 s
2	When enter username and password	PASSED	0.448 s
3	And clicks on createProject tab	PASSED	1.362 s
4	Then user is able to get Project Setting PopUp	PASSED	0.063 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		



**(S)- user is able to validate Project Setting PopUp**

<div>PASSED</div> <div>DURATION - 6.595 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:16:42.716 AM // 9:16:49.311 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test3 @TC8 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.415 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.105 s
2	When enter username and password	PASSED	0.412 s



#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.276 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.306 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

### (S)- user is able to create a Project and is able to validate it in ProjectListing Page

<div>PASSED</div> <div>DURATION - 17.401 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:16:49.333 AM // 9:17:06.734 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CRP-Test4 @CreateProject @Smoke @Reg @TC9 @Positive</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.648 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.677 s
2	When enter username and password	PASSED	0.437 s
3	And clicks on createProject tab	PASSED	1.249 s
4	When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine	PASSED	0.561 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.754 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

**(S)- user is able to validate details for project on project listing page**

<div>PASSED</div> <div>DURATION - 17.528 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:17:06.748 AM // 9:17:24.276 AM /			
Creation of Projects and validation of Project Setting Pop Up			
@CreateProject @Smoke @Reg @CRP-Test5 @TC10 @Positive			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.092 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.945 s
2	When enter username and password	PASSED	0.502 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.323 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.583 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		

**(S)- user is able to Search Project on Project Listing by the use of Search Functionality**



<div>FAILED</div> <div>DURATION - 7.117 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:17:24.285 AM // 9:17:31.402 AM /</div>				
<div>Creation of Projects and validation of Project Setting Pop Up</div>				
<div>@CreateProject @Smoke @Reg @CRP-Test6 @TC11 @Positive</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.118 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.979 s
2	When enter username and password	PASSED	0.441 s



#	Step / Hook Details	Status	Duration
3	<p>Then searches the "Auto-Pro" with "CreatingPipeLine","Test"</p> <pre> java.lang.IndexOutOfBoundsException: Index 1 out of bounds for length 1     at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:64)     at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckIndex(Preconditions.java:70)     at java.base/jdk.internal.util.Preconditions.checkIndex(Preconditions.java:248)     at java.base/java.util.Objects.checkIndex(Objects.java:372)     at java.base/java.util.ArrayList.get(ArrayList.java:459)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:566)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:39)     at com.sun.proxy.\$Proxy24.get(Unknown Source)     at com.pagesPF.ProjectsPage.pickExistingProjectOrCreateNew(ProjectsPage.java:121)     at com.steps.createProjectSteps.searchesTheWith(createProjectSteps.java:157)     at ?.searches the "Auto-Pro" with "CreatingPipeLine","Test"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:55)     * Not displayable characters are replaced by '?'. </pre>	FAILED	1.348 s
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_Search_Project_on_Project_Listing_by_the_use_of_Search_Functionality</p> 	PASSED	0.149 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.080 s

### (S)- user is able to validate updated project on Project Listing page


<p><b>FAILED</b> DURATION - 34.974 s</p> <p>/ 9:17:31.430 AM // 9:18:06.404 AM /</p> <p>Creation of Projects and validation of Project Setting Pop Up</p> <p>@CreateProject @Smoke @Reg @CRP-Test7 @TC12 @Positive</p>		<p>Steps</p> <p>Total - 6</p> <p>Pass - 5</p> <p>Fail - 1</p> <p>Skip - 0</p>	
--	--	---	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.876 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.634 s
2	When enter username and password	PASSED	0.442 s
3	And clicks on createProject tab	PASSED	1.324 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.539 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.852 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.132 s
	<p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168)</p> <p>at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)</p> <p>at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163)</p> <p>at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)</p> <p>at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)</p> <p>at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:67)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:44)</p> <p>at org.openqa.selenium.remote.http.</p>		



#	Step / Hook Details	Status	Duration
	<p>AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.  AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.  execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.  execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.  Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.  managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.  editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.  andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.  internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.  invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.  execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.  cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.  java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.  runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.  ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.  runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at  org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at  io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.  runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.  junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.  java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.  java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.  startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.  startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at  com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168)  at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177)  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f08da..., userDataDir: /tmp/.com.google.Chrome.eOg4Un}, goog:chromeOptions: {debuggerAddress: localhost:46199}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 611cade081bb4123f07cfd31c54ca24 *** Element info: {Using=xpath, value=//*[@id="app"]//scale-icon-action-edit}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.097 s
	this is my failure message		



#	Step / Hook Details	Status	Duration
	user_is_able_to_validate_updated_project_on_Project_Listing_page		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

### (S)- user is not able to create Project when left mandatory field blank

<div>PASSED</div> <div>DURATION - 13.884 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:18:06.422 AM // 9:18:20.306 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC13 @CRP-Test8 @Negative</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.346 s
2	When enter username and password	PASSED	0.627 s
3	And clicks on createProject tab	PASSED	1.227 s
4	When creates project with "Auto-DemoProject", "", "Test" and engine	PASSED	0.503 s
5	Then submit button is displaying disable	PASSED	0.015 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

**(S)- user should not be able to validate cancelled project in ProjectListing Page**

<div>PASSED</div> <div>DURATION - 23.311 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:18:20.317 AM // 9:18:43.628 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@TC14 @CreateProject @Smoke @Reg @CRP-Test9 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.108 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.449 s
2	When enter username and password	PASSED	0.425 s
3	And clicks on createProject tab	PASSED	1.352 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.664 s
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	PASSED	15.235 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		



**(S)- user is not able to find deleted project on ProjectListing Page**

<div>PASSED</div> <div>DURATION - 44.346 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:18:43.640 AM // 9:19:27.986 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC15 @CRP-Test10 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.086 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.509 s

#	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.385 s
3	And clicks on createProject tab	PASSED	1.246 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.684 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page	PASSED	10.782 s
6	When deletes the project	PASSED	10.381 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.189 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

### (S)- user is able to delete all Projects from Project listing page

<div>PASSED</div> <div>DURATION - 16.235 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:19:27.991 AM // 9:19:44.226 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @TC16 @Test11</div> <div>@SmokeInNotScope</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.099 s
	---Starting the Execution---		
1	Given user is on DIL login page	PASSED	4.504 s
2	When enter username and password	PASSED	0.492 s
3	Then he should be able to delete all the Projects from Project Listing Page	PASSED	10.062 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		



(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to Search Project on  
Project Listing by the use of Search  
Functionality

(F) Creation of Projects and validation of  
Project Setting Pop Up

**Projects**

NAME STATUS TAG PROJECT ENGINE

3FELIAuto\_Pro02-55 DRAFT Test Spark

Running good Not found Failure Ready Draft Stopped Unknown

(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated  
project on Project Listing page

(F) Creation of Projects and validation of  
Project Setting Pop Up

**SijkfAuto-Pro\_Test02-39**

Overview Builder Team

**Pipelines**

There is no pipelines in this project.  
Go to Builder to create one.

**Project Title**  
sijkfAuto-Pro\_Test02-39

**Description**  
CreatingPipeLine

**Tags**  
Test

**Project engine**  
Spark

**Project actions**  
Test run