

Cucumber Report

29-Nov-2021, 12:59:00 PM

Start : Nov 29, 12:50:55.141 PM

End : Nov 29, 12:59:00.053 PM

Duration : 8 m 4.912 s

Features



Scenarios


Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 6
FAILED - 0
SKIPPED - 0

PASSED - 98
FAILED - 0
SKIPPED - 0







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|-------------|
| 1 | Creation of a End to End Execution of the pipeline for Spark/TMPL services | 6 | 6 | 0 | 0 | 8 m 4.912 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|----|---|---|--------------|
| 1 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created acquire kafka pipeline and validate same in logs</u> | 16 | 16 | 0 | 0 | 1 m 24.606 s |
| 2 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created acquire kafka Swagger pipeline and validate same in logs</u> | 16 | 16 | 0 | 0 | 1 m 29.579 s |
| 3 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created acquire File pipeline and validate same in logs</u> | 16 | 16 | 0 | 0 | 1 m 11.832 s |
| 4 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created Publish File Streaming pipeline and validate same in logs</u> | 17 | 17 | 0 | 0 | 1 m 17.699 s |
| 5 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created Publish File Batch pipeline and validate same in logs</u> | 17 | 17 | 0 | 0 | 1 m 18.228 s |
| 6 | <u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u> | <u>user is able to run created Publish kafka pipeline and validate same in logs</u> | 16 | 16 | 0 | 0 | 1 m 22.865 s |

(F)- Creation of a End to End Execution of the pipeline for Spark/TMPL services

| | | | | | |
|--|-------------------------------|-----------|---|------------|---|
| PASSED | DURATION - 8 m 4.912 s | Scenarios |  | Steps |  |
| / 12:50:55.141 PM // 12:59:00.053 PM / | | Total - 6 | | Total - 98 | |
| | | Pass - 6 | | Pass - 98 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |



(S)- user is able to run created acquire kafka pipeline and validate same in logs

| | | | |
|---|---|---|--|
| <div><div>PASSED</div><div>DURATION - 1 m 24.606 s</div></div> | <div></div> | <div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:50:55.145 PM // 12:52:19.751 PM /</div> | | | |
| <div>Creation of a End to End Execution of the pipeline for Spark/TMPL services</div> | | | |
| <div>@Smoke @Reg @TC31 @E2EExecutionDemo</div> <div>@Positive @E2EExecution1</div> | | | |

| # | Step / Hook Details | | Status | Duration |
|---|---|--------------|--------|----------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | | PASSED | 1.526 s |
| | --Starting the Execution-- | | | |
| 1 | Given user is on DIL login page | | PASSED | 7.568 s |
| 2 | When enter username and password | | PASSED | 0.377 s |
| 3 | And clicks on createProject tab | | PASSED | 2.005 s |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | | PASSED | 0.567 s |
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING" | | PASSED | 1.345 s |
| 6 | When enters pipeline properties | | PASSED | 0.860 s |
| | PKey | PValue | | |
| | serviceType | AcquireKafka | | |
| | isSchemaNeededToBeRegister | true | | |
| | area | area | | |
| | flow | flow | | |
| | step | step | | |
| 7 | And Spark properties | | PASSED | 5.203 s |
| | SKey | SValue | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | <div>spark.sql.adaptive.coalescePartitions.enabledtrue</div> | | |
| 8 | And clicks on "Add a Source" | PASSED | 0.888 s |
| 9 | When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add | PASSED | 7.187 s |
| 10 | Then Source should get created with "DemoSource" | PASSED | 0.630 s |
| 11 | When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2" | PASSED | 12.065 s |
| 12 | When enters destination keys and value <div><div>DKeyDValue</div><div>trigger10 seconds</div><div>checkpointLocation/tmp/1099/</div></div> | PASSED | 10.481 s |
| 13 | And clicks add | PASSED | 0.057 s |
| 14 | Then PipeLine with status "READY" is validated | PASSED | 11.985 s |
| 15 | When executes the pipeline | PASSED | 15.923 s |
| 16 | Then Pipeline record is validated on logs page | PASSED | 5.829 s |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.082 s |
| | ---Closing the Browser--- | | |

(S)- user is able to run created acquire kafka Swagger pipeline and validate same in logs

| | | | |
|--|---|--|--|
| PASSED DURATION - 1 m 29.579 s / 12:52:19.773 PM // 12:53:49.352 PM / Creation of a End to End Execution of the pipeline for Spark/TMPL services @Smoke @Reg @TC32 @E2EExecutionDemo @Positive @E2EExecution2 |  | Steps Total - 16 Pass - 16 Fail - 0 Skip - 0 |  |
|--|---|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 1.097 s |
| | --Starting the Execution-- | | |
| 1 | Given user is on DIL login page | PASSED | 9.069 s |
| 2 | When enter username and password | PASSED | 0.357 s |
| 3 | And clicks on createProject tab | PASSED | 5.256 s |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | PASSED | 0.507 s |

| # | Step / Hook Details | | Status | Duration |
|----|---|-------------------------------|--------|----------|
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING" | | PASSED | 1.675 s |
| 6 | When enters pipeline properties | | PASSED | 1.005 s |
| | PKey | PValue | | |
| | serviceType | AcquireKafkaSwagger | | |
| | header | /definitions/ConsentTypeEvent | | |
| | isSchemaNeededToBeRegister | true | | |
| | area | area | | |
| | flow | flow | | |
| | step | step | | |
| 7 | And Spark properties | | PASSED | 5.186 s |
| | SKey | SValue | | |
| | spark.sql.adaptive.coalescePartitions.enabled | true | | |
| 8 | And clicks on "Add a Source" | | PASSED | 0.810 s |
| 9 | When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add | | PASSED | 8.075 s |
| 10 | Then Source should get created with "DemoSource" | | PASSED | 0.622 s |
| 11 | When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" , ".csv","topic2" | | PASSED | 11.590 s |
| 12 | When enters destination keys and value | | PASSED | 10.461 s |
| | DKey | DValue | | |
| | trigger | 10 seconds | | |
| | checkpointLocation | /tmp/1099/ | | |
| 13 | And clicks add | | PASSED | 0.071 s |
| 14 | Then PipeLine with status "READY" is validated | | PASSED | 12.002 s |
| 15 | When executes the pipeline | | PASSED | 15.787 s |
| 16 | Then Pipeline record is validated on logs page | | PASSED | 5.905 s |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | | PASSED | 0.087 s |
| | ---Closing the Browser--- | | | |



(S)- user is able to run created acquire File pipeline and validate same in logs

| | | | | |
|--|--------------------------------|--|---|--|
| PASSED | DURATION - 1 m 11.832 s | | Steps Total - 16 Pass - 16 Fail - 0 Skip - 0 | |
| / 12:53:49.368 PM // 12:55:01.200 PM / | | | | |
| Creation of a End to End Execution of the pipeline for Spark/TMPL services | | | | |
| @Smoke @Reg @TC33 @E2EExecutionDemo @Positive @E2EExecution3 | | | | |

| # | Step / Hook Details | | Status | Duration |
|----|---|-------------|--------|----------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | | PASSED | 1.079 s |
| | --Starting the Execution-- | | | |
| 1 | Given user is on DIL login page | | PASSED | 6.238 s |
| 2 | When enter username and password | | PASSED | 1.002 s |
| 3 | And clicks on createProject tab | | PASSED | 1.770 s |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | | PASSED | 0.509 s |
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING" | | PASSED | 1.047 s |
| 6 | When enters pipeline properties | | PASSED | 1.006 s |
| | PKey | PValue | | |
| | serviceType | AcquireFile | | |
| | isReturnable | False | | |
| | isSchemaNeededToBeRegister | False | | |
| | area | area | | |
| | flow | flow | | |
| | step | step | | |
| 7 | And Spark properties | | PASSED | 5.200 s |
| | SKey | SValue | | |
| | spark.sql.adaptive.coalescePartitions.enabled | true | | |
| 8 | And clicks on "Add a Source" | | PASSED | 0.829 s |
| 9 | When Enters "DemoSource","File System","Auto_Kerb_DND","CSV","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",","No Schema","<SchemaValue>" | | PASSED | 6.712 s |
| 10 | Then Source should get created with "DemoSource" | | PASSED | 0.570 s |
| 11 | When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2" | | PASSED | 1.562 s |
| 12 | When enters destination keys and value | | PASSED | 10.544 s |

| # | Step / Hook Details | Status | Duration | | | | | | |
|--------|--|--------|----------|------|---|--------|---|--|--|
| | <table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table> | DKey | DValue | mode | : | escape | : | | |
| DKey | DValue | | | | | | | | |
| mode | : | | | | | | | | |
| escape | : | | | | | | | | |
| 13 | And clicks add | PASSED | 0.113 s | | | | | | |
| 14 | Then PipeLine with status "READY" is validated | PASSED | 11.872 s | | | | | | |
| 15 | When executes the pipeline | PASSED | 15.853 s | | | | | | |
| 16 | Then Pipeline record is validated on logs page | PASSED | 5.825 s | | | | | | |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.091 s | | | | | | |
| | ---Closing the Browser--- | | | | | | | | |



(S)- user is able to run created Publish File Streaming pipeline and validate same in logs

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 1 m 17.699 s</div> | <div></div> | <div>Steps</div> <div>Total - 17</div> <div>Pass - 17</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:55:01.219 PM // 12:56:18.918 PM /</div> | | | |
| <div>Creation of a End to End Execution of the pipeline for Spark/TMPL services</div> | | | |
| <div>@Smoke @Reg @TC34 @E2EExecutionDemo</div> <div>@Positive @E2EExecution4</div> | | | |

| # | Step / Hook Details | | Status | Duration |
|---|---|-------------|--------|----------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | | PASSED | 1.077 s |
| | --Starting the Execution-- | | | |
| 1 | Given user is on DIL login page | | PASSED | 7.546 s |
| 2 | When enter username and password | | PASSED | 0.335 s |
| 3 | And clicks on createProject tab | | PASSED | 1.868 s |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | | PASSED | 0.436 s |
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING" | | PASSED | 1.131 s |
| 6 | When enters pipeline properties | | PASSED | 1.020 s |
| | PKey | PValue | | |
| | serviceType | PublishFile | | |
| | isReturnable | False | | |
| | isSchemaNeededToBeRegister | False | | |
| | area | area | | |
| | flow | flow | | |

| # | Step / Hook Details | | Status | Duration |
|----|---|--------|--------|----------|
| | step | step | | |
| 7 | And Spark properties | | PASSED | 5.293 s |
| | SKey | SValue | | |
| | spark.sql.adaptive.coalescePartitions.enabled | true | | |
| 8 | And clicks on "Add a Source" | | PASSED | 0.774 s |
| 9 | When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",", "No Schema", "<SchemaValue>" | | PASSED | 6.697 s |
| 10 | Then Source should get created with "DemoSource" | | PASSED | 0.518 s |
| 11 | When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2" | | PASSED | 1.369 s |
| 12 | When enters destination keys and value | | PASSED | 10.451 s |
| | DKey | DValue | | |
| | mode | : | | |
| | escape | : | | |
| 13 | And clicks add | | PASSED | 0.110 s |
| 14 | Then Destination with "DemoDestination" should get created | | PASSED | 5.602 s |
| 15 | Then PipeLine with status "READY" is validated | | PASSED | 11.797 s |
| 16 | When executes the pipeline | | PASSED | 15.786 s |
| 17 | Then Pipeline record is validated on logs page | | PASSED | 5.798 s |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | | PASSED | 0.081 s |
| | ---Closing the Browser--- | | | |

(S)- user is able to run created Publish File Batch pipeline and validate same in logs

| | | | |
|--|--|--|---|
| PASSED DURATION - 1 m 18.228 s / 12:56:18.943 PM // 12:57:37.171 PM / Creation of a End to End Execution of the pipeline for Spark/TMPL services @Smoke @Reg @TC35 @E2EEExecution5 @E2EEExecutionDemo @Positive |  | Steps Total - 17 Pass - 17 Fail - 0 Skip - 0 |  |
|--|--|--|---|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 1.276 s |

| # | Step / Hook Details | Status | Duration | |
|----|---|--------|----------|-------------|
| | --Starting the Execution-- | | | |
| 1 | Given user is on DIL login page | PASSED | 7.472 s | |
| 2 | When enter username and password | PASSED | 0.451 s | |
| 3 | And clicks on createProject tab | PASSED | 1.859 s | |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | PASSED | 0.459 s | |
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","BATCH" | PASSED | 1.104 s | |
| 6 | When enters pipeline properties | PASSED | 0.833 s | |
| | PKey | | | PValue |
| | serviceType | | | PublishFile |
| | isReturnable | | | False |
| | isSchemaNeededToBeRegister | | | False |
| | area | | | area |
| | flow | | | flow |
| | step | | | step |
| 7 | And Spark properties | PASSED | 5.232 s | |
| | SKey | | | SValue |
| | spark.sql.adaptive.coalescePartitions.enabled | | | true |
| 8 | And clicks on "Add a Source" | PASSED | 0.810 s | |
| 9 | When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",", "No Schema", "<SchemaValue>" | PASSED | 6.590 s | |
| 10 | Then Source should get created with "DemoSource" | PASSED | 0.522 s | |
| 11 | When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2" | PASSED | 1.452 s | |
| 12 | When enters destination keys and value | PASSED | 10.521 s | |
| | DKey | | | DValue |
| | mode | | | : |
| | escape | | | : |
| 13 | And clicks add | PASSED | 0.097 s | |
| 14 | Then Destination with "DemoDestination" should get created | PASSED | 5.593 s | |
| 15 | Then PipeLine with status "READY" is validated | PASSED | 12.054 s | |
| 16 | When executes the pipeline | PASSED | 15.799 s | |
| 17 | Then Pipeline record is validated on logs page | PASSED | 6.009 s | |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.081 s | |
| | ---Closing the Browser--- | | | |

(S)- user is able to run created Publish kafka pipeline and validate same in logs

| | | | | |
|--|--------------------------------|--|---|--|
| PASSED | DURATION - 1 m 22.865 s | | Steps Total - 16 Pass - 16 Fail - 0 Skip - 0 | |
| / 12:57:37.188 PM // 12:59:00.053 PM / | | | | |
| Creation of a End to End Execution of the pipeline for Spark/TMPL services | | | | |
| @Smoke @Reg @E2EExecution6 @TC53 @E2EExecutionDemo @Positive | | | | |

| # | Step / Hook Details | Status | Duration | | | | | | | | | | | | |
|---|--|--------|----------|---|--------|-------------|--------------|----------------------------|------|------|------|------|------|------|------|
| | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 1.088 s | | | | | | | | | | | | |
| | --Starting the Execution-- | | | | | | | | | | | | | | |
| 1 | Given user is on DIL login page | PASSED | 6.663 s | | | | | | | | | | | | |
| 2 | When enter username and password | PASSED | 0.987 s | | | | | | | | | | | | |
| 3 | And clicks on createProject tab | PASSED | 1.807 s | | | | | | | | | | | | |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | PASSED | 0.438 s | | | | | | | | | | | | |
| 5 | And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING" | PASSED | 1.028 s | | | | | | | | | | | | |
| 6 | When enters pipeline properties | PASSED | 0.803 s | | | | | | | | | | | | |
| | <table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>PublishKafka</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>true</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table> | | | PKey | PValue | serviceType | PublishKafka | isSchemaNeededToBeRegister | true | area | area | flow | flow | step | step |
| PKey | PValue | | | | | | | | | | | | | | |
| serviceType | PublishKafka | | | | | | | | | | | | | | |
| isSchemaNeededToBeRegister | true | | | | | | | | | | | | | | |
| area | area | | | | | | | | | | | | | | |
| flow | flow | | | | | | | | | | | | | | |
| step | step | | | | | | | | | | | | | | |
| 7 | And Spark properties | | | | | | | | | | | | | | |
| | <table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table> | SKey | SValue | spark.sql.adaptive.coalescePartitions.enabled | true | | | | | | | | | | |
| SKey | SValue | | | | | | | | | | | | | | |
| spark.sql.adaptive.coalescePartitions.enabled | true | | | | | | | | | | | | | | |
| 8 | And clicks on "Add a Source" | PASSED | 0.788 s | | | | | | | | | | | | |
| 9 | When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add | PASSED | 7.190 s | | | | | | | | | | | | |
| 10 | Then Source should get created with "DemoSource" | PASSED | 0.615 s | | | | | | | | | | | | |
| 11 | When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV",".csv","topic2" | PASSED | 11.689 s | | | | | | | | | | | | |
| 12 | When enters destination keys and value | PASSED | 10.561 s | | | | | | | | | | | | |
| | <table><tr><td>DKey</td><td>DValue</td></tr><tr><td>trigger</td><td>10 seconds</td></tr></table> | | | DKey | DValue | trigger | 10 seconds | | | | | | | | |
| DKey | DValue | | | | | | | | | | | | | | |
| trigger | 10 seconds | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | checkpointLocation /tmp/1099/ | | |
| 13 | And clicks add | PASSED | 0.071 s |
| 14 | Then PipeLine with status "READY" is validated | PASSED | 11.936 s |
| 15 | When executes the pipeline | PASSED | 15.776 s |
| 16 | Then Pipeline record is validated on logs page | PASSED | 6.099 s |
| | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.080 s |
| | ---Closing the Browser--- | | |