Cucumber Report

| Start : Nov 23, 2:18:45.431 PM	End : Nov 23, 2:42:26.814 PM	Duration : 23 m 41.383 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 37 FAILED - 5 SKIPPED - 0	PASSED - 384 FAILED - 5 SKIPPED - 4

7

42

393

Pass % — 57 %

Pass % — 88 %

Pass % — 97 %

| #	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	52.895 s
2	Creation and Field level validation of pipelines	5	5	0	0	1 m 50.492 s
3	Creation of Projects and validation of Project Setting Pop Up	10	7	3	0	2 m 17.117 s
4	User is able to create Delta Source and Destination	6	5	1	0	4 m 27.816 s
5	Creation of a End to End Execution of the pipeline for Spark/TMPL services	2	2	0	0	2 m 40.588 s
6	Creation of Sources and Destination	13	12	1	0	7 m 59.947 s
7	This Feature deals with standard End to End Pipeline having Source,Destination and Transformation	4	4	0	0	3 m 32.390 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	23.960 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	28.913 s
3	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	6	0	0	10.702 s
4	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	17.483 s
5	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	26.991 s
6	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	26.580 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	28.691 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	9.993 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	10.070 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	9.867 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	4	1	0	15.058 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	20.096 s
13	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	9.078 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	4	1	1	14.628 s
15	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	8.903 s
16	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	24.665 s
17	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	4	1	2	14.675 s
18	User is able to create Delta Source and Destination	user is able to create delta source	10	10	0	0	23.827 s
19	User is able to create Delta Source and Destination	user is able to create delta Destination	14	14	0	0	42.073 s
20	User is able to create Delta Source and Destination	user is able to delete delta source	12	12	0	0	40.137 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
21	User is able to create Delta Source and Destination	user is able to delete delta Destination	16	16	0	0	56.495 s
22	User is able to create Delta Source and Destination	user is able to update delta source and validate the same at Source properties panel	12	11	1	0	46.049 s
23	User is able to create Delta Source and Destination	user is able to update the destination and validate the same at destinationProperties	16	16	0	0	59.174 s
24	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire kafka pipeline and validate same in logs	16	16	0	0	1 m 27.456 s
25	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire File pipeline and validate same in logs	16	16	0	0	1 m 13.121 s
26	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	27.437 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27	Creation of Sources and Destination	user is able to create FileSystem source with No schema	8	8	0	0	23.880 s
28	Creation of Sources and Destination	user is able to delete created source	10	10	0	0	39.660 s
29	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	36.151 s
30	Creation of Sources and Destination	user is able to create File System type Destination	11	11	0	0	31.081 s
31	Creation of Sources and Destination	user is able to create Kafka type Destination	11	11	0	0	41.560 s
32	Creation of Sources and Destination	user is able to create Kafka source for Manual Schema	8	8	0	0	29.217 s
33	Creation of Sources and Destination	user is able to create Kafka source for NoSchema	8	8	0	0	24.620 s
34	Creation of Sources and Destination	user is able to create file source with delta as type for No Schema	10	10	0	0	25.039 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35	Creation of Sources and Destination	user is able to create file source with delta as type for Manual Schema	10	10	0	0	24.679 s
36	Creation of Sources and Destination	user is able to create file source with delta as type for Manual Schema and would be able to delete the same	12	10	1	1	1 m 16.230 s
37	Creation of Sources and Destination	user is able create file destination with delta as type	14	14	0	0	42.494 s
38	Creation of Sources and Destination	user is able delete file destination with type as Delta	16	16	0	0	57.765 s
39	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	13	13	0	0	53.424 s

*The feature name and/or scenario name has been cropped to fit in the available space.*

#	Feature Name	Scenario Name	T	P	F	S	Duration
40	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	13	13	0	0	46.185 s
41	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	13	13	0	0	55.636 s
42	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	13	13	0	0	57.114 s

The feature name and/or scenario name has been cropped to fit in the available space.

(F)- User should be able to Create, Validate Connections on Connections Page

PASSED	DURATION - 52.895 s	Scenarios		Steps	
/ 2:18:45.431 PM // 2:19:38.326 PM /		Total - 2		Total - 15	
		Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection

PASSED	DURATION - 23.960 s		Steps	
/ 2:18:45.436 PM // 2:19:09.396 PM /			Total - 7	
User should be able to Create, Validate Connections on Connections Page			Pass - 7	7
			Fail - 0	
@Smoke @Reg @CRC-Test1 @TC1 @CreateConnection @Positive			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.469 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.009 s
2	When enter username and password	PASSED	0.306 s
3	And navigates to the "Create a connection" tab	PASSED	5.827 s
4	When enters "AutomationKerberos","Creating Connection","KERBEROS",principal and fileType	PASSED	0.733 s
5	Then connection should be tested successfully	PASSED	0.601 s
6	When creates the connection	PASSED	0.145 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.773 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create SSL connection

PASSED	*DURATION - 28.913 s*

/ 2:19:09.413 PM // 2:19:38.326 PM /

User should be able to Create, Validate Connections on Connections Page

@TC2 @Smoke @Reg @CRC-Test2 @CreateConnection @Positive

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.304 s
2	When enter username and password	PASSED	0.396 s
3	And navigates to the "Create a connection" tab	PASSED	5.814 s
4	When enters "AutomationSSL","Creating Connection","SSL"	PASSED	0.582 s
5	And enters "kafka-keystore.jks","kafka-truststore.jks","confluent","confluent","TLS"	PASSED	5.679 s
6	Then connection should be tested successfully	PASSED	0.732 s
7	When creates the connection	PASSED	0.177 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	8.067 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

## (F)- Creation and Field level validation of pipelines

PASSED	*DURATION - 1 m 50.492 s*

/ 2:19:38.361 PM // 2:21:28.853 PM /

Scenarios
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

Steps
Total - 32
Pass - 32
Fail - 0
Skip - 0

32

(S)- user is able to validate pipeline listing page when there is no pipeline created

PASSED	DURATION - 10.702 s
/ 2:19:38.361 PM // 2:19:49.063 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @TC3 @CreatePipeLine @Positive @CP-Test1	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.077 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.452 s
2	When enter username and password	PASSED	0.312 s
3	And clicks on createProject tab	PASSED	1.234 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.486 s
5	And switches to "Overview"	PASSED	0.450 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project."	PASSED	0.615 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.070 s
	---Closing the Browser---		

(S)- user is able validate pipeline properties

PASSED	DURATION - 17.483 s
/ 2:19:49.076 PM // 2:20:06.559 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC4	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.090 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	6.504 s
2	When enter username and password	PASSED	0.284 s
3	And clicks on createProject tab	PASSED	1.335 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.472 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.435 s
6	Then PipeLine properties is validated for "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	1.267 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.092 s
	---Closing the Browser---		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

PASSED	*DURATION - 26.991 s*
/ 2:20:06.572 PM // 2:20:33.563 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @CreatePipeLine @Positive @CP-Test2 @TC5	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.113 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.347 s
2	When enter username and password	PASSED	0.504 s
3	And clicks on createProject tab	PASSED	1.315 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.441 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.735 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.460 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 26.580 s		
/ 2:20:33.573 PM // 2:21:00.153 PM /		Steps	
Creation and Field level validation of pipelines		Total - 7	
@Smoke @Reg @CP-Test3 @CreatePipeLine @Positive @TC6		Pass - 7	7
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.079 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.370 s
2	When enter username and password	PASSED	0.277 s
3	And clicks on createProject tab	PASSED	1.626 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.483 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.669 s
6	When deletes pipeline	PASSED	0.001 s
7	Then "PipeLIne" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user is able to edit the pipeline and validate the same

PASSED	DURATION - 28.691 s		
/ 2:21:00.162 PM // 2:21:28.853 PM /		Steps	
Creation and Field level validation of pipelines		Total - 7	
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC7		Pass - 7	7
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.073 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.533 s
2	When enter username and password	PASSED	0.284 s
3	And clicks on createProject tab	PASSED	1.379 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.483 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.798 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.837 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.223 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 2 m 17.117 s	Scenarios		Steps	
/ 2:21:28.873 PM // 2:23:45.990 PM /		Total - 10 Pass - 7 Fail - 3 Skip - 0	10	Total - 46 Pass - 40 Fail - 3 Skip - 3	46

(S)- user is able to get Create Project Tab on Project Listing page

PASSED	DURATION - 9.993 s		Steps	
/ 2:21:28.873 PM // 2:21:38.866 PM /			Total - 3	
Creation of Projects and validation of Project Setting Pop Up			Pass - 3	3
@CreateProject @Smoke @Reg @TC8 @Positive @CRP-Test1			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.096 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.553 s
2	When enter username and password	PASSED	0.322 s

#	Step / Hook Details	Status	Duration
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.941 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab

PASSED	DURATION - 10.070 s		Steps	
/ 2:21:38.874 PM // 2:21:48.944 PM /			Total - 4	
Creation of Projects and validation of Project Setting Pop Up			Pass - 4	
			Fail - 0	
@CreateProject @Reg @TC9 @Positive @CRP-Test2			Skip - 0	4

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.094 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.233 s
2	When enter username and password	PASSED	0.316 s
3	And clicks on createProject tab	PASSED	1.314 s
4	Then user is able to get Project Setting PopUp	PASSED	0.038 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to validate Project Setting PopUp

PASSED	DURATION - 9.867 s		Steps	
/ 2:21:48.951 PM // 2:21:58.818 PM /			Total - 4	
Creation of Projects and validation of Project Setting Pop Up			Pass - 4	
			Fail - 0	
@CreateProject @Smoke @Reg @CRP-Test3 @TC10 @Positive			Skip - 0	4

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.098 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.329 s
2	When enter username and password	PASSED	0.845 s
3	And clicks on createProject tab	PASSED	1.259 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.263 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

## (S)- user is able to create a Project and is able to validate it in ProjectListing Page

FAILED   DURATION - 15.058 s
/ 2:21:58.826 PM // 2:22:13.884 PM /
Creation of Projects and validation of Project Setting Pop Up
@CRP-Test4 @CreateProject @Smoke @Reg @TC11 @Positive

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.101 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.571 s
2	When enter username and password	PASSED	0.313 s
3	And clicks on createProject tab	PASSED	1.386 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.450 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	FAILED	5.065 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read property 'click' of null (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.MQgJPs}, goog:chromeOptions: {debuggerAddress: localhost:41933}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 92ce392d24b6429bf63cd62e23eb3503 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489) at com.managersUtilities.CommonFunction.clickOnShadowElement(CommonFunction.java:144) at com.pagesPF.ProjectsPage.validateProjectName(ProjectsPage.java:169) at com.steps.createProjectSteps.createdWithIsValidatedInProjectListingPage(createProjectSteps.java:142) at ?.created "Auto_Pro" with "Test"is validated in project listing page(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_create_a_Project_and_is_able_to_validate_it_in_ProjectListing_Page +	PASSED	0.099 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.071 s

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 20.096 s		Steps
/ 2:22:13.902 PM // 2:22:33.998 PM /			Total - 4
Creation of Projects and validation of Project Setting Pop Up			Pass - 4
			Fail - 0
@CreateProject @Smoke @Reg @CRP-Test5 @TC12 @Positive			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.082 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.501 s
2	When enter username and password	PASSED	0.291 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.484 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.646 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.090 s
	---Closing the Browser---		

(S)- user is able to Search Project on Project Listing by the use of Search Functionality

PASSED	DURATION - 9.078 s
/ 2:22:34.005 PM // 2:22:43.083 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC13 @CRP-Test6 @Positive	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.079 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.476 s
2	When enter username and password	PASSED	1.037 s
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.409 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

## (S)- user is able to validate updated project on Project Listing page

FAILED	DURATION - 14.628 s
/ 2:22:43.091 PM // 2:22:57.719 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@TC14 @CreateProject @Smoke @Reg @CRP-Test7 @Positive	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.085 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.224 s
2	When enter username and password	PASSED	0.357 s
3	And clicks on createProject tab	PASSED	1.241 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.516 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	FAILED	5.039 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read property 'click' of null (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.ck6VGF}, goog:chromeOptions: {debuggerAddress: localhost:35305}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 48f7c882381d364a70e4f47c9bf7c76c
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489)
	    at com.managersUtilities.CommonFunction.clickOnShadowElement(CommonFunction.java:144)
	    at com.pagesPF.ProjectsPage.validateProjectName(ProjectsPage.java:169)
	    at com.steps.createProjectSteps.createdWithIsValidatedInProjectListingPage(createProjectSteps.java:142)		

#	Step / Hook Details	Status	Duration
	at ?.created "Auto-Pro_Test" with "Test"is validated in project listing page(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:66) * Not displayable characters are replaced by '?'.		
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.088 s
	this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page 		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is not able to create Project when left mandatory field blank

PASSED	DURATION - 8.903 s
/ 2:22:57.730 PM // 2:23:06.633 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC15 @CRP-Test8 @Negative	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.122 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.499 s
2	When enter username and password	PASSED	0.306 s
3	And clicks on createProject tab	PASSED	1.404 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.483 s
5	Then submit button is displaying disable	PASSED	0.015 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED	DURATION - 24.665 s
/ 2:23:06.641 PM // 2:23:31.306 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC16 @CRP-Test9 @Negative	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.185 s
2	When enter username and password	PASSED	0.279 s
3	And clicks on createProject tab	PASSED	1.319 s
4	When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel	PASSED	0.462 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.236 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.094 s
	---Closing the Browser---		

(S)- user is not able to find deleted project on ProjectListing Page

| FAILED	DURATION - 14.675 s
/ 2:23:31.315 PM // 2:23:45.990 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test10 @Negative @TC17	

Steps
Total - 7
Pass - 4
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.101 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.220 s

| #	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.283 s
3	And clicks on createProject tab	PASSED	1.327 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.438 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	FAILED	5.041 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read property 'click' of null (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.0DqClX}, goog:chromeOptions: {debuggerAddress: localhost:45903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4629043cd4253eea80d21a8cfabad870
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489)
	  at com.managersUtilities.CommonFunction.clickOnShadowElement(CommonFunction.java:144)
	  at com.pagesPF.ProjectsPage.validateProjectName(ProjectsPage.java:169)
	  at com.steps.createProjectSteps.createdWithIsValidatedInProjectListingPage(createProjectSteps.java:142)
	  at ?.created "Auto-DemoTestProject" with "Test"is validated in project listing page(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:100)
	* Not displayable characters are replaced by '?'.		

6	When deletes the project	SKIPPED	0.000 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.165 s
	this is my failure message user_is_not_able_to_find_deleted_project_on_ProjectListing_Page 		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.095 s

#	Step / Hook Details	Status	Duration
	---Closing the Browser---		

(F)- User is able to create Delta Source and Destination

FAILED	DURATION - 4 m 27.816 s	Scenarios		Steps	
		Total - 6		Total - 80	
/ 2:23:46.019 PM // 2:28:13.835 PM /		Pass - 5	6	Pass - 79	80
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- user is able to create delta source

PASSED	DURATION - 23.827 s		Steps	
/ 2:23:46.019 PM // 2:24:09.846 PM /			Total - 10	
User is able to create Delta Source and Destination			Pass - 10	10
@Delta @Smoke @Reg @TC33 @Positive @Delta1			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.428 s
2	When enter username and password	PASSED	0.325 s
3	And clicks on createProject tab	PASSED	1.250 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.428 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	0.910 s
6	When enters pipeline properties	PASSED	0.894 s

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area

#	Step / Hook Details	Status	Duration
	flow	flow		
	step	step		
7	And Spark properties	PASSED	5.179 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"	PASSED	0.766 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	5.922 s
10	Then Source should get created with "DemoSource"	PASSED	0.564 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user is able to create delta Destination

PASSED	DURATION - 42.073 s
/ 2:24:09.858 PM // 2:24:51.931 PM /	
User is able to create Delta Source and Destination	
@Delta @@Delta2 @Smoke @Reg @TC34 @Positive	

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

14

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.074 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.430 s
2	When enter username and password	PASSED	0.244 s
3	And clicks on createProject tab	PASSED	1.572 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.563 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.002 s
6	When enters pipeline properties	PASSED	1.149 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		

#	Step / Hook Details	Status	Duration

area	area
flow	flow
step	step

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.193 s

SKey	SValue
spark.sql.adaptive.coalescePartitions.enabled	true

#	Step / Hook Details	Status	Duration
8	And clicks on "Add a Source"	PASSED	0.810 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	5.942 s
10	Then Source should get created with "DemoSource"	PASSED	0.572 s
11	When enters "DEstinationAutoDelta","DELTA","HIveConnection","Ignore"	PASSED	1.227 s
12	When enters destination keys and value	PASSED	10.465 s

DKey	DValue
mode	:
escape	:

#	Step / Hook Details	Status	Duration
13	And clicks add	PASSED	0.176 s
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.574 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to delete delta source

PASSED	DURATION - 40.137 s
/ 2:24:51.941 PM // 2:25:32.078 PM /	
User is able to create Delta Source and Destination	
@Delta @Smoke @Reg @TC35 @@Delta3 @Positive	

Steps
Total - 12
Pass - 12
Fail - 0
Skip - 0

12

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.098 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.426 s
2	When enter username and password	PASSED	0.260 s

#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.529 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.411 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.008 s
6	When enters pipeline properties	PASSED	0.840 s

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.186 s

SKey	SValue
spark.sql.adaptive.coalescePartitions.enabled	true

#	Step / Hook Details	Status	Duration
8	And clicks on "Add a Source"	PASSED	0.803 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	6.203 s
10	Then Source should get created with "DemoSource"	PASSED	0.573 s
11	And click on "Delete Source" to delete	PASSED	5.641 s
12	Then source "DemoSource" should get deleted	PASSED	10.079 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to delete delta Destination

| PASSED	DURATION - 56.495 s
/ 2:25:32.091 PM // 2:26:28.586 PM /	
User is able to create Delta Source and Destination	
@Delta @TC36 @Smoke @Reg @Positive @Delta4	

Steps
Total - 16
Pass - 16
Fail - 0
Skip - 0

16

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.075 s
	--Starting the Execution--		

| #	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	5.495 s
2	When enter username and password	PASSED	0.360 s
3	And clicks on createProject tab	PASSED	1.497 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.443 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	0.976 s
6	When enters pipeline properties<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>	PASSED	0.984 s
7	And Spark properties<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	PASSED	5.205 s
8	And clicks on "Add a Source"	PASSED	0.733 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	6.098 s
10	Then Source should get created with "DemoSource"	PASSED	0.553 s
11	When enters "DestinationDelta","DELTA","HIveConnection","Ignore"	PASSED	1.215 s
12	When enters destination keys and value<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	PASSED	10.420 s
13	And clicks add	PASSED	0.133 s
14	Then Destination with "DestinationDelta" should get created	PASSED	5.586 s
15	And click on "Delete Destination" to delete	PASSED	5.605 s
16	Then destination "DestinationDelta" should get deleted	PASSED	10.035 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.073 s

(S)- user is able to update delta source and validate the same at Source properties panel

FAILED	DURATION - 46.049 s
/ 2:26:28.598 PM // 2:27:14.647 PM /	
User is able to create Delta Source and Destination	
@Delta @Smoke @Reg @Delta5 @TC37 @Positive	

Steps
Total - 12
Pass - 11
Fail - 1
Skip - 0

12

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.102 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.744 s
2	When enter username and password	PASSED	0.325 s
3	And clicks on createProject tab	PASSED	1.519 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.403 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.112 s
6	When enters pipeline properties	PASSED	0.820 s

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.176 s

SKey	SValue
spark.sql.adaptive.coalescePartitions.enabled	true

#	Step / Hook Details	Status	Duration
8	And clicks on "Add a Source"	PASSED	0.810 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	5.871 s
10	Then Source should get created with "DemoSource"	PASSED	0.545 s
11	When edits record for "UpdatedNameSource" and "HIveConnection"	PASSED	11.269 s
12	Then Updated record validated for "UpdatedNameSource" and "HIveConnection"	FAILED	11.159 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@title='UpdatedNameSource']"} (Session info: chrome=90.0.4430.212) For documentation on this error,		

| #	Step / Hook Details	Status	Duration

	please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome. DaTe5q}, goog:chromeOptions: {debuggerAddress: localhost:34387}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38b0095597aa293cb1da1114db3f4918 *** Element info: {Using=xpath, value=//*[@title='UpdatedNameSource']}
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:216)
	  at com.pagesPF.PipeLIne_BuilderPage.validateUpdatedRecord(PipeLIne_BuilderPage.java:263)
	  at com.steps.createSourceDestAndTransform.updatedRecordValidatedForAnd(createSourceDestAndTransform.java:171)
	  at ?.Updated record validated for "UpdatedNameSource" and "HIveConnection"(file:///home/pihu/dil_automation/src/test/resources/features/projects/Delta%20Source%20and%20Destination.feature:147)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.092 s
	this is my failure message user_is_able_to_update_delta_source_and_validate_the_same_at_Source_properties_panel 		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.096 s
	---Closing the Browser---		

(S)- user is able to update the destination and validate the same at destinationProperties

PASSED	DURATION - 59.174 s

/ 2:27:14.661 PM // 2:28:13.835 PM /

User is able to create Delta Source and Destination

@Delta @Smoke @Reg @TC38 @Delta6 @Positive

| Steps |
|---|
| Total - 16 |
| Pass - 16 |
| Fail - 0 |
| Skip - 0 |

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	1.120 s
1	Given user is on DIL login page	PASSED	5.850 s
2	When enter username and password	PASSED	0.292 s
3	And clicks on createProject tab	PASSED	1.242 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.459 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.012 s
6	When enters pipeline properties	PASSED	0.778 s

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.196 s

SKey	SValue
spark.sql.adaptive.coalescePartitions.enabled	true

#	Step / Hook Details	Status	Duration
8	And clicks on "Add a Source"	PASSED	0.812 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	5.986 s
10	Then Source should get created with "DemoSource"	PASSED	0.528 s
11	When enters "DEstinationAutoDelta","DELTA","HIveConnection","Ignore"	PASSED	1.402 s
12	When enters destination keys and value	PASSED	10.527 s

DKey	DValue
mode	:

#	Step / Hook Details	Status	Duration
	escape :		
13	And clicks add	PASSED	0.115 s
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.610 s
15	When edits record for "UpdatedNameDest" and "HIveConnection"	PASSED	11.328 s
16	Then Updated record validated for "UpdatedNameDest" and "HIveConnection"	PASSED	6.831 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(F)- Creation of a End to End Execution of the pipeline for Spark/TMPL services

PASSED	DURATION - 2 m 40.588 s		Scenarios		Steps	
/ 2:28:13.854 PM // 2:30:54.442 PM /			Total - 2	2	Total - 32	32
			Pass - 2		Pass - 32	
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- user is able to run created acquire kafka pipeline and validate same in logs

PASSED	DURATION - 1 m 27.456 s		Steps	
/ 2:28:13.854 PM // 2:29:41.310 PM /			Total - 16	16
Creation of a End to End Execution of the pipeline for Spark/TMPL services			Pass - 16	
			Fail - 0	
@Smoke @Reg @TC26 @Positive @E2EExecution @E2EExecution1			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.072 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.153 s
2	When enter username and password	PASSED	1.442 s
3	And clicks on createProject tab	PASSED	6.357 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.522 s

| #	Step / Hook Details	Status	Duration
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	0.987 s
6	When enters pipeline properties 	PKey	PValue
---	---
serviceType	AcquireKafka
isSchemaNeededToBeRegister	true
area	area
flow	flow
step	step		PASSED	0.792 s
7	And Spark properties 	SKey	SValue
---	---
spark.sql.adaptive.coalescePartitions.enabled	true		PASSED	5.234 s
8	And clicks on "Add a Source"	PASSED	0.806 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	7.258 s
10	Then Source should get created with "DemoSource"	PASSED	0.517 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"	PASSED	11.630 s
12	When enters destination keys and value 	DKey	DValue
---	---
trigger	10 seconds
checkpointLocation	/tmp/1099/		PASSED	10.449 s
13	And clicks add	PASSED	0.068 s
14	Then PipeLine with status "READY" is validated	PASSED	11.825 s
15	When executes the pipeline	PASSED	15.826 s
16	Then Pipeline record is validated on logs page	PASSED	6.427 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.080 s

(S)- user is able to run created acquire File pipeline and validate same in logs

| PASSED	DURATION - 1 m 13.121 s
/ 2:29:41.321 PM // 2:30:54.442 PM /	
Creation of a End to End Execution of the pipeline for Spark/TMPL services	
@Smoke @Reg @TC27 @Positive @E2EExecution2 @E2EExecution	

Steps
Total - 16
Pass - 16
Fail - 0
Skip - 0

16

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.101 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.167 s
2	When enter username and password	PASSED	0.292 s
3	And clicks on createProject tab	PASSED	1.407 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.420 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.167 s
6	When enters pipeline properties	PASSED	0.886 s

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.168 s

SKey	SValue
spark.sql.adaptive.coalescePartitions.enabled	true

#	Step / Hook Details	Status	Duration
8	And clicks on "Add a Source"	PASSED	0.791 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",","No Schema","<SchemaValue>"	PASSED	6.750 s
10	Then Source should get created with "DemoSource"	PASSED	0.568 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"	PASSED	1.493 s
12	When enters destination keys and value	PASSED	10.418 s

#	Step / Hook Details	Status	Duration
	DKey DValue mode : escape :		
13	And clicks add	PASSED	0.095 s
14	Then PipeLine with status "READY" is validated	PASSED	11.769 s
15	When executes the pipeline	PASSED	15.767 s
16	Then Pipeline record is validated on logs page	PASSED	6.775 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination

FAILED	DURATION - 7 m 59.947 s				
	/ 2:30:54.465 PM // 2:38:54.412 PM /	Scenarios Total - 13 Pass - 12 Fail - 1 Skip - 0	13	Steps Total - 136 Pass - 134 Fail - 1 Skip - 1	136

(S)- user is able to create file type source for ManualSchema

PASSED	DURATION - 27.437 s		
/ 2:30:54.465 PM // 2:31:21.902 PM /		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
Creation of Sources and Destination			
@Smoke @Reg @CSource-Test1 @Positive @TC18 @CreateSourceAndDestination			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.054 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.847 s
2	When enter username and password	PASSED	0.316 s
3	And clicks on createProject tab	PASSED	1.372 s

#	Step / Hook Details	Status	Duration
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.466 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.766 s
6	And clicks on "Add a Source"	PASSED	0.820 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.116 s
8	Then Source should get created with "DemoSource"	PASSED	0.600 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to create FileSystem source with No schema

PASSED	DURATION - 23.880 s
/ 2:31:21.914 PM // 2:31:45.794 PM /	
Creation of Sources and Destination	
@CSource-Test2 @Smoke @Reg @Positive @CreateSourceAndDestination @TC19	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.107 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.521 s
2	When enter username and password	PASSED	0.311 s
3	And clicks on createProject tab	PASSED	1.329 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.418 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.846 s
6	And clicks on "Add a Source"	PASSED	0.786 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","No Schema","<SchemaValue>"	PASSED	6.954 s
8	Then Source should get created with "DemoSource"	PASSED	0.526 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to delete created source

| PASSED	DURATION - 39.660 s
/ 2:31:45.804 PM // 2:32:25.464 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CSource-Test3 @TC20 @Positive @CreateSourceAndDestination	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.137 s
2	When enter username and password	PASSED	0.243 s
3	And clicks on createProject tab	PASSED	1.292 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.433 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.810 s
6	And clicks on "Add a Source"	PASSED	0.769 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","No Schema","<SchemaValue>"	PASSED	6.585 s
8	Then Source should get created with "DemoSource"	PASSED	0.553 s
9	And click on "Delete Source" to delete	PASSED	5.637 s
10	Then source "DemoSource" should get deleted	PASSED	10.009 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create Transformation

PASSED	DURATION - 36.151 s
/ 2:32:25.472 PM // 2:33:01.623 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CTransformation-Test1 @TC21 @Positive @CreateSourceAndDestination	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.679 s
2	When enter username and password	PASSED	0.331 s
3	And clicks on createProject tab	PASSED	1.444 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.454 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.817 s
6	And clicks on "Add a Source"	PASSED	0.762 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.280 s
8	Then Source should get created with "DemoSource"	PASSED	0.550 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.062 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.626 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create File System type Destination

PASSED DURATION - 31.081 s		
/ 2:33:01.631 PM // 2:33:32.712 PM /		
Creation of Sources and Destination		
@Smoke @Reg @CDestination-Test1 @TC22 @Positive @CreateSourceAndDestination		

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.080 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.562 s
2	When enter username and password	PASSED	0.301 s
3	And clicks on createProject tab	PASSED	1.241 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.499 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.783 s
6	And clicks on "Add a Source"	PASSED	0.790 s

#	Step / Hook Details	Status	Duration
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.103 s
8	Then Source should get created with "DemoSource"	PASSED	0.496 s
9	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.456 s
10	And clicks add	PASSED	0.051 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.618 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s
	---Closing the Browser---		

(S)- user is able to create Kafka type Destination

PASSED	DURATION - 41.560 s

/ 2:33:32.734 PM // 2:34:14.294 PM /

Creation of Sources and Destination

@Smoke @Reg @CDestination-Test1 @TC23
@Positive @CreateSourceAndDestination

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.103 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.600 s
2	When enter username and password	PASSED	0.303 s
3	And clicks on createProject tab	PASSED	1.372 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.516 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.846 s
6	And clicks on "Add a Source"	PASSED	0.793 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.054 s
8	Then Source should get created with "DemoSource"	PASSED	0.560 s
9	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	11.635 s
10	And clicks add	PASSED	0.101 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.602 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create Kafka source for Manual Schema

PASSED	*DURATION - 29.217 s*
/ 2:34:14.302 PM // 2:34:43.519 PM /	
Creation of Sources and Destination	
@Smoke @Reg @TC24 @CSource-Test1 @Positive @CreateSourceAndDestination	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.239 s
2	When enter username and password	PASSED	0.303 s
3	And clicks on createProject tab	PASSED	6.290 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.406 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.762 s
6	And clicks on "Add a Source"	PASSED	0.792 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","K","v" and clicks on add	PASSED	7.735 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.516 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.086 s
	---Closing the Browser---		

(S)- user is able to create Kafka source for NoSchema

PASSED	*DURATION - 24.620 s*
/ 2:34:43.533 PM // 2:35:08.153 PM /	
Creation of Sources and Destination	
@TC25 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.461 s
2	When enter username and password	PASSED	0.307 s
3	And clicks on createProject tab	PASSED	1.570 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.508 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.792 s
6	And clicks on "Add a Source"	PASSED	0.746 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","No_Schema","AutoManualSchemaDND","Earlier", "K","v" and clicks on add	PASSED	7.513 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.561 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create file source with delta as type for No Schema

PASSED	DURATION - 25.039 s
/ 2:35:08.163 PM // 2:35:33.202 PM /	
Creation of Sources and Destination	
@Smoke @Reg @Positive @TC39 @E2EExecution2 @CreateSourceAndDestination	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.067 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.608 s
2	When enter username and password	PASSED	0.361 s
3	And clicks on createProject tab	PASSED	1.310 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.542 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.066 s
6	When enters pipeline properties	PASSED	0.799 s
	PKey PValue		

| #	Step / Hook Details	Status	Duration
	<table><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>		
7	And Spark properties <table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	PASSED	5.181 s
8	And clicks on "Add a Source"	PASSED	0.794 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",",","No Schema","<SchemaValue>"	PASSED	6.676 s
10	Then Source should get created with "DemoSource"	PASSED	0.556 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.073 s

(S)- user is able to create file source with delta as type for Manual Schema

PASSED	DURATION - 24.679 s
/ 2:35:33.211 PM // 2:35:57.890 PM /	
Creation of Sources and Destination	
@Smoke @Reg @TC40 @Positive @E2EExecution2 @CreateSourceAndDestination	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	1.077 s
1	Given user is on DIL login page	PASSED	6.486 s
2	When enter username and password	PASSED	0.441 s
3	And clicks on createProject tab	PASSED	1.276 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.422 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	0.980 s
6	When enters pipeline properties	PASSED	0.793 s

| #	Step / Hook Details	Status	Duration
	PKey / PValue table:		
	serviceType — AcquireFile; isReturnable — False; isSchemaNeededToBeRegister — False; area — area; flow — flow; step — step		
7	And Spark properties	PASSED	5.224 s
	SKey: spark.sql.adaptive.coalescePartitions.enabled — SValue: true		
8	And clicks on "Add a Source"	PASSED	0.782 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput","","","No Schema","AutoManualSchemaDND"	PASSED	6.556 s
10	Then Source should get created with "DemoSource"	PASSED	0.565 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

Detailed PKey/PValue table:

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

(S)- user is able to create file source with delta as type for Manual Schema and would be able to delete the same

FAILED   DURATION - 1 m 16.230 s

/ 2:35:57.899 PM // 2:37:14.129 PM /

Creation of Sources and Destination

@Smoke @Reg @TC41 @Positive
@E2EExecution2 @CreateSourceAndDestination

Steps
Total - 12
Pass - 10
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.107 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.099 s
2	When enter username and password	PASSED	0.968 s
3	And clicks on createProject tab	PASSED	1.496 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.416 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.112 s

#	Step / Hook Details	Status	Duration
6	When enters pipeline properties 	PKey	PValue
---	---
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step		PASSED	1.017 s
7	And Spark properties 	SKey	SValue
---	---
spark.sql.adaptive.coalescePartitions.enabled	true		PASSED	5.211 s
8	And clicks on "Add a Source"	PASSED	0.732 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",","No Schema","AutoManualSchemaDND"	PASSED	6.699 s
10	Then Source should get created with "DemoSource"	PASSED	0.536 s

11	And click on "Delete Source" to delete
	
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on LINUX (b5191e2e458728adf21d37121551350d)] -> xpath: //*[text()=' Delete ']] (tried for 50 second(s) with 500 milliseconds interval) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.sO9X9W}, goog:chromeOptions: {debuggerAddress: localhost:46265}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b5191e2e458728adf21d37121551350d
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	    at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:154)
	    at com.steps.createSourceDestAndTransform.clickOnToDeleteSource(createSourceDestAndTransform.java:69)
	    at ?.click on "Delete Source" to delete(file:///home/pihu/dil_automation/src/test/resources/features/projects/Kafka, FileSystem_CreateSourceDestAndTransformation.feature:200)
	* Not displayable characters are replaced by '?'.
		FAILED	50.650 s

12	Then source "DemoSource" should get deleted	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_create_file_source_with_delta_as_type_for_Manual_Schema_and_would_be_able_to_delete_the_same	PASSED	0.104 s

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.076 s

(S)- user is able create file destination with delta as type

PASSED	DURATION - 42.494 s
/ 2:37:14.142 PM // 2:37:56.636 PM /	
Creation of Sources and Destination	
@Smoke @Reg @TC42 @Positive @E2EExecution2 @CreateSourceAndDestination	

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

14

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	1.107 s
1	Given user is on DIL login page	PASSED	6.431 s
2	When enter username and password	PASSED	0.282 s
3	And clicks on createProject tab	PASSED	1.352 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.438 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.167 s
6	When enters pipeline properties	PASSED	1.003 s
7	And Spark properties	PASSED	5.186 s

Step 6 table:

PKey	PValue
serviceType	AcquireFile
isReturnable	False
isSchemaNeededToBeRegister	False
area	area
flow	flow
step	step

Step 7 table:

SKey	SValue

#	Step / Hook Details	Status	Duration
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.749 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData. csv",",","No Schema","<SchemaValue>"	PASSED	6.727 s
10	Then Source should get created with "DemoSource"	PASSED	0.565 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.348 s
12	When enters destination keys and value DKey DValue mode : escape :	PASSED	10.366 s
13	And clicks add	PASSED	0.124 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.571 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.072 s

(S)- user is able delete file destination with type as Delta

PASSED	DURATION - 57.765 s
/ 2:37:56.647 PM // 2:38:54.412 PM /	
Creation of Sources and Destination	
@Smoke @Reg @TC43 @Positive @E2EExecution2 @CreateSourceAndDestination	

Steps
Total - 16
Pass - 16
Fail - 0
Skip - 0

16

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	1.101 s
1	Given user is on DIL login page	PASSED	6.453 s
2	When enter username and password	PASSED	0.276 s
3	And clicks on createProject tab	PASSED	1.237 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.397 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	0.988 s

#	Step / Hook Details	Status	Duration
6	When enters pipeline properties	PASSED	0.923 s
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>		
7	And Spark properties	PASSED	5.265 s
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>		
8	And clicks on "Add a Source"	PASSED	0.754 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",","No Schema","<SchemaValue>"	PASSED	6.588 s
10	Then Source should get created with "DemoSource"	PASSED	0.524 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.449 s
12	When enters destination keys and value	PASSED	10.483 s
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>		
13	And clicks add	PASSED	0.077 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.575 s
15	And click on "Delete Destination" to delete	PASSED	5.551 s
16	Then destination "DemoDestination" should get deleted	PASSED	10.043 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(F)- This Feature deals with standard End to End Pipeline having Source,Destination and Transformation

| PASSED	DURATION - 3 m 32.390 s	Scenarios		Steps	
		Total - 4		Total - 52	
/ 2:38:54.424 PM // 2:42:26.814 PM /		Pass - 4	4	Pass - 52	52
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem

PASSED	DURATION - 53.424 s		Steps	
/ 2:38:54.425 PM // 2:39:47.849 PM /			Total - 13	
This Feature deals with standard End to End Pipeline having Source,Destination and *			Pass - 13	13
			Fail - 0	
@E2ETest1 @Smoke @Reg @E2ETests @Positive @TC28			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.081 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	14.447 s
2	When enter username and password	PASSED	0.344 s
3	And clicks on createProject tab	PASSED	1.364 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.486 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.359 s
6	And clicks on "Add a Source"	PASSED	0.798 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	6.993 s
8	Then Source should get created with "DemoSource"	PASSED	0.553 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.903 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.567 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.474 s
12	And clicks add	PASSED	0.092 s

#	Step / Hook Details	Status	Duration
13	Then PipeLine with status "READY" is validated	PASSED	11.875 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem

PASSED	*DURATION - 46.185 s*	Steps
/ 2:39:47.859 PM // 2:40:34.044 PM /		Total - 13
This Feature deals with standard End to End Pipeline having Source,Destination and *		Pass - 13
		Fail - 0
@E2ETest1 @Smoke @Reg @E2ETests @Positive @TC29		Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.106 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.792 s
2	When enter username and password	PASSED	0.919 s
3	And clicks on createProject tab	PASSED	1.455 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.474 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.494 s
6	And clicks on "Add a Source"	PASSED	0.749 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	7.859 s
8	Then Source should get created with "DemoSource"	PASSED	0.503 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.864 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.562 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.447 s
12	And clicks add	PASSED	0.061 s
13	Then PipeLine with status "READY" is validated	PASSED	11.814 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka

PASSED	DURATION - 55.636 s
/ 2:40:34.054 PM // 2:41:29.690 PM /	
This Feature deals with standard End to End Pipeline having Source,Destination and *	
@E2ETest1 @Smoke @Reg @E2ETests @TC30 @Positive	

Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.106 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.156 s
2	When enter username and password	PASSED	0.844 s
3	And clicks on createProject tab	PASSED	1.313 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.453 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.531 s
6	And clicks on "Add a Source"	PASSED	0.748 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.042 s
8	Then Source should get created with "DemoSource"	PASSED	0.511 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	6.881 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.629 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	11.521 s
12	And clicks add	PASSED	0.049 s
13	Then PipeLine with status "READY" is validated	PASSED	11.773 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka

PASSED	DURATION - 57.114 s
/ 2:41:29.700 PM // 2:42:26.814 PM /	
This Feature deals with standard End to End Pipeline having Source,Destination and *	
@E2ETest1 @Smoke @Reg @TC31 @E2ETests @Positive	

Steps

Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.082 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.658 s
2	When enter username and password	PASSED	0.407 s
3	And clicks on createProject tab	PASSED	1.381 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.434 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.415 s
6	And clicks on "Add a Source"	PASSED	0.754 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	8.151 s
8	Then Source should get created with "DemoSource"	PASSED	0.511 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	6.947 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.507 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	11.602 s
12	And clicks add	PASSED	0.050 s
13	Then PipeLine with status "READY" is validated	PASSED	12.129 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create a Project and is
able to validate it in ProjectListing Page

(F) Creation of Projects and validation of
Project Setting Pop Up

T ▪ ▪   LIFE IS FOR SHARING.   Data Integration Layer   Logout

Projects   Connections   Logs   Support   ○ Shailendra Parihar

OogRKAuto_Pro23−08   Overview [Builder] Logs Team

Pipelines

```
        ⊕
    Create Pipeline
```

Project Title   ✎
oogRKAuto_Pro23−08

Description
CreatingPipeLine

Tags
`Test`

Project engine
Spark

Project actions

| Test run |

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated
project on Project Listing page

(F) Creation of Projects and validation of
Project Setting Pop Up

T ▪ ▪   LIFE IS FOR SHARING.   Data Integration Layer   Logout

Projects   Connections   Logs   Support   ○ Shailendra Parihar

7lLiYAuto-Pro_Test23−52   Overview [Builder] Logs Team

Pipelines

```
        ⊕
    Create Pipeline
```

Project Title   ✎
7lLiYAuto-Pro_Test23−52

Description
CreatingPipeLine

Tags
`Test`

Project engine
Spark

Project actions

| Test run |

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is not able to find deleted project on ProjectListing Page

(F) Creation of Projects and validation of Project Setting Pop Up

ᴛ ⋅ ⋅   LIFE IS FOR SHARING.   **Data Integration Layer**   [Logout]

Projects   **Connections**   **Logs**   **Support**   ○ Shailendra Parihar

VrSUcAuto-DemoTestProject...

Overview   [Builder]   Logs   Team

Pipelines

⊕

Create Pipeline

Project Title

vrSUcAuto-DemoTestProject23–40

Description

CreatingPipeLine

Tags

[Test]

Project engine

Spark

Project actions

[Test run]

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to update delta source and validate the same at Source properties panel

(F) User is able to create Delta Source and Destination

ᴛ ⋅ ⋅   **Projects**   **Connections**   **Logs**   **Support**

ForLtsAutoDemoPipeline23–...

⊕   Add a Source

🖳   **Source**
    DemoSource

Status

UNKNOWN

Name

POPl8AutoDemoPipeline23–38

Description

ProjectForAutomation

Tags

[Test]

Pipeline Creator

Shailendra Parihar

Creation Date

23.11.2021 14:26:40

Configuration

Execution Type : STREAMING
serviceType : AcquireFile

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create file source with
delta as type for Manual Schema and
would be able to delete the same

(F) Creation of Sources and Destination

T • •   Projects   Connections   Logs   Support

Add a Source

Source
DemoSourc

DemoSource

Type.

FILE

Connection.

Auto_Kerb_DND

File Path

hdfs://10.0.1.92:8020/user/hdfstodeltaInput

File Type

DeltaIO

Schema Source

No Schema

Keep Source File

true

🗑 Delete Source

Cancel