

Cucumber Report

25-Nov-2021, 2:40:17 PM

Start : Nov 25, 2:01:30.616 PM

End : Nov 25, 2:40:16.401 PM

Duration : 38 m 45.785 s

Features

Scenarios

Steps

PASSED - 5

FAILED - 4

SKIPPED - 0

PASSED - 42



FAILED - 9


SKIPPED - 0

PASSED - 491


FAILED - 9

SKIPPED - 32







#	Feature Name	T	P	F	S	Duration
1	<u>User should be able to Create, Validate Connections on Connections Page</u>	2	2	0	0	56.754 s
2	<u>Creation and Field level validation of pipelines</u>	5	4	1	0	3 m 16.526 s
3	<u>Creation of Projects and validation of Project Setting Pop Up</u>	10	10	0	0	4 m 20.931 s
4	<u>User is able to create RDBMS Source and Destination</u>	4	1	3	0	4 m 53.390 s
5	<u>User is able to create Delta Source and Destination</u>	6	3	3	0	4 m 12.422 s
6	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	6	6	0	0	8 m 22.657 s
7	<u>Creation of Sources and Destination</u>	13	11	2	0	8 m 56.959 s
8	<u>To validate created Project with backend API</u>	1	1	0	0	16.624 s
9	<u>This Feature deals with standard End to End Pipeline having Source, Destination and Transformation</u>	4	4	0	0	3 m 29.258 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User should be able to Create, Validate Connections on Connections Page</u>	<u>user is able to create Kerberos connection</u>	7	7	0	0	24.042 s
2	<u>User should be able to Create, Validate Connections on Connections Page</u>	<u>user is able to create SSL connection</u>	8	8	0	0	32.668 s
3	<u>Creation and Field level validation of pipelines</u>	<u>user is able to validate pipeline listing page when there is no pipeline created</u>	6	6	0	0	12.404 s
4	<u>Creation and Field level validation of pipelines</u>	<u>user is able validate pipeline properties</u>	6	6	0	0	18.847 s
5	<u>Creation and Field level validation of pipelines</u>	<u>user is able to create pipeline and validate the same in Pipeline Listing page</u>	6	6	0	0	33.952 s
6	<u>Creation and Field level validation of pipelines</u>	<u>user is able to delete pipeline and validate the same in Pipeline Listing page</u>	7	4	1	2	1 m 11.760 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Creation and Field level validation of pipelines</u>	<u>user is able to edit the pipeline and validate the same</u>	7	7	0	0	59.454 s
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	8.994 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Project Setting pop up while selects Create Project Tab</u>	4	4	0	0	8.937 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	4	0	0	9.867 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	19.727 s
12	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	18.781 s
13	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	3	0	0	15.204 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	6	0	0	59.865 s
15	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	14.913 s
16	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	5	0	0	56.635 s
17	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	7	0	0	47.864 s
18	<u>User is able to create RDBMS Source and Destination</u>	<u>user is able to create RDBMS source</u>	12	2	1	9	1 m 57.895 s
19	<u>User is able to create RDBMS Source and Destination</u>	<u>user is able to create RDBMS Destination</u>	19	19	0	0	1 m 17.530 s
20	<u>User is able to create RDBMS Source and Destination</u>	<u>user is able to delete RDBMS source</u>	14	13	1	0	48.866 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>User is able to create RDBMS Source and Destination</u>	<u>user is able to delete RDBMS Destination</u>	21	11	1	9	48.999 s
22	<u>User is able to create Delta Source and Destination</u>	<u>user is able to create delta source</u>	10	10	0	0	29.314 s
23	<u>User is able to create Delta Source and Destination</u>	<u>user is able to create delta Destination</u>	14	14	0	0	41.773 s
24	<u>User is able to create Delta Source and Destination</u>	<u>user is able to delete delta source</u>	12	9	1	2	27.346 s
25	<u>User is able to create Delta Source and Destination</u>	<u>user is able to delete delta Destination</u>	16	10	1	5	40.058 s
26	<u>User is able to create Delta Source and Destination</u>	<u>user is able to update delta source and validate the same at Source properties panel</u>	12	11	1	0	55.344 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>User is able to create Delta Source and Destination</u>	<u>user is able to update the destination and validate the same at destinationProperties</u>	16	16	0	0	58.513 s
28	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created acquire kafka pipeline and validate same in logs</u>	16	16	0	0	1 m 21.293 s
29	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created acquire kafka Swagger pipeline and validate same in logs</u>	16	16	0	0	1 m 28.206 s
30	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created acquire File pipeline and validate same in logs</u>	16	16	0	0	1 m 17.565 s
31	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created Publish File Streaming pipeline and validate same in logs</u>	17	17	0	0	1 m 25.450 s
32	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created Publish File Batch pipeline and validate same in logs</u>	17	17	0	0	1 m 18.933 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>Creation of a End to End Execution of the pipeline for Spark/TMPL services</u>	<u>user is able to run created Publish kafka pipeline and validate same in logs</u>	16	16	0	0	1 m 31.083 s
34	<u>Creation of Sources and Destination</u>	<u>user is able to create file type source for ManualSchema</u>	8	8	0	0	30.007 s
35	<u>Creation of Sources and Destination</u>	<u>user is able to create FileSystem source with No schema</u>	8	8	0	0	24.705 s
36	<u>Creation of Sources and Destination</u>	<u>user is able to delete created source</u>	10	10	0	0	40.603 s
37	<u>Creation of Sources and Destination</u>	<u>user is able to create Transformation</u>	10	4	1	5	1 m 25.550 s
38	<u>Creation of Sources and Destination</u>	<u>user is able to create File System type Destination</u>	11	11	0	0	50.038 s
39	<u>Creation of Sources and Destination</u>	<u>user is able to create Kafka type Destination</u>	11	11	0	0	57.787 s
40	<u>Creation of Sources and Destination</u>	<u>user is able to create Kafka source for Manual Schema</u>	8	8	0	0	40.791 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Creation of Sources and Destination</u>	<u>user is able to create Kafka source for NoSchema</u>	8	8	0	0	22.961 s
42	<u>Creation of Sources and Destination</u>	<u>user is able to create file source with delta as type for No Schema</u>	10	10	0	0	24.982 s
43	<u>Creation of Sources and Destination</u>	<u>user is able to create file source with delta as type for Manual Schema</u>	10	10	0	0	30.609 s
44	<u>Creation of Sources and Destination</u>	<u>user is able to create file source with delta as type for Manual Schema and would be able to delete the same</u>	12	11	1	0	30.175 s
45	<u>Creation of Sources and Destination</u>	<u>user is able create file destination with delta as type</u>	14	14	0	0	40.785 s
46	<u>Creation of Sources and Destination</u>	<u>user is able delete file destination with type as Delta</u>	16	16	0	0	57.785 s
47	<u>To validate created Project with backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	7	7	0	0	16.624 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>This Feature deals with standard End to End Pipeline having Source, Destinat *</u>	<u>user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem</u>	13	13	0	0	44.638 s
49	<u>This Feature deals with standard End to End Pipeline having Source, Destinat *</u>	<u>user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem</u>	13	13	0	0	46.705 s
50	<u>This Feature deals with standard End to End Pipeline having Source, Destinat *</u>	<u>user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka</u>	13	13	0	0	1 m 0.315 s
51	<u>This Feature deals with standard End to End Pipeline having Source, Destinat *</u>	<u>user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka</u>	13	13	0	0	57.557 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- User should be able to Create, Validate Connections on Connections Page



PASSED	DURATION - 56.754 s	Scenarios		Steps	
/ 2:01:30.616 PM // 2:02:27.370 PM /		Total - 2		Total - 15	
		Pass - 2		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection

<div><div>PASSED</div><div>DURATION - 24.042 s</div></div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:01:30.620 PM // 2:01:54.662 PM /			
User should be able to Create, Validate Connections on Connections Page			
@Smoke @Reg @CRC-Test1 @TC1 @CreateConnection @Positive			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.624 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.935 s
2	When enter username and password	PASSED	0.440 s
3	And navigates to the "Create a connection" tab	PASSED	5.929 s
4	When enters "AutomationKerberos","Creating Connection","KERBEROS",principal and fileType	PASSED	0.711 s
5	Then connection should be tested successfully	PASSED	0.528 s
6	When creates the connection	PASSED	0.131 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.627 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s
	---Closing the Browser---		

(S)- user is able to create SSL connection

<div><div>PASSED</div><div>DURATION - 32.668 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 2:01:54.702 PM // 2:02:27.370 PM /</div>		
<div>User should be able to Create, Validate Connections on Connections Page</div>		
<div>@TC2 @Smoke @Reg @CRC-Test2 @CreateConnection @Positive</div>		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.152 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.000 s
2	When enter username and password	PASSED	0.431 s
3	And navigates to the "Create a connection" tab	PASSED	5.807 s
4	When enters "AutomationSSL","Creating Connection","SSL"	PASSED	0.586 s
5	And enters "kafka-keystore.jks","kafka-truststore.jks","confluent","confluent","TLS"	PASSED	5.696 s
6	Then connection should be tested successfully	PASSED	0.647 s
7	When creates the connection	PASSED	0.115 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	8.145 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(F)- Creation and Field level validation of pipelines

<div>FAILED</div> <div>DURATION - 3 m 16.526 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 32</div> <div>Pass - 29</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>				
<div>/ 2:02:27.411 PM // 2:05:43.937 PM /</div>									

(S)- user is able to validate pipeline listing page when there is no pipeline created

PASSED	DURATION - 12.404 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:02:27.412 PM // 2:02:39.816 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @TC3 @CreatePipeLine @Positive @CP-Test1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.152 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.764 s
2	When enter username and password	PASSED	0.377 s
3	And clicks on createProject tab	PASSED	1.328 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.550 s
5	And switches to "Overview"	PASSED	0.549 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project."	PASSED	0.602 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able validate pipeline properties

PASSED	DURATION - 18.847 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:02:39.833 PM // 2:02:58.680 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC4				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.139 s
	--Starting the Execution--		



#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	8.534 s
2	When enter username and password	PASSED	0.403 s
3	And clicks on createProject tab	PASSED	1.265 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.665 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.572 s
6	Then PipeLine properties is validated for "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	1.171 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	---Closing the Browser---		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

<div>PASSED</div> <div>DURATION - 33.952 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>14</td></tr><tr><td>2</td><td>0.4</td></tr><tr><td>3</td><td>1.3</td></tr><tr><td>4</td><td>0.7</td></tr><tr><td>5</td><td>6.6</td></tr><tr><td>6</td><td>1.2</td></tr></tbody></table>	Step	Duration (s)	1	14	2	0.4	3	1.3	4	0.7	5	6.6	6	1.2	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div>6</div>
Step	Duration (s)																	
1	14																	
2	0.4																	
3	1.3																	
4	0.7																	
5	6.6																	
6	1.2																	
/ 2:02:58.711 PM // 2:03:32.663 PM /																		
Creation and Field level validation of pipelines																		
@Smoke @Reg @CreatePipeLine @Positive @CP-Test2 @TC5																		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.142 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	14.096 s
2	When enter username and password	PASSED	0.424 s
3	And clicks on createProject tab	PASSED	1.501 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.543 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.734 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.432 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page



<div>FAILED</div> <div>DURATION - 1 m 11.760 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:03:32.678 PM // 2:04:44.438 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @CP-Test3 @CreatePipeLine @Positive @TC6				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.138 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.012 s
2	When enter username and password	PASSED	0.343 s
3	And clicks on createProject tab	PASSED	1.299 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.553 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	FAILED	1 m 2.247 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[text()=" Create Pipeline"]' (tried for 50 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)</p> <p>at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169)</p> <p>at com.pagesPF.PipeLine_ListingPage.createPipeLine(PipeLine_ListingPage.java:99)</p> <p>at com.steps.createPipeLineSteps.createAWithAnd(createPipeLineSteps.java:60)</p> <p>at ?.creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreatePipeLine.feature:52)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{ "method": "xpath", "selector": "//*[@text()=" Create Pipeline"]" } (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.hyh4OU}, goog:chromeOptions: {debuggerAddress: localhost:44763}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 82aad4201ca0395eae288fad8bf858d7 *** Element info: {Using=xpath, value=//*[@text()=" Create Pipeline"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.pagesPF.PipeLine_ListingPage.createPipeLine(PipeLine_ListingPage.java:99) at com.steps.createPipeLineSteps.createAWithAnd(createPipeLineSteps.java:60) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
6	When deletes pipeline	SKIPPED	0.001 s
7	Then "PipeLine" should get disappeared	SKIPPED	0.001 s
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_delete_pipeline_and_validate_the_same_in_Pipeline_Listing_page</p> 	PASSED	0.085 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.079 s

(S)- user is able to edit the pipeline and validate the same



<div>PASSED</div> <div>DURATION - 59.454 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:04:44.483 PM // 2:05:43.937 PM /</div>			
<div>Creation and Field level validation of pipelines</div>			
<div>@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC7</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.144 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	37.938 s
2	When enter username and password	PASSED	0.414 s
3	And clicks on createProject tab	PASSED	1.396 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.588 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.531 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.971 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.377 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.090 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up



<div>PASSED</div>	<div>DURATION - 4 m 20.931 s</div>	<div>Scenarios</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>10</div></div>	<div>Steps</div> <div>Total - 46</div> <div>Pass - 46</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>46</div></div>
<div>/ 2:05:43.969 PM // 2:10:04.900 PM /</div>					

(S)- user is able to get Create Project Tab on Project Listing page

<div><div>PASSED</div><div>DURATION - 8.994 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:05:43.969 PM // 2:05:52.963 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC8 @Positive @CRP-Test1</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.142 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.704 s
2	When enter username and password	PASSED	0.391 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.671 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		



(S)- user is able to get Project Setting pop up while selects Create Project Tab

<div>PASSED</div> <div>DURATION - 8.937 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:05:52.988 PM // 2:06:01.925 PM /			
Creation of Projects and validation of Project Setting Pop Up			
@CreateProject @Reg @TC9 @Positive @CRP-Test2			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.147 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.835 s
2	When enter username and password	PASSED	0.406 s
3	And clicks on createProject tab	PASSED	1.402 s



#	Step / Hook Details	Status	Duration
4	Then user is able to get Project Setting PopUp	PASSED	0.058 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.087 s
	---Closing the Browser---		

(S)- user is able to validate Project Setting PopUp

PASSED	DURATION - 9.867 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:06:01.935 PM // 2:06:11.802 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test3 @TC10 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.139 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.763 s
2	When enter username and password	PASSED	0.390 s
3	And clicks on createProject tab	PASSED	1.245 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.250 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

PASSED	DURATION - 19.727 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:06:11.817 PM // 2:06:31.544 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CRP-Test4 @CreateProject @Smoke @Reg @TC11 @Positive				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.140 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.330 s
2	When enter username and password	PASSED	0.436 s
3	And clicks on createProject tab	PASSED	1.285 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.527 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.928 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 18.781 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:06:31.564 PM // 2:06:50.345 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test5 @TC12 @Positive				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.139 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.003 s
2	When enter username and password	PASSED	0.424 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.468 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.667 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to Search Project on Project Listing by the use of Search Functionality

<div>PASSED</div> <div>DURATION - 15.204 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:06:50.357 PM // 2:07:05.561 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC13 @CRP-Test6 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.137 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.984 s
2	When enter username and password	PASSED	0.360 s
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.645 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		



(S)- user is able to validate updated project on Project Listing page

<div><div>PASSED</div><div>DURATION - 59.865 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:07:05.577 PM // 2:08:05.442 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@TC14 @CreateProject @Smoke @Reg @CRP-Test7 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.141 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	24.477 s
2	When enter username and password	PASSED	0.410 s
3	And clicks on createProject tab	PASSED	1.304 s



#	Step / Hook Details	Status	Duration
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.499 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.908 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	PASSED	22.045 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is not able to create Project when left mandatory field blank

PASSED		DURATION - 14.913 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:08:05.456 PM // 2:08:20.369 PM /						
Creation of Projects and validation of Project Setting Pop Up						
@CreateProject @Smoke @Reg @TC15 @CRP-Test8 @Negative						



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.141 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.286 s
2	When enter username and password	PASSED	0.440 s
3	And clicks on createProject tab	PASSED	1.450 s
4	When creates project with "Auto-DemoProject","", "Test" and engine	PASSED	0.497 s
5	Then submit button is displaying disable	PASSED	0.020 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page

<div><div>PASSED</div><div>DURATION - 56.635 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:08:20.384 PM // 2:09:17.019 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC16 @CRP-Test9 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.146 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	38.068 s
2	When enter username and password	PASSED	0.408 s
3	And clicks on createProject tab	PASSED	2.190 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.529 s
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	PASSED	15.194 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.095 s
	---Closing the Browser---		



(S)- user is not able to find deleted project on ProjectListing Page

<div>PASSED</div> <div>DURATION - 47.864 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:09:17.036 PM // 2:10:04.900 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test10 @Negative @TC17</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.135 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.722 s

#	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.413 s
3	And clicks on createProject tab	PASSED	1.382 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.517 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page	PASSED	10.944 s
6	When deletes the project	PASSED	10.445 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.221 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(F)- User is able to create RDBMS Source and Destination

FAILED	DURATION - 4 m 53.390 s	Scenarios		Steps	
/ 2:10:04.947 PM // 2:14:58.337 PM /		Total - 4		Total - 66	
		Pass - 1		Pass - 45	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 18	


(S)- user is able to create RDBMS source

FAILED	DURATION - 1 m 57.895 s		Steps	
/ 2:10:04.947 PM // 2:12:02.842 PM /			Total - 12	
User is able to create RDBMS Source and Destination			Pass - 2	
@Smoke @Reg @Positive @TC18 @E2EExecution2			Fail - 1 Skip - 9	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.146 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	44.812 s
2	And enter username and password	PASSED	0.376 s
3	And clicks on createProject tab	FAILED	1 m 12.374 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath:		

#	Step / Hook Details	Status	Duration
	<pre> /*[text()=' Create project '] (tried for 50 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:39) at ?.clicks on createProject tab(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateRDBMSSourceAndDestination. feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=' Create project ']"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome. EO1nLA}, goog:chromeOptions: {debuggerAddress: localhost:46247}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4612fadeaa252c13529d0287f52ec746 *** Element info: {Using=xpath, value=//*[text()=' Create project ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And creates project with "AutoDIL", "ProjectForAutomation", "Test" and engine	SKIPPED	0.001 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation", "Test", "STREAMING"	SKIPPED	0.001 s
6	And enters pipeline properties	SKIPPED	0.001 s
	<div>PKey</div> <div>PValue</div>		

#	Step / Hook Details	Status	Duration												
	<table><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step		
serviceType	AcquireFile														
isReturnable	False														
isSchemaNeededToBeRegister	False														
area	area														
flow	flow														
step	step														
7	And Spark properties	SKIPPED	0.001 s												
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>			SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true								
SKey	SValue														
spark.sql.adaptive.coalescePartitions.enabled	true														
8	And clicks on "Add a Source"	SKIPPED	0.000 s												
9	When Enters "DemoSource","RDBMS","RDBMSConnection" for RDBMS Connection	SKIPPED	0.001 s												
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	SKIPPED	0.001 s												
11	And clicks add button of "Source"	SKIPPED	0.001 s												
12	Then Source should get created with "DemoSource"	SKIPPED	0.001 s												
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.072 s												
	this is my failure message user_is_able_to_create_RDBMS_source														
	<div></div>														
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s												
	---Closing the Browser---														



(S)- user is able to create RDBMS Destination

PASSED	DURATION - 1 m 17.530 s		Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	
/ 2:12:02.885 PM // 2:13:20.415 PM /				
User is able to create RDBMS Source and Destination				
@Smoke @Reg @Positive @E2EExecution2 @TC19				


#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.167 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	7.993 s	
2	And enter username and password	PASSED	0.438 s	
3	And clicks on createProject tab	PASSED	1.451 s	
4	And creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.568 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.073 s	
6	And enters pipeline properties	PASSED	1.042 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.251 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.809 s	
9	And Enters "DemoSource","RDBMS","RDBMSConnection" for RDBMS Connection	PASSED	5.844 s	
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.840 s	
11	And clicks add button of "Source"	PASSED	5.185 s	
12	And Source should get created with "DemoSource"	PASSED	0.560 s	
13	When Select flow as "Destination"	PASSED	0.162 s	
14	And Enters "DestinationAutoRDBMS","RDBMS","RDBMSConnection" for RDBMS Connection	PASSED	5.808 s	

#	Step / Hook Details	Status	Duration						
15	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.653 s						
16	And Enter Save mode "Ignore"	PASSED	0.263 s						
17	And enters destination keys and value	PASSED	10.531 s						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>			DKey	DValue	mode	:	escape	:
	DKey			DValue					
	mode			:					
escape	:								
18	And clicks add button of "Destination"	PASSED	5.175 s						
19	Then Destination with "DestinationAutoRDBMS" should get created	PASSED	5.621 s						
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s						
	---Closing the Browser---								

(S)- user is able to delete RDBMS source

<div>FAILED</div> <div>DURATION - 48.866 s</div>	<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:13:20.440 PM // 2:14:09.306 PM /</div>			
<div>User is able to create RDBMS Source and Destination</div>			
<div>@Smoke @Reg @TC20 @Positive</div> <div>@E2EExecution3</div>			

#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.135 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	10.649 s	
2	And enter username and password	PASSED	0.389 s	
3	And clicks on createProject tab	PASSED	1.455 s	
4	And creates project with "AutoDIL ","ProjectForAutomation","Test" and engine	PASSED	0.550 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.067 s	
6	And enters pipeline properties	PASSED	1.059 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area


#	Step / Hook Details	Status	Duration				
	<table><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>	flow	flow	step	step		
flow	flow						
step	step						
7	And Spark properties	PASSED	5.369 s				
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true		
SKey	SValue						
spark.sql.adaptive.coalescePartitions.enabled	true						
8	And clicks on "Add a Source"	PASSED	0.837 s				
9	And Enters "DemoSource", "RDBMS", "RDBMSConnection" for RDBMS Connection	PASSED	6.013 s				
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.769 s				
11	And clicks add button of "Source"	PASSED	5.150 s				
12	And Source should get created with "DemoSource"	PASSED	0.613 s				
13	When click on "Delete Source" to delete	PASSED	5.642 s				
14	Then source "DemoSource" should get deleted	FAILED	0.026 s				
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Function_LeanPageObject.java:45) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:79) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateRDBMSSourceAndDestination.feature:91) * Not displayable characters are replaced by '?'. AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.048 s				
	this is my failure message user_is_able_to_delete_RDBMS_source						
							
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s				
	---Closing the Browser---						

(S)- user is able to delete RDBMS Destination



FAILED	DURATION - 48.999 s		Steps Total - 21 Pass - 11 Fail - 1 Skip - 9	
/ 2:14:09.338 PM // 2:14:58.337 PM /				
User is able to create RDBMS Source and Destination				
@Smoke @Reg @TC21 @Positive @E2EExecution4				

#	Step / Hook Details	Status	Duration														
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.163 s														
	--Starting the Execution--																
1	Given user is on DIL login page	PASSED	7.185 s														
2	And enter username and password	PASSED	0.408 s														
3	And clicks on createProject tab	PASSED	1.334 s														
4	And creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.506 s														
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.115 s														
6	And enters pipeline properties	PASSED	0.954 s														
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>			PKey	PValue	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step
PKey	PValue																
serviceType	AcquireFile																
isReturnable	False																
isSchemaNeededToBeRegister	False																
area	area																
flow	flow																
step	step																
7	And Spark properties	PASSED	5.212 s														
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>			SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true										
SKey	SValue																
spark.sql.adaptive.coalescePartitions.enabled	true																
8	And clicks on "Add a Source"	PASSED	0.832 s														
9	And Enters "DemoSource","RDBMS","RDBMSConnection" for RDBMS Connection	PASSED	5.905 s														
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.821 s														
11	And clicks add button of "Source"	PASSED	5.184 s														
12	And Source should get created with "DemoSource"	FAILED	10.226 s														
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@title='DemoSource']"} (Session info: headless chrome=90.0.4430.212) For documentation on this error,																



#	Step / Hook Details	Status	Duration						
	<p>please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.jgGt59}, goog:chromeOptions: {debuggerAddress: localhost:34667}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ccb75255f6fc5d1a0111afa16274a60d *** Element info: {Using=xpath, value=//*[@title='DemoSource']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:231) at com.steps.createSourceDestAndTransform.sourceShouldGetCreatedWith(createSourceDestAndTransform.java:54) at ?.Source should get created with "DemoSource"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateRDBMSSourceAndDestination.feature:119) * Not displayable characters are replaced by '?'. </p>								
13	And Select flow as "Destination"	SKIPPED	0.000 s						
14	And Enters "DestinationAutoRDBMS","RDBMS","RDBMSConnection" for RDBMS Connection	SKIPPED	0.000 s						
15	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	SKIPPED	0.000 s						
16	And Enter Save mode "Ignore"	SKIPPED	0.000 s						
17	And enters destination keys and value	SKIPPED	0.000 s						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	DKey	DValue	mode	:	escape	:		
DKey	DValue								
mode	:								
escape	:								
18	And clicks add button of "Destination"	SKIPPED	0.000 s						
19	And Destination with "DestinationAutoRDBMS" should get created	SKIPPED	0.001 s						
20	When click on "Delete Destination" to delete	SKIPPED	0.000 s						
21	Then destination "DestinationAutoRDBMS" should get deleted	SKIPPED	0.001 s						

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_delete_RDBMS_Destination 	PASSED	0.050 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.091 s

(F)- User is able to create Delta Source and Destination

FAILED	DURATION - 4 m 12.422 s	Scenarios Total - 6 Pass - 3 Fail - 3 Skip - 0		Steps Total - 80 Pass - 70 Fail - 3 Skip - 7	
/ 2:14:58.362 PM // 2:19:10.784 PM /					



(S)- user is able to create delta source

PASSED	DURATION - 29.314 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 2:14:58.362 PM // 2:15:27.676 PM /				
User is able to create Delta Source and Destination				
@Delta @TC25 @Smoke @Reg @Positive @Delta1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	0.133 s

#	Step / Hook Details		Status	Duration
1	Given user is on DIL login page		PASSED	5.793 s
2	When enter username and password		PASSED	0.368 s
3	And clicks on createProject tab		PASSED	1.437 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine		PASSED	0.564 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"		PASSED	1.058 s
6	When enters pipeline properties		PASSED	0.979 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.272 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.804 s
9	When Enters "DemoSource","DELTA","HiveConnection"		PASSED	12.276 s
10	Then Source should get created with "DemoSource"		PASSED	0.549 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.075 s
	---Closing the Browser---			

(S)- user is able to create delta Destination

PASSED	DURATION - 41.773 s		Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 2:15:27.691 PM // 2:16:09.464 PM /				
User is able to create Delta Source and Destination				
@Delta @@Delta2 @Smoke @Reg @TC26 @Positive				


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		

#	Step / Hook Details		Status	Duration
1	Given user is on DIL login page		PASSED	7.211 s
2	When enter username and password		PASSED	0.398 s
3	And clicks on createProject tab		PASSED	1.281 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine		PASSED	0.501 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"		PASSED	1.058 s
6	When enters pipeline properties		PASSED	0.999 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.249 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.793 s
9	When Enters "DemoSource","DELTA","HiveConnection"		PASSED	5.896 s
10	Then Source should get created with "DemoSource"		PASSED	0.556 s
11	When enters "DEstinationAutoDelta","DELTA","HiveConnection","Ignore"		PASSED	1.302 s
12	When enters destination keys and value		PASSED	10.535 s
	DKey	DValue		
	mode	:		
	escape	:		
13	And clicks add		PASSED	0.141 s
14	Then Destination with "DEstinationAutoDelta" should get created		PASSED	5.636 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.074 s
	---Closing the Browser---			



(S)- user is able to delete delta source

FAILED	DURATION - 27.346 s		Steps Total - 12 Pass - 9 Fail - 1 Skip - 2	
/ 2:16:09.479 PM // 2:16:36.825 PM /				
User is able to create Delta Source and Destination				
@Delta @Smoke @Reg @TC27 @@Delta3 @Positive				

#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.135 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	9.213 s	
2	When enter username and password	PASSED	0.393 s	
3	And clicks on createProject tab	PASSED	1.430 s	
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.598 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.064 s	
6	When enters pipeline properties	PASSED	0.988 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.229 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.787 s	
9	When Enters "DemoSource","DELTA","HiveConnection"	PASSED	5.952 s	
10	Then Source should get created with "DemoSource"	FAILED	1.414 s	
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53)			


#	Step / Hook Details	Status	Duration
	<pre>at com.steps.createSourceDestAndTransform.sourceShouldGetCreatedWith(createSourceDestAndTransform.java:54) at ?.Source should get created with "DemoSource"(file:///home/pihu/dil_automation/src/test/resources/features/projects/ Delta%20Source%20and%20Destination.feature:83) * Not displayable characters are replaced by '?'. </pre>		
11	And click on "Delete Source" to delete	SKIPPED	0.000 s
12	Then source "DemoSource" should get deleted	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_delete_delta_source 	PASSED	0.065 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.071 s

(S)- user is able to delete delta Destination

FAILED DURATION - 40.058 s / 2:16:36.841 PM // 2:17:16.899 PM / User is able to create Delta Source and Destination @Delta @Smoke @Reg @Positive @Delta4 @TC28		Steps Total - 16 Pass - 10 Fail - 1 Skip - 5	
---	---	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	0.134 s
1	Given user is on DIL login page	PASSED	12.171 s
2	When enter username and password	PASSED	0.404 s
3	And clicks on createProject tab	PASSED	1.302 s


#	Step / Hook Details	Status	Duration														
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.548 s														
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.020 s														
6	When enters pipeline properties <table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>	PKey	PValue	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step	PASSED	0.908 s
PKey	PValue																
serviceType	AcquireFile																
isReturnable	False																
isSchemaNeededToBeRegister	False																
area	area																
flow	flow																
step	step																
7	And Spark properties <table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true	PASSED	5.310 s										
SKey	SValue																
spark.sql.adaptive.coalescePartitions.enabled	true																
8	And clicks on "Add a Source"	PASSED	0.799 s														
9	When Enters "DemoSource","DELTA","HiveConnection"	PASSED	5.872 s														
10	Then Source should get created with "DemoSource"	PASSED	0.565 s														
11	When enters "DestinationDelta","DELTA","HiveConnection","Ignore" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='HiveConnection ']"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.TgvauT}, goog:chromeOptions: {debuggerAddress: localhost:33697}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5d19a1d34a4dc87b92c1afa8e4718a76 *** Element info: {Using=xpath, value=//*[text()='HiveConnection ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)	FAILED	10.828 s														

#	Step / Hook Details	Status	Duration						
	<div>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</div> <div>at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:231)</div> <div>at com.pagesPF.PipeLIne_BuilderPage.createDestinationDelta(PipeLIne_BuilderPage.java:271)</div> <div>at com.steps.createSourceDestAndTransform.enters(createSourceDestAndTransform.java:174)</div> <div>at ?.enters "DestinationDelta","DELTA","HlveConnection","Ignore"(file:///home/pihu/dil_automation/src/test/resources/features/projects/Delta%20Source%20and%20Destination.feature:112)</div> <div>* Not displayable characters are replaced by '?'. </div>								
12	<div>When enters destination keys and value</div> <table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	DKey	DValue	mode	:	escape	:	SKIPPED	0.001 s
DKey	DValue								
mode	:								
escape	:								
13	And clicks add	SKIPPED	0.001 s						
14	Then Destination with "DestinationDelta" should get created	SKIPPED	0.000 s						
15	And click on "Delete Destination" to delete	SKIPPED	0.001 s						
16	Then destination "DestinationDelta" should get deleted	SKIPPED	0.001 s						
	<div>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</div> <div>this is my failure message</div> <div>user_is_able_to_delete_delta_Destination</div> <div></div>	PASSED	0.106 s						
	<div>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</div> <div>---Closing the Browser---</div>	PASSED	0.077 s						

(S)- user is able to update delta source and validate the same at Source properties panel



FAILED	DURATION - 55.344 s		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 2:17:16.913 PM // 2:18:12.257 PM /				
User is able to create Delta Source and Destination				
@Delta @Smoke @Reg @Delta5 @Positive @TC29				

#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	15.331 s	
2	When enter username and password	PASSED	0.376 s	
3	And clicks on createProject tab	PASSED	1.448 s	
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.595 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.062 s	
6	When enters pipeline properties	PASSED	1.052 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.307 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.828 s	
9	When Enters "DemoSource","DELTA","HiveConnection"	PASSED	5.935 s	
10	Then Source should get created with "DemoSource"	PASSED	0.613 s	
11	When edits record for "UpdatedNameSource" and "HiveConnection"	PASSED	11.328 s	
12	Then Updated record validated for "UpdatedNameSource" and "HiveConnection"	FAILED	11.178 s	
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@title='UpdatedNameSource']"} (Session info: headless chrome=90.0.4430.212) For documentation on this			

#	Step / Hook Details	Status	Duration
	<p>error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.5rxL6t}, goog:chromeOptions: {debuggerAddress: localhost:40207}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1f59aa5277c4c2f6c3b4925b775bbe7c *** Element info: {Using=xpath, value=//*[@title='UpdatedNameSource']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:231) at com.pagesPF.Pipeline_BuilderPage.validateUpdatedRecord(Pipeline_BuilderPage.java:348) at com.steps.createSourceDestAndTransform.updatedRecordValidatedForAnd(createSourceDestAndTransform.java:238) at ?.Updated record validated for "UpdatedNameSource" and "HiveConnection"(file:///home/pihu/dil_automation/src/test/resources/features/projects/Delta%20Source%20and%20Destination.feature:147)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_update_delta_source_and_validate_the_same_at_Source_properties_panel</p> 	PASSED	0.078 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s

#	Step / Hook Details	Status	Duration
	---Closing the Browser---		



(S)- user is able to update the destination and validate the same at destinationProperties

<div>PASSED</div> <div>DURATION - 58.513 s</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:18:12.271 PM // 2:19:10.784 PM /</div>			
<div>User is able to create Delta Source and Destination</div>			
<div>@Delta @Smoke @Reg @Delta6 @TC30</div> <div>@Positive</div>			


#	Step / Hook Details		Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		PASSED	0.135 s
	--Starting the Execution--			
1	Given user is on DIL login page		PASSED	5.768 s
2	When enter username and password		PASSED	0.432 s
3	And clicks on createProject tab		PASSED	1.250 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine		PASSED	0.498 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"		PASSED	1.046 s
6	When enters pipeline properties		PASSED	1.045 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.241 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.831 s
9	When Enters "DemoSource","DELTA","HlveConnection"		PASSED	5.878 s
10	Then Source should get created with "DemoSource"		PASSED	0.587 s
11	When enters "DEstinationAutoDelta","DELTA","HlveConnection","Ignore"		PASSED	1.254 s


#	Step / Hook Details	Status	Duration	
12	When enters destination keys and value	PASSED	10.466 s	
	DKey			DValue
	mode			:
	escape			:
13	And clicks add	PASSED	0.091 s	
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.597 s	
15	When edits record for "UpdatedNameDest" and "HlveConnection"	PASSED	11.292 s	
16	Then Updated record validated for "UpdatedNameDest" and "HlveConnection"	PASSED	7.016 s	
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s	
	---Closing the Browser---			

(F)- Creation of a End to End Execution of the pipeline for Spark/TMPL services

PASSED	DURATION - 8 m 22.657 s	Scenarios		Steps	
/ 2:19:10.826 PM // 2:27:33.483 PM /		Total - 6		Total - 98	
		Pass - 6	6	Pass - 98	98
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to run created acquire kafka pipeline and validate same in logs

PASSED	DURATION - 1 m 21.293 s			Steps	
/ 2:19:10.826 PM // 2:20:32.119 PM /				Total - 16	
Creation of a End to End Execution of the pipeline for Spark/TMPL services				Pass - 16	16
@Smoke @Reg @TC31 @Positive				Fail - 0	
@E2EExecution @E2EExecution1				Skip - 0	



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.133 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.902 s
2	When enter username and password	PASSED	0.389 s

#	Step / Hook Details	Status	Duration	
3	And clicks on createProject tab	PASSED	1.378 s	
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.463 s	
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.081 s	
6	When enters pipeline properties	PASSED	0.855 s	
	PKey			PValue
	serviceType			AcquireKafka
	isSchemaNeededToBeRegister			true
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.200 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.754 s	
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	7.336 s	
10	Then Source should get created with "DemoSource"	PASSED	0.514 s	
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" , ".csv","topic2"	PASSED	11.769 s	
12	When enters destination keys and value	PASSED	10.517 s	
	DKey			DValue
	trigger			10 seconds
	checkpointLocation			/tmp/1099/
13	And clicks add	PASSED	0.136 s	
14	Then PipeLine with status "READY" is validated	PASSED	11.819 s	
15	When executes the pipeline	PASSED	15.773 s	
16	Then Pipeline record is validated on logs page	PASSED	6.188 s	
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s	
	---Closing the Browser---			



(S)- user is able to run created acquire kafka Swagger pipeline and validate same in logs

PASSED	DURATION - 1 m 28.206 s		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 2:20:32.142 PM // 2:22:00.348 PM /				
Creation of a End to End Execution of the pipeline for Spark/TMPL services				
@Smoke @Reg @TC32 @Positive @E2EExecution2 @E2EExecution				

#	Step / Hook Details		Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		PASSED	0.136 s
	--Starting the Execution--			
1	Given user is on DIL login page		PASSED	8.525 s
2	When enter username and password		PASSED	0.360 s
3	And clicks on createProject tab		PASSED	6.529 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine		PASSED	0.530 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"		PASSED	1.103 s
6	When enters pipeline properties		PASSED	0.967 s
	PKey	PValue		
	serviceType	AcquireKafkaSwagger		
	header	/definitions/ConsentTypeEvent		
	isSchemaNeededToBeRegister	true		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.260 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.776 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add		PASSED	7.321 s
10	Then Source should get created with "DemoSource"		PASSED	0.557 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"		PASSED	11.624 s
12	When enters destination keys and value		PASSED	10.483 s
	DKey	DValue		

#	Step / Hook Details		Status	Duration
	trigger	10 seconds		
	checkpointLocation	/tmp/1099/		
13	And clicks add		PASSED	0.084 s
14	Then PipeLine with status "READY" is validated		PASSED	11.807 s
15	When executes the pipeline		PASSED	15.718 s
16	Then Pipeline record is validated on logs page		PASSED	6.336 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.079 s
	---Closing the Browser---			

(S)- user is able to run created acquire File pipeline and validate same in logs

<div>PASSED</div> <div>DURATION - 1 m 17.565 s</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:22:00.385 PM // 2:23:17.950 PM /</div>			
<div>Creation of a End to End Execution of the pipeline for Spark/TMPL services</div>			
<div>@Smoke @Reg @TC33 @Positive</div> <div>@E2EExecution3 @E2EExecution</div>			

#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.136 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	9.682 s	
2	When enter username and password	PASSED	0.385 s	
3	And clicks on createProject tab	PASSED	1.401 s	
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.530 s	
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.033 s	
6	When enters pipeline properties		PASSED	1.091 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		

#	Step / Hook Details		Status	Duration
7	And Spark properties		PASSED	5.196 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.748 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",", "No Schema", "<SchemaValue>"		PASSED	6.691 s
10	Then Source should get created with "DemoSource"		PASSED	0.550 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"		PASSED	1.543 s
12	When enters destination keys and value		PASSED	10.426 s
	DKey	DValue		
	mode	:		
	escape	:		
13	And clicks add		PASSED	0.088 s
14	Then PipeLine with status "READY" is validated		PASSED	16.049 s
15	When executes the pipeline		PASSED	15.735 s
16	Then Pipeline record is validated on logs page		PASSED	6.198 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.074 s
	---Closing the Browser---			

(S)- user is able to run created Publish File Streaming pipeline and validate same in logs

PASSED DURATION - 1 m 25.450 s / 2:23:17.970 PM // 2:24:43.420 PM / Creation of a End to End Execution of the pipeline for Spark/TMPL services @Smoke @Reg @TC34 @Positive @E2EExecution4 @E2EExecution		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.137 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.273 s

#	Step / Hook Details	Status	Duration	
2	When enter username and password	PASSED	0.402 s	
3	And clicks on createProject tab	PASSED	1.509 s	
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.459 s	
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.097 s	
6	When enters pipeline properties	PASSED	0.859 s	
	PKey			PValue
	serviceType			PublishFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.268 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.800 s	
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",", "No Schema", "<SchemaValue>"	PASSED	7.018 s	
10	Then Source should get created with "DemoSource"	PASSED	0.546 s	
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"	PASSED	1.600 s	
12	When enters destination keys and value	PASSED	10.503 s	
	DKey			DValue
	mode			:
	escape			:
13	And clicks add	PASSED	0.099 s	
14	Then Destination with "DemoDestination" should get created	PASSED	5.612 s	
15	Then PipeLine with status "READY" is validated	PASSED	12.016 s	
16	When executes the pipeline	PASSED	15.786 s	
17	Then Pipeline record is validated on logs page	PASSED	6.377 s	
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s	
	---Closing the Browser---			



(S)- user is able to run created Publish File Batch pipeline and validate same in logs

PASSED	DURATION - 1 m 18.933 s		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
/ 2:24:43.442 PM // 2:26:02.375 PM /				
Creation of a End to End Execution of the pipeline for Spark/TMPL services				
@Smoke @Reg @TC35 @E2EExecution5 @Positive @E2EExecution				

#	Step / Hook Details		Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		PASSED	0.134 s
	--Starting the Execution--			
1	Given user is on DIL login page		PASSED	9.692 s
2	When enter username and password		PASSED	0.393 s
3	And clicks on createProject tab		PASSED	1.493 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine		PASSED	0.520 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","BATCH"		PASSED	1.000 s
6	When enters pipeline properties		PASSED	0.965 s
	PKey	PValue		
	serviceType	PublishFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.242 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.772 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",","No Schema","<SchemaValue>"		PASSED	6.678 s
10	Then Source should get created with "DemoSource"		PASSED	0.537 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO", "hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"		PASSED	1.441 s
12	When enters destination keys and value		PASSED	10.491 s

#	Step / Hook Details	Status	Duration						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	DKey	DValue	mode	:	escape	:		
DKey	DValue								
mode	:								
escape	:								
13	And clicks add	PASSED	0.108 s						
14	Then Destination with "DemoDestination" should get created	PASSED	5.602 s						
15	Then PipeLine with status "READY" is validated	PASSED	11.812 s						
16	When executes the pipeline	PASSED	15.764 s						
17	Then Pipeline record is validated on logs page	PASSED	6.197 s						
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s						
	---Closing the Browser---								



(S)- user is able to run created Publish kafka pipeline and validate same in logs

<div>PASSED</div> <div>DURATION - 1 m 31.083 s</div>	<div></div>	<div><div>Steps</div><div>Total - 16</div><div>Pass - 16</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 2:26:02.400 PM // 2:27:33.483 PM /</div>		
<div>Creation of a End to End Execution of the pipeline for Spark/TMPL services</div>		
<div>@Smoke @Reg @E2EExecution6 @TC53</div> <div>@Positive @E2EExecution</div>		

#	Step / Hook Details	Status	Duration										
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s										
	--Starting the Execution--												
1	Given user is on DIL login page	PASSED	16.934 s										
2	When enter username and password	PASSED	0.392 s										
3	And clicks on createProject tab	PASSED	1.405 s										
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.490 s										
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.052 s										
6	When enters pipeline properties	PASSED	0.703 s										
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>PublishKafka</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>true</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr></table>			PKey	PValue	serviceType	PublishKafka	isSchemaNeededToBeRegister	true	area	area	flow	flow
PKey	PValue												
serviceType	PublishKafka												
isSchemaNeededToBeRegister	true												
area	area												
flow	flow												

#	Step / Hook Details		Status	Duration
	step	step		
7	And Spark properties		PASSED	5.199 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.795 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add		PASSED	7.143 s
10	Then Source should get created with "DemoSource"		PASSED	0.589 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"		PASSED	11.572 s
12	When enters destination keys and value		PASSED	10.595 s
	DKey	DValue		
	trigger	10 seconds		
	checkpointLocation	/tmp/1099/		
13	And clicks add		PASSED	0.073 s
14	Then PipeLine with status "READY" is validated		PASSED	11.751 s
15	When executes the pipeline		PASSED	15.766 s
16	Then Pipeline record is validated on logs page		PASSED	6.405 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.076 s
	---Closing the Browser---			

(F)- Creation of Sources and Destination

FAILED	DURATION - 8 m 56.959 s	Scenarios		Steps	
/ 2:27:33.512 PM // 2:36:30.471 PM /		Total - 13	13	Total - 136	136
		Pass - 11		Pass - 129	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 5	

(S)- user is able to create file type source for ManualSchema

<div>PASSEDDURATION - 30.007 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>8.4</td></tr><tr><td>2</td><td>0.5</td></tr><tr><td>3</td><td>6.1</td></tr><tr><td>4</td><td>0.6</td></tr><tr><td>5</td><td>6.1</td></tr><tr><td>6</td><td>0.8</td></tr><tr><td>7</td><td>7.1</td></tr><tr><td>8</td><td>0.6</td></tr></tbody></table></div>	Step	Duration (s)	1	8.4	2	0.5	3	6.1	4	0.6	5	6.1	6	0.8	7	7.1	8	0.6	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)																					
1	8.4																					
2	0.5																					
3	6.1																					
4	0.6																					
5	6.1																					
6	0.8																					
7	7.1																					
8	0.6																					
/ 2:27:33.512 PM // 2:28:03.519 PM /																						
Creation of Sources and Destination																						
@TC36 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination																						



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.132 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.361 s
2	When enter username and password	PASSED	0.391 s
3	And clicks on createProject tab	PASSED	5.985 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.570 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.028 s
6	And clicks on "Add a Source"	PASSED	0.781 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",",,"Manual Schema","AutoManualSchemaDND"	PASSED	7.119 s
8	Then Source should get created with "DemoSource"	PASSED	0.563 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user is able to create FileSystem source with No schema

<div>PASSED</div> <div>DURATION - 24.705 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>8.4</td></tr><tr><td>2</td><td>0.5</td></tr><tr><td>3</td><td>1.5</td></tr><tr><td>4</td><td>0.5</td></tr><tr><td>5</td><td>6.0</td></tr><tr><td>6</td><td>1.0</td></tr><tr><td>7</td><td>7.1</td></tr><tr><td>8</td><td>0.5</td></tr></tbody></table></div>	Step	Duration (s)	1	8.4	2	0.5	3	1.5	4	0.5	5	6.0	6	1.0	7	7.1	8	0.5	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)																					
1	8.4																					
2	0.5																					
3	1.5																					
4	0.5																					
5	6.0																					
6	1.0																					
7	7.1																					
8	0.5																					
/ 2:28:03.532 PM // 2:28:28.237 PM /																						
Creation of Sources and Destination																						
@CSource-Test2 @Smoke @Reg @TC37 @Positive @CreateSourceAndDestination																						

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.080 s
2	When enter username and password	PASSED	0.396 s
3	And clicks on createProject tab	PASSED	1.365 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.512 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.961 s
6	And clicks on "Add a Source"	PASSED	0.845 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv","",,"No Schema","<SchemaValue>"	PASSED	6.777 s
8	Then Source should get created with "DemoSource"	PASSED	0.554 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		



(S)- user is able to delete created source

PASSED		DURATION - 40.603 s			<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:28:28.269 PM // 2:29:08.872 PM /						
Creation of Sources and Destination						
@Smoke @Reg @CSource-Test3 @TC38 @Positive @CreateSourceAndDestination						

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.574 s
2	When enter username and password	PASSED	0.426 s
3	And clicks on createProject tab	PASSED	1.505 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.474 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.823 s
6	And clicks on "Add a Source"	PASSED	0.698 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv","",,"No Schema","<SchemaValue>"	PASSED	6.729 s
8	Then Source should get created with "DemoSource"	PASSED	0.547 s


#	Step / Hook Details	Status	Duration
9	And click on "Delete Source" to delete	PASSED	5.568 s
10	Then source "DemoSource" should get deleted	PASSED	10.037 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	---Closing the Browser---		

(S)- user is able to create Transformation

<div>FAILED</div> <div>DURATION - 1 m 25.550 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 2:29:08.890 PM // 2:30:34.440 PM /				
Creation of Sources and Destination				
@Smoke @Reg @CTransformation-Test1 @Positive @TC39 @CreateSourceAndDestination				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.140 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	19.405 s
2	When enter username and password	PASSED	0.490 s
3	And clicks on createProject tab	PASSED	2.427 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.626 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	FAILED	1 m 2.295 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[text()=" Create Pipeline"]' (tried for 50 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.pagesPF.PipeLLne_ListingPage.createPipeLine(PipeLLne_ListingPage.java:99) at com.steps.createSourceDestAndTransform.createSAHavingAnd(createSourceDestAndTransform.java:39) at ?.creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"(file:///home/pihu/dil_automation/src/test/resources/features/projects/Kafka,FileSystem_CreateSourceDestAndTransformation.feature:57) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=" Create Pipeline"]} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.		

#	Step / Hook Details	Status	Duration
	<p>rfN4cQ}, goog:chromeOptions: {debuggerAddress: localhost:44635}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2fe660486de7d13cdcc3283fd47e2e20 *** Element info: {Using=xpath, value=//*[@text()="Create Pipeline"]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.pagesPF.PipeLine_ListingPage.createPipeLine(PipeLine_ListingPage.java:99) at com.steps.createSourceDestAndTransform.createSAHavingAnd(createSourceDestAndTransform.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
6	And clicks on "Add a Source"	SKIPPED	0.000 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ",", "Manual Schema", "AutoManualSchemaDND"	SKIPPED	0.000 s
8	Then Source should get created with "DemoSource"	SKIPPED	0.001 s
9	When enters "TestTrans", "Column", "GroupBy", "m_boolean" and click add	SKIPPED	0.000 s
10	Then Transformation with "TestTrans" should get created	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.089 s
	<p>this is my failure message</p> <p>user_is_able_to_create_Transformation</p>		
			

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

(S)- user is able to create File System type Destination

<div>PASSED</div> <div>DURATION - 50.038 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:30:34.453 PM // 2:31:24.491 PM /</div>			
<div>Creation of Sources and Destination</div>			
<div>@Smoke @Reg @TC38 @CDestination-Test1</div> <div>@Positive @CreateSourceAndDestination</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.132 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	26.153 s
2	When enter username and password	PASSED	0.434 s
3	And clicks on createProject tab	PASSED	1.408 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.562 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.812 s
6	And clicks on "Add a Source"	PASSED	0.781 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",",", "Manual Schema","AutoManualSchemaDND"	PASSED	7.075 s
8	Then Source should get created with "DemoSource"	PASSED	0.554 s
9	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV", ".csv","CDR"	PASSED	1.384 s
10	And clicks add	PASSED	0.063 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.601 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

(S)- user is able to create Kafka type Destination

PASSED	DURATION - 57.787 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 2:31:24.506 PM // 2:32:22.293 PM /				
Creation of Sources and Destination				
@Smoke @Reg @CDestination-Test1 @Positive @TC39 @CreateSourceAndDestination				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.137 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	23.799 s
2	When enter username and password	PASSED	0.326 s
3	And clicks on createProject tab	PASSED	1.251 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.568 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.845 s
6	And clicks on "Add a Source"	PASSED	0.815 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",",", "Manual Schema","AutoManualSchemaDND"	PASSED	7.099 s
8	Then Source should get created with "DemoSource"	PASSED	0.575 s
9	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV", ".csv","CDR"	PASSED	11.631 s
10	And clicks add	PASSED	0.070 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.588 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(S)- user is able to create Kafka source for Manual Schema

<div>PASSEDDURATION - 40.791 s</div>		<div></div>	<div>Steps Total - 8 Pass - 8 Fail - 0 Skip - 0</div>	<div></div>
/ 2:32:22.305 PM // 2:33:03.096 PM /				
Creation of Sources and Destination				
@Smoke @Reg @CSource-Test1 @TC40 @Positive @CreateSourceAndDestination				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	18.647 s
2	When enter username and password	PASSED	0.428 s
3	And clicks on createProject tab	PASSED	6.167 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.525 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.868 s
6	And clicks on "Add a Source"	PASSED	0.796 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","K","v" and clicks on add	PASSED	7.576 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.574 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

(S)- user is able to create Kafka source for NoSchema

<div>PASSED</div> <div>DURATION - 22.961 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:33:03.105 PM // 2:33:26.066 PM /				
Creation of Sources and Destination				
@Smoke @Reg @CSource-Test1 @TC41 @Positive @CreateSourceAndDestination				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.131 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.105 s
2	When enter username and password	PASSED	0.370 s
3	And clicks on createProject tab	PASSED	1.371 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.574 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.821 s
6	And clicks on "Add a Source"	PASSED	0.743 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","No_Schema","AutoManualSchemaDND","Earlier","K","v" and clicks on add	PASSED	7.225 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.543 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		



(S)- user is able to create file source with delta as type for No Schema

PASSED		DURATION - 24.982 s			Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 2:33:26.081 PM // 2:33:51.063 PM /						
Creation of Sources and Destination						
@Smoke @Reg @TC42 @Positive @E2EExecution2 @CreateSourceAndDestination						

#	Step / Hook Details		Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		PASSED	0.171 s
	--Starting the Execution--			
1	Given user is on DIL login page		PASSED	7.265 s
2	When enter username and password		PASSED	0.378 s
3	And clicks on createProject tab		PASSED	1.252 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine		PASSED	0.523 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"		PASSED	1.017 s
6	When enters pipeline properties		PASSED	1.032 s
	PKey	PValue		

#	Step / Hook Details		Status	Duration												
	<table><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>		serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step		
serviceType	AcquireFile															
isReturnable	False															
isSchemaNeededToBeRegister	False															
area	area															
flow	flow															
step	step															
7	And Spark properties		PASSED	5.250 s												
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>				SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true								
SKey	SValue															
spark.sql.adaptive.coalescePartitions.enabled	true															
8	And clicks on "Add a Source"		PASSED	0.764 s												
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",","No Schema", "<SchemaValue>"		PASSED	6.689 s												
10	Then Source should get created with "DemoSource"		PASSED	0.542 s												
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.093 s												
	---Closing the Browser---															



(S)- user is able to create file source with delta as type for Manual Schema

PASSED		DURATION - 30.609 s			<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:33:51.077 PM // 2:34:21.686 PM /						
Creation of Sources and Destination						
@Smoke @Reg @TC43 @Positive @E2EExecution2 @CreateSourceAndDestination						


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.131 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	13.053 s
2	When enter username and password	PASSED	0.402 s
3	And clicks on createProject tab	PASSED	1.402 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.494 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.033 s
6	When enters pipeline properties	PASSED	0.828 s

#	Step / Hook Details		Status	Duration
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.216 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.787 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",","No Schema","AutoManualSchemaDND"		PASSED	6.603 s
10	Then Source should get created with "DemoSource"		PASSED	0.581 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.074 s
	---Closing the Browser---			

(S)- user is able to create file source with delta as type for Manual Schema and would be able to delete the same

<div>FAILED</div> <div>DURATION - 30.175 s</div>		<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 2:34:21.699 PM // 2:34:51.874 PM /</div>			
<div>Creation of Sources and Destination</div>			
<div>@Smoke @Reg @TC44 @Positive</div> <div>@E2EExecution2 @CreateSourceAndDestination</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.927 s
2	When enter username and password	PASSED	0.384 s
3	And clicks on createProject tab	PASSED	1.304 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.476 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.016 s

#	Step / Hook Details	Status	Duration	
6	When enters pipeline properties	PASSED	0.912 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.212 s	
	SKey			SValue
	spark.sql.adaptive.coalescePartitions.enabled			true
8	And clicks on "Add a Source"	PASSED	0.793 s	
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput","", "No Schema", "AutoManualSchemaDND"	PASSED	6.696 s	
10	Then Source should get created with "DemoSource"	PASSED	0.549 s	
11	And click on "Delete Source" to delete	PASSED	5.584 s	
12	Then source "DemoSource" should get deleted	FAILED	0.035 s	
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Functions_LeanPageObject.java:45) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:79) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/Kafka, FileSystem_CreateSourceDestAndTransformation.feature:201) * Not displayable characters are replaced by '?'. AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_create_file_source_with_delta_as_type_for_Manual_Schema_and_would_be_able_to_delete_the_same 			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.071 s	



(S)- user is able create file destination with delta as type

PASSED	DURATION - 40.785 s		Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 2:34:51.887 PM // 2:35:32.672 PM /				
Creation of Sources and Destination				
@Smoke @Reg @TC45 @Positive @E2EExecution2 @CreateSourceAndDestination				

#	Step / Hook Details	Status	Duration														
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.131 s														
	--Starting the Execution--																
1	Given user is on DIL login page	PASSED	5.508 s														
2	When enter username and password	PASSED	0.363 s														
3	And clicks on createProject tab	PASSED	1.416 s														
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.540 s														
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.026 s														
6	When enters pipeline properties	PASSED	0.926 s														
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>			PKey	PValue	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step
PKey	PValue																
serviceType	AcquireFile																
isReturnable	False																
isSchemaNeededToBeRegister	False																
area	area																
flow	flow																
step	step																
7	And Spark properties																
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true												
SKey	SValue																
spark.sql.adaptive.coalescePartitions.enabled	true																
8	And clicks on "Add a Source"	PASSED	0.795 s														
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",",","No Schema", "<SchemaValue>"	PASSED	6.625 s														
10	Then Source should get created with "DemoSource"	PASSED	0.552 s														
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"	PASSED	1.401 s														
12	When enters destination keys and value	PASSED	10.505 s														

#	Step / Hook Details	Status	Duration						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	DKey	DValue	mode	:	escape	:		
DKey	DValue								
mode	:								
escape	:								
13	And clicks add	PASSED	0.127 s						
14	Then Destination with "DemoDestination" should get created	PASSED	5.564 s						
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s						
	---Closing the Browser---								



(S)- user is able delete file destination with type as Delta

<div>PASSED</div> <div>DURATION - 57.785 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:35:32.686 PM // 2:36:30.471 PM /				
Creation of Sources and Destination				
@Smoke @Reg @TC46 @Positive @E2EExecution2 @CreateSourceAndDestination				



#	Step / Hook Details		Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		PASSED	0.132 s
	--Starting the Execution--			
1	Given user is on DIL login page		PASSED	6.678 s
2	When enter username and password		PASSED	0.377 s
3	And clicks on createProject tab		PASSED	1.411 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine		PASSED	0.480 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING"		PASSED	1.025 s
6	When enters pipeline properties		PASSED	0.993 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.229 s

#	Step / Hook Details		Status	Duration						
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true					
SKey	SValue									
spark.sql.adaptive.coalescePartitions.enabled	true									
8	And clicks on "Add a Source"		PASSED	0.780 s						
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",",", "No Schema", "<SchemaValue>"		PASSED	6.702 s						
10	Then Source should get created with "DemoSource"		PASSED	0.559 s						
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/", "topic2"		PASSED	1.458 s						
12	When enters destination keys and value		PASSED	10.476 s						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>	DKey			DValue	mode	:	escape	:	
	DKey	DValue								
mode	:									
escape	:									
13	And clicks add		PASSED	0.133 s						
14	Then Destination with "DemoDestination" should get created		PASSED	5.650 s						
15	And click on "Delete Destination" to delete		PASSED	5.607 s						
16	Then destination "DemoDestination" should get deleted		PASSED	10.013 s						
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.073 s						
	---Closing the Browser---									

(F)- To validate created Project with backend API



PASSED	DURATION - 16.624 s	Scenarios		Steps	
/ 2:36:30.486 PM // 2:36:47.110 PM /		Total - 1		Total - 7	
		Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a Project and is able to validate it in backend Api



<div>PASSED</div> <div>DURATION - 16.624 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:36:30.486 PM // 2:36:47.110 PM /</div>			
<div>To validate created Project with backend API</div>			
<div>@TC47 @Smoke @Reg @PBE-API-Test1</div> <div>@Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.132 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.012 s
2	When enter username and password	PASSED	0.341 s
3	And clicks on createProject tab	PASSED	1.469 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.474 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Parihars@123","parihars" and "/authservice/login"	PASSED	1.971 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.233 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.917 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

(F)- This Feature deals with standard End to End Pipeline having Source, Destination and Transformation

PASSED	<i>DURATION - 3 m 29.258 s</i>	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 52 Pass - 52 Fail - 0 Skip - 0					
/ 2:36:47.143 PM // 2:40:16.401 PM /									

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem

PASSED	DURATION - 44.638 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:36:47.143 PM // 2:37:31.781 PM /				
This Feature deals with standard End to End Pipeline having Source, Destination and *				
@E2ETest1 @Smoke @Reg @TC48 @E2ETests @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.142 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.255 s
2	When enter username and password	PASSED	0.382 s
3	And clicks on createProject tab	PASSED	1.277 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.509 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.413 s
6	And clicks on "Add a Source"	PASSED	0.791 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv","","Manual Schema","AutoManualSchemaDND"	PASSED	7.049 s
8	Then Source should get created with "DemoSource"	PASSED	0.538 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.214 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.717 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV",".csv","CDR"	PASSED	1.399 s
12	And clicks add	PASSED	0.079 s
13	Then PipeLine with status "READY" is validated	PASSED	11.793 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem

PASSED	DURATION - 46.705 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:37:31.792 PM // 2:38:18.497 PM /				
This Feature deals with standard End to End Pipeline having Source, Destination and *				
@E2ETest1 @Smoke @Reg @TC49 @E2ETests @Positive				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.133 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.411 s
2	When enter username and password	PASSED	0.353 s
3	And clicks on createProject tab	PASSED	1.252 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.512 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.433 s
6	And clicks on "Add a Source"	PASSED	0.817 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	7.673 s
8	Then Source should get created with "DemoSource"	PASSED	0.515 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.824 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.565 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV",".csv","CDR"	PASSED	1.333 s
12	And clicks add	PASSED	0.065 s
13	Then PipeLine with status "READY" is validated	PASSED	11.739 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka

PASSED	DURATION - 1 m 0.315 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:38:18.518 PM // 2:39:18.833 PM /				
This Feature deals with standard End to End Pipeline having Source, Destination and *				
@E2ETest1 @Smoke @Reg @E2ETests @TC50 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.133 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.087 s
2	When enter username and password	PASSED	0.395 s
3	And clicks on createProject tab	PASSED	1.347 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.522 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.409 s
6	And clicks on "Add a Source"	PASSED	0.758 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv","","Manual Schema","AutoManualSchemaDND"	PASSED	7.057 s
8	Then Source should get created with "DemoSource"	PASSED	0.504 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	6.862 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.520 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR"	PASSED	11.500 s
12	And clicks add	PASSED	0.054 s
13	Then PipeLine with status "READY" is validated	PASSED	18.087 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka


PASSED	DURATION - 57.557 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:39:18.844 PM // 2:40:16.401 PM /				
This Feature deals with standard End to End Pipeline having Source, Destination and *				
@E2ETest1 @Smoke @Reg @E2ETests @TC51 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.130 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.349 s
2	When enter username and password	PASSED	0.377 s
3	And clicks on createProject tab	PASSED	1.517 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.680 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.522 s
6	And clicks on "Add a Source"	PASSED	0.755 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	7.705 s
8	Then Source should get created with "DemoSource"	PASSED	0.521 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	6.828 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.547 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR"	PASSED	11.491 s
12	And clicks add	PASSED	0.061 s
13	Then PipeLine with status "READY" is validated	PASSED	11.982 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.085 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete pipeline and
validate the same in Pipeline Listing page


(F) Creation and Field level validation of
pipelines



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create RDBMS source


(F) User is able to create RDBMS Source
and Destination



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete RDBMS source


(F) User is able to create RDBMS Source
and Destination





(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete RDBMS
Destination

(F) User is able to create RDBMS Source
and Destination



(Step) AFTER - com.steps.Hooks. afterScenario(io.cucumber.java.Scenario)		Status UNKNOWN Name Ez8VXAutoDemoPipeli... Description ProjectForAutomation Tags Test Pipeline Creator Shailendra Parihar Creation Date 25.11.2021 14:16:23 Configuration Execution Type : STREAMING serviceType : AcquireFile
<u>(S) user is able to delete delta source</u>		
<u>(F) User is able to create Delta Source and Destination</u>		

(Step) AFTER - com.steps.Hooks. afterScenario(io.cucumber.java.Scenario)		Name* DestinationDelta 16 / 20 Type* DELTA Connections* Please select Database Configuration Choose Database <input checked="" type="radio"/> Full load <input type="radio"/> Incremental Load Save Mode Destination Key Value Pair
<u>(S) user is able to delete delta Destination</u>		
<u>(F) User is able to create Delta Source and Destination</u>		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to update delta source
and validate the same at Source
properties panel

(F) User is able to create Delta Source
and Destination

T ..

+ Add a Source

Source

DemoSource

↺

↻

⏏

🔍

Status

UNKNOWN

Name

VrFOJAutoDemoPipel...

Description

ProjectForAutomation

Tags

Test

Pipeline Creator

Shailendra Parihar

Creation Date

25.11.2021 14:17:37

Configuration

Execution Type :
STREAMING

serviceType : AcquireFile

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create Transformation

(F) Creation of Sources and Destination

T ..

Shailendra Parihar Menu

Project settings

0 / 1000

Tags

Test_Pipeline

13 / 50

Test_Pipeline

Project Engine*

SPARK

Cancel

Create

FSgCcAutoDIL25 DRAFT

Test_Pipeline

Spark

🔍

📄

🗑

(Step) AFTER - com.steps.Hooks. afterScenario(io.cucumber.java.Scenario)	
(S) user is able to create file source with delta as type for Manual Schema and would be able to delete the same	
(F) Creation of Sources and Destination	

