



FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	1 m 29.161 s
2	Creation and Field level validation of pipelines	1	1	0	0	18.765 s
3	Creation of Projects and validation of Project Setting Pop Up	1	0	1	0	5 m 6.354 s
4	Creation of a End to End Execution of the pipeline for Spark/TMPL services	6	5	1	0	7 m 16.180 s
5	Creation of Sources and Destination	2	1	1	0	1 m 0.267 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	52.551 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	36.588 s
3	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	18.765 s
4	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	1	1	4	5 m 6.354 s
5	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire kafka pipeline and validate same in logs	16	16	0	0	1 m 23.839 s
6	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire kafka Swagger pipeline and validate same in logs	16	8	1	7	31.082 s
7	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire File pipeline and validate same in logs	16	16	0	0	1 m 12.476 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created Publish File Streaming pipeline and validate same in logs	17	17	0	0	1 m 22.697 s
9	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created Publish File Batch pipeline and validate same in logs	17	17	0	0	1 m 17.364 s
10	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created Publish kafka pipeline and validate same in logs	16	16	0	0	1 m 28.634 s
11	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	24.761 s
12	Creation of Sources and Destination	user is able to create Kafka type Destination	11	8	1	2	35.497 s

DETAILED SECTION -- 5 --

(F)- User should be able to Create, Validate Connections on Connections Page


PASSED	DURATION - 1 m 29.161 s	Scenarios		Steps	
		Total - 2		Total - 15	
/ 1:06:41.460 I	PM // 1:08:10.621 PM /	Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection

PASSED DURATION - 52.551 s			-		1				Steps	
/ 1:06:41.464 PM // 1:07:34.015 PM /	30 -	I							Total - 7	
User should be able to Create, Validate	20 -	 ı	 		 				Pass - 7	7
Connections on Connections Page	10-	 ▋	 -	<u>+</u>	 				Fail - 0	
@Smoke @Reg @CRC-Test1 @TC1 @Demo	0 -	 <u> </u>	 <u>.</u>		 <u> </u>	<u> </u>	<u> </u>		Skip - 0	
@CreateConnection @Positive		1	2	3	4	5	6	7		


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.537 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	35.683 s
2	When enter username and password	PASSED	0.365 s
3	And navigates to the "Create a connection" tab	PASSED	5.809 s
4	When enters "AutomationKerberos", "Creating Connection", "KERBEROS", principal and fileType	PASSED	0.752 s
5	Then connection should be tested successfully	PASSED	0.499 s
6	When creates the connection	PASSED	0.080 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.728 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		

(S)- user is able to create SSL connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.093 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	14.297 s
2	When enter username and password	PASSED	0.352 s
3	And navigates to the "Create a connection" tab	PASSED	5.813 s
4	When enters "AutomationSSL","Creating Connection","SSL"	PASSED	0.605 s
5	And enters "kafka-keystore.jks","kafka-truststore.jks","confluent","TLS"	PASSED	5.595 s
6	Then connection should be tested successfully	PASSED	0.780 s
7	When creates the connection	PASSED	0.171 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	7.796 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	Closing the Browser		

(F)- Creation and Field level validation of pipelines




(S)- user is able validate pipeline properties




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.106 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.244 s
2	When enter username and password	PASSED	0.338 s
3	And clicks on createProject tab	PASSED	1.733 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.464 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.535 s
6	Then PipeLine properties is validated for "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	1.267 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(F)- Creation of Projects and validation of Project Setting Pop Up



DETAILED SECTION -- 8 --

(S)- user is able to validate updated project on Project Listing page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.079 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4 m 55.056 s
2	When enter username and password	FAILED	10.052 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/"{text()="User name"]/following-sibling::input"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08.17:03' System info: host: pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0.40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.214, de6d850f087da, userDataDir: /tmp/.com.google.Chrome.VrakWk}, goog:chromeOptions: {debuggerAddress: localhost:44463}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:vitualAuthenticators: true} Session ID: 4690265c43d84b960fe54e57417baeff *** Element info: {Using=xpath, value=//*{text()='User name']/following-sibling::input} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy23.sendKeys(Unknown Source) at com.pagesPF.DIL_loginpage.loginToDIL(DIL_loginpage.java:36) at com.steps.commonSteps.enterUsernameAndPassword(commonSteps.java:39) at ?.enter username and password(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:63) * Not displayable characters are replaced by '?'.		
3	And clicks on createProject tab	SKIPPED	0.001 s
4	When creates project with "Auto-Pro_Test", "CreatingPipeLine", "Test" and engine	SKIPPED	0.000 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	SKIPPED	0.000 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.079 s
	this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page		
	+		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	Closing the Browser		

(F)- Creation of a End to End Execution of the pipeline for Spark/TMPL services





(S)- user is able to run created acquire kafka pipeline and validate same in logs


PASSED DURATION - 1 m 23.839 s
/ 1:13:35.828 PM // 1:14:59.667 PM /

Creation of a End to End Execution of the pipeline for Spark/TMPL services

@Smoke @Reg @TC31 @Demo @E2EExecutionDemo @Positive @E2EExecution1







#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.306 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.733 s
2	When enter username and password	PASSED	0.392 s
3	And clicks on createProject tab	PASSED	2.102 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.506 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.041 s
6	When enters pipeline properties	PASSED	0.840 s
7	PKey PValue serviceType AcquireKafka isSchemaNeededToBeRegister true area area flow flow step step And Spark properties	PASSED	5.223 s
,	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true	TAGGED	3.223 3
8	And clicks on "Add a Source"	PASSED	0.816 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	7.238 s
10	Then Source should get created with "DemoSource"	PASSED	0.564 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"	PASSED	11.816 s
12	When enters destination keys and value	PASSED	10.475 s
	DKey DValue trigger 10 seconds		

#	Step / Hook Details	Status	Duration
	checkpointLocation /tmp/1099/		
13	And clicks add	PASSED	0.087 s
14	Then PipeLine with status "READY" is validated	PASSED	11.795 s
15	When executes the pipeline	PASSED	15.815 s
16	Then Pipeline record is validated on logs page	PASSED	5.998 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	Closing the Browser		

(S)- user is able to run created acquire kafka Swagger pipeline and validate same in logs

				55	•	•									•			
FAILED DURATION - 31.082 s	10														-	Steps		
/ 1:14:59.684 PM // 1:15:30.766 PM /	8	-						ļ}	▝▋					-		Total - 16		
Creation of a End to End Execution of the pipelin for Spark/TMPL services	e 6 4 2					- 								- - - -		Pass - 8 Fail - 1	16	
@Smoke @Reg @TC32 @Demo @E2EExecutionDemo @Positive @E2EExecution	on2	-	1	1 3	4	5	6	7 8	<u> </u>	10	11	12	13	14	15	Skip - 7		'
					-			, ,		10		11		14				

#		Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.l	eforeScenario(io.cucumber.java.Scenario)	PASSED	1.077 s
	Starting the Execution			
1	Given user is on DIL login pag	e	PASSED	6.454 s
2	When enter username and pa	ssword	PASSED	1.103 s
3	And clicks on createProject ta)	PASSED	2.417 s
4	When creates project with "Au	toDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.489 s
5	And creates a "PipeLIne" with	"ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.849 s
6	When enters pipeline propertie	es	PASSED	0.914 s
	PKey	PValue		
	serviceType	AcquireKafkaSwagger		
	header	/definitions/ConsentTypeEvent		
	isSchemaNeededToBeRegister	true		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.296 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.872 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	FAILED	10.383 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()="KAFKA]"] (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element. html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708.17:03' System info: host: 'pihu-Latitude-5400', jp: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities (acceptinsecureCerts: false, browserName: chrome, browserName: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.d1KcqR}), goog.chromeOptions: (debuggerAddress: localhost.46167), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, set30000), unhandledPromptBehavior: dismiss and notify, webauthm:extension:largeBlob: true, webauthm:virtualAuthenticators: true) Session ID: 73ae1e348b47a14057a2e995a015bbc5 *** Element info: (Using=xpath, value=//*[text()='KAFKA]'] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor; java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:19) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:19) at org.openqa.selenium.remote.enter.enter.enter.enter.enter.en		
10	* Not displayable characters are replaced by '?'. Then Source should get created with "DemoSource"	SKIPPED	0.001 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV",".csv","topic2"	SKIPPED	0.001 s
12		SKIPPED	0.001 s
12	When enters destination keys and value DKey DValue trigger 10 seconds checkpointLocation /tmp/1099/	SNIFFED	0.001 5

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
13	And clicks add	SKIPPED	0.001 s
14	Then PipeLine with status "READY" is validated	SKIPPED	0.001 s
15	When executes the pipeline	SKIPPED	0.000 s
16	Then Pipeline record is validated on logs page	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.135 s
	this is my failure message user_is_able_to_run_created_acquire_kafka_Swagger_pipeline_and_validate_same_in_logs + Wildenine to Dil. Wildenine to Dil.	_	
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to run created acquire File pipeline and validate same in logs

PASSED DURATION - 1 m 12.476 s

/ 1:15:30.792 PM // 1:16:43.268 PM /

Creation of a End to End Execution of the pipeline for Spark/TMPL services

@Smoke @Reg @TC33 @Demo @E2EExecutionDemo @Positive @E2EExecution3


Steps
Total - 16
Pass - 16
Fall - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.253 s
2	When enter username and password	PASSED	0.326 s
3	And clicks on createProject tab	PASSED	1.634 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.442 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	1.092 s
6	When enters pipeline properties	PASSED	1.432 s
	PKey PValue		

DETAILED SECTION

#	Step / Hook Details		Status	Duration
7	serviceType isReturnable isSchemaNeededToBeRegister area flow step AcquireFile False area area flow step And Spark properties	P	PASSED	5.207 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true			
8	And clicks on "Add a Source"	F	PASSED	0.849 s
9	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", "hdfs://10.0.1.92:8csv", ",", "No Schema", " <schemavalue>"</schemavalue>	8020/user/hdfstodeltaInput/sourceData.	PASSED	6.821 s
10	Then Source should get created with "DemoSource"	F	PASSED	0.593 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", "hdfs://10.0.1 "topic2"	.92:8020/user/hdfsFileToFileDestination/",	PASSED	1.503 s
12	When enters destination keys and value DKey DValue mode : escape :	P	PASSED	10.470 s
13	And clicks add	F	PASSED	0.071 s
14	Then PipeLine with status "READY" is validated	F	PASSED	11.834 s
15	When executes the pipeline	F	PASSED	15.802 s
16	Then Pipeline record is validated on logs page	F	PASSED	5.972 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	F	PASSED	0.079 s
	Closing the Browser			

(S)- user is able to run created Publish File Streaming pipeline and validate same in logs



Starting the Execution Given user is on DIL login page When enter username and password And clicks on createProject tab When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	ASSED ASSED ASSED ASSED ASSED	1.065 s 12.291 s 0.323 s 1.735 s
Given user is on DIL login page When enter username and password And clicks on createProject tab When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING" PAS	ASSED ASSED	0.323 s
When enter username and password And clicks on createProject tab When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING" PASS And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	ASSED ASSED	0.323 s
And clicks on createProject tab When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING" PAS	ASSED	
When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING" PAS		1 735 s
And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING" PAS	ASSED	200
		0.463 s
6 When enters pipeline properties PAS	ASSED	1.023 s
The character properties	ASSED	0.853 s
PKey PValue serviceType PublishFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step		
7 And Spark properties PAS	ASSED	5.214 s
SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8 And clicks on "Add a Source" PAS	ASSED	0.823 s
When Enters "DemoSource", "File System", "Auto_Kerb_DND", "DeltaIO", "hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData. PAS csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	ASSED	6.917 s
Then Source should get created with "DemoSource"	ASSED	0.605 s
When enters "DemoDestination", "File System", "Auto_Kerb_DND", "DeltaIO", "hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/", "topic2"	ASSED	1.384 s
12 When enters destination keys and value PAS	ASSED	10.552 s
DKey DValue mode : escape :		
13 And clicks add PAS	ASSED	0.075 s
Then Destination with "DemoDestination" should get created PAS	ASSED	5.670 s
Then PipeLine with status "READY" is validated PAS	ASSED	11.801 s
16 When executes the pipeline PAS	ASSED	15.749 s
17 Then Pipeline record is validated on logs page	ASSED	6.063 s
AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	ASSED	0.080 s
Closing the Browser		


(S)- user is able to run created Publish File Batch pipeline and validate same in logs


PASSED DURATION - 1 m 17.364 s


/ 1:18:05.995 PM // 1:19:23.359 PM /

Creation of a End to End Execution of the pipeline for Spark/TMPL services

@Smoke @Reg @TC35 @E2EExecution5 @Demo @E2EExecutionDemo @Positive








#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.112 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.818 s
2	When enter username and password	PASSED	0.359 s
3	And clicks on createProject tab	PASSED	1.943 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.488 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","BATCH"	PASSED	0.966 s
6	When enters pipeline properties	PASSED	0.929 s
7	PKey PValue serviceType PublishFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step And Spark properties	PASSED	5.188 s
ľ	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true	TAGGED	3.100 3
8	And clicks on "Add a Source"	PASSED	0.765 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",","No Schema"," <schemavalue>"</schemavalue>	PASSED	6.616 s
10	Then Source should get created with "DemoSource"	PASSED	0.530 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.598 s
12	When enters destination keys and value	PASSED	10.569 s

#	Step / Hook Details	Status	Duration
	DKey DValue		
	mode :		
	escape :		
13	And clicks add	PASSED	0.186 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.587 s
15	Then PipeLine with status "READY" is validated	PASSED	11.807 s
16	When executes the pipeline	PASSED	15.801 s
17	Then Pipeline record is validated on logs page	PASSED	6.011 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	Closing the Browser		

(S)- user is able to run created Publish kafka pipeline and validate same in logs




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.097 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	13.449 s
2	When enter username and password	PASSED	0.283 s
3	And clicks on createProject tab	PASSED	1.871 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.488 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	1.015 s
6	When enters pipeline properties	PASSED	0.829 s
	PKey PValue		
	serviceType PublishKafka		
	isSchemaNeededToBeRegister true		
	area area		
	flow		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	step		
7	And Spark properties	PASSED	5.182 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.762 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	7.128 s
10	Then Source should get created with "DemoSource"	PASSED	0.596 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV",".csv","topic2"	PASSED	11.615 s
12	When enters destination keys and value DKey DValue trigger 10 seconds checkpointLocation /tmp/1099/	PASSED	10.524 s
13	And clicks add	PASSED	0.120 s
14	Then PipeLine with status "READY" is validated	PASSED	11.796 s
15	When executes the pipeline	PASSED	15.776 s
16	Then Pipeline record is validated on logs page	PASSED	6.013 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

(F)- Creation of Sources and Destination




(S)- user is able to create file type source for ManualSchema

PASSED DURATION - 24.761 s	8 -	_						-	Steps	
/ 1:20:52.042 PM // 1:21:16.803 PM /	6-	 		 					Total - 8	
Creation of Sources and Destination	4 -	 		 					Pass - 8	8
@TC36 @Smoke @Reg @CSource-Test1	2 -	 		 	-	<u>;</u>			Fail - 0	
@Demo @Positive @CreateSourceAndDestination	0 -	 1	2	 4	<u> </u>	6	7		Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.077 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.008 s
2	When enter username and password	PASSED	0.291 s
3	And clicks on createProject tab	PASSED	1.735 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.483 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.785 s
6	And clicks on "Add a Source"	PASSED	0.751 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.012 s
8	Then Source should get created with "DemoSource"	PASSED	0.544 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		


(S)- user is able to create Kafka type Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.098 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.974 s
2	When enter username and password	PASSED	0.303 s
3	And clicks on createProject tab	PASSED	1.567 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.493 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.769 s
6	And clicks on "Add a Source"	PASSED	0.808 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	6.993 s
8	Then Source should get created with "DemoSource"	PASSED	0.554 s
9	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR"	FAILED	10.736 s
	["method":"xpath"; "selector":"/!text()="KarkaSSLConnection"]" (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: 127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '90.0-4430.212, chrome: (chromedriverVersion: '90.0-4430.24 (ac6d850/087da, userPoatabir: /mpic.comgogle.Chrome. ecM54p), goog:chromeOptions: (debuggerAddress: localhost:33327), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000), script: 30000), unlandledPromptlehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 07263d957285d8b68ac8c3261f6faa9d *** Element info: {Using=xpath, value=//*[text()="KafkaSSLConnection"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInsta		

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
10	And clicks add	SKIPPED	0.000 s
11	Then Destination with "DemoDestination" should get created	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.122 s
	this is my failure message user_is_able_to_create_Kafka_type_Destination		
	User product control to the first term of the fi		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		





EXPANDED SECTION -- 23 --

