



FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	55.427 s
2	Creation and Field level validation of pipelines	5	5	0	0	2 m 1.387 s
3	Creation of Projects and validation of Project Setting Pop Up	10	10	0	0	3 m 26.811 s
4	User is able to create RDBMS Source and Destination	4	2	2	0	2 m 57.894 s
5	User is able to create Delta Source and Destination	6	5	1	0	4 m 32.104 s
6	Creation of a End to End Execution of the pipeline for Spark/TMPL services	6	6	0	0	7 m 52.781 s
7	Creation of Sources and Destination	13	12	1	0	8 m 12.470 s
8	To validate created Project with backend API	1	1	0	0	13.599 s
9	This Feature deals with standard End to End Pipeline having Source,Destination and Transformation	4	4	0	0	3 m 28.702 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	26.404 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	29.001 s
3	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	6	0	0	11.462 s
4	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	19.014 s
5	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	33.910 s
6	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	26.848 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	30.105 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	9.861 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	9.394 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	10.216 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	20.851 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	22.480 s
13	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	9.532 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	6	0	0	42.243 s
15	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	11.084 s
16	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	25.420 s
17	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	7	0	0	45.654 s
18	User is able to create RDBMS Source and Destination	user is able to create RDBMS source	12	12	0	0	38.629 s
19	User is able to create RDBMS Source and Destination	user is able to create RDBMS Destination	19	11	1	7	49.090 s
20	User is able to create RDBMS Source and Destination	user is able to delete RDBMS source	14	14	0	0	55.604 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	User is able to create RDBMS Source and Destination	user is able to delete RDBMS Destination	21	10	1	10	34.510 s
22	User is able to create Delta Source and Destination	user is able to create delta source	10	10	0	0	24.618 s
23	User is able to create Delta Source and Destination	user is able to create delta Destination	14	14	0	0	41.495 s
24	User is able to create Delta Source and Destination	user is able to delete delta source	12	12	0	0	39.728 s
25	User is able to create Delta Source and Destination	user is able to delete delta Destination	16	16	0	0	57.911 s
26	User is able to create Delta Source and Destination	user is able to update delta source and validate the same at Source properties panel	12	11	1	0	48.190 s

SCENARIOS SUMMARY --




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	User is able to create Delta Source and Destination	user is able to update the destination and validate the same at destinationProperties	16	16	0	0	1 m 0.100 s
28	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire kafka pipeline and validate same in logs	16	16	0	0	1 m 25.819 s
29	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire kafka Swagger pipeline and validate same in logs	16	16	0	0	1 m 21.806 s
30	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created acquire File pipeline and validate same in logs	16	16	0	0	1 m 10.415 s
31	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created Publish File Streaming pipeline and validate same in logs	17	17	0	0	1 m 17.065 s
32	Creation of a End to End Execution of the pipeline for Spark/TMPL services	user is able to run created Publish File Batch pipeline and validate same in logs	17	17	0	0	1 m 16.348 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	Creation of a End to End Execution of	user is able to run created Publish kafka pipeline and	16	16	0	0	1 m 21.263 s
	the pipeline for Spark/TMPL services	validate same in logs					
34	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	24.788 s
35	Creation of Sources and Destination	user is able to create FileSystem source with No schema	8	8	0	0	24.033 s
36	Creation of Sources and Destination	user is able to delete created source	10	2	1	7	1 m 22.502 s
37	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	40.193 s
38	Creation of Sources and Destination	user is able to create File System type Destination	11	11	0	0	30.083 s
39	Creation of Sources and Destination	user is able to create Kafka type Destination	11	11	0	0	47.502 s
40	Creation of Sources and Destination	user is able to create Kafka source for Manual Schema	8	8	0	0	25.052 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	Creation of Sources and Destination	user is able to create Kafka source for NoSchema	8	8	0	0	27.034 s
42	Creation of Sources and Destination	user is able to create file source with delta as type for No Schema	10	10	0	0	24.552 s
43	Creation of Sources and Destination	user is able to create file source with delta as type for Manual Schema	10	10	0	0	24.919 s
44	Creation of Sources and Destination	user is able to create file source with delta as type for Manual Schema and would be able to delete the same	12	12	0	0	40.602 s
45	Creation of Sources and Destination	user is able create file destination with delta as type	14	14	0	0	42.293 s
46	Creation of Sources and Destination	user is able delete file destination with type as Delta	16	16	0	0	58.790 s
47	To validate created Project with backend API	user is able to create a Project and is able to validate it in backend Api	7	7	0	0	13.599 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
48	This Feature deals with standard End to End Pipeline having Source, Destinat *	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	13	13	0	0	45.497 s
49	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	13	13	0	0	45.314 s
50	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	13	13	0	0	56.437 s
51	This Feature deals with standard End to End Pipeline having Source,Destinat *	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	13	13	0	0	1 m 1.415 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 11 --

(F)- User should be able to Create, Validate Connections on Connections Page


PASSED	DURATION - 55.427 s	Scenarios		Steps	
		Total - 2		Total - 15	
/ 1:41:53.202 F	PM // 1:42:48.629 PM /	Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.836 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	9.373 s
2	When enter username and password	PASSED	0.278 s
3	And navigates to the "Create a connection" tab	PASSED	5.831 s
4	When enters "AutomationKerberos", "Creating Connection", "KERBEROS", principal and fileType	PASSED	0.654 s
5	Then connection should be tested successfully	PASSED	0.622 s
6	When creates the connection	PASSED	0.111 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.604 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	Closing the Browser		

(S)- user is able to create SSL connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.086 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.078 s
2	When enter username and password	PASSED	0.689 s
3	And navigates to the "Create a connection" tab	PASSED	5.833 s
4	When enters "AutomationSSL","Creating Connection","SSL"	PASSED	0.566 s
5	And enters "kafka-keystore.jks","kafka-truststore.jks","confluent","TLS"	PASSED	5.683 s
6	Then connection should be tested successfully	PASSED	0.683 s
7	When creates the connection	PASSED	0.117 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	8.183 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(F)- Creation and Field level validation of pipelines




(S)- user is able to validate pipeline listing page when there is no pipeline created



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.088 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.039 s
2	When enter username and password	PASSED	0.346 s
3	And clicks on createProject tab	PASSED	1.283 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.463 s
5	And switches to "Overview"	PASSED	0.470 s
6	Then PipeLine listing page is validated for ProjectName, Pipeline Tag and "There is no pipelines in this project."	PASSED	0.689 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		


(S)- user is able validate pipeline properties



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.075 s
	Starting the Execution		


#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	7.585 s
2	When enter username and password	PASSED	0.518 s
3	And clicks on createProject tab	PASSED	1.369 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.504 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.615 s
6	Then PipeLine properties is validated for "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	1.269 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.101 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	13.469 s
2	When enter username and password	PASSED	0.300 s
3	And clicks on createProject tab	PASSED	1.304 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.436 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.759 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.454 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	Closing the Browser		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.076 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.800 s
2	When enter username and password	PASSED	0.350 s
3	And clicks on createProject tab	PASSED	1.371 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.445 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.726 s
6	When deletes pipeline	PASSED	0.000 s
7	Then "PipeLIne" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to edit the pipeline and validate the same

PASSED DURATION - 30.105 s	10-				 - -	 	, -	 -;-	 ' -	 -	 ·	 Steps			
/ 1:44:19.936 PM // 1:44:50.041 PM /	8 -	-			 	 	¦	 	 ÷-	 -	 +-	 Total - 7			
Creation and Field level validation of pipelines	4 -	-	-		 	 		 		 -	 T -	 Pass - 7		7	
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC7	2 -				 		-	 - ;-			 <u> </u>	 Fail - 0 Skip - 0	•		
			1	L	2		3	4	5	6	7				


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s

#	Step / Hook Details	Status	Duration
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.712 s
2	When enter username and password	PASSED	0.360 s
3	And clicks on createProject tab	PASSED	1.328 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.524 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.721 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.876 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.371 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.124 s
	Closing the Browser		

(F)- Creation of Projects and validation of Project Setting Pop Up

PASSED	DURATION - 3 m 26.811 s	Scenarios		Steps	
		Total - 10		Total - 46	
/ 1:44:50.079 PM	// 1:48:16.890 PM /	Pass - 10	10	Pass - 46	46
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- user is able to get Create Project Tab on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.080 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.550 s
2	When enter username and password	PASSED	0.348 s


#	Step / Hook Details	Status	Duration
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.804 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to get Project Setting pop up while selects Create Project Tab



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.085 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.607 s
2	When enter username and password	PASSED	0.344 s
3	And clicks on createProject tab	PASSED	1.237 s
4	Then user is able to get Project Setting PopUp	PASSED	0.042 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		


(S)- user is able to validate Project Setting PopUp



DETAILED SECTION -- 18 --


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.078 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.168 s
2	When enter username and password	PASSED	1.107 s
3	And clicks on createProject tab	PASSED	1.406 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.367 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.088 s
	Closing the Browser		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.075 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.807 s
2	When enter username and password	PASSED	0.377 s
3	And clicks on createProject tab	PASSED	1.224 s
4	When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine	PASSED	0.436 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	10.854 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to validate details for project on project listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.081 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	8.896 s
2	When enter username and password	PASSED	0.343 s
3	And searches the "Auto-Test" with "CreatingPipeLine", "Test"	PASSED	1.489 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.585 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	Closing the Browser		


(S)- user is able to Search Project on Project Listing by the use of Search Functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.100 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.552 s
2	When enter username and password	PASSED	0.348 s


#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine", "Test"		1.460 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		0.071 s
	Closing the Browser		

(S)- user is able to validate updated project on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.072 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.337 s
2	When enter username and password	PASSED	0.377 s
3	And clicks on createProject tab	PASSED	1.235 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.440 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	10.821 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	PASSED	21.884 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is not able to create Project when left mandatory field blank



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.097 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.909 s
2	When enter username and password	PASSED	0.300 s
3	And clicks on createProject tab	PASSED	1.285 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.404 s
5	Then submit button is displaying disable	PASSED	0.015 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED DURATION - 25.420 s	15
/ 1:47:05.807 PM // 1:47:31.227 PM /	Total - 5
Creation of Projects and validation of Project Setting Pop Up	Pass - 5 Fail - 0
@CreateProject @Smoke @Reg @TC16 @CRP- Test9 @Negative	Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.079 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.728 s

#	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.313 s
3	And clicks on createProject tab	PASSED	1.566 s
4	When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel	PASSED	0.440 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.215 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		


(S)- user is not able to find deleted project on ProjectListing Page

PASSED DURATION - 45.654 s	15-								Steps	
/ 1:47:31.236 PM // 1:48:16.890 PM /	10-			!					Total - 7	
Creation of Projects and validation of Project Setting Pop Up	5 -								Pass - 7 Fail - 0	7
@CreateProject @Smoke @Reg @CRP-Test10 @Negative @TC17	0 -	1	2	3	4	5	6	7	Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.089 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.200 s
2	When enter username and password	PASSED	0.985 s
3	And clicks on createProject tab	PASSED	1.273 s
4	When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine	PASSED	0.440 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	PASSED	10.906 s
6	When deletes the project	PASSED	10.439 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.243 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

DETAILED SECTION -- 23 --

(F)- User is able to create RDBMS Source and Destination



(S)- user is able to create RDBMS source

PASSED DURATION - 38.629 s	10													Steps			
/ 1:48:16.921 PM // 1:48:55.550 PM /	8 -	+ -	- +			-	- +			-	•	- + -		Total - 12			
User is able to create RDBMS Source and Destination	4 -		- +			-	- +			-	-	1		Pass - 12 Fail - 0		12	
@Smoke @Reg @Positive @TC18 @E2EExecution2	0 -	1	2	3	4	5	6	7	8	9	10	11	12	Skip - 0	\		•

#			Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.b	FORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)				
	Starting the Execution					
1	Given user is on DIL login pag	je		PASSED	5.378 s	
2	And enter username and pass	sword		PASSED	1.001 s	
3	And clicks on createProject tab				1.403 s	
4	And creates project with "AutoDIL","ProjectForAutomation","Test" and engine				0.485 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"				0.947 s	
6	And enters pipeline properties			PASSED	0.900 s	
	PKey	PValue				
	serviceType	AcquireFile				
	isReturnable	False				
	isSchemaNeededToBeRegister	False				
	area	area				
	flow	flow				
	step	step				
7	And Spark properties			PASSED	5.214 s	

#	Step / Hook Details	Status	Duration
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.832 s
9	When Enters "DemoSource", "RDBMS", "RDBMSConnection" for RDBMS Connection	PASSED	5.972 s
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.628 s
11	And clicks add button of "Source"	PASSED	5.177 s
12	Then Source should get created with "DemoSource"	PASSED	0.503 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create RDBMS Destination

FAILED DURATION - 49.090 s	10-
/ 1:48:55.565 PM // 1:49:44.655 PM /	8
User is able to create RDBMS Source and Destination	6 4 - Pass - 11 Fail - 1
@Smoke @Reg @Positive @E2EExecution2	Skip - 7
@TC19	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15


#			Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.l	EFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)				
	Starting the Execution					
1	Given user is on DIL login pag	je		PASSED	6.446 s	
2	And enter username and pass	sword		PASSED	0.302 s	
3	And clicks on createProject tab				1.319 s	
4	And creates project with "Auto	DIL","Projec	tForAutomation","Test" and engine	PASSED	0.457 s	
5	And creates a "AutoDemoPipe	eline" with "F	ProjectForAutomation","Test","STREAMING"	PASSED	0.984 s	
6	And enters pipeline properties	;		PASSED	1.093 s	
	PKey	PValue]		
	serviceType	AcquireFile				
	isReturnable	False				
	isSchemaNeededToBeRegister	False				
	area	area				
	flow	flow				

#	Step / Hook Details	Status	Duration
	step step		
7	And Spark properties	PASSED	5.294 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.845 s
9	And Enters "DemoSource", "RDBMS", "RDBMSConnection" for RDBMS Connection	PASSED	5.897 s
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.740 s
11	And clicks add button of "Source"	PASSED	5.176 s
12	And Source should get created with "DemoSource"	FAILED	10.272 s
13	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/l* [@title='DemoSource']") (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: 3.141.59", revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch' amd64', os.version: '5.11.0-40-generic', yav.version: '11.0.11' Driver info: org.openqa.selenium.chrome.chromeDriver Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome, browserVersion: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome. browserVersion: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome. browserVersion: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, use	SKIPPED	0.001 s
13	When Select flow as "Destination"	SKIPPED	0.001 s

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
14	And Enters "DestinationAutoRDBMS","RDBMS","RDBMSConnection" for RDBMS Connection	SKIPPED	0.000 s
15	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	SKIPPED	0.000 s
16	And Enter Save mode "Ignore"	SKIPPED	0.000 s
17	And enters destination keys and value	SKIPPED	0.000 s
	DKey DValue mode : escape :		
18	And clicks add button of "Destination"	SKIPPED	0.000 s
19	Then Destination with "DestinationAutoRDBMS" should get created	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.090 s
	this is my failure message user_is_able_to_create_RDBMS_Destination		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	Closing the Browser		

(S)- user is able to delete RDBMS source




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.298 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.318 s
2	And enter username and password	PASSED	0.342 s

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.387 s
4	And creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.406 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.115 s
6	And enters pipeline properties	PASSED	0.893 s
	PKey PValue		
	serviceType AcquireFile		
	isReturnable False		
	isSchemaNeededToBeRegister False		
	area area		
	flow flow		
	step step		
7	And Spark properties	PASSED	5.196 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.816 s
9	And Enters "DemoSource", "RDBMS", "RDBMSConnection" for RDBMS Connection	PASSED	5.890 s
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.554 s
11	And clicks add button of "Source"	PASSED	5.175 s
12	And Source should get created with "DemoSource"	PASSED	0.547 s
13	When click on "Delete Source" to delete	PASSED	5.538 s
14	Then source "DemoSource" should get deleted	PASSED	10.038 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	Closing the Browser		

(S)- user is able to delete RDBMS Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.093 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.543 s
2	And enter username and password	PASSED	0.413 s
3	And clicks on createProject tab	PASSED	1.260 s
4	And creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.568 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.035 s
6	And enters pipeline properties	PASSED	1.101 s
	PKey PValue serviceType AcquireFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step		
7	And Spark properties	PASSED	5.183 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.774 s
9	And Enters "DemoSource", "RDBMS", "RDBMSConnection" for RDBMS Connection	PASSED	5.806 s
10	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	PASSED	9.413 s
11	And clicks add button of "Source"	FAILED	1.109 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <scale-button class="hydrated" data-v-171ac59a="" icon-position="before" slot="action"></scale-button> is not clickable at point (1248, 551). Other element would receive the click: <scale-app-footer class="hydrated" data-v-7c08a7cd=""></scale-app-footer> (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.330p4T}, goog:chromeOptions: {debuggerAddress: localhost:35767}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75ec96407508a5a7fc256d08765bef0c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:122)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor13.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy23.click(Unknown Source) at com.steps.createSourceDestAndTransform.clicksAddButtonOf(createSourceDestAndTransform.java:139) at ?.clicks add button of "Source"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateRDBMSSourceAndDestination.		
	* Not displayable characters are replaced by '?'.		
12	And Source should get created with "DemoSource"	SKIPPED	0.000 s
13	And Select flow as "Destination"	SKIPPED	0.001 s
14	And Enters "DestinationAutoRDBMS", "RDBMSConnection" for RDBMS Connection	SKIPPED	0.001 s
15	And Enters "landing_dil" "DEFAULT" "destinationBigInt" "m_bigint" for Database configuration	SKIPPED	0.000 s
16	And Enter Save mode "Ignore"	SKIPPED	0.000 s
17	And enters destination keys and value	SKIPPED	0.000 s
	DKey DValue mode : escape :		
18	And clicks add button of "Destination"	SKIPPED	0.001 s
19	And Destination with "DestinationAutoRDBMS" should get created	SKIPPED	0.000 s
20	When click on "Delete Destination" to delete	SKIPPED	0.000 s
21	Then destination "DestinationAutoRDBMS" should get deleted	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.123 s
	this is my failure message user_is_able_to_delete_RDBMS_Destination **Transac Committee by Nation **Transac Committee by		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	Closing the Browser	1	3.3.10
	Closing the browser		

DETAILED SECTION -- 30 --

(F)- User is able to create Delta Source and Destination



(S)- user is able to create delta source



#			Step / Hook Details	Status	Duration		
	BEFORE - com.steps.Hooks.b	FORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)					
	Starting the Execution						
1	Given user is on DIL login pag	je		PASSED	6.410 s		
2	When enter username and pa	ssword		PASSED	0.623 s		
3	And clicks on createProject tab				1.339 s		
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine				0.605 s		
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"				1.016 s		
6	When enters pipeline propertion	es		PASSED	0.828 s		
	PKey	PValue					
	serviceType	AcquireFile					
	isReturnable	False					
	isSchemaNeededToBeRegister	False					
	area	area					
	flow	flow					
	step	step					
7	And Spark properties			PASSED	5.266 s		

#	Step / Hook Details	Status	Duration
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.804 s
9	When Enters "DemoSource", "DELTA", "HIveConnection"	PASSED	5.943 s
10	Then Source should get created with "DemoSource"	PASSED	0.611 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create delta Destination


PASSED DURATION - 41.495 s	10-	;-											-			Steps			
/ 1:51:39.469 PM // 1:52:20.964 PM /	8 -		-		-		-						-		-¦	Total - 14			
User is able to create Delta Source and Destination	4 -	-	-												-	Pass - 14	П	14	
@Delta @@Delta2 @Smoke @Reg @TC26 @Positive	0 -				-				-		_				-	Skip - 0	\ \		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14				

#		Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.b	peforeScenario(io.cucumber.java.Scenario)	PASSED	1.076 s
	Starting the Execution			
1	Given user is on DIL login pag	e	PASSED	6.059 s
2	When enter username and pa	PASSED	0.265 s	
3	And clicks on createProject ta	PASSED	1.361 s	
4	When creates project with "Au	PASSED	0.425 s	
5	And creates a "AutoDemoPipe	PASSED	1.026 s	
6	When enters pipeline propertie	es	PASSED	1.040 s
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.255 s

DETAILED SECTION -- 32 --

#	Step / Hook Details	Status	Duration
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.793 s
9	When Enters "DemoSource", "DELTA", "HIveConnection"	PASSED	6.028 s
10	Then Source should get created with "DemoSource"	PASSED	0.548 s
11	When enters "DEstinationAutoDelta", "DELTA", "HIveConnection", "Ignore"	PASSED	1.388 s
12	When enters destination keys and value	PASSED	10.405 s
	DKey DValue mode : escape :		
13	And clicks add	PASSED	0.164 s
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.579 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to delete delta source




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.066 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.416 s
2	When enter username and password	PASSED	0.272 s
3	And clicks on createProject tab	PASSED	1.439 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.426 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.089 s
6	When enters pipeline properties	PASSED	0.792 s

DETAILED SECTION -- 33 --

#			Step / Hook Details	Status	Duration
	PKey	PValue			
	serviceType	AcquireFile			
	isReturnable	False			
	isSchemaNeededToBeRegister	False			
	area	area			
	flow	flow			
	step	step			
7	And Spark properties			PASSED	5.194 s
	SKey	SValue			
	spark.sql.adaptive.coalesceParti	tions.enabled true			
8	And clicks on "Add a Source"			PASSED	0.776 s
9	When Enters "DemoSource","	DELTA","HIveConn	ection"	PASSED	5.967 s
10	Then Source should get creat	ed with "DemoSourd	ce"	PASSED	0.555 s
11	And click on "Delete Source" t	o delete		PASSED	5.641 s
12	Then source "DemoSource" s	hould get deleted		PASSED	10.014 s
	AFTER - com.steps.Hooks.qu	PASSED	0.077 s		
	Closing the Browser				

(S)- user is able to delete delta Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.007 s
2	When enter username and password	PASSED	0.311 s
3	And clicks on createProject tab	PASSED	1.308 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.419 s

#	Step / Hook Details	Status	Duration
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.110 s
6	When enters pipeline properties	PASSED	0.832 s
	PKey PValue		
	serviceType AcquireFile		
	isReturnable False		
	isSchemaNeededToBeRegister False		
	area		
	flow flow		
	step step		
7	And Spark properties	PASSED	5.192 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.832 s
9	When Enters "DemoSource", "DELTA", "HIveConnection"	PASSED	5.925 s
10	Then Source should get created with "DemoSource"	PASSED	0.536 s
11	When enters "DestinationDelta", "DELTA", "HIveConnection", "Ignore"	PASSED	1.231 s
12	When enters destination keys and value	PASSED	10.455 s
	DKey DValue mode : escape :		
13	And clicks add	PASSED	0.189 s
14	Then Destination with "DestinationDelta" should get created	PASSED	5.658 s
15	And click on "Delete Destination" to delete	PASSED	5.614 s
16	Then destination "DestinationDelta" should get deleted	PASSED	10.118 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

DETAILED SECTION -- 35 --

(S)- user is able to update delta source and validate the same at Source properties panel




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.743 s
2	When enter username and password	PASSED	0.457 s
3	And clicks on createProject tab	PASSED	1.450 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.432 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.019 s
6	When enters pipeline properties	PASSED	0.830 s
7	PKey PValue serviceType AcquireFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step And Spark properties	PASSED	5.305 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.815 s
9	When Enters "DemoSource", "DELTA", "HIveConnection"	PASSED	5.942 s
10	Then Source should get created with "DemoSource"	PASSED	0.524 s
11	When edits record for "UpdatedNameSource" and "HIveConnection"	PASSED	11.281 s
12	Then Updated record validated for "UpdatedNameSource" and "HIveConnection"	FAILED	11.117 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@title='UpdatedNameSource']"} (Session info: chrome=90.0.4430.212) For documentation on this error,		

DETAILED SECTION -- 36 --

#	Step / Hook Details	Status	Duration
	please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-\$400', ip: '127.0.1.1', os.name: 'Linux', os.ach: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: (chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome. SJSM16}, goog:chromeOptions: (debuggerAddress: localhost:45581), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, entirectability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7839e99446066f3116a42fa11199b52b *** Element info: {Using=xpath, value=/n*@title='UpdatedNameSource'}} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openga.selenium.remote.RemoteWebDriver.secute(RemoteWebDriver.java:352) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openga.selenium.remote.RemoteWebDriver.findElement(Partor.devaluer.java:348) at org.openga.sele		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.108 s
	this is my failure message user_is_able_to_update_delta_source_and_validate_the_same_at_Source_properties_panel		
	Fig. Again Consisted and Section 1. Section		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to update the destination and validate the same at destinationProperties



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.094 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.701 s
2	When enter username and password	PASSED	1.158 s
3	And clicks on createProject tab	PASSED	1.252 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.430 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.049 s
6	When enters pipeline properties	PASSED	1.018 s
7	PKey PValue serviceType AcquireFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step And Spark properties SKey SValue spark.sql.adaptive.coalescePartitions.enabled true	PASSED	5.250 s
8	And clicks on "Add a Source"	PASSED	0.780 s
9	When Enters "DemoSource","DELTA","HIveConnection"	PASSED	5.836 s
10	Then Source should get created with "DemoSource"	PASSED	0.577 s
11	When enters "DEstinationAutoDelta", "DELTA", "HIveConnection", "Ignore"	PASSED	1.375 s
12	When enters destination keys and value	PASSED	10.673 s
	DKey DValue mode :		

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
	escape:		
13	And clicks add	PASSED	0.106 s
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.590 s
15	When edits record for "UpdatedNameDest" and "HIveConnection"	PASSED	11.318 s
16	Then Updated record validated for "UpdatedNameDest" and "HIveConnection"	PASSED	6.811 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(F)- Creation of a End to End Execution of the pipeline for Spark/TMPL services

PASSED	DURATION - 7 m 52.781 s	Scenarios		Steps	
		Total - 6		Total - 98	
/ 1:55:46.964 PN	Л // 2:03:39.745 PM /	Pass - 6	6	Pass - 98	98
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to run created acquire kafka pipeline and validate same in logs

PASSED DURATION - 1 m 25.819 s	15-	;-	 		 -;-		-;					' -		-	Steps		
/ 1:55:46.964 PM // 1:57:12.783 PM /	10-		 		 	. ! .	-!			Ė	_				Total - 16		
Creation of a End to End Execution of the pipeline for Spark/TMPL services	5 -		 		 			ı		I	I		ł	-	Pass - 16 Fail - 0	16	
@Smoke @Reg @TC31 @Positive @E2EExecution @E2EExecution1	0 1	. 📮	 1 3	4	 - 6	<u> </u>	8	<u> </u>	10	11	12	13	14	15	Skip - 0		"

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.185 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	9.401 s
2	When enter username and password	PASSED	0.398 s
3	And clicks on createProject tab	PASSED	1.506 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.478 s

DETAILED SECTION -- 39 --

#	Step / Hook Details	Status	Duration
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.013 s
6	When enters pipeline properties	PASSED	0.686 s
	PKey PValue		
	serviceType AcquireKafka		
	isSchemaNeededToBeRegister true		
	area		
	flow flow		
	step		
7	And Spark properties	PASSED	5.177 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.803 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1",	PASSED	7.306 s
	"v1" and clicks on add		
10	Then Source should get created with "DemoSource"	PASSED	0.554 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV",".csv","topic2"	PASSED	11.642 s
12	When enters destination keys and value	PASSED	10.494 s
	DKey DValue		
	trigger 10 seconds		
	checkpointLocation /tmp/1099/		
13	And clicks add	PASSED	0.103 s
14	Then PipeLine with status "READY" is validated	PASSED	12.592 s
15	When executes the pipeline	PASSED	15.773 s
16	Then Pipeline record is validated on logs page	PASSED	6.620 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

(S)- user is able to run created acquire kafka Swagger pipeline and validate same in logs

PASSED DURATION - 1 m 21.806 s Steps 15-/ 1:57:12.794 PM // 1:58:34.600 PM / Total - 16 10 Creation of a End to End Execution of the pipeline Pass - 16 for Spark/TMPL services 5 @Smoke @Reg @TC32 @Positive @E2EExecution2 @E2EExecution 9 10 11 12 13 14 15 1 2 5

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.125 s
	Starting the Execution]	
1	Given user is on DIL login page	PASSED	7.071 s
2	When enter username and password	PASSED	0.310 s
3	And clicks on createProject tab	PASSED	1.429 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.479 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	1.000 s
6	When enters pipeline properties	PASSED	0.801 s
7	PKey PValue serviceType AcquireKafkaSwagger header /definitions/ConsentTypeEvent isSchemaNeededToBeRegister true area area flow flow step step And Spark properties SKey SValue spark.sql.adaptive.coalescePartitions.enabled true	PASSED	5.179 s
8	And clicks on "Add a Source"	PASSED	0.718 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	7.305 s
10	Then Source should get created with "DemoSource"	PASSED	0.568 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"	PASSED	11.562 s
12	When enters destination keys and value	PASSED	10.397 s
	DKey DValue		

#	Step / Hook Details	Status	Duration
	trigger 10 seconds checkpointLocation /tmp/1099/		
13	And clicks add	PASSED	0.132 s
14	Then PipeLine with status "READY" is validated	PASSED	11.819 s
15	When executes the pipeline	PASSED	15.752 s
16	Then Pipeline record is validated on logs page	PASSED	6.070 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

(S)- user is able to run created acquire File pipeline and validate same in logs

PASSED DURATION - 1 m 10.415 s	15-	;-		- ;			-¦	÷ ;					;		-	Steps			
/ 1:58:34.612 PM // 1:59:45.027 PM /	10-			ļ.								_		•		Total - 16			
Creation of a End to End Execution of the pipeline for Spark/TMPL services	5 -	-		-			-!	-	-			I		ł		Pass - 16 Fail - 0		16	
@Smoke @Reg @TC33 @Positive	0 -				_					_						Skip - 0	•		
@E2EExecution3 @E2EExecution		1	2	3	4	5	6	7 8	9	10	11	12	13	14	15				

#			Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.b	beforeScena	rio(io.cucumber.java.Scenario)	PASSED	1.157 s
	Starting the Execution				
1	Given user is on DIL login pag	ge		PASSED	6.135 s
2	When enter username and pa	ssword		PASSED	0.295 s
3	And clicks on createProject ta	PASSED	1.466 s		
4	When creates project with "Au	PASSED	0.447 s		
5	And creates a "PipeLIne" with	PASSED	1.102 s		
6	When enters pipeline propertion	es		PASSED	0.894 s
	PKey	PValue			
	serviceType	AcquireFile			
	isReturnable	False			
	isSchemaNeededToBeRegister	False			
	area	area			
	flow	flow			
	step	step			

#	Step / Hook Details	Status	Duration
7	And Spark properties	PASSED	5.180 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.794 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.	PASSED	6.766 s
	csv",",","No Schema"," <schemavalue>"</schemavalue>		
10	Then Source should get created with "DemoSource"	PASSED	0.523 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", "hdfs://10.0.1.92:8020/user/hdfsFileToFileDestination/",	PASSED	1.370 s
	"topic2"		
12	When enters destination keys and value	PASSED	10.438 s
	DKey DValue		
	mode :		
	escape :		
13	And clicks add	PASSED	0.120 s
14	Then PipeLine with status "READY" is validated	PASSED	11.833 s
15	When executes the pipeline	PASSED	15.763 s
16	Then Pipeline record is validated on logs page	PASSED	6.044 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	Closing the Browser		

(S)- user is able to run created Publish File Streaming pipeline and validate same in logs

PASSED DURATION - 1 m 17.065 s

/ 1:59:45.042 PM // 2:01:02.107 PM /

Creation of a End to End Execution of the pipeline for Spark/TMPL services

@Smoke @Reg @TC34 @Positive @E2EExecution4 @E2EExecution4 @E2EExecution4 = 12 3 4 5 6 7 8 9 10 11 12 13 14 15

Steps Total - 17 Pass - 17 Fail - 0 Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.428 s

#	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.240 s
3	And clicks on createProject tab	PASSED	1.405 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.462 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	0.927 s
6	When enters pipeline properties	PASSED	1.560 s
	PKey PValue serviceType PublishFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step		
7	And Spark properties	PASSED	5.198 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.744 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",","No Schema"," <schemavalue>"</schemavalue>	PASSED	6.725 s
10	Then Source should get created with "DemoSource"	PASSED	0.581 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.430 s
12	When enters destination keys and value	PASSED	10.351 s
	DKey DValue mode : escape :		
13	And clicks add	PASSED	0.101 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.579 s
15	Then PipeLine with status "READY" is validated	PASSED	11.996 s
16	When executes the pipeline	PASSED	15.791 s
17	Then Pipeline record is validated on logs page	PASSED	6.349 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	Closing the Browser		


(S)- user is able to run created Publish File Batch pipeline and validate same in logs

PASSED DURATION - 1 m 16.348 s Steps 10-/ 2:01:02.121 PM // 2:02:18.469 PM / Total - 17 Creation of a End to End Execution of the pipeline Pass - 17 5 for Spark/TMPL services @Smoke @Reg @TC35 @E2EExecution5 Skip - 0 @Positive @E2EExecution 9 10 11 12 13 14 15 1 2 5 8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.093 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.445 s
2	When enter username and password	PASSED	0.297 s
3	And clicks on createProject tab	PASSED	1.264 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.451 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","BATCH"	PASSED	1.099 s
6	When enters pipeline properties	PASSED	0.930 s
7	PKey PValue serviceType PublishFile isReturnable False isSchemaNeededToBeRegister False area area flow flow step step And Spark properties	PASSED	5.183 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.821 s
9	When Enters "DemoSource","File System","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv",",","No Schema"," <schemavalue>"</schemavalue>	PASSED	6.603 s
10	Then Source should get created with "DemoSource"	PASSED	0.548 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.303 s
12	When enters destination keys and value	PASSED	10.512 s

#	Step / Hook Details	Status	Duration
	DKey DValue		
	mode :		
	escape :		
13	And clicks add	PASSED	0.081 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.620 s
15	Then PipeLine with status "READY" is validated	PASSED	11.860 s
16	When executes the pipeline	PASSED	15.790 s
17	Then Pipeline record is validated on logs page	PASSED	6.356 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	Closing the Browser		


(S)- user is able to run created Publish kafka pipeline and validate same in logs




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.105 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.447 s
2	When enter username and password	PASSED	0.273 s
3	And clicks on createProject tab	PASSED	1.362 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.466 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.067 s
6	When enters pipeline properties	PASSED	0.793 s
	PKey PValue		
	serviceType PublishKafka		
	isSchemaNeededToBeRegister true		
	area area		
	flow flow		

#	Step / Hook Details	Status	Duration
	step		
7	And Spark properties	PASSED	5.200 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.801 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	7.271 s
10	Then Source should get created with "DemoSource"	PASSED	0.517 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV",".csv","topic2"	PASSED	11.565 s
12	When enters destination keys and value DKey DValue trigger 10 seconds checkpointLocation /tmp/1099/	PASSED	10.578 s
13	And clicks add	PASSED	0.116 s
14	Then PipeLine with status "READY" is validated	PASSED	11.819 s
15	When executes the pipeline	PASSED	15.769 s
16	Then Pipeline record is validated on logs page	PASSED	6.024 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)Closing the Browser	PASSED	0.080 s

(F)- Creation of Sources and Destination




(S)- user is able to create file type source for ManualSchema




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.113 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.170 s
2	When enter username and password	PASSED	0.276 s
3	And clicks on createProject tab	PASSED	1.473 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.472 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.803 s
6	And clicks on "Add a Source"	PASSED	0.796 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.040 s
8	Then Source should get created with "DemoSource"	PASSED	0.567 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create FileSystem source with No schema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.133 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.760 s
2	When enter username and password	PASSED	0.350 s
3	And clicks on createProject tab	PASSED	1.469 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.420 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.796 s
6	And clicks on "Add a Source"	PASSED	0.820 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.657 s
8	Then Source should get created with "DemoSource"	PASSED	0.554 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to delete created source



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.137 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	8.513 s
2	When enter username and password	PASSED	0.389 s
3	And clicks on createProject tab		1 m 12.249 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[text()=' Create project ']' (tried for 50 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:39)		


#	Step / Hook Details	Status	Duration
	at ?.clicks on createProject tab(file:///home/pihu/dil_automation/src/test/resources/features/projects/Kafka,		
	FileSystem_CreateSourceDestAndTransformation.feature:39)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//*[text()=' Create project ']"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit:		
	https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	'2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.		
	ZqHc7i}, goog:chromeOptions: {debuggerAddress: localhost:43289}, javascriptEnabled: true, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: ebffd0062d7ecbe9fcc68f1d4bae0eab *** Element info: {Using=xpath, value=//*[text()=' Create		
	project ']}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at org.openqa.selenium.support.pagetactory.memal.cocatingclementi landier.invoke(cocatingclementi landier.java.so) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:314)		
	at org.openga.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:169)		
	at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:39)		
	at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)		
l	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4ldeaTestRunner.startRunnerWithArgs(JUnit4ldeaTestRunner.java:69)		
	at com.intellij.rt.junit.ldeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
1	* Not displayable characters are replaced by '?'. When creates project with "AutoDII" "ProjectForAutomation" "Test, Dipoline" and engine	SKIPPED	0.000 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine		+
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	SKIPPED	0.000 s
6	And clicks on "Add a Source"	SKIPPED	0.000 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	SKIPPED	0.001 s
8	Then Source should get created with "DemoSource"	SKIPPED	0.001 s
9	And click on "Delete Source" to delete	SKIPPED	0.000 s
10	Then source "DemoSource" should get deleted	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.130 s
	this is my failure message		

#					Step / Hook Details	Status	Duration
	user_is	s_abl	e_to_d	elete_c	reated_source		
	Projects Projects		Data turagisativa Layar	Q. Seeds			
	* 0xx3/4xx00426-02 * 0xx3/4xx00426-02 * 0x3x4/4xx00426-09	DAPT DAPT	No. Persion Not. Persion Not.	PRE-DIFFERENCE : :	008 008 008		
	AFTEI			•	oks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s


-- 51 --

(S)- user is able to create Transformation




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.083 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	15.196 s
2	When enter username and password	PASSED	0.297 s
3	And clicks on createProject tab	PASSED	1.365 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.441 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.749 s
6	And clicks on "Add a Source"	PASSED	0.727 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.289 s
8	Then Source should get created with "DemoSource"	PASSED	0.535 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.887 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.547 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create File System type Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.096 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.592 s
2	When enter username and password	PASSED	0.342 s
3	And clicks on createProject tab	PASSED	1.382 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.414 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.770 s
6	And clicks on "Add a Source"	PASSED	0.745 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.027 s
8	Then Source should get created with "DemoSource"	PASSED	0.592 s
9	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR"	PASSED	1.369 s
10	And clicks add	PASSED	0.064 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.592 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.094 s
	Closing the Browser		

(S)- user is able to create Kafka type Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.242 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	12.106 s
2	When enter username and password	PASSED	0.428 s
3	And clicks on createProject tab	PASSED	1.511 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.478 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.816 s
6	And clicks on "Add a Source"	PASSED	0.776 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.062 s
8	Then Source should get created with "DemoSource"	PASSED	0.600 s
9	When enters "DemoDestination", "KAFKA", "KafkaSSLConnection", "CSV", ".csv", "CDR"	PASSED	11.725 s
10	And clicks add	PASSED	0.091 s
11	Then Destination with "DemoDestination" should get created	PASSED	5.588 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create Kafka source for Manual Schema




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.085 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.747 s
2	When enter username and password	PASSED	0.289 s
3	And clicks on createProject tab	PASSED	1.321 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.506 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.786 s
6	And clicks on "Add a Source"	PASSED	0.741 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","K","v"	PASSED	7.921 s
	and clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.577 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create Kafka source for NoSchema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.104 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	9.401 s
2	When enter username and password	PASSED	0.302 s
3	And clicks on createProject tab	PASSED	1.308 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.464 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.768 s
6	And clicks on "Add a Source"	PASSED	0.773 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","No_Schema","AutoManualSchemaDND","Earlier",	PASSED	7.291 s
	"K","v" and clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.544 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(S)- user is able to create file source with delta as type for No Schema




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.086 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.435 s
2	When enter username and password	PASSED	1.028 s
3	And clicks on createProject tab	PASSED	1.266 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.501 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	1.004 s
6	When enters pipeline properties	PASSED	1.066 s
	PKey PValue		

DETAILED SECTION -- 56 --

#			Step / Hook Details	Status	Duration
	serviceType	AcquireFile			
	isReturnable	False			
	isSchemaNeededToBeRegister	False			
	area	area			
	flow	flow			
	step	step			
7	And Spark properties			PASSED	5.200 s
	SKey		SValue		
	spark.sql.adaptive.coalesceParti	tions.enabled	true		
8	And clicks on "Add a Source"			PASSED	0.755 s
9	When Enters "DemoSource","	File System"	,"Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",","No	PASSED	6.581 s
	Schema"," <schemavalue>"</schemavalue>				
10	Then Source should get creat	ed with "Dem	noSource"	PASSED	0.552 s
	AFTER - com.steps.Hooks.qu	itBrowser(io.	cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser				


(S)- user is able to create file source with delta as type for Manual Schema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.080 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.280 s
2	When enter username and password	PASSED	0.452 s
3	And clicks on createProject tab	PASSED	1.387 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.443 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	1.119 s
6	When enters pipeline properties	PASSED	0.817 s

#			Step / Hook Details	Status	Duration
	PKey	PValue			
	serviceType	AcquireFile			
	isReturnable	False			
	isSchemaNeededToBeRegister	False			
	area	area			
	flow	flow			
	step	step			
7	And Spark properties			PASSED	5.319 s
	SKey spark.sql.adaptive.coalesceParti	tions.enabled	SValue true		
8	And clicks on "Add a Source"			PASSED	0.758 s
9	When Enters "DemoSource","	'File System	","Auto_Kerb_DND","DeltaIO","hdfs://10.0.1.92:8020/user/hdfstodeltaInput",",","No	PASSED	6.665 s
	Schema","AutoManualSchema				
10	Then Source should get creat	ed with "Der	moSource"	PASSED	0.522 s
	AFTER - com.steps.Hooks.qu	itBrowser(io	.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser				

(S)- user is able to create file source with delta as type for Manual Schema and would be able to delete the same




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.116 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.522 s
2	When enter username and password	PASSED	0.310 s
3	And clicks on createProject tab	PASSED	1.362 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.461 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING"	PASSED	0.918 s

DETAILED SECTION -- 58 --

#		Step / Hook Details		Status	Duration
6	When enters pipeline properties				0.915 s
	PKey	/alue			
	serviceType	quireFile			
	isReturnable	lse			
	isSchemaNeededToBeRegister	lse			
	area	ea			
	flow	W			
	step	ep			
7	And Spark properties			PASSED	5.289 s
	SKey spark.sql.adaptive.coalesceParti	SValue s.enabled true			
8	And clicks on "Add a Source"			PASSED	0.733 s
9	When Enters "DemoSource"," Schema","AutoManualSchem		://10.0.1.92:8020/user/hdfstodeltaInput",",","No	PASSED	6.579 s
10	Then Source should get creat	with "DemoSource"		PASSED	0.573 s
11	And click on "Delete Source" t	lelete		PASSED	5.686 s
12	Then source "DemoSource" s	uld get deleted		PASSED	10.057 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)			PASSED	0.076 s
	Closing the Browser				

(S)- user is able create file destination with delta as type




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.161 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.195 s
2	When enter username and password	PASSED	0.246 s

#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.336 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.510 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.057 s
6	When enters pipeline properties	PASSED	1.005 s
	PKey PValue]	
	serviceType AcquireFile		
	isReturnable False		
	isSchemaNeededToBeRegister False		
	area area		
	flow flow		
	step step		
7	And Spark properties	PASSED	5.171 s
	SKey SValue		
	spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.806 s
9	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "DeltaIO", "hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.	PASSED	6.594 s
	csv",",","No Schema"," <schemavalue>"</schemavalue>		
10	Then Source should get created with "DemoSource"	PASSED	0.564 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "DeltaIO", "hdfs://10.0.1.	PASSED	1.378 s
	92:8020/user/hdfsFileToFileDestination/","topic2"		
12	When enters destination keys and value	PASSED	10.495 s
	DKey DValue mode : escape :		
13	And clicks add	PASSED	0.107 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.586 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

DETAILED SECTION -- 60 --

(S)- user is able delete file destination with type as Delta



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.076 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.187 s
2	When enter username and password	PASSED	1.187 s
3	And clicks on createProject tab	PASSED	1.397 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.520 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	1.051 s
6	When enters pipeline properties	PASSED	0.935 s
	PKey PValue serviceType AcquireFile isReturnable False isSchemaNeededToBeRegister False area area flow flow		
7	And Spark properties	PASSED	5.234 s
	SKey SValue spark.sql.adaptive.coalescePartitions.enabled true		
8	And clicks on "Add a Source"	PASSED	0.770 s
9	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "DeltalO", "hdfs://10.0.1.92:8020/user/hdfstodeltaInput/sourceData.csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.650 s
10	Then Source should get created with "DemoSource"	PASSED	0.587 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","DeltaIO" ,"hdfs://10.0.1. 92:8020/user/hdfsFileToFileDestination/","topic2"	PASSED	1.421 s
12	When enters destination keys and value	PASSED	10.405 s

#	Step / Hook Details	Status	Duration
	DKey DValue		
	mode :		
	escape :		
13	And clicks add	PASSED	0.089 s
14	Then Destination with "DemoDestination" should get created	PASSED	5.549 s
15	And click on "Delete Destination" to delete	PASSED	5.602 s
16	Then destination "DemoDestination" should get deleted	PASSED	10.033 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.087 s
	Closing the Browser		

(F)- To validate created Project with backend API

PASSED	DURATION - 13.599 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 2:11:52.249 PM	1 // 2:12:05.848 PM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a Project and is able to validate it in backend Api

• •	-										
PASSED	DURATION - 13.599 s	6								Steps	
/ 2:11:52.24	9 PM // 2:12:05.848 PM /									Total - 7	
To validate cr	reated Project with backend API	4-								Pass - 7	7
	noke @Reg @PBE-API-Test1	2-							<u> </u>	Fail - 0 Skip - 0	
@Positive		0 -1	i	2	3	4	5	6	7	3Kip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.956 s
2	When enter username and password	PASSED	0.357 s
3	And clicks on createProject tab	PASSED	1.518 s

#	Step / Hook Details	Status	Duration
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.420 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Parihars@123","parihars" and	PASSED	2.035 s
	"/authservice/login"		
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.207 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.917 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(F)- This Feature deals with standard End to End Pipeline having Source, Destination and Transformation

PASSED	DURATION - 3 m 28.702 s	Scenarios		Steps	
		Total - 4		Total - 52	
/ 2:12:05.869 PI	M // 2:15:34.571 PM /	Pass - 4	4	Pass - 52	52
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem


PASSED DURATION - 45.497 s															Steps		
/ 2:12:05.869 PM // 2:12:51.366 PM /	10-									1					Total - 13		
This Feature deals with standard End to End Pipeline having Source, Destination and *	5 -	-					-		-					-	Pass - 13 Fail - 0	13	
@E2ETest1 @Smoke @Reg @TC48 @E2ETests @Positive	0 -	_	-		<u>+</u>	<u> </u>		<u> </u>		<u> </u>	-	<u> </u>	+		Skip - 0		
(a) 00/11/0		1	2	3	4	5	6	7	8	9	10	11	12	13			-

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.141 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.493 s
2	When enter username and password	PASSED	0.385 s
3	And clicks on createProject tab	PASSED	1.256 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.438 s

DETAILED SECTION -- 63 --

#	Step / Hook Details	Status	Duration
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.481 s
6	And clicks on "Add a Source"	PASSED	0.804 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.072 s
8	Then Source should get created with "DemoSource"	PASSED	0.533 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.079 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.568 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR"	PASSED	1.354 s
12	And clicks add	PASSED	0.061 s
13	Then PipeLine with status "READY" is validated	PASSED	11.749 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.185 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.640 s
2	When enter username and password	PASSED	0.356 s
3	And clicks on createProject tab	PASSED	1.401 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.450 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.360 s
6	And clicks on "Add a Source"	PASSED	0.755 s
7	When Enters "DemoSource", "KAFKA", "KafkaSSLConnection", "CDR", "Manual", "AutoManualSchemaDND", "Earlier", "k1", "v1" and	PASSED	7.719 s
	clicks on add		

DETAILED SECTION -- 64 --

#	Step / Hook Details	Status	Duration
8	Then Source should get created with "DemoSource"	PASSED	0.629 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.963 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.583 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR"	PASSED	1.364 s
12	And clicks add	PASSED	0.054 s
13	Then PipeLine with status "READY" is validated	PASSED	11.775 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.114 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.251 s
2	When enter username and password	PASSED	0.785 s
3	And clicks on createProject tab	PASSED	1.817 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.464 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.395 s
6	And clicks on "Add a Source"	PASSED	0.796 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.106 s
8	Then Source should get created with "DemoSource"	PASSED	0.521 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	7.035 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.590 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR"	PASSED	11.568 s


#	Step / Hook Details	Status	Duration
12	And clicks add	PASSED	0.056 s
13	Then PipeLine with status "READY" is validated	PASSED	11.854 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka

DURATION - 1 m 1.415 s PASSED Steps 10-/ 2:14:33.156 PM // 2:15:34.571 PM / Total - 13 This Feature deals with standard End to End Pass - 13 5 Pipeline having Source, Destination and * @E2ETest1 @Smoke @Reg @E2ETests @TC51 Skip - 0 @Positive 3 5 10 11 12 13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.103 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	11.173 s
2	When enter username and password	PASSED	0.340 s
3	And clicks on createProject tab	PASSED	1.651 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.494 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.446 s
6	And clicks on "Add a Source"	PASSED	0.751 s
7	When Enters "DemoSource", "KAFKA", "KafkaSSLConnection", "CDR", "Manual", "AutoManualSchemaDND", "Earlier", "k1", "v1" and	PASSED	7.800 s
	clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.563 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	6.936 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.609 s
11	When enters "DemoDestination", "KAFKA", "KafkaSSLConnection", "CSV", ".csv", "CDR"	PASSED	11.587 s
12	And clicks add	PASSED	0.056 s
13	Then PipeLine with status "READY" is validated	PASSED	11.817 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	Closing the Browser		

EXPANDED SECTION -- 66 --



EXPANDED SECTION -- 67 --

