King Abdulaziz University

Faculty of Computing and Information Technology Jeddah, Saudi Arabia

Course Project Report:

Simulating a Remote Health Monitoring System for elderly patients using client-server TCP Sockets

CPCS 371- Computer Network I
Group 7



Name	ID	
Rahaf Atteh Albrakati	1906995	
Abrar Ramadan Alkamajani	1907027	
Roaa Abdullah Alzhrani	2005863	
Hanin Suleiman Omer Alhaj	2010269	
Shaima Bashammakh	1914892	
Alaa Emad Alhamzi	2010304	

Table of Contents

1. Introduction	3
1.1 client-server applications	3
1.2 Java TCP sockets	3
1.3. GUIs Elements	3
1.4 Remote Health Monitoring System(RHMS)	4
1.5 Role of the clients and servers in this application	4
1.6 overview	4
2. Patient Monitoring Application interaction diagram	5
2.1 Client-Server Interaction Diagram	5
2.2 Pseudocode	6
2.2.1 Sensor Application Pseudocode	6
2.2.2 Personal Server Pseudocode	7
2.2.3 Medical Server Pseudocode	8
3. RHMS Implementation	10
3.1 Server and clients code	10
3.1.1 Sensor class	10
3.1.2 Personal class	12
3.1.3 Medical class	15
4. RHMS Application Run snapshots.	17
4.1 One machine	17
4.2 Two machines	20
5. Teamwork and Lessons Learned	24
5.1. work Division	24
5.2. Planning and Coordination	24
5.3. difficulties	24
5.4. Learning outcomes	25
6. Conclusion	25
7. References	25

1. Introduction

1.1 client-server applications

A common software design architecture called client-server divide program into client-side and server-side. The client is the application that runs on the end-user computer. The client sends requests to the server to obtain data or content. Responses to client requests are handled by the server-side program. They can converse either directly on the same computer or through a network. Applications that are running on different machines must be physically connected typically through a network (LAN, WAN, or Internet).

1.2 Java TCP sockets

Network communication between applications is established and maintained according to the Transmission Control Protocol (TCP) standard. TCP works with the Internet Protocol (IP), which specifies how computers send data packets to each other. Java.net packaging provides the classes necessary to implement networking applications. Java.net.sockets, are establishing fundamental mechanisms for bidirectional data transmission. Java.net.ServerSocket listens for network requests to arrive. Based on the request, it executes some operation before possibly returning a result to the requester.

- 1- The server uses a server socket to construct a TCP socket with the port number of the client, then waits for client requests.
- 2- Using accept, the server acknowledges a client's request on the same port.
- 3- The server then waits for a client connection.
- 4- To establish a connection successfully, the client constructs a TCP socket with the server's IP address and a port number that must match the server's port number.
- 5- If the connection is successful, step 5 is to start communicating.
- 6- Through sockets, the getOutputStream() and getInputStream() functions are utilized for I/O communication on both sides.

1.3. GUIs Elements

In our application, we created the RHMS interface using the Swing library for all servers and clients. To alert the user, a dialog window is used. A set of UI components are used to dynamically update the user interface on a JFrame. Also, the main components that we used are textboxes, labels, and buttons.

1.4 Remote Health Monitoring System(RHMS)

Several older patients have chronic illnesses. In our project, we are going to implement a simulation of a typical Remote Health Monitoring System (RHMS) which uses Wireless Body Area Networks (WBAN) to enable remote monitoring of patients with chronic illnesses. RHMS is based on the client-server architecture. Heart rate, oxygen saturation, and temperature are the three types of sensors that the system you must implement takes into account.

1.5 Role of the clients and servers in this application

The RHMS consists of (3) main components sensor(client), personal play roles (client and server), and medical (server)


- 1- The Sensor Client Application gathers sensor data and transmits it to the Personal Server's server side.
- 2- The personal Server, which performs two functions for the Sensor Client Application, analyzes the sensor data received and chooses whether send it to the caregiver or not.
- 3- The client of the Personal sends the required messages to the Medical Server if the processed information needs to be provided.
- 4- The Medical Server receives messages about the patient's status from the personal. The Medical Server displays the received messages and displays the appropriate action to be taken by the caregiver.

1.6 overview

The following sections in this report will cover the RHMS interaction diagram in section 2. After that, we will show a list of the application code and different case snapshots in sections 3-4. Furthermore, we will be discussed in section 5 work division, coordination, and managing our teamwork together. Finally, we will conclude in section 6 by summarizing our project.

2. Patient Monitoring Application interaction diagram

2.1 Client-Server Interaction Diagram



Interaction diagram

2.2 Pseudocode

2.2.1 Sensor Application Pseudocode

ALGORITM Sensor Application

// This algorithm demonstrates the sensor application class for this system

Create a connection socket to connect with the Personal Server

start ← current time

end \leftarrow start + 60 * 1000

While start < end:

//the values here is generated randomly

Read temperature values from the user

// the values here is generated randomly

Read Heart Rate values from the user

// the values here is generated randomly

Read Oxygen values from the user

Display the sensed data

Send the sensed data to Personal Server

End while loop.

Close Client Socket.

2.2.2 Personal Server Pseudocode

ALGORITM Personal server

// This algorithm demonstrates the medical server class for this system

Create a listening TCP socket

while true:

Wait for sensor client to establish connection

Accept connection from sensor client as sensorSocket

while true:

Read the temperature values from the Sensor application

Read the heart rate values from the Sensor application

Read the oxygen level values from the Sensor application

If normal conditions happened:

Display the received values from the sensors class

else

if temperature > 38:

Display an alert message

Send the received values to the medical class

if the heart rate > 100:

Display an alert message

Send the received values to the medical class

if the heart rate < 60:

Display an alert message

Send the received values to the medical class

if the oxygen saturation is < 75:

Display an alert message

Send the received values to the medical class

End if

if the client (sensor) sent 12 reading
the server (personal) will close the TCP
break
end if
end while loop
end while loop

2.2.3 Medical Server Pseudocode

ALGORITM Medical server

// this algorithm is demonstrates the medical server class for this system

Create a listening TCP socket

while true:

Wait for Personal client to establish connection

Accept connection from Personal client as PersonalSocket

while true:

If the client (personal) sent 12 reading and the value of "EndOrNo" was "end"

the server (medical) will close the TCP connection

End If

Read the temperature values from the personal server

Read the heart rate values from the personal server

Read the oxygen level values from the personal server

Display the received values from the personal class

If abnormal condition happened:

Choose on the appropriate action

Display the output on the caregiver interface

End If

End while loop

End while loop

3. RHMS Implementation

3.1 Server and clients code

3.1.1 Sensor class

```
//CPCS 371 - Project 2 - Group 7
import javax.swing.JOptionPane;
    import java.io.DataOutputStream;
    import java.io.IOException;
    import java.net.Socket;
    import java.time.LocalDate;
    import java.time.LocalDateTime;
    import java.time.LocalTime:
    import java.time.format.DateTimeFormatter;
    public class Sensors extends javax.swing.JFrame {
          public Sensors() {
                initComponents();
          @SuppressWarnings("unchecked")
⊕ Generated Code
   private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
                //display message dialog contain the following message JOptionPane.showMessageDialog(null, "Welcome to the sensor client.");
         private javax.swing.JButton jButton1;
          private javax.swing.JScrollPane jScrollPanel;
         private static javax.swing.JTextArea textBox;
public static void main(String args[]) throws IOException {
                     for (javax.swing.UIManager.LookAndFeelInfo info : javax.swing.UIManager.getInstalledLookAndFeels()) {
                           if ("Nimbus".equals(info.getName())) {
                                 javax.swing.UIManager.setLookAndFeel(info.getClassName());
               } catch (ClassNotFoundException ex) {
                     java.util.logging.Logger.getLogger(Sensors.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
                } catch (InstantiationException ex) {
                    java.util.logging.Logger.getLogger(Sensors.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
                } catch (IllegalAccessException ex) {
               java.util.logging.Logger.getLogger(Sensors.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
atch (javax.swing.UnsupportedLookAndfeelException ex) {
   java.util.logging.Logger.getLogger(Sensors.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
          new Sensors().setVisible(true);
          //start a class
//create a socket for a client (sensors)
Socket client socket = new Socket("localhost", 9500);
           //create a dataOutputStream to send a request/data to a server (personal)
DataOutputStream request_to_Server = new DataOutputStream(client_socket_getOutputStream());
           //create currentTimeMillis objects
long start = System.currentTimeMillis();
long end = start + 60 * 1000; //60 because
           //counter used to know if we reach 12 inputs/values int counter = 1;
           DateTimeFormatter mvFormatObi = DateTimeFormatter.ofPattern("HH:mm:ss");
           DateTimeFormatter myFormatOb12 = DateTimeFormatter.ofPattern("dd MMM yy");
           //while loop until 60 seconds
while (System.currentTimeMillis() < end) {</pre>
               //Generate random numbers for temperature, heart rate and oxygen saturation tem = (int) (Math.random() * (41 - 36 + 1) + 36); heartRate = (int) (Math.random() * (120 - 50 + 1) + 50); oxg = (int) (Math.random() * (100 - 60 + 1) + 60);
               ... U KNOW When the TCP connection is closed
//if counter = 12 -> the TCP connection will close
request_to_Server.writeUTF(counter + "");
```

```
//send temperature, heart rate and oxygen saturation values to server (personal)
      request_to_Server.writeUTF(tem + "");
      request_to_Server.writeUTF(heartRate + "");
      request_to_Server.writeUTF(oxg + "");
      //create and generate time and date
      //print the time and date + temperature, heart rate and oxygen saturation values
       //create the date
      String date = LocalDate.now().format(myFormatObj2);
       //create the first time (for temperature)
       String timel = LocalTime.now().format(myFormatObj);
      //print in GUI using textBox
      textBox.append("\nAt date: " + date + ", time: " + timel+ ", sensed temperature is " + tem);
      try {
   Thread.sleep(1000);
       } catch (InterruptedException ie) {
        //create the second time (for heart rate)
      String time2 = LocalTime.now().format(myFormatObj);
       //print in GUI using textBox
textBox.append("\nAt date: " + date + ", time: " + time2 + ", sensed heart rate is " + heartRate);
      try {
   Thread.sleep(1000);
       } catch (InterruptedException ie) {
        //create the third time (for oxygen saturation)
      String time3 = LocalTime.now().format(myFormatObj);
//print in GUI using textBox
textBox.append("\nAt date: " + date + ", time: " + time3 +", sensed oxygen saturation is " + oxg + "\n");
       //stop 3 seconds
       try {
          Thread. sleep (3000);
       } catch (InterruptedException ie) {
       } //After this stop: the heart rate and oxygen saturation values ware generated every 5 seconds
             //increase the counter
             counter++;
       }//end loop
       //close socket
       client socket.close();
}//end main
```

}//end class

3.1.2 Personal class

```
//CPCS 371 - Project 2 - Group 7
import javax.swing.JOptionPane;
  import java.io.DataInputStream;
  import java.io.DataOutputStream;
  import java.io.IOException;
  import java.net.ServerSocket;
  import java.net.Socket;
  import java.time.LocalDate;
  import java.time.LocalTime;
import java.time.format.DateTimeFormatter;
  public class Personal extends javax.swing.JFrame {
早
       public Personal() {
          initComponents();
       @SuppressWarnings("unchecked")
# Generated Code
private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
           //display message dialog contain the following message
JOptionPane.showMessageDialog(null, "Welcome to the personal client/server.");
       // Variables declaration - do not modify
       private javax.swing.JButton jButtonl;
       private javax.swing.JScrollPane jScrollPanel;
      private static javax.swing.JTextArea textBox;
豆
       public static void main(String args[]) throws IOException {
           new Personal().setVisible(true);
           //As server
           //create a server socket (personal)
           ServerSocket server_socket = new ServerSocket(9500);
```

```
- As client
//create a socket for client (personal)
Socket client_socket = new Socket("localhost", 1500);
//create a dataOutputStream to send a request to a server
DataOutputStream request_to_Server = new DataOutputStream(client_socket.getOutputStream());
               ----- As client -----
//loop to make a server always ON to reaceive any TCP connection
while (true) {
    // As server
    //create a TCP Connection - The handshaking step
   Socket socket = server_socket.accept();
    //create a datainputstream to recieve a data/message from a client
   DataInputStream Request_from_client = new DataInputStream(socket.getInputStream());
   String Temp = "";
    int intTemp;
   String Heart = "";
   int intHeart;
   String Oxg = "";
   int intOxa:
    //loop to make a TCP connection is persistent
   while (true) {
        //take a data from a client (sensor)
        //this variable contain counter value that send from clinet(sens<mark>o</mark>r)
        String recieved_data = Request_from_client.readUTF();
        //recieve temperature, heart rate and oxygen saturation values
        Temp = Request_from_client.readUTF();
        Heart = Request_from_client.readUTF();
        Oxg = Request_from_client.readUTF();
        //{\tt create} and generate time and date
        //create the date and the time objects
        DateTimeFormatter myFormatObj = DateTimeFormatter.ofPattern("HH:mm:ss");
        DateTimeFormatter myFormatObj2 = DateTimeFormatter.ofPattern("dd MMM yy");
```

```
String date = LocalDate.now().format(mvFormatObj2);
     //create the first time (for temperature)
     String timel = LocalTime.now().format(myFormatObj);
     //stop 1 second
    Thread. sleep(1000);
} catch (InterruptedException ie) {
     //create the second time (for heart rate)
    String time2= LocalTime.now().format(myFormatObj);
      //stop 1 second
     trv {
     Thread. sleep (1000);
} catch (InterruptedException ie) {
     //create the third time (for oxygen saturation)
    String time3 = LocalTime.now().format(myFormatObj);
     //convert string to integer
     intTemp = Integer.parseInt(Temp);
     intHeart = Integer.parseInt(Heart);
     intOxg = Integer.parseInt(Oxg);
     //comparison the values of temperature, heart rate and oxygen saturation
     if (intTemp <= 38 && !(intHeart > 100 || intHeart < 60) && intOxg >= 75) {
          (intTemp <= 38 && !(intHeart > 100 || intHeart < 60) && intDxg >= 75) {
   //print in GUI using textBox
   textBox.append("At date: " + date + "AT time: "+ timel + ",   Temperature is normal " + intTemp);
   textBox.append("\nAt date: " + date + "AT time: "+ time2 + ",   Heat rate is normal " + intHeart);
   textBox.append("\nAt date: " + date + "AT time: "+ time3 +",   Oxygen saturation is normal " + intOxg+"\n\n");
           //send to counter value to server (medical)
          request to Server.writeUTF(recieved data);
                                               (medical) to inform the server not to close the TCP connection
          request_to_Server.writeUTF("not end");
```

```
//l- check temperature value and comparison
//firstly print and then send message to the server (medical)
if (intTemp. or 38) {
request to Server.writeUTF("At date: "+date + "AT time: "+ time! +", Temperature is normal " + intTemp);
//retr. in CIU maint nearPox
                           //print in SUI using textBox | cextBox.append("At date: " + date + "AT time: "+ time! +", Temperature is high " + intTemp + ". An alert message is sent to the Medical Server. " );
                           //2- check heart rate value and comparison
//firstly print and then send message to the server (medical)
if (intHeart > 100 | intHeart < 60) {
   if (intHeart > 100) (
        if (intHeart > 100) (
        request_co_Derver.writeUTF("At date: "+date + "AT time: "+ time2 +", Heart rate is above normal " + intHeart);
                                     /print in GUI using textBox | rextBox.append("\nAt date: " + date + "AT time: " + time2 +", Heat rate is above normal " + intHeart + ". An alert message is sent to the Medical Server. " );
                                  } else if (intHeart < 60) {
request_to_Server.writeUTF("At date: "+date + "AT time: "+ time2 +", Heart rate is below normal " + intHeart);
                                          Int in GUI using textbox [except of the control of 
                            ) } else {
| request_to_Server.writeUTF("At date: "+date + "AT time: "+ time2 +", Heart rate is normal " + intHeart);
                               /print in GUI using textBox 
   textBox.append("\nAt date: " + date + "AT time: "+ time2 +", Heart rate is normal " + intHeart );
                           //firstly print and then send message to the server [medical]
if (intOxg >= 75) {
    request_to Server.writeUTF("At date: "+date + "AT time: "+ time3 +", Oxygen saturation is normal " + intOxg);
                           /print in GUI using textBox repend("\nht date: " + date + "AT time: "+ time3 +", Oxygen Saturations is low " + intOxg + ". An alert message is sent to the Medical Server. \n\n");
                                                      1
                                               //if the client (sensor) sent "12", the server will close the TCP connection
                                               if (recieved_data.equalsIgnoreCase("12")) {
                                                                                                ----- As client -----
                                                            //send 12 to server (medical) to close TCP connection
                                                           request_to_Server.writeUTF("12");
                                                             //send this value to server (medical) to close TCP connection
                                                            request_to_Server.writeUTF("end");
                                                           //close socket of a client (personal)
                                                            client_socket.close();
                                                                                        ----- As client
                                                           //close TCP connection of server (personal)
                                                           socket.close();
                                                           break;
                                                } //end if
                                  }//end loop
                       1//end loop
          1//end main
}//end class
```

3.1.3 Medical class

```
//CPCS 371 - Project 2 - Group 7
import java.io.*;
   import java.net.*;
 import javax.swing.JOptionPane;
   public class Medical extends javax.swing.JFrame {
        public Medical() {
             initComponents();
         @SuppressWarnings("unchecked")
# Generated Code
private void jButtonlActionPerformed(java.awt.event.ActionEvent evt) {
              //display message dialog contain the following message "Welcome to the medical server."
              JOptionPane.showMessageDialog(null, "Welcome to the medical server.");
        // Variables declaration - do not modify
        private javax.swing.border.EmptyBorder emptyBorder1;
        private javax.swing.JButton jButtonl;
        private javax.swing.JColorChooser jColorChooserl;
        private javax.swing.JColorChooser jColorChooser2;
        private javax.swing.JColorChooser jColorChooser3;
        private javax.swing.JScrollPane jScrollPanel;
        private static javax.swing.JTextArea textBox;
         // End of variables declaration
早
         public static void main(String args[]) throws IOException {
             Medical m = new Medical();
             m.setVisible(true);
              //create a server socket for (medical)
               ServerSocket server_socket = new ServerSocket(1500);
         // Create a TCP Connection - The handshaking step
Socket socket = server_socket.accept();
         DataInputStream Request_from_client = new DataInputStream(socket.getInputStream());
         //variables for temperature, heart rate and oxygen saturation String Temp = ""; String Heart = ""; String Oxy = "";
                   make a TCP connection is persistent
              //tase a value was "end" -> close TCP connection of the s
//if the value was "end" -> close TCP connection
                                                                 server (medical)
              String EndOrNo = Request_from_client.readUTF();
                //if the client (personal) sent "12" && the value of "EndOrNo" was "end" -> the server (medical) will close the TCP connection
              if (recieved_data.equalsIgnoreCase("12")&& EndOrNo.equalsIgnoreCase("end")) {
                  socket.close();
                 break;
              } //end if
              //recienve messages from client (personal)
               Temp = Request_from_client.readUTF();
Heart = Request_from_client.readUTF();
Oxg = Request_from_client.readUTF();
               //print the recieved messages (messages from personal)
               //print the recrewed messages (messages);
textBox.append("\n" + Heart + ".");
textBox.append("\n" + Oxg + ".");
```

```
//split the string to take the temperature value
String[] tem=Temp.split("[]");
//the last part of splitting (it is a temperature value)
String temp= tem[tem.length-1];
//convert the string to the double
double temperature= Double.valueOf(temp);

//split the string to take the heart rate value
String[] Heatrate=Heart.split("[]");
//the last part of splitting (it is a heart rate value)
String heart= Heatrate[Heatrate.length-1];
//convert the string to the int
int heart_rate= Integer.valueOf(heart);

//split the string to take the oxygen saturations value
String[] oxygen=Oxg.split("[]");
//the last part of splitting (it is an oxygen saturations value)
String oxygenl= oxygen[oxygen.length-1];
//convert the string to the int
int oxygen_saturations= Integer.valueOf(oxygenl);
```

```
//comparison the values of temperature, heart rate and oxygen saturation to determine the output (what to print?)

//1- first case
if (temperature>39 & heart_rate>100 & oxygen_saturations
//text box -> use display output in GUI

rextBox.append("\nACTION: Send an ambulance to the patient! \n\n");

//2- second case
else if (temperature>38&&temperature<38.9) & (heart_rate>=95&&heart_rate<=96) & oxygen_saturations</pre>
//text box -> use display output in GUI
rextBox.append("\nACTION: Call the patient's family! \n\n");

//3- third case
else(
//text box -> use display output in GUI
rextBox.append("\nACTION: Warning, advise patient to make a checkup appointment! \n\n");

//end loop


//end loop
//end class
```

4. RHMS Application Run snapshots

4.1 One machine


4.1.1 Sensor class:


Generate different 12 value of temperature, heart rate and oxygen and send it to class personal.



4.1.2 Personal class:


Receive different 12 value of temperature, heart rate and oxygen and send it to class medical.






4.1.3 Medical class:


Receive different 12 value of temperature, heart rate and oxygen with messages and send it to class medical.





4.2 Two machines

4.2.1 Sensor and personal classes:



At date: 13 Feb 23, time: 22:54:27, sensed temperature is 38 At date: 13 Feb 23, time: 22:54:28, sensed heart rate is 98

At date: 13 Feb 23, time: 22:54:29, sensed oxygen saturation is 100

Sensor

At date: 13 Feb 23AT time: 22:54:12, Temperature is high 41. An alert message is sent to the Medical Server. At date: 13 Feb 23AT time: 22:54:13, Heat rate is below normal 53. An alert message is sent to the Medical Server. At date: 13 Feb 23AT time: 22:54:14, Oxygen saturation is normal 91 At date: 13 Feb 23AT time: 22:54:17, Temperature is normal 36 At date: 13 Feb 23AT time: 22:54:18, Heat rate is above normal 101. An alert message is sent to the Medical Server. At date: 13 Feb 23AT time: 22:54:19, Oxygen saturation is normal 94 At date: 13 Feb 23AT time: 22:54:22, Temperature is normal 36 At date: 13 Feb 23AT time: 22:54:23, Heart rate is normal 76 At date: 13 Feb 23AT time: 22:54:24, Oxygen Saturations is low 67. An alert message is sent to the Medical Server. At date: 13 Feb 23AT time: 22:54:27, Temperature is normal 38 At date: 13 Feb 23AT time: 22:54:28, Heat rate is normal 98 At date: 13 Feb 23AT time: 22:54:29, Oxygen saturation is normal 100 Personal

4.2.2 Medical class:

```
Medical Server
At date: 13 Feb 23AT time: 22:53:32, Temperature is high 41.
At date: 13 Feb 23AT time: 22:53:33, Heart rate is above normal 120.
At date: 13 Feb 23AT time: 22:53:34, Oxygen saturation is normal 97.
ACTION: Warning, advise patient to make a checkup appointment!
At date: 13 Feb 23AT time: 22:53:37, Temperature is normal 36.
At date: 13 Feb 23AT time: 22:53:38, Heart rate is below normal 54.
At date: 13 Feb 23AT time: 22:53:39, Oxygen saturation is normal 93.
ACTION: Warning, advise patient to make a checkup appointment!
At date: 13 Feb 23AT time: 22:53:52, Temperature is high 39.
At date: 13 Feb 23AT time: 22:53:53, Heart rate is above normal 116.
At date: 13 Feb 23AT time: 22:53:54, Oxygen saturation is low 71.
ACTION: Warning, advise patient to make a checkup appointment!
At date: 13 Feb 23AT time: 22:53:57, Temperature is high 39.
At date: 13 Feb 23AT time: 22:53:58, Heart rate is above normal 105.
At date: 13 Feb 23AT time: 22:53:59, Oxygen saturation is low 65.
ACTION: Warning, advise patient to make a checkup appointment!
At date: 13 Feb 23AT time: 22:54:02, Temperature is high 41.
At date: 13 Feb 23AT time: 22:54:03, Heart rate is above normal 103.
At date: 13 Feb 23AT time: 22:54:04, Oxygen saturation is normal 94.
ACTION: Send an ambulance to the patient!
At date: 13 Feb 23AT time: 22:54:07, Temperature is high 41.
At date: 13 Feb 23AT time: 22:54:08, Heart rate is above normal 118.
At date: 13 Feb 23AT time: 22:54:09, Oxygen saturation is low 74.
ACTION: Send an ambulance to the patient!
At date: 13 Feb 23AT time: 22:54:12, Temperature is high 41.
At date: 13 Feb 23AT time: 22:54:13, Heart rate is below normal 53.
At date: 13 Feb 23AT time: 22:54:14, Oxygen saturation is normal 91.
ACTION: Warning, advise patient to make a checkup appointment!
```

Medical

At date: 13 Feb 23AT time: 22:54:12, Temperature is high 41. At date: 13 Feb 23AT time: 22:54:13, Heart rate is below normal 53. At date: 13 Feb 23AT time: 22:54:14, Oxygen saturation is normal 91. ACTION: Warning, advise patient to make a checkup appointment!

At date: 13 Feb 23AT time: 22:54:17, Temperature is normal 36. At date: 13 Feb 23AT time: 22:54:18, Heart rate is above normal 101. At date: 13 Feb 23AT time: 22:54:19, Oxygen saturation is normal 94. ACTION: Warning, advise patient to make a checkup appointment!

At date: 13 Feb 23AT time: 22:54:22, Temperature is normal 36. At date: 13 Feb 23AT time: 22:54:23, Heart rate is normal 76. At date: 13 Feb 23AT time: 22:54:24, Oxygen saturation is low 67. ACTION: Warning, advise patient to make a checkup appointment!

Medical

5. Teamwork and Lessons Learned

5.1. work Division

Student Name	Individual Tasks	Shared Tasks
Abrar Ramadan	Coding Sensor class, write report	
Rahaf Albrakati	Coding Sensor class, write report	
Roaa Alzahrani	Coding Medical class, write report	
Alaa Emad	Coding Personal class, GUI Implementation	Coding the communication between the three classes.
Shaimaa	Coding Medical class, GUI	
Abdullah	Implementation	
Hanin Suleiman	Coding Personal class, GUI Implementation	

5.2. Planning and Coordination

First, we had a meeting to discuss the project and understand it well. After that, we started working on the code. First, we established communication between the classes, and then we divided the work so that every two students work on one class of the code. Then we held a meeting to discuss ideas for the classes and solve the problems, then we divided the rest of the tasks so that 3 students work on the report and 3 other students work on the GUI. However, we all worked and helped each other to finish the project.

5.3. difficulties

The difficulties we faced are:

- 1- The Personal class which is play 2 roles client and server at the same time.
- 2- GUI designing and connecting it with source code.

We overcome these difficulties by researching and watching multiple tutorials on YouTube.

5.4. Learning outcomes

- Understand the basics of client-server Internet applications and how to code them
- Understand the basics of Transmission Control Protocol (TCP) and how to code it.
- Designing GUI and linking it to the source code.

6. Conclusion

To conclude, in this project we implemented a client-server application by using different java concepts like sockets and different GUI elements. we provided the interaction diagram and take snapshots of code implementation and the output to demonstrate the client-server interaction.

7. References

- 1- Chapter 2. Developing Client/Server Applications. (n.d.). Retrieved February 13, 2023, from https://www.microfocus.com/documentation/net-express/nx31books/sgdevt.htm
- 2- What is a socket? What Is a Socket? (The Java™ Tutorials > Custom Networking > All About Sockets). (n.d.). Retrieved February 13, 2023, from https://docs.oracle.com/javase/tutorial/networking/sockets/definition.html
- 3- YouTube. (2017, December 13). الواجهة الرسومية بالجافا درس 1: إنشاء أول برنامج ذو واجهة رسومية Gui. YouTube. Retrieved February 13, 2023, from https://www.youtube.com/watch?v=-Rh8IVnouDA