

6. Registration.html

```
<html>

<head>

<title> Registration Form </title>

<script>

function passvalues()

{

var name=document.getElementById("name").value;

var email=document.getElementById("email").value;

var address=document.getElementById("address").value;

localStorage.setItem("name",name);

localStorage.setItem("email",email);

localStorage.setItem("address",address);

return;

}

</script>

<head>

<body>

<h1>Registration Form</h1>

<form action="Details.html">

<fieldset>

<legend>Registration</legend>

<label>Name</label>

<input type="text" id="name"/><br><br>

<label> Email ID </label>

<input type="email" id="email"/><br><br>

<label> Address </label>

<input type="address" id="address"/><br><br>
```

```
<input type="submit" value="submit" onclick="passvalues()"/>
</fieldset>
</form>
</body>
</html>
```

Details.html

```
<html>
<head>
<title> Details </title>
</head>
<body>
Your name is:<p id="name"></p><br>
Your email is:<p id="email"></p><br>
Your address is:<p id="address"></p><br>
<script>
document.getElementById("name").innerHTML=localStorage.getItem("name");
document.getElementById("email").innerHTML=localStorage.getItem("email");
document.getElementById("address").innerHTML=localStorage.getItem("address");
</script>
</body>
</html>
```

7. Index.html

```
<html>
<body>
<script>
function validateform(){
var name=document.myform.name.value;
```

```

var password=document.myform.password.value;
if (name==null || name=="")
{
alert("Name can't be blank");
return false;
}
else if(password.length<6)
{
alert("Password must be at least 6 characters long.");
return false;
}
}
</script>

<body>

<form name="myform" method="post" action="valid.html" onsubmit="return
validateform()">

Name: <input type="text" name="name"><br/>

Password: <input type="password" name="password"><br/>

<input type="submit" value="register">

</form>

</body>

</html>

```

Valid.html

```

<html>

<body>

<h1>Validation successfull</h1>

</body>

</html>

```

9. Form.html

```
<!DOCTYPE html>

<html>

<head>

<title>Sample Form</title>

<head>

<body>

<h1>Sample Form</h1>

<form action="submit_form.html"method="post">

<!--text input-->

<label for ="name">name:</label>

<input type="text" id="name" name="name" required><br><br>

<!--password input-->

<label for="password">password:</label>

<input type ="password" id="password" name="password" required><br><br>

<!--Email input-->

<label for="email">email:</label>

<input type="email" id="email" name="email" required><br><br>

<!--Radio button-->

<label>gender :</label><br>

<input type ="radio" id="female" name="gender" value="female">

<label for ="male">male</label><br>

<input type ="radio" id="male" name="gender" value="male">

<label for ="female">female</label><br>

<input type ="radio" id="other" name="gender" value="other">

<label for="other">other</label><br>

<!--select box-->

<label for ="country">country:</label>
```

```
<select id="country" name="country" required>
<option value="india">india</option>
<option value="usa">usa</option>
<option value="canada">canada</option>
<option value="uk">uk</option>
</select><br><br>
```

```
<!--file input-->
<label for="resume">upload resume:</label>
<input type="file" id="resume" name="resume" accept=".pdf,.doc,.docx"><br><br>
```

```
<!--textarea-->
<label for="message">message:</label>
<textarea id="message" name="message" rows="4" cols="50" placeholder="write your
message here.."></textarea><br><br>
<!--checkbox-->
<input type="checkbox" id="subscribe" name="subscribe">
<label for="subscribe">subscribe to our new sletter</label><br><br>
```

```
<!--submit button-->
<input type="submit" value="submit">
</form>
</body>
</html>
```

submit_form.html

```
<!DOCTYPE html>
<html>
<head>
```

```
<title>form submission</title>
</head>
<body>
<h1>form submitted successfully</h1>
<p>thank you for your submission</p>
</body>
</html>
```