

## Header.css

```
.header {  
  position: fixed;  
  top: 0;  
  left: 0;  
  width: 100%;  
  background-color: transparent;  
  padding-block: 40px;  
  z-index: 4;  
  border-bottom: 1px solid transparent;  
  transition: 250ms ease;  
}  
  
.header.active {  
  padding-block: 20px;  
  background-color: var(--eerie-black-4);  
  border-color: var(--black-alpha-15);  
}  
  
.headline-1 {  
  font-size: calc(2rem + 2.5vw);  
  color: var(--white);  
  font-family: var(--fontFamily-forum);  
  font-weight: var(--weight-regular);  
}
```

```
.body-4 {  
  font-size: 1.6rem;  
  color: var(--white);  
  line-height: 1.85em;  
}
```

## Booking form.css

```
.form {  
  padding: 40px;  
  background-color: #fff;  
  border-radius: 10px;  
  box-shadow: 0px 0px 25px 0px hsla(0, 0%, 0%, 0.25);  
}  
  
.input-wrapper {  
  display: flex;  
  justify-content: space-between;  
  margin-bottom: 20px;  
}  
  
.btn {  
  position: relative;  
  background-color: var(--gold-crayola);  
  color: var(--black);  
  padding: 12px 45px;  
  border-radius: 5px;
```

```
    cursor: pointer;
    text-transform: uppercase;
    letter-spacing: 3px;
    transition: 500ms ease;
}

.btn:hover {
    background-color: var(--smoky-black-1);
    color: var(--white);
}
```

#### Inputfield.css

```
.icon-wrapper {
    position: relative;
    margin-block-end: 20px;
}

.input-field {
    background-color: var(--eerie-black-2);
    color: var(--white);
    height: 56px;
    padding: 10px 20px;
    border: 1px solid var(--white-alpha-10);
    margin-block-end: 20px;
    transition: border-color 500ms ease;
}

.input-field:focus {
    border-color: var(--gold-crayola);
}
```

```
ion-icon {
    position: absolute;
    top: 50%;
    transform: translateY(-50%);
    font-size: 1.4rem;
    color: var(--gold-crayola);
}
```

```
.icon-wrapper ion-icon:first-child {
    left: 15px;
}
```

```
.icon-wrapper ion-icon:last-child {
    right: 10px;
}
```

#### Incon wrapper.js

```
.icon-wrapper {
    display: flex;
```

```
align-items: center;
padding: 10px;
border-radius: 5px;
border: 1px solid #ccc;
}
```

```
select {
border: none;
outline: none;
font-size: 1rem;
flex: 1;
background-color: transparent;
color: white;
}
```

#### Footer.css

```
.footer {
padding: 40px 0;
background-color: var(--eerie-black-4);
color: white;
}
```

```
.footer-top {
display: flex;
justify-content: space-between;
padding-bottom: 20px;
border-bottom: 1px solid rgba(255, 255, 255, 0.2);
}
```

```
.footer-link {
color: white;
text-decoration: none;
transition: color 250ms ease;
}
```

```
.footer-link:hover {
color: var(--gold-crayola);
}
```

```
.contact-link {
color: white;
margin: 10px 0;
display: block;
}
```

```
.contact-link:hover {
color: var(--gold-crayola);
}
```

```
address {
font-style: normal;
```

```
}
```

#### Contactinfo.css

```
.footer-brand {  
  text-align: left;  
}
```

```
.contact-link {  
  color: var(--gold-crayola);  
  text-decoration: none;  
  margin: 10px 0;  
}
```

```
.contact-link:hover {  
  color: white;  
}
```

```
address {  
  font-size: 1.6rem;  
  margin: 10px 0;  
}
```

#### Sociallinks.css

```
.footer-list {  
  list-style: none;  
  padding: 0;  
}
```

```
.footer-list li {  
  margin-bottom: 10px;  
}
```

```
.footer-link {  
  color: white;  
  text-decoration: none;  
  transition: color 250ms ease;  
}
```

```
.footer-link:hover {  
  color: var(--gold-crayola);  
}
```

#### App.css

```
body {  
  background-color: var(--eerie-black-1);  
  color: var(--white);  
  font-family: var(--fontFamily-dm_sans);  
  font-size: var(--fontSize-body-4);  
  font-weight: var(--weight-regular);  
}
```

```
}

.App {
  font-family: 'DM Sans', sans-serif;
  background-color: #f5f5f5;
}

main {
  margin: 20px 0;
}

section {
  background-color: white;
  padding: 20px;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
}
```

## Bootstrap

You can definitely add Bootstrap to enhance styling and make the project responsive. To do so, add the following line in the index.html or index.js:

html

Copy code

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
```

Or if you prefer to install it:

bash

```
npm install bootstrap
```

Then, import it in index.js:

javascript

```
import 'bootstrap/dist/css/bootstrap.min.css';
```

This will make Bootstrap classes available for your components.