



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Login and select latest DOVE product	1	1	0	0	22.960 s
2	Login and add items whose name ends with relevant filters	1	1	0	0	33.599 s
3	Login and add items that are on sale	1	1	0	0	24.454 s
4	Login and add items whose name ends with M	1	1	0	0	23.714 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login and select latest DOVE product	Try to Login using email and password and add DOVE product	8	8	0	0	22.943 s
2	Login and add items whose name ends with relevant filters	Try to Login using email and password and add items based on filters	13	13	0	0	33.588 s
3	Login and add items that are on sale	Try to Login using email and password and add sale items	9	9	0	0	24.453 s
4	Login and add items whose name ends with M	Try to Login using email and password and add items whose name ends with M	8	8	0	0	23.713 s

DETAILED SECTION -- 4 --

(F)- Login and select latest DOVE product

PASSED	DURATION - 22.960 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:28:15.227 Al	M // 11:28:38.187 AM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Try to Login using email and password and add DOVE product



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	13.770 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.031 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	0.867 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.375 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.006 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.424 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
5	When User selects MEN products	PASSED	2.493 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		

#	Step / Hook Details	Status	Duration
6	When User selects latest "DOVE" product	PASSED	0.178 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
7	And Add it to the cart	PASSED	1.822 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
8	Then verify the selected product has price "6.70" and quantity is "1"	PASSED	1.705 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		

(F)- Login and add items whose name ends with relevant filters

PASSED	DURATION - 33.599 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 11:28:15.257	AM // 11:28:48.856 AM /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Try to Login using email and password and add items based on filters

PASSED DURATION - 33.588 s													;	Steps		
/ 11:28:15.268 AM // 11:28:48.856 AM /	10	 -	-	-		 		-						Total - 13		
Login and add items whose name ends with relevant filters	5	 -				 		ŀ						Pass - 13 Fail - 0	13	
@last	0	1	<u> </u>	3	4	 - 6	7	8	- q	10	11	12	13	Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	13.902 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.009 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	0.887 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.008 s


#	Step / Hook Details	Status	Duration
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.346 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.374 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
5	When User navigates to Apparel page	PASSED	1.224 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
6	And Then navigates to tshirts page	PASSED	1.092 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
7	When User sort elements from "Price Low > High"	PASSED	1.193 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
8	And Selects top 3 lowest t-shirts and add it to cart	PASSED	8.322 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
9	When Go back to Apparels section	PASSED	0.999 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
10	When Navigate to Shoes Page	PASSED	0.807 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
11	And Add highest price product in cart	PASSED	1.743 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
12	And Select quantity "2" and proceed	PASSED	1.459 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
13	Then Verify the "3" items in cart	PASSED	0.061 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	PASSEDSTEP PASSED		

(F)- Login and add items that are on sale

PASSED	DURATION - 24.454 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 11:28:15.278 A	M // 11:28:39.732 AM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Try to Login using email and password and add sale items




#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.134 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	0.980 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.493 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.309 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		

#	Step / Hook Details	Status	Duration
5	When User navigates to skin care section	PASSED	1.105 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.008 s
	PASSEDSTEP PASSED		
6	And checks how many items are on Sale	PASSED	0.754 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
7	And checks how many items are Out of Stock	PASSED	0.239 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
8	And Add the "Sale" items in cart	PASSED	2.425 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSEDSTEP PASSED		
9	Then verify the selected items count	PASSED	2.858 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		

(F)- Login and add items whose name ends with M

PASSED	DURATION - 23.714 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:28:15.290	O AM // 11:28:39.004 AM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Try to Login using email and password and add items whose name ends with M



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.795 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.016 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	0.934 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.284 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.007 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.439 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.016 s
	PASSEDSTEP PASSED		
5	When User selects MEN products only	PASSED	1.081 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
6	When User selects product whose name ends with "M"	PASSED	1.766 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
7	And Add items to the cart	PASSED	1.657 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
8	Then verify the selected product has ending name with "M"	PASSED	1.571 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		