



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Login and select latest DOVE product	1	1	0	0	24.984 s
2	Login and add items whose name ends with relevant filters	1	1	0	0	35.138 s
3	Login and add items that are on sale	1	1	0	0	25.439 s
4	Login and add items whose name ends with M	1	1	0	0	24.575 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login and select latest DOVE product	Try to Login using email and password and add DOVE product	8	8	0	0	24.964 s
2	Login and add items whose name ends with relevant filters	Try to Login using email and password and add items based on filters	13	13	0	0	35.126 s
3	Login and add items that are on sale	Try to Login using email and password and add sale items	9	9	0	0	25.438 s
4	Login and add items whose name ends with M	Try to Login using email and password and add items whose name ends with M	8	8	0	0	24.574 s

DETAILED SECTION -- 4 --

### **(F)-** Login and select latest DOVE product

PASSED	DURATION - 24.984 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:46:30.261 A	M // 10:46:55.245 AM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

# (S)- Try to Login using email and password and add DOVE product



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.844 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.023 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	1.076 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.006 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.623 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.013 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.249 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.015 s
	PASSEDSTEP PASSED		
5	When User selects MEN products	PASSED	2.725 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.011 s
	PASSEDSTEP PASSED		

#	Step / Hook Details	Status	Duration
6	When User selects latest "DOVE" product	PASSED	0.174 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
7	And Add it to the cart	PASSED	2.207 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
8	Then verify the selected product has price "6.70" and quantity is "1"	PASSED	1.673 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.007 s
	PASSEDSTEP PASSED		

# (F)- Login and add items whose name ends with relevant filters

PASSED	DURATION - 35.138 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 10:46:30.294	4 AM // 10:47:05.432 AM /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

# (S)- Try to Login using email and password and add items based on filters

PASSED DURATION - 35.126 s	15	7					-				-			-	-	Steps		
/ 10:46:30.306 AM // 10:47:05.432 AM /	10	-	-							<u>-</u>						Total - 13		
Login and add items whose name ends with	5	-	-					-	:							Pass - 13	13	
relevant filters	0			-			_	_			_	_			-	Skip - 0		
@last		_	í	2	3	4	5	6	7	8	9	10	11	12	13			

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.936 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.006 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	1.004 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.013 s


#	Step / Hook Details	Status	Duration
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.426 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.404 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
5	When User navigates to Apparel page	PASSED	1.355 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
6	And Then navigates to tshirts page	PASSED	0.992 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
7	When User sort elements from "Price Low > High"	PASSED	1.276 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
8	And Selects top 3 lowest t-shirts and add it to cart	PASSED	8.533 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
9	When Go back to Apparels section	PASSED	0.841 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
10	When Navigate to Shoes Page	PASSED	0.817 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
11	And Add highest price product in cart	PASSED	1.755 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
12	And Select quantity "2" and proceed	PASSED	1.555 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSEDSTEP PASSED		
13	Then Verify the "3" items in cart	PASSED	0.076 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	PASSEDSTEP PASSED		

#### (F)- Login and add items that are on sale

PASSED	DURATION - 25.439 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 10:46:30.321 A	M // 10:46:55.760 AM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

# (S)- Try to Login using email and password and add sale items




#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.839 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.024 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	0.919 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.345 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.434 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		

#	Step / Hook Details	Status	Duration
5	When User navigates to skin care section	PASSED	1.284 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSEDSTEP PASSED		
6	And checks how many items are on Sale	PASSED	0.670 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
7	And checks how many items are Out of Stock	PASSED	0.273 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
8	And Add the "Sale" items in cart	PASSED	2.700 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSEDSTEP PASSED		
9	Then verify the selected items count	PASSED	2.754 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		

### (F)- Login and add items whose name ends with M

PASSED	DURATION - 24.575 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:46:30.345	AM // 10:46:54.920 AM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

# (S)- Try to Login using email and password and add items whose name ends with M



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	14.861 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.017 s
	PASSEDSTEP PASSED		
2	When User enters username "shaiz" and password "vivov11pro"	PASSED	1.069 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
3	And User tries to Login	PASSED	1.328 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
4	Then User is on the Landing page	PASSED	0.496 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
5	When User selects MEN products only	PASSED	1.284 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSEDSTEP PASSED		
6	When User selects product whose name ends with "M"	PASSED	1.692 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.007 s
	PASSEDSTEP PASSED		
7	And Add items to the cart	PASSED	1.139 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		
8	Then verify the selected product has ending name with "M"	PASSED	2.497 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSEDSTEP PASSED		