Cucumber Report

| *Start : Apr 27, 1:16:02.740 AM*	*End : Apr 27, 1:17:34.254 AM*	*Duration : 1 m 31.514 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 0	PASSED - 37 FAILED - 2 SKIPPED - 2

Features: 3

Scenarios: 7

Steps: 41

Pass % — Features: 33 %

Pass % — Scenarios: 71 %

Pass % — Steps: 90 %

#	Feature Name	T	P	F	S	Duration
1	Login using Username and Password	4	3	1	0	44.334 s
2	Logout Successfully	1	1	0	0	9.403 s
3	Place Order	2	1	1	0	37.624 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login using Username and Password	Try to Login using different Usernames	4	4	0	0	10.908 s
2	Login using Username and Password	Try to Login using different Usernames	4	3	1	0	14.129 s
3	Login using Username and Password	Try to Login using different Usernames	4	4	0	0	5.018 s
4	Login using Username and Password	Try to Login using different Usernames	4	4	0	0	14.104 s
5	Logout Successfully	Try to Logout after successful Login attempt	6	6	0	0	9.403 s
6	Place Order	Try to place order with items	10	10	0	0	15.290 s
7	Place Order	Try to place order without items	9	6	1	2	22.270 s

(F)- Login using Username and Password

FAILED	DURATION - 44.334 s			Scenarios			Steps	
/ 1:16:02.740 AM // 1:16:47.074 AM /				Total - 4 Pass - 3 Fail - 1 Skip - 0	4		Total - 16 Pass - 15 Fail - 1 Skip - 0	16

(S)- Try to Login using different Usernames

PASSED	DURATION - 10.908 s			Steps	
/ 1:16:02.769 AM // 1:16:13.677 AM /				Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login using Username and Password					
@Login					

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	9.901 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.012 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.357 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.275 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.158 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		

(S)- Try to Login using different Usernames

FAILED	DURATION - 14.129 s		Steps	
			Total - 4	
/ 1:16:13.735 AM // 1:16:27.864 AM /			Pass - 3	4
Login using Username and Password			Fail - 1	
@Login			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.948 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "locked_out_user" and password "secret_sauce"	PASSED	0.353 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.122 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	FAILED	10.272 s

	java.lang.AssertionError: Unable to find the locator
	    at org.testng.Assert.fail(Assert.java:99)
	    at Utils.GenericUtils.DriverW(GenericUtils.java:25)
	    at StepDefinitions.LoginPageStepDefinition.user_is_on_the_landing_page(LoginPageStepDefinition.java:41)
	    at ?.User is on the Landing page(file:///C:/Users/USER/IdeaProjects/Cucumber/SwagLabsCucumber/src/test/java/Features/Login.feature:8)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	<summary> Scenario Failed: </summary>Try to Login using different Usernames FAILED---STEP FAILED---		

(S)- Try to Login using different Usernames

PASSED	DURATION - 5.018 s		Steps
	/ 1:16:27.915 AM // 1:16:32.933 AM /		Total - 4
	Login using Username and Password		Pass - 4
			Fail - 0
	@Login		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	4.148 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "problem_user" and password "secret_sauce"	PASSED	0.328 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.254 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.117 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

(S)- Try to Login using different Usernames

PASSED	DURATION - 14.104 s		Steps
	/ 1:16:32.970 AM // 1:16:47.074 AM /		Total - 4
	Login using Username and Password		Pass - 4
			Fail - 0
	@Login		Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	8.281 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
2	When User enters username "performance_glitch_user" and password "secret_sauce"	PASSED	0.376 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	5.241 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.090 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

(F)- Logout Successfully

PASSED	DURATION - 9.403 s	Scenarios		Steps	
/ 1:16:47.133 AM // 1:16:56.536 AM /		Total - 1	1	Total - 6	6
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Try to Logout after successful Login attempt

PASSED	DURATION - 9.403 s		Steps	
/ 1:16:47.133 AM // 1:16:56.536 AM /			Total - 6	6
Logout Successfully			Pass - 6	
			Fail - 0	
@Logout			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	8.039 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s

#	Step / Hook Details	Status	Duration
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.502 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.212 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.120 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
	PASSED---STEP PASSED---		
5	When User tries to Logout from Landing page	PASSED	0.313 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
6	Then User is on Login Page	PASSED	0.090 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
	PASSED---STEP PASSED---		

(F)- Place Order

FAILED	DURATION - 37.624 s	Scenarios		Steps	
/ 1:16:56.630 AM // 1:17:34.254 AM /		Total - 2		Total - 19	
		Pass - 1	2	Pass - 16	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Try to place order with items

			Steps	
PASSED	*DURATION - 15.290 s*		Total - 10	
/ 1:16:56.630 AM // 1:17:11.920 AM /			Pass - 10	10
Place Order			Fail - 0	
@OrderI			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	12.709 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.322 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.241 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.223 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
5	When User selects items to the cart	PASSED	0.232 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
6	Then User proceeds to checkout	PASSED	0.267 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSED---STEP PASSED---		
7	When User enters its details firstname "john" lastname "cena" and zip "12345"	PASSED	0.585 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
8	Then Page is populated with the details of items	PASSED	0.100 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
	PASSED---STEP PASSED---		
9	And user verifies the items and prices	PASSED	0.219 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
10	And finishes order	PASSED	0.245 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		

(S)- Try to place order without items

FAILED	DURATION - 22.270 s
/ 1:17:11.984 AM // 1:17:34.254 AM /	
Place Order	
@OrderNI	

Steps
Total - 9
Pass - 6
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	19.738 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.383 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.266 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.255 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
5	Then User proceeds to checkout	PASSED	0.289 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

#	Step / Hook Details	Status	Duration
6	When User enters its details firstname "john" lastname "cena" and zip "12345"	PASSED	0.559 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
7	Then Page is populated with the details of items	FAILED	0.105 s

	java.lang.AssertionError: The items have not been selected but still we could checkout
	    at org.testng.Assert.fail(Assert.java:99)
	    at PageObjects.FinalPage.CheckPopulateditems(FinalPage.java:32)
	    at StepDefinitions.FinalPageStepDefinition.page_is_populated_with_the_details_of_items(FinalPageStepDefinition.java:24)
	    at ?.Page is populated with the details of items(file:///C:/Users/USER/IdeaProjects/Cucumber/SwagLabsCucumber/src/test/java/Features/PlaceOrder.feature:29)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.501 s
	<summary> Scenario Failed: </summary>Try to place order without items FAILED---STEP FAILED---		
8	And user verifies the items and prices	SKIPPED	0.001 s
9	And finishes order	SKIPPED	0.001 s

(Step) AFTER_STEP - StepDefinitions.
Hooks.CaptureScreenshot(io.cucumber.
java.Scenario)

Swag Labs

locked_out_user

•••••••••••••

Epic sadface: Sorry, this user has been locked out.

Login

Accepted usernames are:

Password for all users:

standard_user
locked_out_user
problem_user
performance_glitch_user

secret_sauce

(S) Try to Login using different Usernames

(F) Login using Username and Password

(Step) AFTER_STEP - StepDefinitions.
Hooks.CaptureScreenshot(io.cucumber.
java.Scenario)

Checkout: Overview

QTY   Description

Payment Information
SauceCard #31337

Shipping Information
Free Pony Express Delivery!

Price Total
Item total: $0
Tax: $0.00

Total: $0.00

← Cancel

Finish

(S) Try to place order without items

(F) Place Order