

Cucumber Report

Apr 27, 2023 1:29:33 AM

Start : Apr 27, 1:28:42.535 AM

End : Apr 27, 1:29:31.641 AM

Duration : 49.106 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 5



FAILED - 2


SKIPPED - 0

PASSED - 37


FAILED - 2

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Login using Username and Password	4	3	1	0	33.893 s
2	Logout Successfully	1	1	0	0	4.792 s
3	Place Order	2	1	1	0	10.298 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login using Username and Password</u>	<u>Try to Login using different Usernames</u>	4	4	0	0	7.375 s
2	<u>Login using Username and Password</u>	<u>Try to Login using different Usernames</u>	4	3	1	0	14.165 s
3	<u>Login using Username and Password</u>	<u>Try to Login using different Usernames</u>	4	4	0	0	3.907 s
4	<u>Login using Username and Password</u>	<u>Try to Login using different Usernames</u>	4	4	0	0	8.292 s
5	<u>Logout Successfully</u>	<u>Try to Logout after successful Login attempt</u>	6	6	0	0	4.791 s
6	<u>Place Order</u>	<u>Try to place order with items</u>	10	10	0	0	5.340 s
7	<u>Place Order</u>	<u>Try to place order without items</u>	9	6	1	2	4.871 s

(F)- Login using Username and Password

FAILED	DURATION - 33.893 s	Scenarios		Steps	
/ 1:28:42.535 AM // 1:29:16.428 AM /		Total - 4		Total - 16	
		Pass - 3		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Try to Login using different Usernames

<div><div>PASSED</div><div>DURATION - 7.375 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 1:28:42.550 AM // 1:28:49.925 AM /				
Login using Username and Password				
@Login				



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	6.393 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.007 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.389 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.212 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.152 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

(S)- Try to Login using different Usernames

FAILED	DURATION - 14.165 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 1:28:49.984 AM // 1:29:04.149 AM /				
Login using Username and Password				
@Login				



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	3.096 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
2	When User enters username "locked_out_user" and password "secret_sauce"	PASSED	0.351 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.129 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	FAILED	10.143 s
	java.lang.AssertionError: Unable to find the locator at org.testng.Assert.fail(Assert.java:99) at Utils.GenericUtils.DriverW(GenericUtils.java:25) at StepDefinitions.LoginPageStepDefinition.user_is_on_the_landing_page(LoginPageStepDefinition.java:41) at ?.User is on the Landing page(file:///C:/Users/USER/IdeaProjects/Cucumber/SwagLabsCucumber/src/test/java/Features/Login.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	<summary> Scenario Failed: </summary>Try to Login using different Usernames FAILED---STEP FAILED---		

(S)- Try to Login using different Usernames

<div><div>PASSED</div><div>DURATION - 3.907 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:29:04.200 AM // 1:29:08.107 AM /				
Login using Username and Password				
@Login				



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.974 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "problem_user" and password "secret_sauce"	PASSED	0.378 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.232 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.133 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		

(S)- Try to Login using different Usernames



<div>PASSED</div> <div>DURATION - 8.292 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:29:08.136 AM // 1:29:16.428 AM /</div>			
<div>Login using Username and Password</div>			
<div>@Login</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.348 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "performance_glitch_user" and password "secret_sauce"	PASSED	0.415 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	5.229 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.004 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.149 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

(F)- Logout Successfully

PASSED	DURATION - 4.792 s	Scenarios		Steps	
/ 1:29:16.474 AM // 1:29:21.266 AM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



(S)- Try to Logout after successful Login attempt

PASSED		DURATION - 4.791 s			Steps	
/ 1:29:16.475 AM // 1:29:21.266 AM /					Total - 6	
Logout Successfully					Pass - 6	
@Logout					Fail - 0	
					Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.758 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.339 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.224 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.151 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
5	When User tries to Logout from Landing page	PASSED	0.971 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
6	Then User is on Login Page	PASSED	0.148 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		

(F)- Place Order

FAILED	DURATION - 10.298 s	Scenarios		Steps	
/ 1:29:21.343 AM // 1:29:31.641 AM /		Total - 2		Total - 19	
		Pass - 1		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



(S)- Try to place order with items

<div>PASSED</div> <div>DURATION - 5.340 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:29:21.343 AM // 1:29:26.683 AM /</div>				
<div>Place Order</div>				
<div>@Order!</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.712 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.351 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.252 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.161 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
5	When User selects items to the cart	PASSED	0.200 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
6	Then User proceeds to checkout	PASSED	0.270 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	PASSED---STEP PASSED---		
7	When User enters its details firstname "john" lastname "cena" and zip "12345"	PASSED	0.629 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSED---STEP PASSED---		
8	Then Page is populated with the details of items	PASSED	0.117 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
	PASSED---STEP PASSED---		
9	And user verifies the items and prices	PASSED	0.214 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
10	And finishes order	PASSED	0.269 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		

(S)- Try to place order without items

FAILED	DURATION - 4.871 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:29:26.770 AM // 1:29:31.641 AM /				
Place Order				
@OrderNI				


#	Step / Hook Details	Status	Duration
1	Given User is on Login Page	PASSED	2.511 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
2	When User enters username "standard_user" and password "secret_sauce"	PASSED	0.377 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
3	And User tries to Login	PASSED	0.228 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	PASSED---STEP PASSED---		
4	Then User is on the Landing page	PASSED	0.170 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		
5	Then User proceeds to checkout	PASSED	0.258 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	PASSED---STEP PASSED---		

#	Step / Hook Details	Status	Duration
6	When User enters its details firstname "john" lastname "cena" and zip "12345"	PASSED	0.719 s
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.005 s
	PASSED---STEP PASSED---		
7	Then Page is populated with the details of items	FAILED	0.081 s
	<p>java.lang.AssertionError: The items have not been selected but still we could checkout at org.testng.Assert.fail(Assert.java:99) at PageObjects.FinalPage.CheckPopulatedItems(FinalPage.java:37) at StepDefinitions.FinalPageStepDefinition.page_is_populated_with_the_details_of_items(FinalPageStepDefinition.java:24) at ?.Page is populated with the details of items(file:///C:/Users/USER/IdeaProjects/Cucumber/SwagLabsCucumber/src/test/java/Features/PlaceOrder.feature:29) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - StepDefinitions.Hooks.CaptureScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	<p><summary> Scenario Failed: </summary>Try to place order without items FAILED---STEP FAILED---</p>		
			
8	And user verifies the items and prices	SKIPPED	0.000 s
9	And finishes order	SKIPPED	0.000 s

(Step) AFTER_STEP - StepDefinitions.
Hooks.CaptureScreenshot(io.cucumber.
java.Scenario)

(S) Try to Login using different Usernames

(F) Login using Username and Password



(Step) AFTER_STEP - StepDefinitions.
Hooks.CaptureScreenshot(io.cucumber.
java.Scenario)

(S) Try to place order without items

(F) Place Order

