



A helper package for Machine Learning and Deep Learning solutions



Developers: Shaji, Charu, Selva

Package Name	Ctrl4AI
Latest Version	1.0.2
Environment	Python
Hosted On	PyPi
Mode of install	pip



What's new?

Open Source Package with emphasis on data preprocessing so far.

Self intelligent methods that can be employed at the levels of abstraction or customization.

The flow of **auto-preprocessing** is orchestrated compatible to the learning type.

Parameter tuning allows users to transform the data precisely to their specifications.

Developed **computations** to discover the type of data, it's distribution, correlation etc. which are handled in the background.

ctrl4ai.automl

```
preprocess(dataset, learning_type, target_variable=None, target_type=None,
impute_null_method='central_tendency', tranform_categorical='label_encoding',
categorical_threshold=0.3, remove_outliers=False, log_transform=None,
drop_null_dominated=True, dropna_threshold=0.7, derive_from_datetime=True,
ohe_ignore_cols=[], feature_selection=True, define_continuous_cols=[],
define_categorical_cols=[])
```

```
dataset1_labels,dataset1_processed=automl.preprocess(dataset1,'supervised',target_variable='fare_amount',target_type='continuous')
dataset1_processed.head()
```

Dropping single valued column(s) new_user,year_of_pickup_datetime,year_of_dropoff_datetime

Columns identified as continuous are tip_amount,pickup_longitude,pickup_latitude,dropoff_longitude,dropoff_latitude

Columns identified as categorical are vendor_id,tolls_amount,mta_tax,passenger_count,rate_code,store_and_fwd_flag,payment_type,surcharge,hour_of_pickup_datetime,weekday_of_pickup_datetime,month_of_pickup_datetime

Replaced nulls in tolls_amount with mode

Replaced nulls in mta_tax with mode

Replaced nulls in passenger_count with mode

Replaced nulls in rate_code with mode

Replaced nulls in store_and_fwd_flag with mode

Replaced nulls in payment_type with mode

Replaced nulls in surcharge with mode

Labels for vendor_id: {'DST000401': 0, 'DST000532': 1}

Labels for store_and_fwd_flag: {'N': 0, 'Y': 1}

Labels for payment_type: {'CRD': 0, 'CSH': 1, 'DIS': 2, 'NOC': 3, 'UNK': 4}

Replaced nulls in tip_amount with mode

Replaced nulls in pickup_longitude with mean

Replaced nulls in pickup_latitude with mean


Replaced nulls in dropoff_longitude with mean

Replaced nulls in dropoff_latitude with mean

	pickup_longitude	dropoff_longitude	vendor_id	tolls_amount	passenger_count	rate_code	store_and_fwd_flag	surcharge	hour_of_pickup_datetime	weekday_of_pickup_datetime	month_of_pickup_datetime
0	-74.003939	-73.993369	0	0.0	1.0	1.0	0	0.5	4		0
1	-73.973864	-73.958701	0	0.0	3.0	1.0	0	0.0	18		6
2	-73.954406	-73.970780	0	0.0	2.0	1.0	0	0.0	8		0
3	-73.962345	-73.975512	1	0.0	2.0	1.0	0	0.0	9		4
4	-74.004657	-73.999369	0	0.0	1.0	1.0	0	0.0	13		2

ctrl4ai 1.0.2

`pip install ctrl4ai`



Don't repeat! Just Automate!