

Mini project excel cleaning

File Home Insert Draw Page Layout Formulas Data Review View Help Acrobat PDFelement Table Design Tell me what you want to do Share									
Get data From Text/CSV Recent Sources From Web Existing Connections Refresh All Queries & Connections Properties Workbook Links Sort Filter Clear Reapply Text to Columns Remove Duplicates Data Validation Consolidate Data Model What-If Analysis Forecast Sheet Group Ungroup Subtotal Data Analysis									
Get & Transform Data Queries & Connections Sort & Filter Data Tools Forecast Analysis Outline Analysis									
FA0005362 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0005362/PR0005337)									
business_id				business_name		business_address		business_city	
FA0005362 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0005362/PR0005337)				MCGINLEYS PUB		845 G ST		ANCHORAGE	
FA0000274 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000274/PR0000274)						1130 E NORTHERN LIGHTS BLVD		ANCHORAGE	
FA0007874 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0007874/PR0007874)						924 MULDOON RD		ANCHORAGE	
FA0001485 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0001485/PR0001485)				RISH		1000 E NORTHERN LIGHTS BLVD		ANCHORAGE	
FA0009047 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0009047/PR0009047)						8809 JEWEL LAKE RD		ANCHORAGE	
FA0003387 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0003387/PR0003387)						1330 E HUFFMAN RD		ANCHORAGE	
FA0009667 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0009667/PR0009667)						4505 SPENARD RD D		ANCHORAGE	
FA0003022 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0003022/PR0003022)				INTER		2600 PROVIDENCE DR		ANCHORAGE	
FA0014558 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0014558/PR0014558)				AK FROST		5200 A ST		ANCHORAGE	
FA0000307 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000307/PR0000307)				NORDSTROM - CAFE EXPRESS		603 D ST		ANCHORAGE	
FA0010758 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0010758/PR0010645)				A/J'S RIB-A-GO-GO		8840 LAKE OTIS PKWY		ANCHORAGE	
FA0000746 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000746/PR0000746)				MT SPURR SCHOOL		8414 Mcguire AVE		ANCHORAGE	
FA0009349 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0009349/PR0009255)				SARA'S GIFT CACHE -S		408 W 4TH AVE		ANCHORAGE	
FA0000426 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000426/PR0000426)				RAY'S PLACE LLC		2412 SPENARD RD		ANCHORAGE	
FA0000474 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000474/PR0000474)				SOUTHSIDE BISTRO		1320 HUFFMAN PARK DR		ANCHORAGE	
FA0000012 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000012/PR0000012)				STRAIGHT OUT OF PHILLY ALASKA LLC		210 E FIREWEED LN		ANCHORAGE	
FA0000456 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000456/PR0000456)				TACO BELL #18131		9001 JEWEL LAKE RD		ANCHORAGE	
FA0000337 (https://anchorageonline.envisionconnect.com/#/pa1/detail/FA0000337/PR0000337)				VIP DBA YOUNG BIN RESTAURANT		555 W NORTHERN LIGHTS BLVD 105		ANCHORAGE	

Microsoft Excel
217 duplicate values found and removed; 44789 unique values remain. Note that counts may include empty cells, spaces, etc.

R3 =IF(M3>=90,"Low Risk",IF(M3>=75,"Medium Risk","High Risk"))									
violation_description		violation_code	Risk category						
HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE		8	Low Risk						
DEMONSTRATION OF KNOWLEDGE		1	Medium Risk						
THERMOMETERS PROVIDED AND ACCURATE		34	Medium Risk						
			Low Risk						
BARE HAND CONTACT WITH READY TO EAT FOOD		7	Medium Risk						
12 HANDS CLEAN, GOOD HYGIENE, CERTIFICATION		12	Low Risk						
HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE		8	Low Risk						
PLUMBING INSTALLED, PROPER BACKFLOW DEVICES		49	Low Risk						
			Low Risk						
NONFOOD-CONTACT SURFACES CLEAN		47	Low Risk						
DEMONSTRATION OF KNOWLEDGE		1	Low Risk						
			Low Risk						
PHYSICAL FACILITIES INSTALLED, MAINTAINED, CLEAN		53	Low Risk						
10 IN-USE FOOD AND ICE UTENSILS PROPERLY STORED		10	Low Risk						
08 FOOD PROTECTED FROM CROSS CONTAMINATION		8	Low Risk						
			Low Risk						
PLUMBING INSTALLED, PROPER BACKFLOW DEVICES		49	Low Risk						
PROPER COLD HOLDING TEMPERATURES		20	Low Risk						

J	K	L	M	N
business_phone_number	inspection_date	inspection_score	inspection_score2	inspection_description
9072791782	03-07-2017	94	94	SCHEDULE REGULAR INSPECTION WITHIN 12 MONTHS
9072796013	10/21/2015	86	86	SCHEDULE REGULAR INSPECTION WITHIN 12 MONTHS
9073380001	11/22/2016	80	80	ENFORCEMENT INSPECTION REQUIRED
	12/23/2003	96	96	NO ACTION
9078681881	07/13/2017	83	83	ENFORCEMENT INSPECTION REQUIRED
9073446714	09-10-2008	95	95	NO ACTION
9073516446	01/28/2015		94	NO ACTION
9072694316	04/18/2012		94	NO ACTION
9073019793	11/28/2017		94	NO ACTION
9072653249	01/24/2012		94	NO ACTION
9078840558	06-06-2017	94	94	SCHEDULE REGULAR INSPECTION WITHIN 12 MONTHS
	10-04-2005	100	100	NO ACTION
9073504700	08/21/2013		94	NO ACTION
9072792932	06/21/2007	92	92	NO ACTION
9073480088	09/27/2005	91	91	NO ACTION
9075691515	01-06-2014		94	NO ACTION
9072486117	05/28/2015	98	98	SCHEDULE REGULAR INSPECTION WITHIN 12 MONTHS
9072798514	06/30/2010		94	NO ACTION

business_postal_code		business_phone_number		Column3	inspection_score2	inspection_desc
99501	9072791782	9072791782	94	ULE REGULAR INSPECTION		
995084219	9072796013	9072796013	86	ULE REGULAR INSPECTION		
99504	9073380001	9073380001	80	ENFORCEMENT INSPECTION		
99503		unknown	96	NO ACTION		
99502	9078681881	9078681881	83	ENFORCEMENT INSPECTION		
99515	9073446714	9073446714	95	NO ACTION		
99503	9073516446	9073516446	92	NO ACTION		
99508	9072694316	9072694316	92	NO ACTION		
99501	9073019793	9073019793	92	NO ACTION		
99501	9072653249	9072653249	92	NO ACTION		
99507	9078840558	9078840558	94	ULE REGULAR INSPECTION		
995196614		unknown	100	NO ACTION		
99508	9073504700	9073504700	92	NO ACTION		
99503	9072792932	9072792932	92	NO ACTION		
99515	9073480088	9073480088	91	NO ACTION		
99503	9075691515	9075691515	92	NO ACTION		
907248117	907248117	907248117	92	ULE REGULAR INSPECTION		

mini project restaurant and foo

Table1

cleaning

Dim_restaurants

dim_inspections

dim_violations

Q		S	U	V	W	X	Y	Z	AA	AB	AC	AD	AE
Inspection_type	Violation _Description	violation_code2	Risk category	Column4									
Regular	HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE	8	Low Risk	Good Condition									
Regular	DEMONSTRATION OF KNOWLEDGE	1	Medium Risk	Medium Condition									
Regular	THERMOMETERS PROVIDED AND ACCURATE	34	Medium Risk	Medium Condition									
Regular	Pending	Pending	Low Risk	Good Condition									
Regular	BARE HAND CONTACT WITH READY TO EAT FOOD	7	Medium Risk	Medium Condition									
Regular	12 HANDS CLEAN, GOOD HYGIENE, CERTIFICATION	12	Low Risk	Good Condition									
Regular	HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE	8	Low Risk	Good Condition									
Regular	PLUMBING INSTALLED, PROPER BACKFLOW DEVICES	49	Low Risk	Good Condition									
Other	Pending	Pending	Low Risk	Good Condition									
Regular	NONFOOD-CONTACT SURFACES CLEAN	47	Low Risk	Good Condition									
Regular	DEMONSTRATION OF KNOWLEDGE	1	Low Risk	Good Condition									
Regular	Pending	Pending	Low Risk	Good Condition									
Regular	PHYSICAL FACILITIES INSTALLED, MAINTAINED, CLEAN	53	Low Risk	Good Condition									
Regular	10 IN-USE FOOD AND ICE UTENSILS PROPERLY STOF	10	Low Risk	Good Condition									
Regular	08 FOOD PROTECTED FROM CROSS CONTAMINATION	8	Low Risk	Good Condition									
Complaint	Pending	Pending	Low Risk	Good Condition									
Regular	PLUMBING INSTALLED, PROPER BACKFLOW DEVICES	49	Low Risk	Good Condition									
Regular	PROPER COLD HOLDING TEMPERATURES	20	Low Risk	Good Condition									

business_id number	business_name	business_city
FA0005362	MCGINLEYS PUB	ANCHORAGE
FA0000274	VILLAGE INN #1	ANCHORAGE
FA0007874	RONNIE SUSHI 2	ANCHORAGE
FA0001485	FRED MEYER - RETAIL FISH	ANCHORAGE
FA0009047	PHO GRILL	ANCHORAGE
FA0003387	TACO KING #2	ANCHORAGE
FA0009667	FUKUMARU TERIYAKI	ANCHORAGE
FA0003022	MCLAUGHLIN YOUTH CENTER	ANCHORAGE
FA0014558	AK FROST	ANCHORAGE
FA0000307	NORDSTROM - CAFE EXPRESS	ANCHORAGE
FA0010756	AJ'S RIB-A-GO-GO	ANCHORAGE
FA0000746	MT SPURR SCHOOL	ANCHORAGE
FA0009349	SARA'S GIFT CACHE -S	ANCHORAGE
FA0000426	RAY'S PLACE LLC	ANCHORAGE
FA0000474	SOUTHSIDE BISTRO	ANCHORAGE
FA0000012	STRAIGHT OUT OF PHILLY ALASKA LLC	ANCHORAGE
FA0000456	TACO BELL #18131	ANCHORAGE
FA0000337	VIP DBA YOUNG BIN RESTAURANT	ANCHORAGE

cleaned data

dim_restaurants

dim_inspections

dim_violations

dim -restuarants sheet

inspection_type	inspection_description	inspection_date	inspection_score2
Regular	ULE REGULAR INSPECTION WITHIN 12 M	03-07-2017	94
Regular	ULE REGULAR INSPECTION WITHIN 12 M	10/21/2015	86
Regular	ENFORCEMENT INSPECTION REQUIRED	11/22/2016	80
Regular	NO ACTION	12/23/2003	96
Regular	ENFORCEMENT INSPECTION REQUIRED	07/13/2017	83
Regular	NO ACTION	09-10-2008	95
Regular	NO ACTION	01/28/2015	92
Regular	NO ACTION	04/18/2012	92
Other	NO ACTION	11/28/2017	92
Regular	NO ACTION	01/24/2012	92
Regular	ULE REGULAR INSPECTION WITHIN 12 M	06-06-2017	94
Regular	NO ACTION	10-04-2005	100
Regular	NO ACTION	08/21/2013	92
Regular	NO ACTION	06/21/2007	92
Regular	NO ACTION	09/27/2005	91
Complaint	NO ACTION	01-06-2014	92
Regular	ULE REGULAR INSPECTION WITHIN 12 M	05/28/2015	98
Regular	NO ACTION	06/30/2010	92

Dim_inspections sheet

Violation _Description	violation_code2	Risk category
HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE	8	Low Risk
DEMONSTRATION OF KNOWLEDGE	1	Medium Risk
THERMOMETERS PROVIDED AND ACCURATE	34	Medium Risk
Pending	Pending	Low Risk
BARE HAND CONTACT WITH READY TO EAT FOOD	7	Medium Risk
12 HANDS CLEAN, GOOD HYGIENE, CERTIFICATION	12	Low Risk
HANDWASHING FACILITIES SUPPLIED, ACCESSIBLE	8	Low Risk
PLUMBING INSTALLED, PROPER BACKFLOW DEVICES	49	Low Risk
Pending	Pending	Low Risk
NONFOOD-CONTACT SURFACES CLEAN	47	Low Risk
DEMONSTRATION OF KNOWLEDGE	1	Low Risk
Pending	Pending	Low Risk
PHYSICAL FACILITIES INSTALLED, MAINTAINED, CLEAN	53	Low Risk
0 IN-USE FOOD AND ICE UTENSILS PROPERLY STORED	10	Low Risk
08 FOOD PROTECTED FROM CROSS CONTAMINATION	8	Low Risk
Pending	Pending	Low Risk
PLUMBING INSTALLED, PROPER BACKFLOW DEVICES	49	Low Risk
PROPER COLD HOLDING TEMPERATURES	20	Low Risk

Dim_violations sheet