

西北工業大學

**Undergraduate Major Course Examination  
Answer Booklet**

Score:

**Student ID** 2023380014

**Name** SHAKIB SATTAR SHAAN

**Course** Digital Image Processing

**Date** 06/06/2026

**Northwestern Polytechnical University**

# AI-Powered Image Gallery with SQL Metadata Storage

*A Digital Image Processing Approach*

---

Course: Digital Image Processing (DIP)

Report Type: Research & System Design

---

**Name: Shakib Sattar Shaan**

**Code: 2023380014**

## **Abstract**

The rapid increase in digital image generation has created significant challenges in image organization, management, and retrieval. Traditional image management systems rely heavily on filenames and manually assigned tags, which become inefficient when dealing with large image collections. Digital Image Processing (DIP) provides techniques for extracting meaningful information directly from image content, enabling intelligent image retrieval systems.

This report presents the design of an AI-Powered Image Gallery System that combines Digital Image Processing techniques with SQL database technology. The proposed system automatically analyzes uploaded images, extracts visual features such as color, texture, shape, and object information, and stores the extracted metadata within a relational database. Users can then search images using visual characteristics rather than relying solely on filenames.

The project demonstrates how image preprocessing, segmentation, feature extraction, object detection, and Optical Character Recognition (OCR) can be integrated with SQL databases to create a powerful Content-Based Image Retrieval (CBIR) system. Such systems have practical applications in healthcare, surveillance, e-commerce, digital libraries, remote sensing, and personal photo management.

## **Table of Contents**

|                                             |    |
|---------------------------------------------|----|
| 1. Introduction                             | 3  |
| 2. Project Objectives                       | 3  |
| 3. Fundamentals of Digital Image Processing | 4  |
| 4. Content-Based Image Retrieval (CBIR)     | 5  |
| 5. Image Preprocessing                      | 5  |
| 6. Image Segmentation                       | 6  |
| 7. Feature Extraction                       | 7  |
| 8. Object Detection and Recognition         | 8  |
| 9. Optical Character Recognition (OCR)      | 8  |
| 10. Database Design and SQL Integration     | 9  |
| 11. System Architecture                     | 10 |
| 12. Applications                            | 10 |
| 13. Advantages                              | 11 |
| 14. Challenges and Limitations              | 11 |
| 15. Future Work                             | 11 |
| 16. Conclusion                              | 12 |
| References                                  | 12 |

## **1. Introduction**

Digital images have become one of the most important forms of information in modern society. Smartphones, surveillance cameras, medical scanners, satellites, and social media platforms generate enormous quantities of image data every day. Managing and retrieving these images efficiently has become a major challenge.

Traditional image retrieval systems depend on manually assigned labels and filenames. Although this approach works for small collections, it becomes impractical when thousands or millions of images must be managed. Users may forget filenames, assign incorrect tags, or fail to organize images properly.

Digital Image Processing provides techniques that allow computers to analyze image content automatically. Instead of depending on text descriptions, systems can extract meaningful information directly from image pixels. Characteristics such as color distribution, texture patterns, shapes, edges, and detected objects can be transformed into searchable metadata.

The objective of this project is to design an intelligent image gallery system that applies Digital Image Processing techniques to analyze uploaded images and stores extracted metadata in an SQL database. The resulting system enables efficient image organization and retrieval through content-based searching.

## **2. Project Objectives**

The major objectives of this project are as follows:

1. To understand the role of Digital Image Processing in image retrieval systems.
2. To develop a system capable of analyzing image content automatically.
3. To extract image features such as color, texture, shape, and object information.
4. To store image metadata in a relational SQL database.
5. To provide efficient image search and retrieval capabilities.

6. To demonstrate the practical application of Content-Based Image Retrieval (CBIR).
7. To explore the integration of Artificial Intelligence with Digital Image Processing.

### **3. Fundamentals of Digital Image Processing**

Digital Image Processing refers to the manipulation and analysis of digital images using computer algorithms. A digital image can be represented mathematically as a two-dimensional function  $f(x,y)$ , where  $x$  and  $y$  represent spatial coordinates and the function value corresponds to pixel intensity.

Images are composed of tiny elements called pixels. Each pixel contains numerical information representing brightness or color. For grayscale images, a value of 0 represents black while 255 represents white. For color images, each pixel consists of three channels: Red (R), Green (G), and Blue (B), and can therefore be represented as three matrices corresponding to the RGB channels.

Digital Image Processing generally consists of several sequential stages, each building upon the results of the previous.

#### **3.1 Image Acquisition**

The process begins by obtaining images through cameras, scanners, satellites, or other sensors. The quality and resolution of acquired images directly impact the performance of subsequent processing stages.

#### **3.2 Image Enhancement**

Image enhancement improves image quality for better visualization and analysis. Common enhancement techniques include contrast adjustment, brightness correction, and noise reduction. These operations prepare images for more advanced processing and feature extraction.

### 3.3 Image Segmentation

Segmentation separates meaningful objects from the background. It is considered one of the most fundamental topics in Digital Image Processing, as accurate segmentation is critical for downstream recognition and retrieval tasks.


### 3.4 Feature Extraction

Feature extraction converts image content into numerical features suitable for analysis and storage. Rather than comparing raw pixel values, systems operate on compact descriptors that summarize visual content efficiently.

### 3.5 Recognition and Interpretation

Recognition classifies objects and assigns semantic meaning to image content. Modern recognition systems leverage deep learning architectures to achieve human-level performance on many visual tasks. The proposed image gallery utilizes all these stages to create an intelligent image retrieval system.

**Figure 1: Digital Image Processing Pipeline**



*Figure 1 – Digital Image Processing Pipeline: Sequential stages from acquisition to retrieval*

## **4. Content-Based Image Retrieval (CBIR)**

Content-Based Image Retrieval (CBIR) is a major research area within Digital Image Processing. Traditional image retrieval relies on manually assigned keywords. CBIR systems instead analyze the visual content of images and retrieve images based on their visual similarity.

### **4.1 Traditional Image Retrieval**

Traditional retrieval methods offer simple implementation and ease of understanding. However, they require manual tagging, are prone to human error, time-consuming, and exhibit poor scalability for large collections. As image datasets grow to millions of records, manual tagging becomes economically and practically infeasible.

### **4.2 Content-Based Image Retrieval**

CBIR systems provide automatic feature extraction, reduced human effort, improved accuracy, and better scalability. CBIR systems typically use visual features such as color, texture, shape, and detected object information to match and rank images. The proposed image gallery is designed as a CBIR system because it retrieves images using automatically extracted visual information, eliminating the dependency on manual annotation.

## **5. Image Preprocessing**

Image preprocessing is one of the most important stages of Digital Image Processing. Real-world images often contain imperfections such as sensor noise, motion blur, poor illumination, and compression artifacts that can reduce system performance if left unaddressed.



## **5.1 Noise Reduction**

Noise refers to unwanted variations in pixel values introduced during image capture or transmission. Three principal filtering techniques are employed for noise reduction:

- **Mean Filter:** Replaces each pixel value with the average value of neighboring pixels, providing a simple smoothing effect.
- **Median Filter:** Replaces a pixel value with the median value of neighboring pixels. This technique is particularly effective for salt-and-pepper noise while preserving edges better than mean filtering.
- **Gaussian Filter:** Uses a weighted averaging approach that preserves image structure better than simple averaging. It is the most widely used preprocessing filter in computer vision pipelines.

## **5.2 Contrast Enhancement**

Contrast enhancement improves visibility of image details. Histogram Equalization is the most popular method, redistributing pixel intensities across the full available range. This technique enhances details, improves feature extraction accuracy, and improves the performance of object detection algorithms.

## **5.3 Image Resizing**

Images often have varying dimensions acquired from different sources. To standardize processing, images are resized to a uniform resolution. A typical target dimension is  $512 \times 512$  pixels, which reduces computational cost while maintaining essential visual information required for feature extraction and recognition.

## **6. Image Segmentation**

Image segmentation is the process of dividing an image into meaningful regions, isolating important objects from the background. It is considered one of the most fundamental challenges in Digital Image Processing. Accurate segmentation is a prerequisite for reliable feature extraction and object recognition.

## **6.1 Thresholding**

Thresholding separates pixels according to intensity values. Pixels above a threshold value are assigned to the object class, while pixels below are assigned to the background. Thresholding is computationally efficient and straightforward to implement, making it suitable for high-volume processing pipelines.

## **6.2 Edge Detection**

Edges represent significant changes in pixel intensity and delineate object boundaries.

Popular edge detection operators include:

- Sobel Operator: Detects horizontal and vertical intensity changes using derivative-based kernels.
- Prewitt Operator: Conceptually similar to the Sobel operator but computationally simpler.
- Canny Edge Detector: Widely regarded as one of the best edge detection algorithms, offering high accuracy, good noise resistance, and strong edge localization through a multi-stage pipeline.

## **6.3 Region-Based Segmentation**

Region-based methods group neighboring pixels that share similar characteristics such as color, intensity, or texture. This approach is particularly valuable in medical image analysis, satellite image processing, and object extraction tasks where object boundaries may not produce strong edge responses.

## **7. Feature Extraction**

Feature extraction is the most important stage in Content-Based Image Retrieval systems. Instead of storing raw image pixels for comparison, the system extracts representative numerical features that summarize the visual content of images in a compact and discriminative form.

### **7.1 Color Features**

Color is often the most informative visual characteristic for image matching. Two primary color descriptors are employed:

- **Color Histogram:** Represents the frequency distribution of colors within an image. Images with similar color histograms exhibit similar visual content. For example, an image dominated by blue (45%), green (25%), and red (20%) can be matched against other images with comparable distributions.
- **Dominant Color Extraction:** Identifies the most frequently occurring color and stores it as metadata. This enables straightforward textual queries such as searching for images containing Blue Sky, Green Forest, or Yellow Beach.

### **7.2 Texture Features**

Texture describes surface patterns within an image, distinguishing materials such as grass, sand, water, and fabric. Two principal texture descriptors are employed:

- **Gray-Level Co-occurrence Matrix (GLCM):** Analyzes statistical relationships between neighboring pixels to capture second-order texture statistics including contrast, correlation, energy, and homogeneity.
- **Local Binary Patterns (LBP):** Captures local texture information efficiently by encoding the relationship between each pixel and its neighbors into a binary pattern. LBP is computationally efficient and robust to illumination changes.

### **7.3 Shape Features**

Shape features describe object geometry, enabling recognition of objects based on their form regardless of color or texture. Common shape descriptors include Area, Perimeter, Circularity, Aspect Ratio, and Hu Moments. Shape analysis is particularly useful for object recognition applications in medical imaging and industrial

inspection.

## **8. Object Detection and Recognition**

Object detection combines Digital Image Processing with Artificial Intelligence. The objective is to identify and localize objects present within an image. For example, given an input image of a dog playing in a park, a detection system would identify the dog, the grass, and any persons in the scene.

Modern object detection algorithms include YOLO (You Only Look Once), Faster R-CNN, and SSD (Single Shot Detector). These deep learning-based systems achieve real-time detection with high accuracy. The detected objects are automatically stored as tags in the SQL database, significantly improving search capabilities by enabling semantic queries such as finding all images containing cars or dogs.

## **9. Optical Character Recognition (OCR)**

Optical Character Recognition converts text appearing in images into machine-readable form. OCR processing generally involves four stages: image enhancement, binarization, character segmentation, and character recognition. Applications include digitization of documents, receipts, license plates, and signboards.

For example, an image containing the text DIGITAL IMAGE PROCESSING would be processed by the OCR engine to produce a corresponding text string stored in the database. This extracted text becomes fully searchable metadata, enabling users to locate images based on textual content they contain.

## 10. Database Design and SQL Integration

While Digital Image Processing extracts information from images, SQL databases provide structured storage and retrieval mechanisms. The database consists of four primary tables: the Images table stores core image information; the Metadata table stores extracted visual features; the Tags table stores detected object labels; and the Image\_Tags junction table creates many-to-many relationships between images and tags.

### 10.1 Sample Metadata

The following table illustrates example metadata records extracted and stored for a single image:

| Feature         | Example Value |
|-----------------|---------------|
| Width           | 1920          |
| Height          | 1080          |
| Dominant Color  | Blue          |
| Texture Score   | 0.85          |
| Detected Object | Car           |
| OCR Text        | Welcome       |


*Table 1 – Example metadata extracted and stored in the SQL database*

The SQL database transforms visual information into structured records that can be queried efficiently using standard SQL operations. This enables complex queries such as retrieving all images where the dominant color is blue, the detected object is a car, and the texture score exceeds 0.80.

## 10.2 Entity-Relationship Diagram

The Entity-Relationship (ER) diagram below illustrates the relational structure of the database, showing the one-to-many relationship between Images and Metadata, and the many-to-many relationship between Images and Tags through the Image\_Tags junction table.

**Figure 2: Entity-Relationship (ER) Diagram**




*Figure 2 – ER Diagram: Relationships between Images, Metadata, Image\_Tags, and Tags tables*

## 11. System Architecture

The proposed system follows a seven-step workflow that integrates image processing, artificial intelligence, and database technologies into a unified retrieval platform. The user uploads an image, which undergoes preprocessing before feature extraction generates color, texture, shape, and object information. OCR extracts any text present. Metadata is stored in SQL tables, after which users perform search queries and matching images are retrieved and displayed.

**Figure 3: System Architecture Diagram**



*Figure 3 – System Architecture: End-to-end workflow from image upload to result display*

## **12. Applications**

The proposed system has numerous practical applications across multiple industries and domains:

- **Medical Imaging:** Used to organize and retrieve MRI scans, CT scans, and X-rays based on visual content rather than manual labeling.
- **Digital Libraries:** Enables management of historical archives, scanned books, and research collections with automated metadata generation.
- **E-Commerce:** Enables visual product search, allowing customers to find products by uploading reference images rather than typing text queries.
- **Surveillance Systems:** Allows searching images based on detected objects or faces, accelerating forensic investigation.
- **Personal Photo Management:** Automatically organizes personal image collections by date, location, detected people, and scene type.

## **13. Advantages**

The proposed system offers several key advantages over traditional image management approaches:

- Automatic image organization eliminates the need for manual sorting and categorization.
- Reduced manual tagging effort lowers operational costs and speeds up ingestion of new images.
- Improved search accuracy through content-based matching rather than keyword dependence.
- Faster retrieval due to indexed SQL queries operating on compact numerical metadata.
- Scalability to handle collections of millions of images without degraded performance.
- Intelligent content analysis enables semantic understanding of image collections.
- Efficient metadata management through normalized relational database design.



## 14. Challenges and Limitations

Despite its advantages, the system faces several challenges that represent active areas of research:

- **Computational Cost:** Image processing algorithms, particularly deep learning-based object detection, may require significant computational resources and specialized hardware.
- **Storage Requirements:** Large image collections with associated metadata require substantial storage capacity, necessitating careful capacity planning.
- **Detection Errors:** Object detection algorithms may produce incorrect labels, introducing noise into the searchable metadata.
- **Semantic Gap:** Computers analyze pixel values while humans interpret semantic meaning. Bridging this semantic gap remains a major challenge in Digital Image Processing research and limits the naturalness of visual queries.

## 15. Future Work

Future improvements to the proposed system may include the following enhancements:

- Facial recognition systems for automated identification and organization of portrait images.
- Deep learning image embeddings using convolutional neural networks for more accurate visual similarity search.
- Similar image search enabling users to find visually related images by providing a reference image.
- Cloud deployment to provide scalable, accessible processing infrastructure.
- Mobile applications enabling on-device image upload and search.
- Voice-based image retrieval through natural language query interfaces.
- Real-time image classification using streaming processing pipelines.

Advanced vector databases such as Pinecone, Weaviate, or pgvector could also be integrated to improve similarity search performance, replacing traditional SQL equality queries with approximate nearest-neighbor search over high-dimensional embedding vectors.

## 16. Conclusion

Digital Image Processing plays a critical role in modern image retrieval systems. Through techniques such as preprocessing, segmentation, feature extraction, object detection, and OCR, meaningful information can be extracted directly from image content without manual human annotation.

This report proposed an AI-Powered Image Gallery System that combines Digital Image Processing with SQL databases. The system transforms raw image data into structured metadata that can be efficiently stored, searched, and retrieved. By implementing Content-Based Image Retrieval techniques, the proposed system provides a more intelligent and scalable alternative to traditional filename-based image management.

The project demonstrates the practical application of Digital Image Processing concepts while highlighting the importance of relational database design in managing extracted image information. As Artificial Intelligence and Computer Vision technologies continue to evolve, such systems will become increasingly powerful and widely adopted across healthcare, e-commerce, surveillance, digital libraries, and personal media management.

## References

1. Gonzalez, R. C., & Woods, R. E. (2018). Digital Image Processing (4th ed.). Pearson Education.
2. Jain, A. K. (1989). Fundamentals of Digital Image Processing. Prentice Hall.
3. Sonka, M., Hlavac, V., & Boyle, R. (2014). Image Processing, Analysis, and Machine Vision (4th ed.). Cengage Learning.
4. Szeliski, R. (2022). Computer Vision: Algorithms and Applications (2nd ed.). Springer.
5. Datta, R., Joshi, D., Li, J., & Wang, J. Z. (2008). Image retrieval: Ideas, influences, and trends of the new age. *ACM Computing Surveys*, 40(2), 1–60.
6. Redmon, J., Divvala, S., Girshick, R., & Farhadi, A. (2016). You Only Look Once: Unified, Real-Time Object Detection. *IEEE CVPR*.

7. Smith, R. (2007). An Overview of the Tesseract OCR Engine. Proceedings of the 9th International Conference on Document Analysis and Recognition.