

# Submission Worksheet

IT202-450-M2026 / it202-milestone-2-2026

## Submission Data

|                    |                                                                                                                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Course             | IT202-450-M2026                                                                                                                                                                                                       |
| Assignment         | IT202 Milestone 2 - 2026                                                                                                                                                                                              |
| Student            | Shakir A. (sa3327)                                                                                                                                                                                                    |
| Status             | submitted                                                                                                                                                                                                             |
| Worksheet Progress | 100%                                                                                                                                                                                                                  |
| Potential Grade    | 10.00/10.00 (100.00%)                                                                                                                                                                                                 |
| Received Grade     | 0.00/10.00 (0.00%)                                                                                                                                                                                                    |
| Updated            | 7/27/2026, 11:40:01 PM                                                                                                                                                                                                |
| Grading Link       | <a href="https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-2-2026/grading/sa3327">https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-2-2026/grading/sa3327</a> |
| View Link          | <a href="https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-2-2026/sa3327">https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-2-2026/sa3327</a>                 |

## Instructions

Verify that your lesson-built project data system is complete and functional, then collect focused evidence for the database, server-side API import, manual creation, admin list, public list, public details, edit, and delete requirements. Most coding should already be complete from the lessons; this worksheet focuses on confirming the full data flow, fixing remaining issues, and explaining your decisions.

## Assignment Setup

- Required branch: `Milestone2`
- Required starting branch: `qa`
- Required project folder: `public_html/project/`
- Required deployed evidence target: working `qa` site before production promotion
- Recommended order:
  - Read the whole worksheet.
  - Review the modern project proposal and Milestone 2 assignment requirements.
  - Check out `qa`, pull the latest version, and create the milestone branch.
  - Ensure the related API, database-helper, and CRUD lessons are complete in your project.
  - Test each data source and CRUD behavior.
  - Merge the milestone branch into `qa`, test the deployed behavior, then collect worksheet evidence.

## Git Workflow Checklist

1. Check out `qa`.
2. Pull the latest `qa` branch with `git pull origin qa`.
3. Create the milestone branch with `git checkout -b Milestone2`.
4. Commit focused verification and fixes in small pieces. If there is nothing to commit, wait until you add the PDF to your repository.
5. Push `Milestone2`.
6. Open a pull request from `Milestone2` into `qa` and keep it open while you work

to your repository.

5. Push `Milestone2`.
6. Open a pull request from `Milestone2` into `qa` and keep it open while you work.
7. After all Milestone 2 requirements pass locally, merge the pull request into `qa`.
8. Gather evidence from the deployed `qa` site and fill out the worksheet.
9. Export the worksheet PDF from the Learn Courses Platform.
10. Save the PDF in the repository under `docs/milestone02/`.
11. Add, commit, and push the PDF to the `Milestone2` branch.
  - `git add .`
  - `git commit -m "Add milestone 2 worksheet PDF"`
  - `git push origin Milestone2`
12. Upload the same PDF to Canvas.
13. Create and merge a pull request from `qa` into `prod` when production evidence is required.
14. Switch back to `qa`.
15. Pull the latest `qa` branch.

## Shared Requirements

Apply these requirements to every Milestone 2 feature:

- Add a comment with your UCID, date, and a brief summary of each feature area.
- Load shared setup through `lib/app.php` and follow the course API, database, validation, flash, session, and role-check patterns.
- Map API data in server-side PHP, keep secrets in the supported environment configuration, and store at least three useful API-derived values in real table columns.
- Keep API-imported and manual records compatible in the same table shape when possible, clearly identify their source, and apply one duplicate-record rule consistently.
- Include `id`, `created`, and `modified` on project data tables with reasonable types and constraints.
- Validate form writes in HTML, the page's `validate()` function, and PHP; retain safe sticky values after an error.
- Use prepared statements or shared database helpers, friendly flash messages, and `error_log()` for technical errors.
- Enforce the authorized role on API import, manual creation, edit, and delete pages; hide management actions from users who cannot use them.
- Keep navigation and styling consistent with the supported roles.
- Test the supported deployed `qa` URLs before collecting evidence.
- Use your own API, mapped data, database behavior, code, branch, pull request, URLs, and explanations.

## Evidence Format

Most sections use the same evidence pattern:

- Images:
  - Show relevant code and matching browser or database output.
  - Make sure UCID/date comments are visible in code evidence.
  - Make sure the deployed `qa` URL is visible in browser evidence.
  - One combined screenshot is acceptable when the code and output are both readable.
  - Reuse earlier evidence when it already proves the same requirement.
- URLs:
  - Provide direct GitHub file links from the milestone branch.
  - Provide anticipated production URLs for deployed PHP pages.
  - Capture the tested `qa` URL, change `-qa` to `-prod`, and keep the same path and filename.
  - PHP page URLs must end in `.php`; zero credit for that URL entry if it does not.
- Response:
  - Explain the logic in your own words.
  - Describe the decisions made by your PHP, SQL, JavaScript, API mapping, or database design.



- Response:
  - Explain the logic in your own words.
  - Describe the decisions made by your PHP, SQL, JavaScript, API mapping, or database design.
  - Do not restate the prompt or list the requirements.

## Submission Check

- Confirm the **Milestone2** branch and pull request into **qa** have been pushed.
- Confirm the deployed **qa** site was reviewed before collecting evidence.
- Test API import, manual creation, admin list, public list, public details, edit, and delete behavior.
- Test relevant filtering and sorting, the server-side limit rule, and friendly failure handling.
- Confirm anticipated production URLs use the tested **qa** paths with **-qa** changed to **-prod**.
- Commit the worksheet PDF under **docs/milestone02/** and upload the same PDF to Canvas.

Submission Progress

100%

## Section #1: (2 pts.) Project Data Design

100%

- Goal: show that the database stores useful mapped API data and compatible manual records.
- Expected behavior:
  - Project tables include **id**, **created**, and **modified**.
  - At least three useful API-derived values use real columns with reasonable types and constraints.
  - API and manual records share the same table shape whenever possible and can be distinguished.
  - Nested or related API data is transformed into columns or related tables where appropriate.

### Task #1 ( 2 pts.) – Project Data Evidence

100%

#### Combo #1

##### Part 1: Images 100%

###### Details

- Show the relevant table structure and several rows in the VS Code database extension or equivalent database view.
- Include **id**, **created**, **modified**, the API/manual indicator, at least three mapped project fields, one API record, and one manual record.



| id | created             | modified            | project | name      | description           | status |
|----|---------------------|---------------------|---------|-----------|-----------------------|--------|
| 1  | 2023-01-01 10:00:00 | 2023-01-01 10:00:00 | API     | Project A | Project A description | Active |
| 2  | 2023-01-01 10:00:00 | 2023-01-01 10:00:00 | API     | Project B | Project B description | Active |
| 3  | 2023-01-01 10:00:00 | 2023-01-01 10:00:00 | API     | Project C | Project C description | Active |
| 4  | 2023-01-01 10:00:00 | 2023-01-01 10:00:00 | Manual  | Project D | Project D description | Active |
| 5  | 2023-01-01 10:00:00 | 2023-01-01 10:00:00 | Manual  | Project E | Project E description | Active |

table

##### Part 2: URLs 100%

###### Details

- Paste direct GitHub links for the relevant SQL or migration file(s) and API mapping/wrapper file.

###### URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/sql/007\\_create\\_table\\_flights.sql](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/sql/007_create_table_flights.sql)

URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/sql/007\\_create\\_table\\_flights.sql](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/sql/007_create_table_flights.sql) 🌟

### Part 3: Response 100%

#### Details

- Explain how the API response became the table design, how API and manual rows are distinguished, and one important type, constraint, index, or relationship decision.

#### Response

The flights table maps the api response into columns such as flight num, airline, airports, status, and times so API or manually created flights share similar structures. API imported and manual records are differentiated by the is\_api column, flight\_number is defined as NOT NULL because every flight must have a valid number.

Supports **bold**, *italic*, [links](url), ``code``, etc.

326 chars

## Section #2: (2 pts.) Admin Api Import And Manual Create

100%

- Goal: show that an authorized admin can import API records and create compatible manual records safely.
- Expected behavior:
  - Server-side PHP requests, validates, and maps API data before database writes.
  - Manual creation uses HTML, JavaScript, and PHP validation.
  - Duplicate API records follow one predictable rule.
  - Server-side role checks protect both workflows.

### Task #1 ( 2 pts.) – API Import And Manual Create Evidence

100%

#### Combo #1

#### Part 1: Images 100%

#### Details

- Show deployed **qa** evidence for one successful API import and one successful manual creation.
- Show one friendly validation, duplicate, or API failure message.
- Include focused code evidence for the mapping/write path and admin guard. Do not expose secrets.



manual

mapping

## Part 2: URLs 100%

### Details

- Paste the external API documentation URL.
- Paste direct GitHub links for the API wrapper/import logic and manual creation page.
- Paste anticipated production URLs for the page(s) used to import and create records.

#### URL #1

<https://rapidapi.com/aedbx-aedbx/api/aerodatabox> 🍌

#### URL #2

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public\\_html/project/admin/create\\_flight.php](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public_html/project/admin/create_flight.php) 🍌

#### URL #3

[https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/create\\_flight.php](https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/create_flight.php) 🍌

## Part 3: Response 100%

### Details

- Trace one API record from request to mapped database row, explain how manual creation uses the same data shape, and describe the duplicate strategy.

### Response

The request retrieves flights data, the fields that are needed are mapped into the table, formatted if needed like the dates, and are inserted as a row with `is_api = 1`. Manual creation uses the same columns and validation but does `is_api = 0` and duplicated are prevented by checking for existing flight numbers.

Supports **bold**, *italic*, [links](url), ``code``, etc.

312 chars

## Section #3: (1 pt.) Admin Data List

100%

- Goal: show that an authorized admin can manage useful summaries of API and manual records.
- Expected behavior:
  - The page is protected by the authorized role.
  - API-imported and manual records appear together as useful summaries.
  - The list supports project-relevant filtering and sorting plus a server-validated limit from 1 through 100.
  - Invalid limits default to 10, selected controls remain sticky, and empty results show friendly feedback.
  - Each row links to the public detail page and includes the allowed edit and delete controls.

### Task #1 ( 1 pt.) – Admin List Evidence

100%

#### Combo #1

#### Part 1: Images 100%

### Details

- Show the deployed qa list as an authorized admin.
- Include API and manual records, filter, sort, limit, detail-link, edit, and delete controls.
- Show one useful filtered or sorted result and one friendly no-results state.



- Show the deployed **qa** list as an authorized admin.
- Include API and manual records, filter, sort, limit, detail-link, edit, and delete controls.
- Show one useful filtered or sorted result and one friendly no-results state.
- Include focused code evidence for the list query, limit validation, role guard, and management controls.

```

52 $sql = "
53 SELECT
54   id,
55   flight_number,
56   airline,
57   aircraft_model,
58   departure_date,
59   arrival_date,
60   departure_city,
61   arrival_city,
62   distance_km,
63   is_cancelled
64 FROM flights
65 WHERE
66   1=1
67   ORDER BY $sort
68   LIMIT $limit
69 ";

```

query

admin list

```

46 }
47
48 $limit = filter_input(INPUT_GET, "limit", FILTER_VALIDATE_INT);
49

```

limit

```

101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

```

management controls

```

3 require_once($_DIR_ . ".././.././lib/app.php");
4 require_role("Admin");
5 if (isset($_POST["delete id"])) {

```

role gaurd

## Part 2: URLs 100%

### Details

- Paste a direct GitHub link for the admin list page.
- Paste the anticipated production URL for the admin list page.

#### URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public\\_html/project/admin/list\\_flights.php](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public_html/project/admin/list_flights.php) 🍏

#### URL #2

[https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/list\\_flights.php](https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/list_flights.php) 🍏

## Part 3: Response 100%

### Details

- Explain how filters, sorting, and the limit change the query and why the page requires the management role.

### Response

The search filter uses WHERE, the selected sort changed the ORDER BY clause, and the validated limit controls the number of rows returned. The page requires admin because it has managing actions like edit/delete.



## 100%

- ### Task #1 ( 1 pt.) – Public List Evidence

100%

Part 1: Images 100%

- Show the deployed **qa** list as a non-admin user.
- Include API and manual records, filter, sort, limit, and detail-link controls.
- Show one useful filtered or sorted result and one friendly no-results state.
- Include focused code evidence for the list query, limit validation, and conditional absence of management controls.



query

limit

- Paste a direct GitHub link for the public list page.
- Paste the anticipated production URL for the public list page.

### Part 3: Response 100%

#### Details

- Explain how the public list reuses or differs from the admin list and how it prevents non-admin management access.

#### Response

The public list reuses the same search, sorting, limit, and summary as the admin list but removes the ability to edit/delete. Non-admin accounts can only see flight details and management pages are protected with the required Admin role.

Supports **bold**, *italic*, [links](url), ``code``, etc.

237 chars

## Section #5: (1 pt.) Public Record View

100%

- Goal: show a public detail page that safely displays one project record.
- Expected behavior:
  - The page validates the requested ID and shows more information than the list summary.
  - A missing or invalid ID redirects with a friendly message.
  - Non-admin users can view the detail without edit or delete controls.
  - When the same page offers management actions to an authorized role, those actions appear only for that role.

### Task #1 (1 pt.) – Public Record View Evidence

100%

#### Combo #1

##### Part 1: Images 100%

#### Details

- Show one deployed **qa** detail page as a non-admin user with information not shown in the list.
- Show one friendly invalid-ID state.
- Include focused code evidence for ID validation, the single-record query, and the conditional management-action check.

| Flight ID | Name          | Route                     | Type       | Status | Location      | Actions                  |
|-----------|---------------|---------------------------|------------|--------|---------------|--------------------------|
| FK 210    | Flight FK 210 | San Francisco to New York | Commercial | Active | San Francisco | View Details Edit Flight |

details

| Flight ID | Name          | Route                     | Type       | Status | Location      | Actions                  |
|-----------|---------------|---------------------------|------------|--------|---------------|--------------------------|
| FK 210    | Flight FK 210 | San Francisco to New York | Commercial | Active | San Francisco | View Details Edit Flight |

invalid

```
6 if ($id <= 0) {
7   flash("Missing flight id.", "danger");
8   header("Location: " . project_url("flights.php"));
9   exit;
10 }
```

id validation

```
1 $flight = $db->query("SELECT * FROM flights WHERE id = $id");
2 if ($flight->num_rows < 1) {
3   flash("Invalid flight id.", "danger");
4   header("Location: " . project_url("flights.php"));
5   exit;
6 }
7 $flight = $flight->fetch_assoc();
8 $flight['location'] = $flight['location'];
9 $flight['status'] = $flight['status'];
10 $flight['type'] = $flight['type'];
11 $flight['route'] = $flight['route'];
12 $flight['name'] = $flight['name'];
13 $flight['id'] = $flight['id'];
```

query



id validation

query

```
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000
```

conditional management

## Part 2: URLs 100%

### Details

- Paste a direct GitHub link for the detail page.
- Paste the anticipated production URL for one valid detail-page example.

#### URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public\\_html/project/view\\_flight.php](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public_html/project/view_flight.php)



#### URL #2

[https://sa3327-it202-450-m2026-prod.onrender.com/project/view\\_flight.php?id=5](https://sa3327-it202-450-m2026-prod.onrender.com/project/view_flight.php?id=5)

## Part 3: Response 100%

### Details

- Explain how the page validates the requested record, why it shows more detail than the list, and how it keeps management actions role-specific.

### Response

The page validates the requested flight by checking the ID with a query string, it will show a message if its invalid. It displays more info than the list page such as status, terminal, and flight times and shows only edit actions to Admins.

Supports **bold**, *italic*, [links](url), ``code``, etc.

241 chars

## Section #6: (1 pt.) Admin Edit Project Record

100%

- Goal: show that an authorized admin can update approved record fields safely.
- Expected behavior:
  - The edit page validates the ID, preloads existing values, and validates submitted changes.
  - System-managed and API identity/source fields remain protected unless the project intentionally allows them.
  - Successful updates remain visible after refresh with friendly feedback.

### Task #1 ( 1 pt.) – Admin Edit Evidence

100%

#### Combo #1

### Part 1: Images 100%

#### Details

## Part 1: Images 100%

### Details

- Show deployed **qa** before-and-after evidence for one edit, including persistence after refresh.
- Show one friendly validation or invalid-ID message.
- Include focused code evidence for the editable-field allowlist, update logic, and role guard.

| Flight  | Airline         | Aircraft       | Departure | Arrival | Distance (km) | Status | Action               |
|---------|-----------------|----------------|-----------|---------|---------------|--------|----------------------|
| UA 1001 | United Airlines | Boeing 737-800 | 20x       | 570     | 5X-14         | Book   | <a href="#">Edit</a> |

before distance change

edit UA 1001

persistence

| Flight  | Airline         | Aircraft       | Departure    | Arrival             | Distance (km) | Status | Action               |
|---------|-----------------|----------------|--------------|---------------------|---------------|--------|----------------------|
| UA 1001 | United Airlines | Boeing 737-800 | 20x - Denver | 570 - San Francisco | 5X-14         | Book   | <a href="#">Edit</a> |

after distance change

```
18
19
20 try {
21     $updated_values["airline"] = trim($_POST["airline"]);
22     $updated_values["status"] = trim($_POST["status"]);
23     $updated_values["departure_airport"] = trim($_POST["departure_airport"]);
24     $updated_values["arrival_airport"] = trim($_POST["arrival_airport"]);
25     $updated_values["departure_city"] = trim($_POST["departure_city"]);
26     $updated_values["arrival_city"] = trim($_POST["arrival_city"]);
27
28     $distance = $_POST["distance_km"];
29
30     if ($this->update($flight_id)) {
```

editable

```
20
21
22 try {
23     $updated_values["airline"] = trim($_POST["airline"]);
24     $updated_values["status"] = trim($_POST["status"]);
25     $updated_values["departure_airport"] = trim($_POST["departure_airport"]);
26     $updated_values["arrival_airport"] = trim($_POST["arrival_airport"]);
27     $updated_values["departure_city"] = trim($_POST["departure_city"]);
28     $updated_values["arrival_city"] = trim($_POST["arrival_city"]);
29     $distance_km = trim($_POST["distance_km"]);
30
31     $this->update($flight_id, $updated_values);
32     header("Location: edit_flight.php?id=" . $flight_id);
33     exit();
34 } catch (PDOException $e) {
```

update

## Part 2: URLs 100%

### Details

- Paste a direct GitHub link for the edit page.
- Paste the anticipated production URL for one valid edit-page example.

#### URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public\\_html/project/admin/edit\\_flight.php](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public_html/project/admin/edit_flight.php) 🍏

#### URL #2

[https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/edit\\_flight.php](https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/edit_flight.php) 🍏

## Part 3: Response 100%

### Details

- Explain which fields can change, why protected fields stay unchanged, and how updated values persist.

### Response

Only fields that are editable can be changed while protected ones like id, created, modified, etc. are unchanged to preserve integrity. After validation, the values are saved to the database and reloaded on the edit page.

the edit page.

Supports **\*\*bold\*\***, *\*italic\**, [links](url), ``code``, etc.

222 chars

## Section #7: (1 pt.) Admin Delete Or Deactivate Project Record

100%

- Goal: show that an authorized admin can safely remove or deactivate a record.
- Expected behavior:
  - Delete uses POST, validates the record ID, and follows one consistent hard-delete or soft-delete rule.
  - The destination repeats the role check and redirects with friendly feedback.

### Task #1 ( 1 pt.) – Admin Delete Evidence

100%

#### Combo #1

##### Part 1: Images 100%

###### Details

- Show deployed **qa** evidence of one delete or deactivation and its friendly result message.
- Show the resulting list or database state.
- Include focused code evidence for POST handling, ID validation, the delete/deactivation query, and role guard.



| Flight ID | Name       | Status | Actions |
|-----------|------------|--------|---------|
| 101       | Flight 101 | Active | View    |
| 102       | Flight 102 | Active | View    |
| 103       | Flight 103 | Active | View    |
| 104       | Flight 104 | Active | View    |
| 105       | Flight 105 | Active | View    |

deletion



POST

```
6  
7 $id = (int)$POST["delete_id"] ?? 0;    You, 48 minutes ago • updated  
8  
9 if ($id <= 0) {  
10     flash("Invalid flight.", "danger");  
11     header("Location: " . project_url("admin/list_flights.php"));  
12     exit;  
13 }  
14
```

id validation

```
13 }  
14  
15 try {  
16  
17     $db = getDB();  
18     $stmt = $db->prepare("DELETE FROM Flights WHERE id = :id");  
19     $stmt->execute(["id" => $id]);  
20  
21     flash("Flight deleted.", "success");  
22 } catch (PDOException $e) {  
23     flash("Error deleting flight.", "danger");  
24 }
```

delete

```
4 require_role("Admin");
```

admin

##### Part 2: URLs 100%

###### Details

- Paste a direct GitHub link for the delete handler.
- Identify the anticipated production delete-handler URL without including a destructive request value.

URL #1



- Identify the anticipated production delete-handler URL without including a destructive request value.

URL #1

[https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public\\_html/project/admin/list\\_flights.php](https://github.com/shakirahmed3317/sa3327-it202-450-m2026/blob/Milestone2/public_html/project/admin/list_flights.php) 🍏

URL #2

[https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/list\\_flights.php](https://sa3327-it202-450-m2026-prod.onrender.com/project/admin/list_flights.php) 🍏

### ✍ Part 3: Response 100%

#### 📄 Details

- Explain the hard-delete or soft-delete choice and how the handler protects the intended record.

#### Response

It uses a hard delete, which permanently removes the selected flight from the table. The handler accepts the id through a POST request, validates it, and deletes only the row that matches.

Supports **bold**, *italic*, [links](url), `code`, etc.

188 chars

## Section #8: (1 pt.) Misc

67%

### 📁 Task #1 ( 0.33 pts.) – GitHub Details


100%

#### 📁 Combo #1

##### 🖼 Part 1: Images 100%

#### 📄 Details

- Screenshot the Commits tab of the Milestone 2 pull request.
- The screenshot should show meaningful API, database, create, list, details, edit, delete, and verification commits.



##### 🔗 Part 2: URLs 100%

#### 📄 Details

- Paste the pull request URL.
  - The URL must end in `/pull/#`, where `#` is the pull request number; zero credit for this URL if it does not.

URL #1

<https://github.com/shakirahmed3317/sa3327-it202-450-m2026/pull/68/> 🍏

URL #1

<https://github.com/shakirahmed3317/sa3327-it202-450-m2026/pull/68/> 🍌

## 📁 Task #2 ( 0.33 pts.) – WakaTime Activity

100%

### 📄 Details

- Visit the WakaTime dashboard.
- Open **Projects**.
- Find your repository.
- Screenshot the overall time near the repository name.
- Screenshot the file-level activity.
- The purpose is evidence of activity; the duration is not tied to the grade.
- The visual graphs are not required.

### Projects · sa3327-it202-450-m2026

11 hrs 30 mins over the [Last 7 Days](#) in sa3327-it202-450-m2026 under [all](#) branches. [js](#)

waka overall

#### Files

2 hrs 2 mins [../resources/learn/ht\\_7project.js](#)  
1 hr 51 mins [../resources/learn/ht\\_7project.js](#)  
1 hr 41 mins [../resources/learn/ht\\_7project.js](#)  
1 hr 39 mins [public\\_html/project/learn\\_7project.php](#)  
1 hr 8 mins [public\\_html/project/7project.php](#)  
49 mins [public\\_html/project/learn/ht\\_7project.js](#)  
39 mins [public\\_html/project/7project.js](#)  
26 mins [resources/learn/ht\\_7project.js](#)  
25 mins [public\\_html/learn](#)  
22 mins [resources/learn/ht\\_7project.js](#)  
15 mins [resources/learn](#)

#### Branches

8 hrs 8 mins [Master: Part10-Workflow-Integration](#)  
1 hr 31 mins [js](#)  
1 hr 7 mins [Master: Part10-Workflow-Integration](#)  
1 hr 7 mins [js](#)  
28 mins [Master](#)  
26 mins [Master: Part10-Workflow-Integration](#)  
10 mins [Master: Part10-Workflow-Integration](#)

waka files

## ☰ Task #3 ( 0.33 pts.) – Reflection

### 📄 Details

- Answer each question with at least a few reasonable sentences.

### ✍️ Task #1 ( 0.11 pts.) – What did you learn during this assignment?

100%

#### Response

I learned how to design a DB that supports API and manually created records that share the same structure. I gained experience in building CRUD apps in PHP including validation, role based control, and mapping API responses.

Supports **bold**, *italic*, [\[links\]\(url\)](#), ``code``, etc.

223 chars

### ✍️ Task #2 ( 0.11 pts.) – What was the easiest part of the assignment?

100%

#### Response

The easiest part was making the SQL table.

Supports **bold**, *italic*, [links](url), `code`, etc.

42 chars

 Task #3 ( 0.11 pts.) – What was the hardest part of the assignment?

100%

Response

The hardest part was mapping the reponses from the API and validating everything. Also the API data didnt always match the format needed. Debugging the CRUD pages and making sure API and manually created records worked together.

Supports **bold**, *italic*, [links](url), `code`, etc.

229 chars

End of Assignment - submission has been recorded.