



Configure



General



Source Code Management



Triggers



Environment



Build Steps



Post-build Actions

General

Enabled



Description

Plain text [Preview](#)

- ☐ Discard old builds ?
- ☐ GitHub project
- ☐ This project is parameterized ?
- ☐ Throttle builds ?
- ☐ Execute concurrent builds if necessary ?

Advanced ▾

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

- ☐ None
- ☒ Git ?

Repositories ?

Repository URL ?

https://github.com/shakirmir/docker-project.git

Credentials ?

- none -



+ Add

Advanced ▾

+ Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/main

+ Add Branch

Repository browser ?

(Auto)



Additional Behaviours

+ Add

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- ☐ Trigger builds remotely (e.g., from scripts) ?
- ☐ Build after other projects are built ?
- ☐ Build periodically ?
- ☒ GitHub hook trigger for GITScm polling ?
- ☐ Poll SCM ?

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- ☐ Delete workspace before build starts
- ☐ Use secret text(s) or file(s) ?
- ☐ Send files or execute commands over SSH before the build starts ?
- ☐ Send files or execute commands over SSH after the build runs ?
- ☐ Add timestamps to the Console Output
- ☐ Inspect build log for published build scans
- ☐ Terminate a build if it's stuck
- ☐ With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Send files or execute commands over SSH ?



SSH Publishers

SSH Server



Name ?

jenkins



Advanced



Transfers

Transfer Set

Source files ?

Remove prefix ?

Remote directory ?

Exec command ?

```
rsync -avh /var/lib/jenkins/workspace/docker-project/Dockerfile root@172.31.40.193:/opt
```

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced ▾

+ Add Transfer Set

SSH Server



Name ?

ansible



Advanced ▾

Transfers

Transfer Set

Source files ?

Remove prefix ?

Remote directory ?

Exec command ?

```
cd /opt
docker image build -t $JOB_NAME:v1.$BUILD_ID .
docker image tag $JOB_NAME:v1.$BUILD_ID shakirdocker/$JOB_NAME:v1.$BUILD_ID
docker image tag $JOB_NAME:v1.$BUILD_ID shakirdocker/$JOB_NAME:latest
docker image push shakirdocker/$JOB_NAME:v1.$BUILD_ID
docker image push shakirdocker/$JOB_NAME:latest
docker image rm $JOB_NAME:v1.$BUILD_ID
docker image rm shakirdocker/$JOB_NAME:v1.$BUILD_ID
```

docker image rm shakirdocker/\$JOB_NAME:latest

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced ▾

+ Add Transfer Set

+ Add Server

Advanced ▾

⋮ Send files or execute commands over SSH ?



SSH Publishers

⋮ SSH Server

Name ?

ansible ▾

Advanced ▾

Transfers

⋮ Transfer Set

Source files ?

Remove prefix ?

Remote directory ?

Exec command ?

ansible-playbook -i /etc/ansible/hosts /root/playbook/ansible-playbook.yml

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced ▾

+ Add Transfer Set

+ Add Server

Advanced ▾

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

+ Add post-build action

Save

Apply

REST API

Jenkins 2.555.2