

# Cucumber Report

Feb 2, 2026, 9:30:18 AM

Start : Feb 02, 9:30:10.387 AM

End : Feb 02, 9:30:15.141 AM

Duration : 4.754 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login_Test_Feature</u>	4.754 s	6	0	6	0	36	0	0	36

#	Feature Name	Scenario Name
1	<u>Login_Test_Feature</u>	<u>Verify login fails with invalid, valid, or empty username and password combinations</u>
2		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>
3		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>
4		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>
5		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>
6		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@passport-neg	6	0	6	0	1	0	1	0
@Tc_01	6	0	6	0	1	0	1	0
@Login	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login_Test_Feature	6	0	6	0	4.754 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login_Test_Feature</u>	<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	0.570 s
2		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	0.839 s
3		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	0.576 s
4		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	0.614 s
5		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	0.611 s
6		<u>Verify login fails with invalid, valid, or empty username and password combinations</u>	6	0	0	6	1.123 s

## Login\_Test\_Feature

<b>FAILED</b>	DURATION - 4.754 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 36 Pass - 0 Fail - 0 Skip - 36	
/ 9:30:10.387 AM // 9:30:15.141 AM /					

### Verify login fails with invalid, valid, or empty username and password combinations

<div>FAILED</div> <div>DURATION - 0.570 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 9:30:10.419 AM // 9:30:10.989 AM /</div>				
<div>Login_Test_Feature</div>				
<div>@passport-neg @Tc_01 @Login</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - ov.Hooks.Hooks.scenarioName(io.cucumber.java.Scenario) java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)	FAILED	0.254 s

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		
1	Given Navigate to the login page with title of "Login_page_title"	SKIPPED	0.011 s
2	When User enters "invalidEmail" in the username field	SKIPPED	0.004 s
3	And User enters "invalidPassword" in the password field	SKIPPED	0.003 s
4	And User clicks on the "Login" button	SKIPPED	0.006 s
5	Then User should see a login error or validation message	SKIPPED	0.003 s
6	And User should remain on the Login page	SKIPPED	0.002 s
	AFTER - ov.Hooks.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.180 s
	java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

## Verify login fails with invalid, valid, or empty username and password combinations

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		
1	Given Navigate to the login page with title of "Login_page_title"	SKIPPED	0.011 s
2	When User enters "validEmail" in the username field	SKIPPED	0.044 s
3	And User enters "invalidPassword" in the password field	SKIPPED	0.017 s
4	And User clicks on the "Login" button	SKIPPED	0.008 s
5	Then User should see a login error or validation message	SKIPPED	0.003 s
6	And User should remain on the Login page	SKIPPED	0.012 s
	AFTER - ov.Hooks.Hooks.after(io.cucumber.java.Scenario)  java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)	FAILED	0.315 s

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]





[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		

### Verify login fails with invalid, valid, or empty username and password combinations

FAILED	DURATION - 0.576 s		<b>Steps</b> Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 9:30:12.085 AM // 9:30:12.661 AM /				
Login_Test_Feature				
@passport-neg @Tc_01 @Login				

#	Step / Hook Details	Status	Duration
	BEFORE - ov.Hooks.Hooks.scenarioName(io.cucumber.java.Scenario)	FAILED	0.257 s
	java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]



[illegible]



[illegible]







[illegible]













[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

























[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

















#	Step / Hook Details	Status	Duration
	at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		

### Verify login fails with invalid, valid, or empty username and password combinations

FAILED	DURATION - 0.614 s		<b>Steps</b> Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 9:30:12.704 AM // 9:30:13.318 AM /				
Login_Test_Feature				
@passport-neg @Tc_01 @Login				

#	Step / Hook Details	Status	Duration
	BEFORE - ov.Hooks.Hooks.scenarioName(io.cucumber.java.Scenario)  java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113)	<b>FAILED</b>	0.314 s













































































[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]





















[illegible]

## Verify login fails with invalid, valid, or empty username and password combinations

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		
1	Given Navigate to the login page with title of "Login_page_title"	SKIPPED	0.002 s
2	When User enters "invalidEmail" in the username field	SKIPPED	0.002 s
3	And User enters "EMPTY" in the password field	SKIPPED	0.002 s
4	And User clicks on the "Login" button	SKIPPED	0.003 s
5	Then User should see a login error or validation message	SKIPPED	0.001 s
6	And User should remain on the Login page	SKIPPED	0.003 s
	AFTER - ov.Hooks.Hooks.after(io.cucumber.java.Scenario)  java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)	FAILED	0.292 s

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]



[illegible]















[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		

### Verify login fails with invalid, valid, or empty username and password combinations

FAILED	DURATION - 1.123 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 9:30:14.018 AM // 9:30:15.141 AM /				
Login_Test_Feature				
@passport-neg @Tc_01 @Login				

#	Step / Hook Details	Status	Duration
	BEFORE - ov.Hooks.Hooks.scenarioName(io.cucumber.java.Scenario)	<b>FAILED</b>	0.731 s
	java.lang.StackOverflowError at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

































[illegible]





















































#	Step / Hook Details	Status	Duration
	at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26) at ov.utilities.CommonMethods.<init>(CommonMethods.java:113) at ov.pages.passport.Login_POM.<init>(Login_POM.java:26)		