- SECOND MOST FREQUENCY CHARACTER:

Apt i/p: aaabbbccdb

O/p: a

Approach:

→ Traverse given string
→ use fMax and sMax to track largest and second largest freq.
→ Check if already visited
  ↳ if yes increase count

→ print character with second most frequency.

Pseudocode:

```
String s
fmax = 0 , ~~sM~~ Smax = 0;
fChar = '' , sChar = '';

for (0 to s.length()) → i
{
    count = 0
    ch = charAt(i)
    flag = false
    for(j=0 to i){
      if (charAt(j) == ch){
          flag = true
          break
      }
    }
    if (flag) continue;
```

```
for (i+1 to s.length()) -> k
{
  if(charAt(k) == ch) count++;

}
 if (count > fmax){
      smax = fmax;
      sChar = fChar;
      fMax = count
      fChar = ch
 }
 else if (count > smax and count < fmax){
      smax = count
      sChar = ch
 }
}
return sChar
```

Code:

```
int fMax =0 , sMax =0;
char fChar, sChar;
int count;
boolean flag;
for (int i=0; i< s.length(); i++){
   char ch = s.charAt(i);
   flag= false;
   for (int j=0; j<i; j++){
     if (s.charAt(j)== ch){
          flag=true;
          break;
     }
   }
   if (flag) continue;
   count=1;
   for (int k = i+1 ; k<s.length() ; k++){
     if (ch== s.charAt(k)) count++;
   }
   if (count > fMax){
     sMax = fMax;
     sChar = fChar;
     fMax = count;
     fChar = ch;
   }else if( count > sMax && count < fMax){
     sMax = count;
     sChar = ch;
   }
}
System.out.println(sChar);
```