Status	Finished
Started	Monday, 28 September 2026, 11:28 AM
Completed	Monday, 28 September 2026, 11:32 AM
Duration	3 mins 50 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. More Programming
b. Step Programming
c. Modular Programming ✓
d. Programming

Question **2**

Correct

Mark 1.00 out of 1.00

Which module is to be imported for using randint function?

a. random ✓
b. randomrange
c. rand
d. randrange

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def scan(p1, p2 = 4, p3 = 5):
b. def sum(n1, n2, n = 3):
c. def div(p1=4, p2, p3): ✓
d. def mul(p1, n1, m1):

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def printMax(a, b):
    if a > b:
        print(a, 'is maximum')
    elif a == b:
        print(a, 'is equal to', b)
    else:
        print(b, 'is maximum')
printMax(3, 4)
```

a. 4

b. 4 is maximum ✓

c. None of the mentioned

d. 3

Question **5**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

a. Def

b. DEF

c. def ✓

d. Define

Question **6**

Correct

Mark 1.00 out of 1.00

The ____ statement returns the values from the function to the calling function.

a. give

b. return ✓

c. take

d. send

Question **7**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

- a. dictionary( ) ✓
- b. tuple( )
- c. input( )
- d. print( )

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(num):
    return num + 25
fun1(5)
print(num)
```

- a. 25
- b. 5
- c. NameError ✓
- d. num

Question **9**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

- a. Dictionary
- b. String
- c. Tuple ✓
- d. List

Question **10**

Correct

Mark 1.00 out of 1.00

The function can be called in the program by writing function name followed by ____.

a. [ ]

b. { }

c. None of the mentioned

d. ( ) ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. 15

b. (8,7) ✓

c. 8

d. Syntax Error

Question **12**

Correct

Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a. Datatype

b. Function ✓

c. Operator

d. Token

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

a. Emma 20

b. Emma 25 ✓

c. name

d. age

Question **14**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

a. Global variable

b. Function Variable

c. inside variable

d. Local variable ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a = 2, b, c = 3)

b. def fun(a, b, c = 3, d)

c. def fun(a = 2, b = 3, c)

d. def fun(a, b = 2, c = 3) ✓