

Severe Adverse Effects

- spontaneous fetal abortion / Delayed / 45.0-45.0
- azotemia / Delayed / 34.6-34.6
- pleural effusion / Delayed / 3.0-34.3
- ventricular tachycardia / Early / 3.0-22.0
- hyperkalemia / Delayed / 3.0-22.0
- teratogenesis / Delayed / 22.0-22.0
- renal failure (unspecified) / Delayed / 3.0-19.9
- lymphoma / Delayed / 0-1.0
- coagulopathy / Delayed / 3.0-19.9
- pancytopenia / Delayed / 1.8-19.9
- pericardial effusion / Delayed / 3.0-19.9
- GI bleeding / Delayed / 1.0-5.4
- pulmonary edema / Early / 3.0-19.9
- apnea / Delayed / 3.0-19.9
- atrial flutter / Early / 3.0-19.9
- cardiac arrest / Early / 3.0-19.9
- atrial fibrillation / Early / 3.0-19.9
- seizures / Delayed / 3.0-19.9
- hearing loss / Delayed / 3.0-19.9
- visual impairment / Early / 3.0-19.9
- skin cancer / Delayed / 0.9-4.2
- thrombosis / Delayed / 4.0-4.0 ^[1]

[1] - Myfortic (mycophenolic acid) dose, indications, adverse effects, interactions. . . from PDR.net. (n.d.). Retrieved November 25, 2021, from <https://www.pdr.net/drug-summary/Myfortic-mycophenolic-acid-435#12>

