

Severe Adverse Effects

- → thrombosis / Delayed / 3.0-19.9
- → thromboembolism / Delayed / 3.0-19.9
- → pulmonary embolism / Delayed / 3.0-19.9
- → thrombotic thrombocytopenic purpura (TTP) / Delayed / 3.0-19.9
- → hemolytic-uremic syndrome / Delayed / 3.0-19.9
- → post-transplant lymphoproliferative disorder (PTLD) / Delayed / 1.0-10.0
- → pancreatitis / Delayed / 0-3.0
- → pleural effusion / Delayed / Incidence not known
- → cardiac tamponade / Delayed / Incidence not known
- → pericardial effusion / Delayed / Incidence not known
- → anaphylactic shock / Rapid / Incidence not known
- → exfoliative dermatitis / Delayed / Incidence not known
- → vasculitis / Delayed / Incidence not known
- → angioedema / Rapid / Incidence not known
- → anaphylactoid reactions / Rapid / Incidence not known
- → proteinuria / Delayed / Incidence not known
- ightarrow nephrotic syndrome / Delayed / Incidence not known
- \rightarrow pancytopenia / Delayed / Incidence not known
- → leukoencephalopathy / Delayed / Incidence not known
- → bronchiolitis obliterans / Delayed / Incidence not known
- → pulmonary hypertension / Delayed / Incidence not known
- ightarrow pulmonary fibrosis / Delayed / Incidence not known
- → wound dehiscence / Delayed / Incidence not known
- → lymphoma / Delayed / Incidence not known
- ightarrow new primary malignancy / Delayed / Incidence not known
- → hepatic necrosis / Delayed / Incidence not known [1]

