

# Renal Impairment Doses

## Adults:

→ *Renal Impairment GFR (mL/min):*

20–50: Use with caution.

10–20: Use with caution.

<10: Use with caution. <sup>[1]</sup>

There are no dosage adjustments provided in the manufacturer's labeling (has not been studied). <sup>[1][2]</sup>

---

[ 1 ] - Ashley, Caroline, and Aileen Dunleavy. 2018. The Renal Drug Handbook: The Ultimate Prescribing Guide for Renal Practitioners, 5th Edition. 5th ed. London, England: Routledge,  
[https://www.medicinainterna.net.pe/sites/default/files/The\\_Renal\\_Drug\\_Handbook\\_The\\_Ultimate.pdf](https://www.medicinainterna.net.pe/sites/default/files/The_Renal_Drug_Handbook_The_Ultimate.pdf)

[ 2 ] - (Lexi Drugs)  
[https://online.lexi.com/lco/action/doc/retrieve/docid/patch\\_f/6285?cesid=aY1yCkacr83&searchUrl=%2Ffco%2Faction%2Fsearch%3Fq%3Dadalimumab%26t%3Dname%26va%3Dadalimumab](https://online.lexi.com/lco/action/doc/retrieve/docid/patch_f/6285?cesid=aY1yCkacr83&searchUrl=%2Ffco%2Faction%2Fsearch%3Fq%3Dadalimumab%26t%3Dname%26va%3Dadalimumab)

