

## Severe Adverse Effects

- → tendon rupture / Delayed / 1.0-2.9
- → anaphylactoid reactions / Rapid / 0-1.0
- → pancreatitis / Delayed / Incidence not known
- → hepatotoxicity / Delayed / Incidence not known
- → coagulopathy / Delayed / Incidence not known
- → cirrhosis / Delayed / Incidence not known
- → hepatic failure / Delayed / Incidence not known
- → hepatic necrosis / Delayed / Incidence not known
- ightarrow toxic epidermal necrolysis / Delayed / Incidence not known
- → Stevens-Johnson syndrome / Delayed / Incidence not known

## Moderate Adverse Effects

- → elevated hepatic enzymes / Delayed / 5.0-33.0
- → hypertension / Early / 9.0-10.0
- ightarrow oral ulceration / Delayed / 3.0-5.0
- ightarrow chest pain (unspecified) / Early / 1.0-4.0
- $\rightarrow$  synovitis / Delayed / 0-4.0
- → melena / Delayed / 1.0-3.0
- ightarrow constipation / Delayed / 1.0-3.0
- $\rightarrow$  colitis / Delayed / 1.0-3.0
- → stomatitis / Delayed / 1.0-3.0
- → gastritis / Delayed / 1.0-3.0
- $\rightarrow$  esophagitis / Delayed / 1.0-3.0
- → hypokalemia / Delayed / 1.0-3.0
- → cholelithiasis / Delayed / 1.0-2 [1]

