

Ideation Phase

Brainstorm & Idea Prioritization Template

Date	3 October 2026
Team ID	SWTID-2026-1299
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks

Incident Management – UI Policy & Client Script Template:

The Incident Management configuration provides a structured approach to controlling form behaviour, validating user inputs, and maintaining accurate Incident records. UI Policies and UI Policy Actions dynamically control fields by making them mandatory, read-only, or visible based on defined conditions, while Client Scripts automate form behaviour and improve data accuracy.

Use this template in your project to configure and test UI Policies, UI Policy Actions, and Client Scripts on the Incident form and list view. The project includes on Change, on Submit, and on CellEdit Client Scripts to manage field changes, validate submitted information, and control inline list edits, ensuring consistent and reliable Incident data entry.

Reference: ServiceNow – Incident Management / Client Scripts / UI Policies

STEP 1 : UI Policy & UI Policy Action

FOCUS: Configure dynamic field behavior on the Incident form.

MILESTONE 1

Create a UI Policy on the Incident table to dynamically control the behavior of form fields based on specific conditions. Configure the UI Policy to make selected fields mandatory, read-only, or visible when the defined condition is met. This helps ensure that users provide the required information and follow consistent data-entry practices while creating or updating Incident records.

MILESTONE 2

Create a UI Policy Action for the Urgency field on the Incident form to control its behavior based on the conditions defined in the UI Policy. Configure the action to make the Urgency field mandatory, visible, or read-only as required. This ensures that the appropriate urgency information is captured consistently and helps users prioritize incidents accurately.

TEAM WORKFLOW

1. Define condition Identify the condition that controls field behavior.	2. Configure actions Set mandatory, read-only, or visible behavior.	3. Verify form Check the Incident form when the condition is met.
--	---	---

Step-2 : Client Script Configuration

SCRIPT GROUPS

MILESTONE 3 • onChange

Create an onChange Client Script on the Incident form to dynamically perform an action whenever a specified field value is changed. The script should use the g_form API to update related fields or display appropriate messages based on the selected value. This helps automate form behavior, improve data accuracy, and provide users with a more interactive Incident form experience.

MILESTONE 4 • onSubmit

Create an onSubmit Client Script on the Incident form to validate the information entered by the user before the record is saved or submitted. Use the g_form API to check whether the required conditions are satisfied and prevent submission when invalid or incomplete data is found. Display an appropriate message to guide the user in correcting the information before saving the Incident.

MILESTONE 5 • onCellEdit

Create an onCellEdit Client Script on the Incident table to control and validate field values when users edit Incident records directly from a list view. The script should check the updated value and allow or prevent the change based on the defined conditions. This helps maintain data accuracy and ensures that users follow the required validation rules even when making inline edits from the Incident list.

GROUP RELATED SCRIPT ACTIVITIES:

FORM CHANGE

onChange

Field value changes → update related fields or display a message.

FORM SUBMISSION

onSubmit

Validate entered information → allow save or prevent invalid submission.

LIST INLINE EDIT

onCellEdit

Check updated list value → allow or prevent the change.

STEP 3: Testing & Validation — Importance vs Feasibility

Use the matrix to organize validation work by importance and feasibility. The milestone descriptions are preserved below exactly as supplied.

IMPORTANCE ↑		MILESTONE 6
HIGH IMPORTANCE HIGH FEASIBILITY	HIGH IMPORTANCE LOWER FEASIBILITY	
M6 • Testing & Validation	M3 • onChange M4 • onSubmit	
LOWER IMPORTANCE HIGH FEASIBILITY	LOWER IMPORTANCE LOWER FEASIBILITY	
M1 • UI Policy M2 • UI Policy Action	M5 • onCellEdit	
FEASIBILITY →		
		Test all the configured UI Policies, UI Policy Actions, and Client Scripts on the Incident form and list view to ensure they work as expected. Verify that fields become mandatory, visible, read-only, or updated based on the defined conditions. Test different scenarios, including valid and invalid inputs, form submission, field changes, and inline list edits, and confirm that the expected validation messages and behaviors are triggered correctly. VALIDATION CHECKLIST Fields become mandatory, visible, read-only, or updated as expected. Valid and invalid inputs are tested. Form submission and field changes are tested. Inline list edits and validation messages are checked.