Cucumber Report

| Start : Dec 18, 2:13:50.152 am	End : Dec 18, 2:15:59.951 am	Duration : 2 m 9.799 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 3 FAILED - 9 SKIPPED - 0	PASSED - 63 FAILED - 9 SKIPPED - 23

3

12

95

40 50 60
Pass %
30   70
20   80
10   90
0 %
0   100

40 50 60
Pass %
30   70
20   80
10   90
25 %
0   100

40 50 60
Pass %
30   70
20   80
10   90
66 %
0   100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Computer Page	1 m 13.476 s	5	2	3	0	45	24	3	18
Login Feature	33.957 s	4	0	4	0	23	18	4	1
Register Feature	22.361 s	3	1	2	0	27	21	2	4

#	Feature Name	Scenario Name
1	Computer Page	verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully
2		verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully
3		verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully
4	Login Feature	userShouldNavigateToLoginPageSuccessFully.
5		Verify the error message with invalid credentials
6		verifyThatUserShouldLogInSuccessFullyWithValidCredentials.
7		VerifyThatUserShouldLogOutSuccessFully
8	Register Feature	verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory
9		verifyThatUserShouldCreateAccountSuccessfully

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	6	3	3	0	3	0	3	0
@regression	12	3	9	0	3	0	3	0
@author_SP	11	3	8	0	3	0	3	0
@sanity	3	2	1	0	3	0	3	0
@author_NP	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Computer Page	5	2	3	0	1 m 13.476 s
2	Login Feature	4	0	4	0	33.957 s
3	Register Feature	3	1	2	0	22.361 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Computer Page	verifyUserShouldNavigateToComputerPageSuccessfully	4	4	0	0	3.876 s
2		verifyUserShouldNavigateToDesktopsPageSuccessfully	5	5	0	0	3.845 s
3		verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	12	5	1	6	24.240 s
4		verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	12	5	1	6	24.210 s
5		verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	12	5	1	6	17.259 s
6	Login Feature	userShouldNavigateToLoginPageSuccessFully.	4	3	1	0	20.147 s
7		Verify the error message with invalid credentials	6	5	1	0	3.380 s
8		verifyThatUserShouldLogInSuccessFullyWithValidCredentials.	6	5	1	0	3.415 s
9		VerifyThatUserShouldLogOutSuccessFully	7	5	1	1	6.993 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Register Feature	verifyUserShouldNavigateToRegisterPageSuccessfully	4	4	0	0	3.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Register Feature	verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory	9	4	1	4	2.997 s
12		verifyThatUserShouldCreateAccountSuccessfully	14	13	1	0	16.351 s

Computer Page

		Scenarios Total - 5 Pass - 2 Fail - 3 Skip - 0		Steps Total - 45 Pass - 24 Fail - 3 Skip - 18	
FAILED	*DURATION - 1 m 13.476 s*				
/ 2:13:50.152 am // 2:15:03.628 am /					

verifyUserShouldNavigateToComputerPageSuccessfully

			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
PASSED	*DURATION - 3.876 s*			
/ 2:13:50.155 am // 2:13:54.031 am /				
Computer Page				
@smoke @regression @author_SP @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on Computer tab	PASSED	0.478 s
3	Then Navigate to Computer Page	PASSED	0.003 s
4	And Verify "Computer" text is displayed	PASSED	0.003 s

verifyUserShouldNavigateToDesktopsPageSuccessfully

			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
PASSED	*DURATION - 3.845 s*			
/ 2:13:54.043 am // 2:13:57.888 am /				
Computer Page				
@smoke @regression @author_SP				

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on Computer tab	PASSED	0.881 s
3	Then Navigate to Computer Page	PASSED	0.001 s
4	And I click on Desktop link	PASSED	0.379 s
5	And Verify "Desktop" text is displayed	PASSED	0.000 s

verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 24.240 s

/ 2:13:57.899 am // 2:14:22.139 am /

Computer Page

@regression @author_SP

Steps
Total - 12
Pass - 5
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on Computer tab	PASSED	0.454 s
3	Then Navigate to Computer Page	PASSED	0.000 s
4	And I click on Desktop link	PASSED	0.377 s
5	And Click on product name "Build your own computer"	PASSED	0.892 s
6	And Select processor "2.2 GHz Intel Pentium Dual-Core E2200"	FAILED	20.089 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1"}   (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [7d215b092694ad323d7447f3b3f1c4da, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51243}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51243/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7d215b092694ad323d7447f3b3f1c4da
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:57) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:33) at ?.Select processor "2.2 GHz Intel Pentium Dual-Core E2200"(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/computerpage.feature:27) * Not displayable characters are replaced by '?'.		
7	And Select RAM "2 GB"	SKIPPED	0.000 s
8	And Select HDD "320 GB"	SKIPPED	0.001 s
9	And Select OS "Vista Home [+$50.00]"	SKIPPED	0.000 s
10	And Select Software "Microsoft Office [+$50.00]"	SKIPPED	0.001 s
11	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
12	And Verify "The product has been added to your shopping cart" message is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully 	PASSED	0.372 s

verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 24.210 s		Steps
/ 2:14:22.156 am // 2:14:46.366 am /			Total - 12
			Pass - 5
Computer Page			Fail - 1
@regression @author_SP			Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on Computer tab	PASSED	0.463 s
3	Then Navigate to Computer Page	PASSED	0.000 s
4	And I click on Desktop link	PASSED	0.388 s
5	And Click on product name "Build your own computer"	PASSED	0.917 s
6	And Select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]"	FAILED	20.005 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1"}   (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [4daf45f8c6bb7946401720efb3f2c2e2, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51266}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51266/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4daf45f8c6bb7946401720efb3f2c2e2
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:57) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:33) at ?.Select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]"(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/computerpage.feature:27) * Not displayable characters are replaced by '?'.		
7	And Select RAM "4GB [+$20.00]"	SKIPPED	0.000 s
8	And Select HDD "400 GB [+$100.00]"	SKIPPED	0.000 s
9	And Select OS "Vista Premium [+$60.00]"	SKIPPED	0.016 s
10	And Select Software "Acrobat Reader [+$10.00]"	SKIPPED	0.000 s
11	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
12	And Verify "The product has been added to your shopping cart" message is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully 	PASSED	0.362 s

verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 17.259 s

/ 2:14:46.369 am // 2:15:03.628 am /

Computer Page

@regression @author_SP

Steps
Total - 12
Pass - 5
Fail - 1
Skip - 6

12

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on Computer tab	PASSED	0.885 s
3	Then Navigate to Computer Page	PASSED	0.000 s
4	And I click on Desktop link	PASSED	0.388 s
5	And Click on product name "Build your own computer"	PASSED	0.922 s
6	And Select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]"	FAILED	12.675 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: product_attribute_1 For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver. version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source)
	    at org.openqa.selenium.support.ui.Select.<init>(Select.java:43)
	    at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147)
	    at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:57)
	    at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:33)
	    at ?.Select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]"(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/computerpage.feature:27)
	* Not displayable characters are replaced by '?'.		

7	And Select RAM "8GB [+$60.00]"	SKIPPED	0.000 s
8	And Select HDD "320 GB"	SKIPPED	0.000 s
9	And Select OS "Vista Home [+$50.00]"	SKIPPED	0.001 s
10	And Select Software "Total Commander [+$5.00]"	SKIPPED	0.007 s

#	Step / Hook Details	Status	Duration
11	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
12	And Verify "The product has been added to your shopping cart" message is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.026 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e1109933e4032ff5671208a4e04f1e7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51293}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51293/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3e1109933e4032ff5671208a4e04f1e7
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)
	  at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353)
	  at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:22)		

Login Feature

FAILED	DURATION - 33.957 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 23 Pass - 18 Fail - 4 Skip - 1	23
/ 2:15:03.633 am // 2:15:37.590 am /					

userShouldNavigateToLoginPageSuccessFully.

FAILED	DURATION - 20.147 s		Steps
/ 2:15:03.633 am // 2:15:23.780 am /			Total - 4
			Pass - 3
Login Feature			Fail - 1
			Skip - 0
@smoke @regression @author_SP @sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	0.483 s
3	Then Navigate to LoginPage	PASSED	0.000 s
4	And verify that "Welcome, Please Sign In!" message is display	FAILED	17.535 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div[@class='message-error validation-summary-errors'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63)
	  at com.nopcommerce.demo.pages.LoginPage.getErrorMessage(LoginPage.java:66)
	  at com.nopcommerce.demo.steps.LoginSteps.verifyThatMessageIsDisplay(LoginSteps.java:27)
	  at ?.verify that "Welcome, Please Sign In!" message is display(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/loginpage.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323c1e77d8f1405f66bd62bf7c3b1f8e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51313}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	windows, proxy: Proxy(), se:cdp: ws://localhost:51313/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 323c1e77d8f1405f66bd62bf7c3b1f8e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)
	  at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353)
	  at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:22)		

Verify the error message with invalid credentials

FAILED	DURATION - 3.380 s
/ 2:15:23.790 am // 2:15:27.170 am /	
Login Feature	
@smoke @regression @author_SP	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	0.473 s
3	And I enter email "primenewtester@gmail.com"	PASSED	0.121 s
4	And I enter password "prime1"	PASSED	0.100 s
5	And I click on login button	PASSED	0.281 s

#	Step / Hook Details	Status	Duration
6	Then I should see the error message	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [I should see the error message] is defined with 1 parameters at 'com.nopcommerce. demo.steps.LoginSteps.iShouldSeeTheErrorMessage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I should see the error message		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.283 s
	Verify the error message with invalid credentials 		

## verifyThatUserShouldLogInSuccessFullyWithValidCredentials.

FAILED	DURATION - 3.415 s		Steps	
/ 2:15:27.176 am // 2:15:30.591 am /			Total - 6	
Login Feature			Pass - 5	
@regression @author_SP			Fail - 1 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	0.436 s
3	And I enter email "primedatatester@gmail.com"	PASSED	0.104 s
4	And I enter password "prime123"	PASSED	0.080 s
5	And I click on login button	PASSED	0.269 s
6	Then Verify that LogOut link is display	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Verify that LogOut link is display] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.verifyThatLogOutLinkIsDisplay(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Verify that LogOut link is display 　　at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) 　　at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) 　　at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) 　　at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.342 s
	verifyThatUserShouldLogInSuccessFullyWithValidCredentials.		

#	Step / Hook Details	Status	Duration

VerifyThatUserShouldLogOutSuccessFully

FAILED	DURATION - 6.993 s		Steps
			Total - 7
/ 2:15:30.597 am // 2:15:37.590 am /			Pass - 5
			Fail - 1
Login Feature			Skip - 1
@author_NP @regression			

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	0.449 s
3	And I enter email "primedatatester@gmail.com"	PASSED	0.096 s
4	And I enter password "prime123"	PASSED	0.083 s
5	And I click on login button	PASSED	0.272 s
6	And Click on LogOut Link	FAILED	3.977 s

	org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f84764ff021cb45cb9755fbad8604066, findElement {using=xpath, value=//a[normalize-space()='Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51372}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51372/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f84764ff021cb45cb9755fbad8604066
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)		
	at com.nopcommerce.demo.pages.HomePage.clickOnLogOutLink(HomePage.java:70)		
	at com.nopcommerce.demo.steps.LoginSteps.clickOnLogOutLink(LoginSteps.java:58)		
	at ?.Click on LogOut Link(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/loginpage.feature:37)		
	* Not displayable characters are replaced by '?'.		
7	Then Verify that LogIn Link Display	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f84764ff021cb45cb9755fbad8604066, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51372}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51372/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f84764ff021cb45cb9755fbad8604066
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:22)		

## Register Feature

FAILED	DURATION - 22.361 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0	3	Steps Total - 27 Pass - 21 Fail - 2 Skip - 4	27
/ 2:15:37.590 am // 2:15:59.951 am /					

verifyUserShouldNavigateToRegisterPageSuccessfully

PASSED	DURATION - 3.004 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 2:15:37.590 am // 2:15:40.594 am /				
Register Feature				
@smoke @regression @author_SP @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on register link	PASSED	0.471 s
3	Then Navigate to register Page	PASSED	0.000 s
4	And Verify "Register" text is displayed	PASSED	0.000 s

verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory

FAILED	DURATION - 2.997 s
/ 2:15:40.599 am // 2:15:43.596 am /	
Register Feature	
@smoke @regression @author_SP	

Steps
Total - 9
Pass - 4
Fail - 1
Skip - 4

9

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on register link	PASSED	0.488 s
3	Then Navigate to register Page	PASSED	0.002 s
4	And I click on REGISTER button	PASSED	0.070 s
5	And verify that "First name is required" message is displayed in firstname field	FAILED	0.035 s
	java.lang.AssertionError: Text does not match expected [First name is required] but found [First name is required.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.nopcommerce.demo.steps.RegisterSteps.verifyThatMessageIsDisplayedInFirstnameField(RegisterSteps.java:28) at ?.verify that "First name is required" message is displayed in firstname field(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/register.feature:18) * Not displayable characters are replaced by '?'.		
6	And verify that "Last name is required" message is displayed in lastname field	SKIPPED	0.000 s
7	And verify that "Email is required" message is displayed in email field	SKIPPED	0.000 s
8	And verify that "Password is required" message is displayed in password field	SKIPPED	0.001 s
9	And verify that "Password is required" message is displayed in confirm password field	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.305 s
	verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory 		

verifyThatUserShouldCreateAccountSuccessfully

FAILED	DURATION - 16.351 s
/ 2:15:43.600 am // 2:15:59.951 am /	
Register Feature	
@regression @author_SP	

Steps
Total - 14
Pass - 13
Fail - 1
Skip - 0

14

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on register link	PASSED	0.869 s
3	Then Navigate to register Page	PASSED	0.000 s
4	And I select gender as "Female"	PASSED	0.090 s
5	And I enter firstname "Sheldon"	PASSED	0.061 s
6	And I enter lastname "Cooper"	PASSED	0.051 s
7	And I select the day "1"	PASSED	0.088 s
8	And I select the month "January"	PASSED	0.067 s
9	And I select the year "1980"	PASSED	0.066 s
10	And I enter the email "sheldoncooper@gmail.com"	PASSED	0.059 s
11	And I enter the password "sheldoncooper"	PASSED	0.054 s
12	And I enter the password in confirm password "sheldoncooper"	PASSED	0.059 s
13	And I click on REGISTER button	PASSED	0.267 s
14	And verify that the "Your registration completed" message is displayed	FAILED	12.447 s
	org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20cabceb4988029abb6f02ef28136211, findElement {using=xpath, value=//div[contains(text(),'Your registration completed')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51427}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51427/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20cabceb4988029abb6f02ef28136211 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.nopcommerce.demo.pages.RegisterPage.getYourRegisterText(RegisterPage.java:99) at com.nopcommerce.demo.steps.RegisterSteps.verifyThatTheMessageIsDisplayed(RegisterSteps.java:100) at ?.verify that the "Your registration completed" message is displayed(file:///C:/Users/shali/IdeaProjects/com-nopcommerce-cucumber-sw6/src/test/resources/features/register.feature:39) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.72) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20cabceb4988029abb6f02ef28136211, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\shali\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51427}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51427/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20cabceb4988029abb6f02ef28136211 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:22)		