PHASE 5 – PROJECT DEVELOPMENT

5.1 Development Overview

The development phase focuses on implementing the Client Script and UI Policy in the ServiceNow Incident module based on the requirements and design defined in the previous phases.

5.2 Incident Form Configuration

The ServiceNow Incident form is selected as the main interface for the implementation.

The required fields are identified and configured according to the project requirements.

5.3 Client Script Development

A Client Script is created for the Incident table to provide dynamic client-side behavior.

The Client Script is configured with:

- Script Name
- Table: Incident
- Client Script Type
- Active Status
- Condition
- JavaScript Code

The script can execute during events such as:

- **onLoad**
- **onChange**
- **onSubmit**

The appropriate event is selected based on the required functionality.

5.4 UI Policy Development

A UI Policy is created for the Incident table to control field behavior dynamically.

The UI Policy is configured with:

- Policy Name
- Table: Incident
- Condition
- Active Status
- UI Policy Actions

When the defined condition is satisfied, the UI Policy automatically applies the configured field behavior.

5.5 UI Policy Action Configuration

UI Policy Actions are added to control the required Incident fields.

The following properties can be configured:

- **Mandatory** – Makes the field required.
- **Visible** – Shows or hides the field.
- **Read-only** – Prevents the user from editing the field.

5.6 Implementation Workflow

Open ServiceNow Incident Form
↓
Enter or modify Incident details
↓
Condition is checked
↓
Client Script / UI Policy executes
↓
Field properties are changed
↓
User completes the required information
↓
Incident is submitted

5.7 Development Procedure

1. Log in to the ServiceNow instance.
2. Open the Incident module.
3. Identify the fields required for dynamic behavior.
4. Create and configure the Client Script.
5. Add the required JavaScript logic.
6. Create the UI Policy.

7. Define the required conditions.
8. Configure the UI Policy Actions.
9. Save the configurations.
10. Test the Incident form with different field values.

5.8 Expected Development Output

After development, the Incident form should automatically respond to the configured conditions. Fields should become mandatory, visible, or read-only as defined by the Client Script and UI Policy.

5.9 Conclusion

The development phase converts the planned design into an actual ServiceNow configuration. The Client Script and UI Policy work together to provide controlled and dynamic behavior on the Incident form, improving data entry and consistency.