

LAB 3 – LINEAR QUEUE USING ARRAY

Question

Write a C program to simulate the working of a queue of integers using an array with:

- **Insert**
- **Delete**
- **Display**

The program should print appropriate messages for queue empty and queue overflow conditions.

59 inserted into queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Enter the element to insert: 65

65 inserted into queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Queue Overflow

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 2

59 deleted from queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 2

26 deleted from queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 2

```
--- STACK MENU ---  
1. Push  
2. Pop  
3. Display  
4. Exit  
Enter your choice: 3  
Stack elements are:  
97  
67  
98  
25  
25
```

STACK MENU



"C:\BE 3rd SEM\DS Using C pr



--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Enter the element to insert: 59

59 inserted into queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Enter the element to insert: 26

26 inserted into queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Enter the element to insert: 78

78 inserted into queue

--- QUEUE MENU ---

1. Insert
2. Delete
3. Display
4. Exit

Enter your choice: 1

Enter the element to insert: 59

59 inserted into queue