

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave IV: In-Home Questionnaire, Public Use
Sample (Section 19: Live Births) Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave IV: In-Home Questionnaire, Public Use Sample (Section 19: Live Births)

AID: RESPONDENT IDENTIFIER

RESPONDENT IDENTIFIER

Value	Label	Unweighted Frequency	%
57101310	-	7	0.1 %
57113943	-	1	0.0 %
57117542	-	1	0.0 %
57118381	-	3	0.1 %
57120046	-	2	0.0 %
57120371	-	1	0.0 %
57127241	-	1	0.0 %
57129567	-	2	0.0 %
57131432	-	2	0.0 %
57131909	-	1	0.0 %
57134967	-	3	0.1 %
57134970	-	4	0.1 %
57135078	-	4	0.1 %
57144659	-	2	0.0 %
57145731	-	4	0.1 %
57153160	-	6	0.1 %
57154249	-	3	0.1 %
57154779	-	1	0.0 %
57157723	-	4	0.1 %
57160648	-	1	0.0 %
57163657	-	2	0.0 %
57165288	-	3	0.1 %
57166019	-	2	0.0 %
57166463	-	2	0.0 %
57178110	-	1	0.0 %
57179591	-	1	0.0 %
57185559	-	2	0.0 %
57186150	-	1	0.0 %
57188247	-	2	0.0 %
57191909	-	8	0.2 %
57191910	-	2	0.0 %
57193349	-	1	0.0 %
57196641	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57198440	-	2	0.0 %
57199896	-	2	0.0 %
57200870	-	1	0.0 %
57212347	-	1	0.0 %
57212679	-	1	0.0 %
57213037	-	2	0.0 %
57214806	-	1	0.0 %
57214893	-	1	0.0 %
57217465	-	2	0.0 %
57217613	-	3	0.1 %
57220955	-	1	0.0 %
57228523	-	2	0.0 %
57230663	-	2	0.0 %
57233403	-	2	0.0 %
57234514	-	5	0.1 %
57239363	-	1	0.0 %
57239974	-	3	0.1 %
	Total	4,828	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,828 valid cases out of 4,828 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

PTNR_ID: PARTNER ID -W4

Partner Identifier

Value	Label	Unweighted Frequency	%
1	-	3614	74.9 %
2	-	803	16.6 %
3	-	246	5.1 %
4	-	89	1.8 %
5	-	41	0.8 %
6	-	17	0.4 %
7	-	5	0.1 %
8	-	8	0.2 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	4,828	100%

Based upon 4,828 valid cases out of 4,828 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 0.89

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

PRGNO: PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Pregnancy Number within Relationship

Value	Label	Unweighted Frequency	%
1	-	2938	60.9 %
2	-	1278	26.5 %
3	-	435	9.0 %
4	-	129	2.7 %
5	-	33	0.7 %
6	-	12	0.2 %
7	-	2	0.0 %
12	-	1	0.0 %
	Total	4,828	100%

Based upon 4,828 valid cases out of 4,828 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.87

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

LBNO: LIVE BIRTH NUMBER PER PREGNANCY-W4

Live Birth Number per Pregnancy

Value	Label	Unweighted Frequency	%
1	-	4622	95.7 %
2	-	160	3.3 %

Value	Label	Unweighted Frequency	%
3	-	33	0.7 %
4	-	11	0.2 %
5	-	2	0.0 %
	Total	4,828	100%

Based upon 4,828 valid cases out of 4,828 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.29

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

H4LB1: S19Q1 IS BABY'S BIRTHDAY CORRECT?-W4

Is {baby name} birth date correct?

Value	Label	Unweighted Frequency	%
0	(0) No	225	4.7 %
1	(1) Yes	4523	93.7 %
	Missing Data		
6	(6) Refused	20	0.4 %
7	(7) Legitimate skip	51	1.1 %
8	(8) Don't know	9	0.2 %
	Total	4,828	100%

Based upon 4,748 valid cases out of 4,828 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4LB2Y: S19Q2 CORRECTED BABY BIRTHDAY, YEAR-W4

What is {baby name} birth date? - year

Value	Label	Unweighted Frequency	%
1992	-	1	0.0 %
1993	-	2	0.0 %
1994	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1995	-	5	0.1 %
1996	-	10	0.2 %
1997	-	9	0.2 %
1998	-	11	0.2 %
1999	-	18	0.4 %
2000	-	24	0.5 %
2001	-	16	0.3 %
2002	-	22	0.5 %
2003	-	26	0.5 %
2004	-	23	0.5 %
2005	-	27	0.6 %
2006	-	21	0.4 %
2007	-	20	0.4 %
2008	-	7	0.1 %
	Missing Data		
9996	(9996) Refused	11	0.2 %
9997	(9997) Legitimate skip	4552	94.3 %
9998	(9998) Don't know	22	0.5 %
	Total	4,828	100%

Based upon 243 valid cases out of 4,828 total cases.

- Mean: 2002.17
- Median: 2003.00
- Mode: 2005.00
- Minimum: 1992.00
- Maximum: 2008.00
- Standard Deviation: 3.55

Location: 15-18 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998

H4LB3: S19Q3 BABY BOY OR GIRL-W4

Was {baby name} a boy or a girl?

Value	Label	Unweighted Frequency	%
1	(1) Boy	2407	49.9 %
2	(2) Girl	2361	48.9 %
	Missing Data		
6	(6) Refused	31	0.6 %
8	(8) Don't know	29	0.6 %
	Total	4,828	100%

Based upon 4,768 valid cases out of 4,828 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

H4LB4: S19Q4 BABY WENT HOME W/ R-W4

Did {baby name} eventually go home with you?

Value	Label	Unweighted Frequency	%
0	(0) No	201	4.2 %
1	(1) Yes	4567	94.6 %
	Missing Data		
6	(6) Refused	30	0.6 %
8	(8) Don't know	30	0.6 %
	Total	4,828	100%

Based upon 4,768 valid cases out of 4,828 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

H4LB5: S19Q5 WHY BABY NOT WENT HOME W/ R-W4

Why not?

Value	Label	Unweighted Frequency	%
1	(1) Put up for adoption	14	0.3 %
2	(2) Died in the hospital	32	0.7 %
3	(3) Went to live with {initials}	88	1.8 %
4	(4) Went to live with another relative	8	0.2 %
5	(5) Still in the hospital	34	0.7 %
6	(6) Other	25	0.5 %
	Missing Data		
97	(97) Legitimate skip	4627	95.8 %
	Total	4,828	100%

Based upon 201 valid cases out of 4,828 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97

H4LB6P: S19Q6 BABY BIRTH WEIGHT - LBS-W4

How much did {fill he/she/baby's name} weigh at birth (pounds)?

Value	Label	Unweighted Frequency	%
0	-	5	0.1 %
1	-	27	0.6 %
2	-	30	0.6 %
3	-	60	1.2 %
4	-	126	2.6 %
5	-	397	8.2 %
6	-	1144	23.7 %
7	-	1475	30.6 %
8	-	850	17.6 %
9	-	262	5.4 %
10	-	50	1.0 %
11	-	6	0.1 %
12	-	4	0.1 %
13	(13) 13 or more pounds	3	0.1 %
	Missing Data		
96	(96) Refused	43	0.9 %
98	(98) Don't know	346	7.2 %
	Total	4,828	100%

Based upon 4,439 valid cases out of 4,828 total cases.

- Mean: 6.70
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.43

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

H4LB6O: S19Q6 BABY BIRTH WEIGHT - OZS-W4

How much did {fill he/she/baby's name} weigh at birth (ounces)?

Value	Label	Unweighted Frequency	%
0	-	388	8.0 %

Value	Label	Unweighted Frequency	%
1	-	209	4.3 %
2	-	237	4.9 %
3	-	240	5.0 %
4	-	247	5.1 %
5	-	252	5.2 %
6	-	382	7.9 %
7	-	332	6.9 %
8	-	410	8.5 %
9	-	320	6.6 %
10	-	246	5.1 %
11	-	292	6.0 %
12	-	292	6.0 %
13	-	208	4.3 %
14	-	225	4.7 %
15	-	159	3.3 %
	Missing Data		
96	(96) Refused	43	0.9 %
98	(98) Don't know	346	7.2 %
	Total	4,828	100%

Based upon 4,439 valid cases out of 4,828 total cases.

- Mean: 7.17
- Median: 7.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.36

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

H4LB7: S19Q7 BABY BIRTH WEIGHT < 5.5 LBS-W4

Did {baby name} weigh less than (5.5 pounds [i.e., less than 5 pounds, 8 ounces]) at birth?

Value	Label	Unweighted Frequency	%
0	(0) No	270	5.6 %
1	(1) Yes	446	9.2 %
	Missing Data		
6	(6) Refused	33	0.7 %
7	(7) Legitimate skip	3990	82.6 %
8	(8) Don't know	86	1.8 %

Value	Label	Unweighted Frequency	%
.	-	3	0.1 %
	Total	4,828	100%

Based upon 716 valid cases out of 4,828 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , .

H4LB8: S19Q8 BABY BORN BEFORE/ON/AFTER DUE DATE-W4

Was {baby name} born before or after (his/her/the) due date?

Value	Label	Unweighted Frequency	%
1	(1) Before due date	2406	49.8 %
2	(2) After due date	1124	23.3 %
3	(3) On due date	1156	23.9 %
	Missing Data		
6	(6) Refused	33	0.7 %
8	(8) Don't know	109	2.3 %
	Total	4,828	100%

Based upon 4,686 valid cases out of 4,828 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

H4LB9W: S19Q9 WEEKS BEFORE/AFTER DUE DATE-W4

How many weeks or days (before/after) the due date was {baby name} born (weeks)?

Value	Label	Unweighted Frequency	%
0	-	1140	23.6 %
1	-	859	17.8 %
2	-	728	15.1 %
3	-	249	5.2 %
4	-	176	3.6 %
5	-	65	1.3 %
6	-	46	1.0 %
7	-	35	0.7 %

Value	Label	Unweighted Frequency	%
8	-	51	1.1 %
9	-	8	0.2 %
10	-	8	0.2 %
11	-	3	0.1 %
12	-	20	0.4 %
13	-	4	0.1 %
14	-	6	0.1 %
15	-	3	0.1 %
16	-	7	0.1 %
17	-	3	0.1 %
18	-	2	0.0 %
19	-	4	0.1 %
20	-	9	0.2 %
	Missing Data		
96	(96) Refused	5	0.1 %
97	(97) Legitimate skip	1298	26.9 %
98	(98) Don't know	99	2.1 %
	Total	4,828	100%

Based upon 3,426 valid cases out of 4,828 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.53

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4LB9D: S19Q9 DAYS BEFORE/AFTER DUE DATE-W4

How many weeks or days (before/after) the due date was {baby's first name} born (days)?

Value	Label	Unweighted Frequency	%
0	-	1755	36.4 %
1	-	251	5.2 %
2	-	334	6.9 %
3	-	308	6.4 %
4	-	231	4.8 %
5	-	212	4.4 %
6	-	112	2.3 %

Value	Label	Unweighted Frequency	%
7	-	61	1.3 %
8	-	23	0.5 %
9	-	25	0.5 %
10	-	45	0.9 %
11	-	14	0.3 %
12	-	14	0.3 %
13	-	4	0.1 %
14	-	17	0.4 %
15	-	2	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.0 %
21	-	2	0.0 %
24	-	1	0.0 %
30	-	5	0.1 %
32	-	3	0.1 %
48	-	1	0.0 %
	Missing Data		
996	(996) Refused	5	0.1 %
997	(997) Legitimate skip	1298	26.9 %
998	(998) Don't know	99	2.1 %
	Total	4,828	100%

Based upon 3,426 valid cases out of 4,828 total cases.

- Mean: 2.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 3.24

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 996 , 997 , 998

H4LB10: S19Q10 BABY STILL LIVING-W4

Is {baby name} still living?

Value	Label	Unweighted Frequency	%
0	(0) No	40	0.8 %

Value	Label	Unweighted Frequency	%
1	(1) Yes	4692	97.2 %
	Missing Data		
6	(6) Refused	31	0.6 %
7	(7) Legitimate skip	32	0.7 %
8	(8) Don't know	33	0.7 %
	Total	4,828	100%

Based upon 4,732 valid cases out of 4,828 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4LB11Y: S19Q11 YEAR BABY DIED-W4

In what month and year did {baby name} die (year)?

Value	Label	Unweighted Frequency	%
1995	(1995) 1994-1996	4	0.1 %
1997	-	3	0.1 %
1998	-	3	0.1 %
1999	-	3	0.1 %
2000	-	5	0.1 %
2001	-	5	0.1 %
2002	-	2	0.0 %
2003	-	7	0.1 %
2004	-	9	0.2 %
2005	-	13	0.3 %
2007	(2007) 2006-2008	11	0.2 %
	Missing Data		
9996	(9996) Refused	3	0.1 %
9997	(9997) Legitimate skip	4756	98.5 %
9998	(9998) Don't know	3	0.1 %
.	-	1	0.0 %
	Total	4,828	100%

Based upon 65 valid cases out of 4,828 total cases.

- Mean: 2002.62
- Median: 2004.00
- Mode: 2005.00

- Minimum: 1995.00
- Maximum: 2007.00
- Standard Deviation: 3.49

Location: 35-38 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , .