

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris

University of North Carolina-Chapel Hill

J. Richard Udry

University of North Carolina-Chapel Hill

Wave IV: In-Home Questionnaire, Public Use
Sample (Section 20A: Children and Parenting)
Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave IV: In-Home Questionnaire, Public Use Sample (Section 20A: Children and Parenting)

AID: RESPONDENT IDENTIFIER

RESPONDENT IDENTIFIER

Value	Label	Unweighted Frequency	%
57101310	-	7	0.1 %
57113943	-	1	0.0 %
57117542	-	1	0.0 %
57118381	-	3	0.1 %
57120046	-	2	0.0 %
57120371	-	1	0.0 %
57127241	-	1	0.0 %
57129567	-	2	0.0 %
57131432	-	2	0.0 %
57131909	-	1	0.0 %
57134967	-	3	0.1 %
57134970	-	3	0.1 %
57135078	-	4	0.1 %
57144659	-	2	0.0 %
57145731	-	4	0.1 %
57153160	-	6	0.1 %
57154249	-	3	0.1 %
57154779	-	1	0.0 %
57157723	-	4	0.1 %
57160648	-	1	0.0 %
57163657	-	2	0.0 %
57165288	-	3	0.1 %
57166019	-	2	0.0 %
57166463	-	2	0.0 %
57178110	-	1	0.0 %
57179591	-	1	0.0 %
57185559	-	2	0.0 %
57186150	-	1	0.0 %
57188247	-	2	0.0 %
57191909	-	5	0.1 %
57191910	-	2	0.0 %
57193349	-	1	0.0 %
57196641	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57198440	-	2	0.0 %
57199896	-	2	0.0 %
57200870	-	1	0.0 %
57212347	-	1	0.0 %
57212679	-	1	0.0 %
57213037	-	2	0.0 %
57214806	-	1	0.0 %
57214893	-	1	0.0 %
57217465	-	2	0.0 %
57217613	-	2	0.0 %
57220955	-	1	0.0 %
57228523	-	2	0.0 %
57230663	-	2	0.0 %
57233403	-	2	0.0 %
57234514	-	5	0.1 %
57239363	-	1	0.0 %
57239974	-	3	0.1 %
	Total	4,756	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,756 valid cases out of 4,756 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

PTNR_ID: PARTNER ID-W4

Partner Identifier

Value	Label	Unweighted Frequency	%
1	-	3572	75.1 %
2	-	785	16.5 %
3	-	240	5.0 %
4	-	86	1.8 %
5	-	38	0.8 %
6	-	17	0.4 %
7	-	5	0.1 %
8	-	8	0.2 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	4,756	100%

Based upon 4,756 valid cases out of 4,756 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 0.89

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

PRGNO: PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Pregnancy Number within Relationship

Value	Label	Unweighted Frequency	%
1	-	2898	60.9 %
2	-	1264	26.6 %
3	-	428	9.0 %
4	-	122	2.6 %
5	-	29	0.6 %
6	-	12	0.3 %
7	-	2	0.0 %
12	-	1	0.0 %
	Total	4,756	100%

Based upon 4,756 valid cases out of 4,756 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.86

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

LBNO: LIVE BIRTH NUMBER PER PREGNANCY-W4

Live Birth Number per Pregnancy

Value	Label	Unweighted Frequency	%
1	-	4566	96.0 %
2	-	150	3.2 %

Value	Label	Unweighted Frequency	%
3	-	28	0.6 %
4	-	10	0.2 %
5	-	2	0.0 %
	Total	4,756	100%

Based upon 4,756 valid cases out of 4,756 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.28

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

H4KK1: S20AQ1 AGE OF CHILD-W4

How old is {child name} now?

Value	Label	Unweighted Frequency	%
0	-	463	9.7 %
1	-	490	10.3 %
2	-	473	9.9 %
3	-	430	9.0 %
4	-	436	9.2 %
5	-	421	8.9 %
6	-	394	8.3 %
7	-	382	8.0 %
8	-	354	7.4 %
9	-	267	5.6 %
10	-	231	4.9 %
11	-	163	3.4 %
12	-	115	2.4 %
13	-	51	1.1 %
14	-	37	0.8 %
15	-	9	0.2 %
16	(16) 16 years or older	4	0.1 %
	Missing Data		
96	(96) Refused	19	0.4 %
98	(98) Don't know	17	0.4 %
	Total	4,756	100%

Based upon 4,720 valid cases out of 4,756 total cases.

- Mean: 5.02
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 3.57

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

H4KK2: S20AQ2 CHILD LIVES WITH R-W4

Does {child name} live with you?

Value	Label	Unweighted Frequency	%
0	(0) No	656	13.8 %
1	(1) Yes	4058	85.3 %
	Missing Data		
6	(6) Refused	29	0.6 %
8	(8) Don't know	13	0.3 %
	Total	4,756	100%

Based upon 4,714 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

H4KK3: S20AQ3 R/CHILD EVR LIVE SAME HOUSEHLD-W4

Have you and {child name} ever lived in the same household?

Value	Label	Unweighted Frequency	%
0	(0) No	188	4.0 %
1	(1) Yes	467	9.8 %
	Missing Data		
6	(6) Refused	28	0.6 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	15	0.3 %
	Total	4,756	100%

Based upon 655 valid cases out of 4,756 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK4Y: S20AQ4 YEAR R/CHILD LAST LIVE SAME HH-W4

In what [month and] year did you last live in the same household as {child name}?

Value	Label	Unweighted Frequency	%
1994	-	3	0.1 %
1996	-	4	0.1 %
1997	-	5	0.1 %
1998	-	6	0.1 %
1999	-	13	0.3 %
2000	-	22	0.5 %
2001	-	26	0.5 %
2002	-	26	0.5 %
2003	-	34	0.7 %
2004	-	28	0.6 %
2005	-	46	1.0 %
2006	-	61	1.3 %
2007	-	89	1.9 %
2008	-	63	1.3 %
	Missing Data		
9996	(9996) Refused	5	0.1 %
9997	(9997) Legitimate skip	4289	90.2 %
9998	(9998) Don't know	36	0.8 %
	Total	4,756	100%

Based upon 426 valid cases out of 4,756 total cases.

- Mean: 2004.56
- Median: 2005.50
- Mode: 2007.00
- Minimum: 1994.00
- Maximum: 2008.00
- Standard Deviation: 3.08

Location: 18-21 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998

H4KK5: S20AQ5 CHILD'S OTH BIO-PARNT LVE W/ R-W4

Does {initials} live with you?

Value	Label	Unweighted Frequency	%
0	(0) No	1391	29.2 %
1	(1) Yes	1722	36.2 %
	Missing Data		
6	(6) Refused	5	0.1 %
7	(7) Legitimate skip	1624	34.1 %
8	(8) Don't know	3	0.1 %
.	-	11	0.2 %
	Total	4,756	100%

Based upon 3,113 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 6 , 7 , 8 , .

H4KK6A: S20AQ6 CHILD LIVES W/ OTHR BIO-PARENT-W4

With whom does {child name} live now? You may select more than one answer: Other biological parent

Value	Label	Unweighted Frequency	%
0	(0) Not selected	125	2.6 %
1	(1) Selected	518	10.9 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 6 , 7 , 8

H4KK6B: S20AQ6 CHILD LIVES W/ SIBS/STEP-SIBS-W4

With whom does {child name} live now? You may select more than one answer: Brothers and sisters, including stepbrothers and stepsisters

Value	Label	Unweighted Frequency	%
0	(0) Not selected	626	13.2 %

Value	Label	Unweighted Frequency	%
1	(1) Selected	17	0.4 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6C: S20AQ6 CHILD LIVES W/ MATRNL GRDPARNT-W4

With whom does {child name} live now? You may select more than one answer: Maternal grandparents

Value	Label	Unweighted Frequency	%
0	(0) Not selected	588	12.4 %
1	(1) Selected	55	1.2 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6D: S20AQ6 CHILD LIVES W/ OTH MATERNL REL-W4

With whom does {child name} live now? You may select more than one answer: Other maternal relatives

Value	Label	Unweighted Frequency	%
0	(0) Not selected	635	13.4 %
1	(1) Selected	8	0.2 %
	Missing Data		
6	(6) Refused	31	0.7 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6E: S20AQ6 CHILD LIVES W/ PATRNL GRDPARNT-W4

With whom does {child name} live now? You may select more than one answer: Paternal grandparents

Value	Label	Unweighted Frequency	%
0	(0) Not selected	613	12.9 %
1	(1) Selected	30	0.6 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6F: S20AQ6 CHILD LIVES W/ OTH PATERNL REL-W4

With whom does {child name} live now? You may select more than one answer: Other paternal relatives

Value	Label	Unweighted Frequency	%
0	(0) Not selected	637	13.4 %
1	(1) Selected	6	0.1 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6G: S20AQ6 CHILD LIVES WITH FRIENDS-W4

With whom does {child name} live now? You may select more than one answer: Friends

Value	Label	Unweighted Frequency	%
0	(0) Not selected	642	13.5 %
1	(1) Selected	1	0.0 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK6H: S20AQ6 CHILD LIVES W/ ADOPTVE PARENTS-W4

With whom does {child name} live now? You may select more than one answer: Adoptive parents

Value	Label	Unweighted Frequency	%
0	(0) Not selected	621	13.1 %
1	(1) Selected	22	0.5 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8

H4KK6I: S20AQ6 CHILD LIVES W/ FOSTER PARENTS-W4

With whom does {child name} live now? You may select more than one answer: Foster parents

Value	Label	Unweighted Frequency	%
0	(0) Not selected	639	13.4 %
1	(1) Selected	4	0.1 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8

H4KK6J: S20AQ6 CHILD LIVES IN AN INSITUATION-W4

With whom does {child name} live now? You may select more than one answer: Child lives in an institution

Value	Label	Unweighted Frequency	%
0	(0) Not selected	643	13.5 %
	Missing Data		
6	(6) Refused	31	0.7 %
7	(7) Legitimate skip	4058	85.3 %
8	(8) Don't know	24	0.5 %
	Total	4,756	100%

Based upon 643 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8

H4KK7: S20AQ7 MILES AWAY R LIVES FROM CHILD-W4

How far do you live from {child name}?

Value	Label	Unweighted Frequency	%
1	(1) Within 1 mile	45	0.9 %
2	(2) 1-10 miles	182	3.8 %
3	(3) 11-50 miles	177	3.7 %
4	(4) 51-100 miles	54	1.1 %
5	(5) 101-200 miles	36	0.8 %
6	(6) 200+ miles	121	2.5 %
	Missing Data		
96	(96) Refused	30	0.6 %
97	(97) Legitimate skip	4080	85.8 %
98	(98) Don't know	31	0.7 %
	Total	4,756	100%

Based upon 615 valid cases out of 4,756 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4KK8: S20AQ8 HW OFTEN R SEE CHILD PST 12 MN-W4

During the past 12 months, about how often have you seen {child name}?

Value	Label	Unweighted Frequency	%
1	(1) None or almost none of the time	139	2.9 %
2	(2) Some of the time	152	3.2 %
3	(3) Most of the time	196	4.1 %
4	(4) All or almost all of the time	137	2.9 %
	Missing Data		
6	(6) Refused	30	0.6 %
7	(7) Legitimate skip	4080	85.8 %
8	(8) Don't know	22	0.5 %
	Total	4,756	100%

Based upon 624 valid cases out of 4,756 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK9: S20AQ9 MILE AWY OTH BIO-PARNT LV FR R-W4

How far does {initials} live from you?

Value	Label	Unweighted Frequency	%
1	(1) Within 1 mile	70	1.5 %
2	(2) 1-10 miles	309	6.5 %
3	(3) 11-50 miles	401	8.4 %
4	(4) 51-100 miles	122	2.6 %
5	(5) 101-200 miles	80	1.7 %
6	(6) 200+ miles	319	6.7 %
	Missing Data		
96	(96) Refused	10	0.2 %
97	(97) Legitimate skip	3370	70.9 %
98	(98) Don't know	64	1.3 %
.	-	11	0.2 %
	Total	4,756	100%

Based upon 1,301 valid cases out of 4,756 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , .

H4KK10: S20AQ10 LEGL CUSTDY AGREMNT W/OTH BIO-W4

Do you have a legal agreement with {initials} regarding custody of {child name}?

Value	Label	Unweighted Frequency	%
0	(0) No	909	19.1 %
1	(1) Yes	864	18.2 %
	Missing Data		
6	(6) Refused	30	0.6 %
7	(7) Legitimate skip	2925	61.5 %
8	(8) Don't know	23	0.5 %
.	-	5	0.1 %
	Total	4,756	100%

Based upon 1,773 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , .

H4KK11: S20AQ11 HW OFTN OTH BIO SEE CHLD 12MN-W4

During the past 12 months, about how often has {initials} seen {child name}?

Value	Label	Unweighted Frequency	%
0	(0) Never	397	8.3 %
1	(1) Once or a few times	252	5.3 %
2	(2) 1 to 3 times a month	234	4.9 %
3	(3) Once a week	165	3.5 %
4	(4) Daily or almost daily	250	5.3 %
Missing Data			
6	(6) Refused	34	0.7 %
7	(7) Legitimate skip	3384	71.2 %
8	(8) Don't know	36	0.8 %
.	-	4	0.1 %
Total		4,756	100%

Based upon 1,298 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , .

H4KK12: S20AQ12 HOW GOOD CHILD GENERAL HEALTH-W4

In general, how good is {child name}'s health?

Value	Label	Unweighted Frequency	%
1	(1) Excellent	3305	69.5 %
2	(2) Very good	1020	21.4 %
3	(3) Good	274	5.8 %
4	(4) Fair	49	1.0 %
5	(5) Poor	6	0.1 %
Missing Data			
96	(96) Refused	31	0.7 %
97	(97) Legitimate skip	22	0.5 %
98	(98) Don't know	49	1.0 %
Total		4,756	100%

Based upon 4,654 valid cases out of 4,756 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98

H4KK13A: S20AQ13 CHILD HAS HEARING PROBLM/DEAF-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Hearing problems or deafness

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4556	95.8 %
1	(1) Selected	79	1.7 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 42-42 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8

H4KK13B: S20AQ13 CHILD HAS SPEECH PROBLEM-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Delayed speech or other problems with speaking or understanding

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4472	94.0 %
1	(1) Selected	163	3.4 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 43-43 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8

H4KK13C: S20AQ13 CHILD HAS SIGHT PROBLEM-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: A problem with sight even when wearing glasses

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4538	95.4 %
1	(1) Selected	97	2.0 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13D: S20AQ13 CHILD HAS LEARNG DELAY/SLOW-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: A developmental delay or slowness in learning

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4545	95.6 %
1	(1) Selected	90	1.9 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13E: S20AQ13 CHILD HAS ALLERGY/HAY FEVER-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Allergies or hay fever, not including allergic reactions to medications

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4251	89.4 %
1	(1) Selected	384	8.1 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13F: S20AQ13 CHILD HAS ASTHMA-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Asthma

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4182	87.9 %
1	(1) Selected	453	9.5 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13G: S20AQ13 CHILD HAS OTHR CHRON RESP CON-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Any other chronic respiratory, lung, or breathing condition

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4580	96.3 %
1	(1) Selected	55	1.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13H: S20AQ13 CHILD HAS A CHRONIC HEART CON-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: A chronic heart condition

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4612	97.0 %
1	(1) Selected	23	0.5 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13I: S20AQ13 CHILD HAS SICKLE CELL ANEMIA-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Sickle cell anemia

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4631	97.4 %
1	(1) Selected	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13J: S20AQ13 CHILD HAS CONVULSION/SEIZURE-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Epilepsy or convulsions or seizures without fever

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4619	97.1 %
1	(1) Selected	16	0.3 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13K: S20AQ13 CHILD CHRON BONE/JOINT PROB-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Chronic orthopedic, bone, or joint problems

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4630	97.4 %
1	(1) Selected	5	0.1 %
	Missing Data		
6	(6) Refused	35	0.7 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13L: S20AQ13 CHILD HAS CEREBRAL PALSY-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Cerebral palsy

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4626	97.3 %
1	(1) Selected	9	0.2 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13M: S20AQ13 CHILD HAS CYSTIC FIBROSIS-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Cystic fibrosis

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4634	97.4 %
1	(1) Selected	1	0.0 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13N: S20AQ13 CHILD HAS CANCER-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Cancer

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4629	97.3 %
1	(1) Selected	6	0.1 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13O: S20AQ13 CHILD HAS HEMOPHILIA-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Hemophilia

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4635	97.5 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13P: S20AQ13 CHILD HAS HIV OR AIDS-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: HIV or AIDS

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4635	97.5 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13Q: S20AQ13 CHILD HAS OBESITY-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Obesity

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4609	96.9 %
1	(1) Selected	26	0.5 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13R: S20AQ13 CHILD HAS DIABETES-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Diabetes

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4631	97.4 %

Value	Label	Unweighted Frequency	%
1	(1) Selected	4	0.1 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13S: S20AQ13 CHILD HAS ADHD-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: ADHD

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4480	94.2 %
1	(1) Selected	155	3.3 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13T: S20AQ13 CHILD HAS OTHER CONDITIONS-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: Any other condition for which {child name} has been seen by a specialist or at a special clinic, or for which child gets special therapies

Value	Label	Unweighted Frequency	%
0	(0) Not selected	4395	92.4 %
1	(1) Selected	240	5.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4KK13U: S20AQ13 CHILD HAS NONE OF THE ABOVE-W4

Has a doctor ever told you that {child name} has any of these conditions? You may select more than one answer: None of the above

Value	Label	Unweighted Frequency	%
0	(0) Not selected	1217	25.6 %
1	(1) Selected	3418	71.9 %
	Missing Data		
6	(6) Refused	35	0.7 %
7	(7) Legitimate skip	22	0.5 %
8	(8) Don't know	64	1.3 %
	Total	4,756	100%

Based upon 4,635 valid cases out of 4,756 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8