

ICPSR 21600

**National Longitudinal Study of  
Adolescent to Adult Health (Add  
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris  
*University of North Carolina-Chapel Hill*

J. Richard Udry  
*University of North Carolina-Chapel Hill*

Wave III: Peabody Picture Vocabulary Test  
(PVT), Public Use Variable Description and  
Frequencies

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# **ICPSR 21600**

## **National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Wave III: Peabody Picture Vocabulary Test (PVT), Public Use

## AID: RESPONDENT IDENTIFIER

Respondent Identifier

Based upon 4,882 valid cases out of 4,882 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

## AH\_RAW: RAW AH\_PVT SCORE

Raw PVT Score

Value	Label	Unweighted Frequency	%
0	-	7	0.1 %
1	-	14	0.3 %
2	-	4	0.1 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
14	-	1	0.0 %
19	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.0 %
26	-	3	0.1 %
28	-	2	0.0 %
30	-	1	0.0 %
33	-	3	0.1 %
34	-	2	0.0 %
37	-	2	0.0 %
38	-	6	0.1 %
39	-	3	0.1 %
40	-	1	0.0 %
41	-	3	0.1 %
42	-	3	0.1 %
43	-	4	0.1 %
44	-	2	0.0 %
45	-	6	0.1 %
46	-	7	0.1 %

Value	Label	Unweighted Frequency	%
47	-	9	0.2 %
48	-	9	0.2 %
49	-	24	0.5 %
50	-	45	0.9 %
51	-	21	0.4 %
52	-	62	1.3 %
53	-	43	0.9 %
54	-	40	0.8 %
55	-	63	1.3 %
56	-	72	1.5 %
57	-	75	1.5 %
58	-	157	3.2 %
59	-	63	1.3 %
60	-	65	1.3 %
61	-	98	2.0 %
62	-	123	2.5 %
63	-	172	3.5 %
64	-	193	4.0 %
65	-	109	2.2 %
66	-	84	1.7 %
67	-	76	1.6 %
68	-	70	1.4 %
	<b>Missing Data</b>		
996	(996) Refused	171	3.5 %
.	-	8	0.2 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,703 valid cases out of 4,882 total cases.

- Mean: 70.51
- Median: 74.00
- Mode: 74.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 11.69

*Location:* 9-11 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 996 , .

## Cross-sectional or Longitudinal PVT Percentile Rank-Wave III

Value	Label	Unweighted Frequency	%
0	-	30	0.6 %
1	-	54	1.1 %
2	-	18	0.4 %
3	-	69	1.4 %
4	-	21	0.4 %
5	-	62	1.3 %
6	-	43	0.9 %
7	-	40	0.8 %
8	-	63	1.3 %
10	-	72	1.5 %
11	-	75	1.5 %
13	-	157	3.2 %
15	-	63	1.3 %
17	-	65	1.3 %
20	-	98	2.0 %
23	-	123	2.5 %
25	-	172	3.5 %
28	-	193	4.0 %
30	-	109	2.2 %
33	-	84	1.7 %
35	-	76	1.6 %
36	-	70	1.4 %
38	-	65	1.3 %
39	-	81	1.7 %
41	-	104	2.1 %
45	-	154	3.2 %
50	-	189	3.9 %
56	-	310	6.3 %
63	-	258	5.3 %
68	-	257	5.3 %
71	-	208	4.3 %
75	-	151	3.1 %
79	-	141	2.9 %
82	-	128	2.6 %
85	-	120	2.5 %
88	-	141	2.9 %
91	-	172	3.5 %
94	-	136	2.8 %

Value	Label	Unweighted Frequency	%
96	-	159	3.3 %
98	-	118	2.4 %
100	-	54	1.1 %
	<b>Missing Data</b>		
996	(996) Refused	171	3.5 %
.	-	8	0.2 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Based upon 4,703 valid cases out of 4,882 total cases.

- Mean: 51.34
- Median: 56.00
- Mode: 56.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.71

*Location:* 12-14 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 996 , .

---

## PVTSTD3C: CROSS-SECTIONAL STANDARDIZED SCORE-W3

Cross-sectional Standardized Score-Wave III

Value	Label	Unweighted Frequency	%
7	-	7	0.1 %
8	-	14	0.3 %
10	-	4	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
32	-	1	0.0 %
36	-	1	0.0 %
39	-	2	0.0 %
41	-	3	0.1 %
44	-	2	0.0 %
46	-	1	0.0 %
50	-	3	0.1 %
52	-	2	0.0 %

Value	Label	Unweighted Frequency	%
56	-	2	0.0 %
57	-	6	0.1 %
58	-	3	0.1 %
60	-	1	0.0 %
61	-	3	0.1 %
62	-	3	0.1 %
64	-	4	0.1 %
65	-	2	0.0 %
66	-	6	0.1 %
67	-	7	0.1 %
69	-	9	0.2 %
70	-	9	0.2 %
71	-	24	0.5 %
73	-	45	0.9 %
74	-	21	0.4 %
75	-	62	1.3 %
77	-	43	0.9 %
78	-	40	0.8 %
79	-	63	1.3 %
81	-	72	1.5 %
82	-	75	1.5 %
83	-	157	3.2 %
85	-	63	1.3 %
86	-	65	1.3 %
87	-	98	2.0 %
89	-	123	2.5 %
90	-	172	3.5 %
91	-	193	4.0 %
93	-	109	2.2 %
94	-	84	1.7 %
95	-	76	1.6 %
96	-	70	1.4 %
	<b>Missing Data</b>		
996	(996) Refused	171	3.5 %
.	-	8	0.2 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).



Based upon 4,703 valid cases out of 4,882 total cases.

- Mean: 99.78
- Median: 104.00
- Mode: 104.00
- Minimum: 7.00
- Maximum: 122.00
- Standard Deviation: 15.42

*Location:* 15-17 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 996 , .

## PVTSTD3L: LONGITUDINAL STANDARDIZED SCORE-W3

Longitudinal Standardized Score-Wave III

Value	Label	Unweighted Frequency	%
9	-	7	0.1 %
10	-	14	0.3 %
11	-	4	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
24	-	1	0.0 %
28	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
41	-	2	0.0 %
44	-	3	0.1 %
47	-	2	0.0 %
49	-	1	0.0 %
54	-	3	0.1 %
55	-	2	0.0 %
59	-	2	0.0 %
60	-	6	0.1 %
61	-	3	0.1 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	3	0.1 %
67	-	4	0.1 %
68	-	2	0.0 %
69	-	6	0.1 %

Value	Label	Unweighted Frequency	%
70	-	7	0.1 %
72	-	9	0.2 %
73	-	9	0.2 %
74	-	24	0.5 %
75	-	45	0.9 %
77	-	21	0.4 %
78	-	62	1.3 %
79	-	43	0.9 %
81	-	40	0.8 %
82	-	63	1.3 %
83	-	72	1.5 %
84	-	75	1.5 %
86	-	157	3.2 %
87	-	63	1.3 %
88	-	65	1.3 %
90	-	98	2.0 %
91	-	123	2.5 %
92	-	172	3.5 %
93	-	193	4.0 %
95	-	109	2.2 %
96	-	84	1.7 %
97	-	76	1.6 %
98	-	70	1.4 %
	<b>Missing Data</b>		
996	(996) Refused	171	3.5 %
.	-	8	0.2 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,703 valid cases out of 4,882 total cases.

- Mean: 101.65
- Median: 106.00
- Mode: 106.00
- Minimum: 9.00
- Maximum: 123.00
- Standard Deviation: 15.05

*Location:* 18-20 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 996 , .

## PVTPCT1C: CROSS-SECTIONAL PVT PERCENTILE RANK-W1

Cross-sectional PVT Percentile Rank-Wave I

Value	Label	Unweighted Frequency	%
0	-	31	0.6 %
1	-	18	0.4 %
2	-	28	0.6 %
3	-	17	0.3 %
4	-	31	0.6 %
5	-	105	2.2 %
6	-	178	3.6 %
7	-	10	0.2 %
8	-	26	0.5 %
9	-	27	0.6 %
10	-	51	1.0 %
11	-	33	0.7 %
12	-	24	0.5 %
13	-	42	0.9 %
14	-	39	0.8 %
15	-	49	1.0 %
16	-	58	1.2 %
17	-	27	0.6 %
18	-	41	0.8 %
19	-	30	0.6 %
20	-	35	0.7 %
21	-	32	0.7 %
22	-	31	0.6 %
23	-	32	0.7 %
24	-	41	0.8 %
25	-	38	0.8 %
26	-	46	0.9 %
27	-	41	0.8 %
28	-	43	0.9 %
29	-	62	1.3 %
30	-	26	0.5 %
31	-	54	1.1 %
32	-	47	1.0 %
33	-	40	0.8 %
34	-	72	1.5 %
35	-	41	0.8 %

Value	Label	Unweighted Frequency	%
36	-	49	1.0 %
37	-	43	0.9 %
38	-	61	1.2 %
39	-	49	1.0 %
40	-	37	0.8 %
41	-	57	1.2 %
42	-	61	1.2 %
43	-	38	0.8 %
44	-	51	1.0 %
45	-	55	1.1 %
46	-	41	0.8 %
47	-	46	0.9 %
48	-	56	1.1 %
49	-	56	1.1 %
	<b>Missing Data</b>		
.	-	202	4.1 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,680 valid cases out of 4,882 total cases.

- Mean: 51.82
- Median: 52.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.32

*Location:* 21-23 (width: 3; decimal: 0)

*Variable Type:* numeric

---

## PVTPCT1L: LONGITUDINAL PVT PERCENTILE RANK-W1

Longitudinal PVT Percentile Rank-W ave I

Value	Label	Unweighted Frequency	%
0	-	25	0.5 %
1	-	21	0.4 %
2	-	24	0.5 %
3	-	22	0.5 %
4	-	58	1.2 %
5	-	161	3.3 %
6	-	79	1.6 %

Value	Label	Unweighted Frequency	%
7	-	19	0.4 %
8	-	27	0.6 %
9	-	41	0.8 %
10	-	45	0.9 %
11	-	22	0.5 %
12	-	38	0.8 %
13	-	41	0.8 %
14	-	45	0.9 %
15	-	60	1.2 %
16	-	28	0.6 %
17	-	45	0.9 %
18	-	27	0.6 %
19	-	37	0.8 %
20	-	28	0.6 %
21	-	29	0.6 %
22	-	28	0.6 %
23	-	38	0.8 %
24	-	37	0.8 %
25	-	44	0.9 %
26	-	39	0.8 %
27	-	53	1.1 %
28	-	46	0.9 %
29	-	59	1.2 %
30	-	21	0.4 %
31	-	50	1.0 %
32	-	66	1.4 %
33	-	42	0.9 %
34	-	54	1.1 %
35	-	37	0.8 %
36	-	45	0.9 %
37	-	65	1.3 %
38	-	43	0.9 %
39	-	39	0.8 %
40	-	55	1.1 %
41	-	43	0.9 %
42	-	64	1.3 %
43	-	28	0.6 %
44	-	42	0.9 %
45	-	69	1.4 %

Value	Label	Unweighted Frequency	%
46	-	27	0.6 %
47	-	53	1.1 %
48	-	49	1.0 %
49	-	21	0.4 %
	<b>Missing Data</b>		
.	-	370	7.6 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,512 valid cases out of 4,882 total cases.

- Mean: 51.07
- Median: 51.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.33

*Location:* 24-26 (width: 3; decimal: 0)

*Variable Type:* numeric

---

## PVTSTD1: CROSS-SECT/LONG PVT STANDRDIZED SCORE-W1

Cross-sectional or Longitudinal PVT Standardized Score-Wave I

Value	Label	Unweighted Frequency	%
10	-	4	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
26	-	1	0.0 %
29	-	2	0.0 %
35	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
46	-	3	0.1 %
47	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	4	0.1 %
55	-	2	0.0 %
57	-	4	0.1 %

Value	Label	Unweighted Frequency	%
58	-	1	0.0 %
59	-	2	0.0 %
60	-	4	0.1 %
61	-	6	0.1 %
62	-	7	0.1 %
63	-	9	0.2 %
64	-	5	0.1 %
65	-	9	0.2 %
66	-	6	0.1 %
67	-	3	0.1 %
68	-	7	0.1 %
69	-	3	0.1 %
70	-	5	0.1 %
71	-	13	0.3 %
72	-	12	0.2 %
73	-	15	0.3 %
74	-	22	0.5 %
75	-	25	0.5 %
76	-	32	0.7 %
77	-	50	1.0 %
78	-	47	1.0 %
79	-	55	1.1 %
80	-	60	1.2 %
81	-	59	1.2 %
82	-	55	1.1 %
83	-	61	1.2 %
84	-	68	1.4 %
85	-	76	1.6 %
86	-	74	1.5 %
87	-	92	1.9 %
88	-	55	1.1 %
89	-	81	1.7 %
90	-	86	1.8 %
	<b>Missing Data</b>		
.	-	202	4.1 %
	<b>Total</b>	<b>4,882</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,680 valid cases out of 4,882 total cases.

- Mean: 100.37
- Median: 100.00
- Mode: 97.00
- Minimum: 10.00
- Maximum: 137.00
- Standard Deviation: 15.11

*Location:* 27-29 (width: 3; decimal: 0)

*Variable Type:* numeric