

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave III: In-Home Questionnaire, Public Use Sample (Section 18: Pregnancies) Variable Description and Frequencies

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

DS10: Wave III: In-Home Questionnaire, Public Use Sample (Section 18: Pregnancies)

1. Truncated Value Labels: Due to limitations in the statistical packages, a number of variables feature truncated value labels. Please see the P.I. Codebook/Questionnaire for full value labels.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave III: In-Home Questionnaire, Public Use Sample (Section 18: Pregnancies)

AID: RESPONDENT IDENTIFIER

Respondent identification number

Value	Label	Unweighted Frequency	%
57100270	-	1	0.0 %
57101310	-	2	0.1 %
57117542	-	1	0.0 %
57118381	-	1	0.0 %
57120005	-	1	0.0 %
57120046	-	1	0.0 %
57120371	-	2	0.1 %
57134970	-	2	0.1 %
57135078	-	6	0.3 %
57136630	-	1	0.0 %
57154249	-	4	0.2 %
57154779	-	2	0.1 %
57157723	-	1	0.0 %
57160648	-	1	0.0 %
57164981	-	1	0.0 %
57165081	-	2	0.1 %
57178110	-	1	0.0 %
57191909	-	4	0.2 %
57199320	-	1	0.0 %
57200870	-	2	0.1 %
57211108	-	2	0.1 %
57212347	-	1	0.0 %
57214806	-	2	0.1 %
57217465	-	1	0.0 %
57233403	-	2	0.1 %
57234514	-	2	0.1 %
57235039	-	1	0.0 %
57241075	-	1	0.0 %
57245293	-	1	0.0 %
57245315	-	3	0.1 %
57245379	-	1	0.0 %
57248884	-	1	0.0 %
57249576	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57251197	-	1	0.0 %
57262270	-	1	0.0 %
57265490	-	1	0.0 %
57275298	-	1	0.0 %
57277289	-	1	0.0 %
88149345	-	4	0.2 %
88202138	-	1	0.0 %
88249047	-	2	0.1 %
90500516	-	2	0.1 %
90500914	-	2	0.1 %
90504142	-	4	0.2 %
90504248	-	2	0.1 %
90504500	-	3	0.1 %
90506094	-	2	0.1 %
90506203	-	2	0.1 %
90506268	-	1	0.0 %
90506428	-	1	0.0 %
	Total	2,348	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,348 valid cases out of 2,348 total cases.

Location: 1-8 (width: 8; decimal: 0) Variable Type: character

RRELNO: ROMANTIC RELATIONSHIP NUMBER

Romantic relationship number.

Value	Label	Unweighted Frequency	%
1	-	1261	53.7 %
2	-	434	18.5 %
3	-	243	10.3 %
4	-	127	5.4 %
5	-	83	3.5 %
6	-	62	2.6 %
7	-	54	2.3 %
8	-	20	0.9 %
9	-	12	0.5 %
10	-	9	0.4 %
11	-	6	0.3 %

Value	Label	Unweighted Frequency	%
12	-	10	0.4 %
13	-	5	0.2 %
14	-	7	0.3 %
15	-	6	0.3 %
16	-	2	0.1 %
17	-	2	0.1 %
18	-	1	0.0 %
19	-	3	0.1 %
23	-	1	0.0 %
	Total	2,348	100%

Based upon 2,348 valid cases out of 2,348 total cases.

Mean: 2.34Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 23.00

• Standard Deviation: 2.37

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

RPREGNO: RELATIONSHIP PREGNANCY NUMBER

Relationship pregnancy number

Value	Label	Unweighted Frequency	%
1	-	1733	73.8 %
2	-	453	19.3 %
3	-	116	4.9 %
4	-	27	1.1 %
5	-	9	0.4 %
6	-	5	0.2 %
7	-	4	0.2 %
8	-	1	0.0 %
	Total	2,348	100%

Based upon 2,348 valid cases out of 2,348 total cases.

Mean: 1.37Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 8.00

• Standard Deviation: 0.75

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

H3TP1: S18Q1 PREGNANCY OUTCOME-W3

Next, please indicate the outcome of this pregnancy by selecting the appropriate response. If the pregnancy involved more than one baby, and all had the same outcome, indicate that outcome--for example, a pregnancy involving twins who were both live births should be coded as live birth.

Value	Label	Unweighted Frequency	%
1	(1) Miscarriage	338	14.4 %
2	(2) Abortion	387	16.5 %
3	(3) Single, stillbirth	60	2.6 %
4	(4) Live birth	1308	55.7 %
5	(5) Pregnancy not yet ended	180	7.7 %
6	(6) Multiple, no live birth	12	0.5 %
7	(7) Multiple, involving both a live birth and another outcom	54	2.3 %
	Missing Data		
		9	0.4 %
	Total	2,348	100%

Based upon 2,339 valid cases out of 2,348 total cases.

Minimum: 1.00Maximum: 7.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

H3TP2M: S18Q2M MONTH PREGNANCY ENDED-W3

Please indicate the month (and year) in which this pregnancy ended or is expected to end--the due date. If you are not sure of an ending date, enter your best guess.

Value	Label	Unweighted Frequency	%
1	(1) January	217	9.2 %
2	(2) February	183	7.8 %
3	(3) March	209	8.9 %
4	(4) April	198	8.4 %
5	(5) May	199	8.5 %
6	(6) June	230	9.8 %
7	(7) July	174	7.4 %
8	(8) August	195	8.3 %
9	(9) September	198	8.4 %
10	(10) October	191	8.1 %
11	(11) November	174	7.4 %
12	(12) December	169	7.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
		11	0.5 %
	Total	2,348	100%

Based upon 2,337 valid cases out of 2,348 total cases.

Minimum: 1.00Maximum: 12.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

H3TP2Y: S18Q2Y YEAR PREGNANCY ENDED-W3

Please indicate the (month and) year in which this pregnancy ended or is expected to end--the due date. If you are not sure of an ending date, enter your best guess.

Value	Label	Unweighted Frequency	%
1977	-	2	0.1 %
1978	-	1	0.0 %
1980	-	1	0.0 %
1990	-	3	0.1 %
1991	-	2	0.1 %
1992	-	3	0.1 %
1993	-	17	0.7 %
1994	-	39	1.7 %
1995	-	127	5.4 %
1996	-	165	7.0 %
1997	-	227	9.7 %
1998	-	287	12.2 %
1999	-	393	16.7 %
2000	-	424	18.1 %
2001	-	460	19.6 %
2002	-	176	7.5 %
	Missing Data		
	-	21	0.9 %
	Total	2,348	100%

Based upon 2,327 valid cases out of 2,348 total cases.

Mean: 1998.86Median: 1999.00Mode: 2001.00Minimum: 1977.00Maximum: 2002.00

• Standard Deviation: 2.31

Location: 15-18 (width: 4; decimal: 0)

Variable Type: numeric

H3TP3: S18Q3 # LIVE BIRTHS FROM PREGNANCY-W3

Please indicate how many babies were born alive. For example, for twins who were both born alive enter 2, for twins of whom only one was born alive enter 1, for triplets who were all born a live enter 3, for a single birth enter 1.

Value	Label	Unweighted Frequency	%
1	(1) 1 live birth	1281	54.6 %
2	(2) 2 live births	39	1.7 %
3	(3) 3 live births	10	0.4 %
	Missing Data		
97	(97) Legitimate skip	986	42.0 %
	-	32	1.4 %
	Total	2,348	100%

Based upon 1,330 valid cases out of 2,348 total cases.

Minimum: 1.00Maximum: 3.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97, .