

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave IV: In-Home Questionnaire, Public Use
Sample (Section 16B: Relationships) Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave IV: In-Home Questionnaire, Public Use Sample (Section 16B: Relationships)

AID: RESPONDENT IDENTIFIER

RESPONDENT IDENTIFIER

Based upon 9,919 valid cases out of 9,919 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

PTNR_ID: PARTNER ID -W4

Partner Identifier

Value	Label	Unweighted Frequency	%
1	-	4981	50.2 %
2	-	2554	25.7 %
3	-	1234	12.4 %
4	-	536	5.4 %
5	-	259	2.6 %
6	-	137	1.4 %
7	-	72	0.7 %
8	-	42	0.4 %
9	-	27	0.3 %
10	-	19	0.2 %
11	-	13	0.1 %
12	-	10	0.1 %
13	-	7	0.1 %
14	-	6	0.1 %
15	-	4	0.0 %
16	-	3	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	9,919	100%

Based upon 9,919 valid cases out of 9,919 total cases.

- Mean: 2.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 1.72

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

H4TR13: S16BQ13 RELATIONSHIP TYPE W/ PARTNER-W4

Type of relationship with partner

Value	Label	Unweighted Frequency	%
1	(1) Marriage	2755	27.8 %
2	(2) Cohabitation	4410	44.5 %
3	(3) Pregnancy	1158	11.7 %
4	(4) Current dating	1103	11.1 %
5	(5) Most recent	493	5.0 %
	Total	9,919	100%

Based upon 9,919 valid cases out of 9,919 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

H4TR14: S16BQ14 RELATIONSHIP CURRENT?-W4

[If Q.13=1] ask: Are you currently married to {initials}? [If Q13=2] ask: Are you currently cohabiting with {initials}? [If Q13=3] ask: Are you currently in a romantic or sexual relationship with {initials}?

Value	Label	Unweighted Frequency	%
0	(0) No	4961	50.0 %
1	(1) Yes	3344	33.7 %
	Missing Data		
6	(6) Refused	13	0.1 %
7	(7) Legitimate skip	1596	16.1 %
8	(8) Don't know	5	0.1 %
	Total	9,919	100%

Based upon 8,305 valid cases out of 9,919 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4TR15: S16BQ15 # TIMES MARRIED TO PARTNER-W4

How many times have you been married to {initials}?

Value	Label	Unweighted Frequency	%
1	(1) 1 time	2743	27.7 %
2	(2) 2 or more times	8	0.1 %
	Missing Data		
6	(6) Refused	4	0.0 %
7	(7) Legitimate skip	7164	72.2 %
	Total	9,919	100%

Based upon 2,751 valid cases out of 9,919 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7

H4TR16: S16BQ16 EVR LIVED W/ PRTNR NT MARRIED-W4

Did you and {initials} ever live together for a month or more in the same residence as romantic or sexual partners when you were not married?

Value	Label	Unweighted Frequency	%
0	(0) No	826	8.3 %
1	(1) Yes	1926	19.4 %
	Missing Data		
6	(6) Refused	3	0.0 %
7	(7) Legitimate skip	7164	72.2 %
	Total	9,919	100%

Based upon 2,752 valid cases out of 9,919 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7

H4TR17: S16BQ17 # TIMES LIVED W/ PARTNER-W4

[If Q13=2] ask: How many times did you live with {initials}? By 'times' we mean periods of living together separated by times when you were not living together. [If Q13=1 and Q16=1] ask: How many times did you live with {initials} when you were not married? By 'times' we mean periods of living together separated by times when you were not living together.

Value	Label	Unweighted Frequency	%
1	-	5310	53.5 %
2	-	624	6.3 %
3	-	195	2.0 %
4	-	67	0.7 %
5	-	43	0.4 %
6	-	20	0.2 %
7	-	5	0.1 %
8	-	11	0.1 %
10	-	9	0.1 %
11	-	2	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
20	-	6	0.1 %
24	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
96	(96) Refused	21	0.2 %
97	(97) Legitimate skip	3583	36.1 %
98	(98) Don't know	19	0.2 %
	Total	9,919	100%

Based upon 6,296 valid cases out of 9,919 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 70.00
- Standard Deviation: 1.38

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4TR18: S16BQ18 # TIMES PREGNANT W/ PARTNER-W4

How many times did you (get pregnant by {initials})/make {initials} pregnant)?

Value	Label	Unweighted Frequency	%
0	-	1943	19.6 %

Value	Label	Unweighted Frequency	%
1	-	2558	25.8 %
2	-	1136	11.5 %
3	-	416	4.2 %
4	-	151	1.5 %
5	-	45	0.5 %
6	-	17	0.2 %
7	-	2	0.0 %
8	(8) 8 or more	6	0.1 %
	Missing Data		
96	(96) Refused	17	0.2 %
97	(97) Legitimate skip	3623	36.5 %
98	(98) Don't know	5	0.1 %
	Total	9,919	100%

Based upon 6,274 valid cases out of 9,919 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.09

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4TR19: S16BQ19 SEX OF PARTNER-W4

Is {initials} male or female?

Value	Label	Unweighted Frequency	%
1	(1) Male	5150	51.9 %
2	(2) Female	4717	47.6 %
	Missing Data		
6	(6) Refused	34	0.3 %
8	(8) Don't know	14	0.1 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 9,867 valid cases out of 9,919 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 6 , 8 , .

H4TR20: S16BQ20 PARTNER'S CURRENT AGE-W4

About how old is {initials} now? (If {initials} is deceased, how old would {initials} be if still living?)

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
18	-	17	0.2 %
19	-	38	0.4 %
20	-	64	0.6 %
21	-	120	1.2 %
22	-	207	2.1 %
23	-	289	2.9 %
24	-	466	4.7 %
25	-	615	6.2 %
26	-	825	8.3 %
27	-	880	8.9 %
28	-	973	9.8 %
29	-	915	9.2 %
30	-	930	9.4 %
31	-	697	7.0 %
32	-	567	5.7 %
33	-	427	4.3 %
34	-	367	3.7 %
35	-	308	3.1 %
36	-	223	2.2 %
37	-	150	1.5 %
38	-	156	1.6 %
39	-	88	0.9 %
40	-	103	1.0 %
41	-	36	0.4 %
42	-	67	0.7 %
43	-	35	0.4 %
44	-	25	0.3 %
45	-	28	0.3 %
46	-	21	0.2 %
47	-	15	0.2 %
48	-	13	0.1 %
49	-	12	0.1 %
50	-	9	0.1 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
55	-	6	0.1 %
56	-	3	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	(60) 60 years or older	6	0.1 %
	Missing Data		
96	(96) Refused	54	0.5 %
98	(98) Don't know	150	1.5 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 9,711 valid cases out of 9,919 total cases.

- Mean: 29.50
- Median: 29.00
- Mode: 28.00
- Minimum: 15.00
- Maximum: 60.00
- Standard Deviation: 4.96

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , .

H4TR21: S16BQ21 P OLDER/YOUNGER/SAME AGE AS R-W4

Is {initials} younger, older, or the same age as you?

Value	Label	Unweighted Frequency	%
1	(1) Younger	56	0.6 %
2	(2) Older	45	0.5 %
3	(3) Same age	29	0.3 %
	Missing Data		
6	(6) Refused	40	0.4 %
7	(7) Legitimate skip	9711	97.9 %
8	(8) Don't know	34	0.3 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 130 valid cases out of 9,919 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , .

H4TR22: S16BQ22 # YEAR P OLDER/YOUNGER THAN R-W4

About how many years (older/younger) than you is {initials} now?

Value	Label	Unweighted Frequency	%
1	-	4	0.0 %
2	-	16	0.2 %
3	-	8	0.1 %
4	-	2	0.0 %
5	-	6	0.1 %
6	-	5	0.1 %
10	-	3	0.0 %
15	-	2	0.0 %
20	-	1	0.0 %
28	-	1	0.0 %
	Missing Data		
96	(96) Refused	4	0.0 %
97	(97) Legitimate skip	9814	98.9 %
98	(98) Don't know	49	0.5 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 48 valid cases out of 9,919 total cases.

- Mean: 4.92
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 5.21

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , .

H4TR23: S16BQ23 PARTNER HISPANIC/LATINO?-W4

Is {initials} of Hispanic or Latino background?

Value	Label	Unweighted Frequency	%
0	(0) No	8707	87.8 %
1	(1) Yes	1136	11.5 %
	Missing Data		
6	(6) Refused	38	0.4 %
8	(8) Don't know	34	0.3 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 9,843 valid cases out of 9,919 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , .

H4TR24: S16BQ24 RACE OF PARTNER-W4

What is {initials}'s race?

Value	Label	Unweighted Frequency	%
1	(1) White	6005	60.5 %
2	(2) Black or African-American	2597	26.2 %
3	(3) American Indian or Native American	116	1.2 %
4	(4) Asian or Pacific Islander	296	3.0 %
5	(5) Other	833	8.4 %
	Missing Data		
96	(96) Refused	41	0.4 %
98	(98) Don't know	27	0.3 %
.	-	4	0.0 %
	Total	9,919	100%

Based upon 9,847 valid cases out of 9,919 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , .