

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris

University of North Carolina-Chapel Hill

J. Richard Udry

University of North Carolina-Chapel Hill

Wave III: In-Home Questionnaire, Public Use
Sample (Section 19: Relationships in Detail)
Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008
[Public Use]

DS11: Wave III: In-Home Questionnaire, Public Use Sample
(Section 19: Relationships in Detail)

1. **Truncated Value Labels:** Due to limitations in the statistical packages, a number of variables feature truncated value labels. Please see the P.I. Codebook/Questionnaire for full value labels.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave III: In-Home Questionnaire, Public Use Sample (Section 19: Relationships in Detail)

AID: RESPONDENT IDENTIFIER

Respondent identification number

Based upon 12,680 valid cases out of 12,680 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

RRELNO: RELATIONSHIP NUMBER

Romantic relationship number

Value	Label	Unweighted Frequency	%
1	(1) 1st relationship listed	3851	30.4 %
2	(2) 2nd relationship listed	2621	20.7 %
3	(3) 3rd relationship listed	1823	14.4 %
4	(4) 4th relationship listed	1277	10.1 %
5	(5) 5th relationship listed	886	7.0 %
6	(6) 6th relationship listed	583	4.6 %
7	(7) 7th relationship listed	435	3.4 %
8	(8) 8th relationship listed	294	2.3 %
9	(9) 9th relationship listed	229	1.8 %
10	(10) 10th relationship listed	170	1.3 %
11	-	119	0.9 %
12	-	86	0.7 %
13	-	72	0.6 %
14	-	53	0.4 %
15	-	45	0.4 %
16	-	29	0.2 %
17	-	22	0.2 %
18	-	16	0.1 %
19	-	14	0.1 %
20	-	7	0.1 %
21	-	6	0.0 %
22	-	5	0.0 %
23	-	6	0.0 %
24	-	5	0.0 %
25	-	3	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
	Total	12,680	100%

Based upon 12,680 valid cases out of 12,680 total cases.

- Mean: 3.49
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 42.00
- Standard Deviation: 3.32

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

H3RD1: S19Q1 R'S AGE AT MEETING P-W3

How old were you when you first met <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) 0 years	6	0.0 %
1	-	12	0.1 %
2	-	5	0.0 %
3	-	2	0.0 %
4	-	4	0.0 %
5	-	26	0.2 %
6	-	13	0.1 %
7	-	14	0.1 %
8	-	30	0.2 %
9	-	13	0.1 %

Value	Label	Unweighted Frequency	%
10	-	36	0.3 %
11	-	34	0.3 %
12	-	138	1.1 %
13	-	185	1.5 %
14	-	353	2.8 %
15	-	614	4.8 %
16	-	744	5.9 %
17	-	830	6.5 %
18	-	964	7.6 %
19	-	836	6.6 %
20	-	713	5.6 %
21	-	478	3.8 %
22	-	303	2.4 %
23	-	199	1.6 %
24	-	80	0.6 %
25	-	16	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5891	46.5 %
96	(96) Refused	60	0.5 %
98	(98) Don't know	51	0.4 %
99	(99) Not applicable	30	0.2 %
	Total	12,680	100%

Based upon 6,648 valid cases out of 12,680 total cases.

- Mean: 17.56
- Median: 18.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 3.21

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD2: S19Q2 P'S AGE AT MEETING R-W3

How old was {HE/SHE}?

Value	Label	Unweighted Frequency	%
0	(0) 0 years	8	0.1 %
1	-	8	0.1 %
2	-	5	0.0 %

Value	Label	Unweighted Frequency	%
3	-	6	0.0 %
4	-	2	0.0 %
5	-	17	0.1 %
6	-	25	0.2 %
7	-	13	0.1 %
8	-	21	0.2 %
9	-	17	0.1 %
10	-	21	0.2 %
11	-	44	0.3 %
12	-	103	0.8 %
13	-	169	1.3 %
14	-	329	2.6 %
15	-	521	4.1 %
16	-	659	5.2 %
17	-	774	6.1 %
18	-	863	6.8 %
19	-	651	5.1 %
20	-	530	4.2 %
21	-	398	3.1 %
22	-	337	2.7 %
23	-	279	2.2 %
24	-	197	1.6 %
25	-	125	1.0 %
26	-	136	1.1 %
27	-	82	0.6 %
28	-	67	0.5 %
29	-	61	0.5 %
30	-	43	0.3 %
31	-	22	0.2 %
32	-	25	0.2 %
33	-	18	0.1 %
34	-	15	0.1 %
35	-	10	0.1 %
36	-	11	0.1 %
37	-	8	0.1 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %

Value	Label	Unweighted Frequency	%
42	-	2	0.0 %
44	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	5891	46.5 %
96	(96) Refused	66	0.5 %
98	(98) Don't know	59	0.5 %
99	(99) Not applicable	28	0.2 %
	Total	12,680	100%

Based upon 6,636 valid cases out of 12,680 total cases.

- Mean: 18.76
- Median: 18.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 4.65

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD3: S19Q3 A ROMANTIC RELATIONSHIP?-W3

Do you and <PARTNER> have a romantic relationship?

Value	Label	Unweighted Frequency	%
0	(0) No	765	6.0 %
1	(1) Yes	5873	46.3 %
	Missing Data		
5	(5) Question not asked of this respondent	5885	46.4 %
6	(6) Refused	71	0.6 %
8	(8) Don't know	46	0.4 %
9	(9) Not applicable	40	0.3 %
	Total	12,680	100%

Based upon 6,638 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD4: S19Q4 R'S AGE ROMANTIC REL. BEGAN-W3

How old were you when your romantic relationship with <PARTNER> began?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	21	0.2 %
13	-	73	0.6 %
14	-	186	1.5 %
15	-	388	3.1 %
16	-	642	5.1 %
17	-	810	6.4 %
18	-	1003	7.9 %
19	-	849	6.7 %
20	-	714	5.6 %
21	-	537	4.2 %
22	-	309	2.4 %
23	-	210	1.7 %
24	-	87	0.7 %
25	-	13	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5885	46.4 %
96	(96) Refused	8	0.1 %
97	(97) Legitimate skip	922	7.3 %
98	(98) Don't know	15	0.1 %
99	(99) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 5,848 valid cases out of 12,680 total cases.

- Mean: 18.38
- Median: 18.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 2.45

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD5: S19Q5 P'S AGE ROMANTIC REL. BEGAN-W3

How old was {HE/SHE}?

Value	Label	Unweighted Frequency	%
10	-	3	0.0 %
11	-	1	0.0 %
12	-	20	0.2 %
13	-	54	0.4 %
14	-	178	1.4 %
15	-	369	2.9 %
16	-	579	4.6 %
17	-	732	5.8 %
18	-	852	6.7 %
19	-	648	5.1 %
20	-	538	4.2 %
21	-	432	3.4 %
22	-	350	2.8 %
23	-	274	2.2 %
24	-	181	1.4 %
25	-	139	1.1 %
26	-	116	0.9 %
27	-	86	0.7 %
28	-	70	0.6 %
29	-	58	0.5 %
30	-	36	0.3 %
31	-	29	0.2 %
32	-	24	0.2 %
33	-	17	0.1 %
34	-	14	0.1 %
35	-	9	0.1 %
36	-	12	0.1 %
37	-	6	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
95	(95) Question not asked of this respondent	5885	46.4 %
96	(96) Refused	11	0.1 %
97	(97) Legitimate skip	922	7.3 %
98	(98) Don't know	22	0.2 %
99	(99) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 5,839 valid cases out of 12,680 total cases.

- Mean: 19.57
- Median: 19.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 49.00
- Standard Deviation: 4.04

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD6M: S19Q6 MONTH ROMANTIC REL. BEGAN-W3

In what month (and year) did your romantic relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1	(1) January	461	3.6 %
2	(2) February	441	3.5 %
3	(3) March	426	3.4 %
4	(4) April	396	3.1 %
5	(5) May	491	3.9 %
6	(6) June	615	4.9 %
7	(7) July	425	3.4 %
8	(8) August	532	4.2 %
9	(9) September	527	4.2 %
10	(10) October	515	4.1 %
11	(11) November	362	2.9 %
12	(12) December	362	2.9 %
	Missing Data		
95	(95) Question not asked of this respondent	5885	46.4 %
96	(96) Refused	67	0.5 %
97	(97) Legitimate skip	922	7.3 %
98	(98) Don't know	234	1.8 %
99	(99) Not applicable	18	0.1 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	12,680	100%

Based upon 5,553 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD6Y: S19Q6 YEAR ROMANTIC REL. BEGAN-W3

In what (month and) year did your romantic relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1977	-	1	0.0 %
1979	-	1	0.0 %
1982	-	1	0.0 %
1988	-	4	0.0 %
1989	-	3	0.0 %
1990	-	13	0.1 %
1991	-	22	0.2 %
1992	-	48	0.4 %
1993	-	128	1.0 %
1994	-	247	1.9 %
1995	-	484	3.8 %
1996	-	619	4.9 %
1997	-	681	5.4 %
1998	-	819	6.5 %
1999	-	875	6.9 %
2000	-	878	6.9 %
2001	-	758	6.0 %
2002	-	24	0.2 %
	Missing Data		
9995	(9995) Question not asked of this respondent	5885	46.4 %
9996	(9996) Refused	65	0.5 %
9997	(9997) Legitimate skip	922	7.3 %
9998	(9998) Don't know	180	1.4 %
9999	(9999) Not applicable	18	0.1 %
.	-	4	0.0 %
	Total	12,680	100%

Based upon 5,606 valid cases out of 12,680 total cases.

- Mean: 1997.88
- Median: 1998.00
- Mode: 2000.00
- Minimum: 1977.00
- Maximum: 2002.00
- Standard Deviation: 2.37

Location: 22-25 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD7: S19Q7 SEASON ROMANTIC REL. BEGAN-W3

In what season of the year did your romantic relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1	(1) Winter (December, January, February)	18	0.1 %
2	(2) Spring (March, April, May)	23	0.2 %
3	(3) Summer (June, July, August)	18	0.1 %
4	(4) Fall (September, October, November)	3	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	5885	46.4 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	922	7.3 %
8	(8) Don't know	11	0.1 %
.	-	5799	45.7 %
	Total	12,680	100%

Based upon 62 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , .

H3RD8: S19Q8 R'S AGE SEXUAL REL. BEGAN-W3

How old were you when your sexual relationship with <PARTNER> began?

Value	Label	Unweighted Frequency	%
1	-	9	0.1 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	3	0.0 %
11	-	6	0.0 %
12	-	32	0.3 %
13	-	88	0.7 %
14	-	246	1.9 %
15	-	600	4.7 %
16	-	1069	8.4 %
17	-	1536	12.1 %
18	-	1926	15.2 %
19	-	1638	12.9 %
20	-	1525	12.0 %
21	-	1149	9.1 %
22	-	664	5.2 %
23	-	447	3.5 %
24	-	173	1.4 %
25	-	26	0.2 %
26	-	5	0.0 %
	Missing Data		
96	(96) Refused	351	2.8 %
97	(97) Legitimate skip	764	6.0 %
98	(98) Don't know	293	2.3 %
99	(99) Not applicable	112	0.9 %
.	-	13	0.1 %
	Total	12,680	100%

Based upon 11,147 valid cases out of 12,680 total cases.

- Mean: 18.62
- Median: 19.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 26.00
- Standard Deviation: 2.43

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3RD9: S19Q9 P'S AGE SEXUAL REL. BEGAN-W3

How old was {HE/SHE}?

Value	Label	Unweighted Frequency	%
10	-	9	0.1 %

Value	Label	Unweighted Frequency	%
11	-	5	0.0 %
12	-	21	0.2 %
13	-	77	0.6 %
14	-	224	1.8 %
15	-	551	4.3 %
16	-	908	7.2 %
17	-	1274	10.0 %
18	-	1626	12.8 %
19	-	1341	10.6 %
20	-	1130	8.9 %
21	-	939	7.4 %
22	-	709	5.6 %
23	-	573	4.5 %
24	-	427	3.4 %
25	-	278	2.2 %
26	-	219	1.7 %
27	-	160	1.3 %
28	-	139	1.1 %
29	-	119	0.9 %
30	-	83	0.7 %
31	-	60	0.5 %
32	-	48	0.4 %
33	-	42	0.3 %
34	-	31	0.2 %
35	-	29	0.2 %
36	-	26	0.2 %
37	-	9	0.1 %
38	-	11	0.1 %
39	-	6	0.0 %
40	-	7	0.1 %
41	-	4	0.0 %
42	-	7	0.1 %
43	-	3	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
96	(96) Refused	358	2.8 %
97	(97) Legitimate skip	764	6.0 %
98	(98) Don't know	329	2.6 %
99	(99) Not applicable	110	0.9 %
.	-	13	0.1 %
	Total	12,680	100%

Based upon 11,106 valid cases out of 12,680 total cases.

- Mean: 19.99
- Median: 19.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 50.00
- Standard Deviation: 4.18

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3RD10M: S19Q10 MONTH SEXUAL REL. BEGAN-W3

In what month (and year) did your sexual relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1	(1) January	784	6.2 %
2	(2) February	756	6.0 %
3	(3) March	802	6.3 %
4	(4) April	760	6.0 %
5	(5) May	924	7.3 %
6	(6) June	1160	9.1 %
7	(7) July	967	7.6 %
8	(8) August	1000	7.9 %
9	(9) September	818	6.5 %
10	(10) October	902	7.1 %
11	(11) November	718	5.7 %
12	(12) December	663	5.2 %
	Missing Data		
96	(96) Refused	469	3.7 %
97	(97) Legitimate skip	764	6.0 %
98	(98) Don't know	994	7.8 %
99	(99) Not applicable	186	1.5 %
.	-	13	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,680	100%

Based upon 10,254 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3RD10Y: S19Q10 YEAR SEXUAL REL. BEGAN-W3

In what (month and) year did your sexual relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1977	-	1	0.0 %
1982	-	1	0.0 %
1983	-	1	0.0 %
1984	-	1	0.0 %
1988	-	2	0.0 %
1989	-	4	0.0 %
1990	-	12	0.1 %
1991	-	27	0.2 %
1992	-	64	0.5 %
1993	-	180	1.4 %
1994	-	379	3.0 %
1995	-	807	6.4 %
1996	-	1077	8.5 %
1997	-	1275	10.1 %
1998	-	1417	11.2 %
1999	-	1612	12.7 %
2000	-	1792	14.1 %
2001	-	1612	12.7 %
2002	-	84	0.7 %
	Missing Data		
9996	(9996) Refused	450	3.5 %
9997	(9997) Legitimate skip	764	6.0 %
9998	(9998) Don't know	803	6.3 %
9999	(9999) Not applicable	172	1.4 %
.	-	143	1.1 %
	Total	12,680	100%

Based upon 10,348 valid cases out of 12,680 total cases.

- Mean: 1998.13
- Median: 1998.00
- Mode: 2000.00
- Minimum: 1977.00
- Maximum: 2002.00
- Standard Deviation: 2.28

Location: 33-36 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999 , .

H3RD11: S19Q11 SEASON SEXUAL REL. BEGAN-W3

In what season of the year did your sexual relationship with <PARTNER> begin?

Value	Label	Unweighted Frequency	%
1	(1) Winter (December, January, February)	44	0.3 %
2	(2) Spring (March, April, May)	44	0.3 %
3	(3) Summer (June, July, August)	38	0.3 %
4	(4) Fall (September, October, November)	21	0.2 %
	Missing Data		
7	(7) Legitimate skip	11686	92.2 %
8	(8) Don't know	33	0.3 %
.	-	814	6.4 %
	Total	12,680	100%

Based upon 147 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

H3RD12M: S19Q12 MONTH OF MARRIAGE TO P-W3

In what month (and year) did you and <PARTNER> marry?

Value	Label	Unweighted Frequency	%
1	(1) January	40	0.3 %
2	(2) February	52	0.4 %
3	(3) March	44	0.3 %
4	(4) April	45	0.4 %
5	(5) May	100	0.8 %
6	(6) June	98	0.8 %
7	(7) July	84	0.7 %

Value	Label	Unweighted Frequency	%
8	(8) August	97	0.8 %
9	(9) September	78	0.6 %
10	(10) October	65	0.5 %
11	(11) November	53	0.4 %
12	(12) December	45	0.4 %
	Missing Data		
96	(96) Refused	11	0.1 %
97	(97) Legitimate skip	11849	93.4 %
98	(98) Don't know	8	0.1 %
99	(99) Not applicable	11	0.1 %
	Total	12,680	100%

Based upon 801 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99

H3RD12Y: S19Q12 YEAR OF MARRIAGE TO P-W3

In what (month and) year did you and <PARTNER> marry?

Value	Label	Unweighted Frequency	%
1977	-	1	0.0 %
1982	-	1	0.0 %
1992	-	1	0.0 %
1993	-	4	0.0 %
1994	-	7	0.1 %
1995	-	33	0.3 %
1996	-	38	0.3 %
1997	-	74	0.6 %
1998	-	123	1.0 %
1999	-	143	1.1 %
2000	-	182	1.4 %
2001	-	186	1.5 %
2002	-	5	0.0 %
	Missing Data		
9996	(9996) Refused	10	0.1 %
9997	(9997) Legitimate skip	11849	93.4 %
9998	(9998) Don't know	12	0.1 %

Value	Label	Unweighted Frequency	%
9999	(9999) Not applicable	11	0.1 %
	Total	12,680	100%

Based upon 798 valid cases out of 12,680 total cases.

- Mean: 1998.93
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1977.00
- Maximum: 2002.00
- Standard Deviation: 2.06

Location: 40-43 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

H3RD13: S19Q13 PRE-MARITAL CO-HABITATION?-W3

Did you and <PARTNER> ever live together in the same residence as romantic or sexual partners before you married?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.15)	318	2.5 %
1	(1) Yes	495	3.9 %
	Missing Data		
6	(6) Refused	9	0.1 %
7	(7) Legitimate skip	11849	93.4 %
8	(8) Don't know	3	0.0 %
9	(9) Not applicable	6	0.0 %
	Total	12,680	100%

Based upon 813 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , 9

H3RD14A: S19Q14 PRE-MARITAL CO-HAB, NUMBER-W3

How long did you and <PARTNER> live together before you married?

Value	Label	Unweighted Frequency	%
1	-	128	1.0 %
2	-	110	0.9 %
3	-	65	0.5 %
4	-	36	0.3 %

Value	Label	Unweighted Frequency	%
5	-	43	0.3 %
6	-	48	0.4 %
7	-	10	0.1 %
8	-	8	0.1 %
9	-	10	0.1 %
10	-	9	0.1 %
11	-	2	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
	Missing Data		
96	(96) Refused	2	0.0 %
97	(97) Legitimate skip	12185	96.1 %
98	(98) Don't know	4	0.0 %
99	(99) Not applicable	4	0.0 %
.	-	7	0.1 %
	Total	12,680	100%

Based upon 478 valid cases out of 12,680 total cases.

- Mean: 3.56
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.28

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3RD14B: S19Q14 PRE-MARITAL CO-HAB, UNIT-W3

How long did you and <PARTNER> live together before you married?

Value	Label	Unweighted Frequency	%
1	(1) Years	276	2.2 %
2	(2) Months	188	1.5 %
3	(3) Days	14	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	12185	96.1 %
.	-	17	0.1 %
	Total	12,680	100%

Based upon 478 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

H3RD15A: S19Q15 TRAVEL TO P'S HOME, NUMBER-W3

How long does it take you to travel to <PARTNER>'s residence?

Value	Label	Unweighted Frequency	%
1	-	141	1.1 %
2	-	108	0.9 %
3	-	67	0.5 %
4	-	31	0.2 %
5	-	252	2.0 %
6	-	21	0.2 %
7	-	21	0.2 %
8	-	16	0.1 %
9	-	2	0.0 %
10	-	258	2.0 %
11	-	3	0.0 %
12	-	14	0.1 %
13	-	5	0.0 %
14	-	2	0.0 %
15	-	204	1.6 %
16	-	3	0.0 %
17	-	3	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	161	1.3 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
25	-	54	0.4 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	144	1.1 %
35	-	15	0.1 %
40	-	23	0.2 %
45	-	58	0.5 %
49	-	1	0.0 %
50	-	4	0.0 %
59	-	1	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	31	0.2 %
97	(97) Legitimate skip	1403	11.1 %
98	(98) Don't know	18	0.1 %
99	(99) Not applicable	10	0.1 %
.	-	8832	69.7 %
	Total	12,680	100%

Based upon 1,622 valid cases out of 12,680 total cases.

- Mean: 13.47
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 11.49

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD15B: S19Q15 TRAVEL TO P'S HOME, UNIT-W3

How long does it take you to travel to <PARTNER>'s residence?

Value	Label	Unweighted Frequency	%
1	(1) Minutes	1339	10.6 %
2	(2) Hours	276	2.2 %
3	(3) Days	14	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	1403	11.1 %
.	-	8884	70.1 %
	Total	12,680	100%

Based upon 1,629 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD16A: S19Q16 PRE-CO-HAB TO P'S HOME, NUMBER-W3

Before you lived together, how long did it take you to travel to <PARTNER>'s residence?

Value	Label	Unweighted Frequency	%
1	-	217	1.7 %
2	-	140	1.1 %
3	-	82	0.6 %
4	-	32	0.3 %
5	-	408	3.2 %
6	-	17	0.1 %
7	-	16	0.1 %
8	-	17	0.1 %
9	-	3	0.0 %
10	-	429	3.4 %
12	-	22	0.2 %
13	-	5	0.0 %
14	-	5	0.0 %
15	-	355	2.8 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	250	2.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
24	-	1	0.0 %
25	-	77	0.6 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	247	1.9 %
35	-	23	0.2 %
39	-	1	0.0 %
40	-	20	0.2 %
43	-	1	0.0 %
45	-	85	0.7 %

Value	Label	Unweighted Frequency	%
50	-	6	0.0 %
59	-	3	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	42	0.3 %
97	(97) Legitimate skip	9287	73.2 %
98	(98) Don't know	46	0.4 %
99	(99) Not applicable	17	0.1 %
.	-	49	0.4 %
	Total	12,680	100%

Based upon 2,475 valid cases out of 12,680 total cases.

- Mean: 13.71
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 11.30

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD16B: S19Q16 PRE-CO-HAB TO P'S HOME, UNIT-W3

Before you lived together, how long did it take you to travel to <PARTNER>'s residence?

Value	Label	Unweighted Frequency	%
1	(1) Minutes	2215	17.5 %
2	(2) Hours	248	2.0 %
3	(3) Days	53	0.4 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	9287	73.2 %
.	-	113	0.9 %
	Total	12,680	100%

Based upon 2,516 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD16T1: S19Q16T TRAVEL TO P'S HOME, NUMBER-W3

When you were with <PARTNER>, how long did it take you to travel to {HIS/HER} residence?

Value	Label	Unweighted Frequency	%
1	-	602	4.7 %
2	-	407	3.2 %
3	-	202	1.6 %
4	-	96	0.8 %
5	-	1253	9.9 %
6	-	44	0.3 %
7	-	42	0.3 %
8	-	48	0.4 %
9	-	9	0.1 %
10	-	1172	9.2 %
11	-	9	0.1 %
12	-	55	0.4 %
13	-	5	0.0 %
14	-	14	0.1 %
15	-	989	7.8 %
16	-	5	0.0 %
17	-	4	0.0 %
18	-	5	0.0 %
19	-	8	0.1 %
20	-	731	5.8 %
21	-	5	0.0 %
22	-	8	0.1 %
23	-	7	0.1 %
24	-	1	0.0 %
25	-	211	1.7 %
26	-	3	0.0 %
27	-	1	0.0 %
29	-	3	0.0 %
30	-	629	5.0 %
31	-	1	0.0 %
32	-	2	0.0 %
34	-	3	0.0 %
35	-	75	0.6 %
40	-	51	0.4 %
43	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	228	1.8 %
50	-	19	0.1 %
55	-	3	0.0 %
59	-	2	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	2032	16.0 %
96	(96) Refused	313	2.5 %
97	(97) Legitimate skip	2790	22.0 %
98	(98) Don't know	365	2.9 %
99	(99) Not applicable	108	0.9 %
.	-	118	0.9 %
	Total	12,680	100%

Based upon 6,954 valid cases out of 12,680 total cases.

- Mean: 13.45
- Median: 10.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 11.13

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD16T2: S19Q16T TRAVEL TO P'S HOME, UNIT-W3

When you were with <PARTNER>, how long did it take you to travel to {HIS/HER} residence?

Value	Label	Unweighted Frequency	%
1	(1) Minutes	6277	49.5 %
2	(2) Hours	690	5.4 %
3	(3) Days	89	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	2032	16.0 %
7	(7) Legitimate skip	2790	22.0 %
.	-	802	6.3 %
	Total	12,680	100%

Based upon 7,056 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 5 , 7 , .

H3RD17A: S19Q17 SEX PRE-CO-HAB, NUMBER-W3

How long had you been in a sexual relationship with <PARTNER> when the two of you began to live together?

Value	Label	Unweighted Frequency	%
1	-	619	4.9 %
2	-	513	4.0 %
3	-	393	3.1 %
4	-	232	1.8 %
5	-	171	1.3 %
6	-	177	1.4 %
7	-	70	0.6 %
8	-	67	0.5 %
9	-	46	0.4 %
10	-	30	0.2 %
11	-	17	0.1 %
12	-	3	0.0 %
14	-	9	0.1 %
15	-	3	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	6	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
30	-	4	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	47	0.4 %
97	(97) Legitimate skip	9287	73.2 %
98	(98) Don't know	53	0.4 %
99	(99) Not applicable	20	0.2 %
.	-	145	1.1 %
	Total	12,680	100%

Based upon 2,364 valid cases out of 12,680 total cases.

- Mean: 3.44
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 2.89

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD17B: S19Q17 SEX PRE-CO-HAB, UNIT-W3

How long had you been in a sexual relationship with <PARTNER> when the two of you began to live together?

Value	Label	Unweighted Frequency	%
1	(1) Years	1197	9.4 %
2	(2) Months	1064	8.4 %
3	(3) Days	239	1.9 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	9287	73.2 %
.	-	129	1.0 %
	Total	12,680	100%

Based upon 2,500 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD18A: S19Q18 CO-HABITATION, NUMBER-W3

How long {HAVE YOU BEEN LIVING/DID YOU LIVE} in the same residence with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	-	544	4.3 %
2	-	539	4.3 %
3	-	508	4.0 %
4	-	256	2.0 %
5	-	189	1.5 %
6	-	217	1.7 %
7	-	84	0.7 %
8	-	78	0.6 %
9	-	47	0.4 %
10	-	30	0.2 %
11	-	21	0.2 %
12	-	1	0.0 %
14	-	9	0.1 %

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
30	-	1	0.0 %
	Missing Data		
96	(96) Refused	45	0.4 %
97	(97) Legitimate skip	10012	79.0 %
98	(98) Don't know	36	0.3 %
99	(99) Not applicable	16	0.1 %
.	-	41	0.3 %
	Total	12,680	100%

Based upon 2,530 valid cases out of 12,680 total cases.

- Mean: 3.50
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.54

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3RD18B: S19Q18 CO-HABITATION, UNIT-W3

How long {HAVE YOU BEEN LIVING/DID YOU LIVE} in the same residence with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Years	1524	12.0 %
2	(2) Months	968	7.6 %
3	(3) Days	70	0.6 %
	Missing Data		
7	(7) Legitimate skip	10012	79.0 %
.	-	106	0.8 %
	Total	12,680	100%

Based upon 2,562 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

H3RD19A: S19Q19 SEXUAL REL., NUMBER-W3

How long did your sexual relationship with <PARTNER> last?

Value	Label	Unweighted Frequency	%
1	-	2557	20.2 %
2	-	1514	11.9 %
3	-	1299	10.2 %
4	-	628	5.0 %
5	-	450	3.5 %
6	-	535	4.2 %
7	-	220	1.7 %
8	-	186	1.5 %
9	-	126	1.0 %
10	-	116	0.9 %
11	-	41	0.3 %
12	-	30	0.2 %
13	-	10	0.1 %
14	-	75	0.6 %
15	-	32	0.3 %
16	-	9	0.1 %
17	-	5	0.0 %
18	-	37	0.3 %
19	-	4	0.0 %
20	-	27	0.2 %
21	-	14	0.1 %
22	-	4	0.0 %
23	-	3	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	22	0.2 %
35	-	1	0.0 %
37	-	1	0.0 %
45	-	2	0.0 %
60	-	2	0.0 %
76	-	1	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	1341	10.6 %
96	(96) Refused	354	2.8 %

Value	Label	Unweighted Frequency	%
97	(97) Legitimate skip	1892	14.9 %
98	(98) Don't know	345	2.7 %
99	(99) Not applicable	114	0.9 %
.	-	675	5.3 %
	Total	12,680	100%

Based upon 7,959 valid cases out of 12,680 total cases.

- Mean: 3.57
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 76.00
- Standard Deviation: 3.87

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD19B: S19Q19 SEXUAL REL., UNIT-W3

How long did your sexual relationship with <PARTNER> last?

Value	Label	Unweighted Frequency	%
1	(1) Years	2306	18.2 %
2	(2) Months	4111	32.4 %
3	(3) Days	1592	12.6 %
	Missing Data		
5	(5) Question not asked of this respondent	1341	10.6 %
7	(7) Legitimate skip	1892	14.9 %
.	-	1438	11.3 %
	Total	12,680	100%

Based upon 8,009 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD20M: S19Q20 MONTH SEXUAL REL. ENDED-W3

In what month (and year) did your sexual relationship with <PARTNER> end?

Value	Label	Unweighted Frequency	%
1	(1) January	564	4.4 %

Value	Label	Unweighted Frequency	%
2	(2) February	541	4.3 %
3	(3) March	544	4.3 %
4	(4) April	535	4.2 %
5	(5) May	668	5.3 %
6	(6) June	730	5.8 %
7	(7) July	650	5.1 %
8	(8) August	815	6.4 %
9	(9) September	622	4.9 %
10	(10) October	568	4.5 %
11	(11) November	494	3.9 %
12	(12) December	611	4.8 %
	Missing Data		
95	(95) Question not asked of this respondent	1341	10.6 %
96	(96) Refused	408	3.2 %
97	(97) Legitimate skip	1892	14.9 %
98	(98) Don't know	907	7.2 %
99	(99) Not applicable	168	1.3 %
.	-	622	4.9 %
	Total	12,680	100%

Based upon 7,342 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD20Y: S19Q20 YEAR SEXUAL REL. ENDED-W3

In what (month and) year did your sexual relationship with <PARTNER> end?

Value	Label	Unweighted Frequency	%
1977	-	2	0.0 %
1978	-	1	0.0 %
1988	-	3	0.0 %
1990	-	4	0.0 %
1991	-	14	0.1 %
1992	-	14	0.1 %
1993	-	47	0.4 %
1994	-	106	0.8 %
1995	-	390	3.1 %

Value	Label	Unweighted Frequency	%
1996	-	646	5.1 %
1997	-	889	7.0 %
1998	-	947	7.5 %
1999	-	1227	9.7 %
2000	-	1552	12.2 %
2001	-	1556	12.3 %
2002	-	103	0.8 %
	Missing Data		
9995	(9995) Question not asked of this respondent	1341	10.6 %
9996	(9996) Refused	402	3.2 %
9997	(9997) Legitimate skip	1892	14.9 %
9998	(9998) Don't know	759	6.0 %
9999	(9999) Not applicable	163	1.3 %
.	-	622	4.9 %
	Total	12,680	100%

Based upon 7,501 valid cases out of 12,680 total cases.

- Mean: 1998.68
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1977.00
- Maximum: 2002.00
- Standard Deviation: 2.08

Location: 68-71 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD21: S19Q21 WHY SEXUAL REL. ENDED-W3

What was the main reason the relationship ended?

Value	Label	Unweighted Frequency	%
1	(1) You or <PARTNER> moved away for school/job/service	1000	7.9 %
2	(2) You or <PARTNER> started a relationship with someone els	1274	10.0 %
3	(3) You and/or <PARTNER> tired of other/out of love/grew apa	1537	12.1 %
4	(4) You and/or <PARTNER> was abusive	115	0.9 %
5	(5) Relationship had too much conflict, not getting along	712	5.6 %
6	(6) You and/or<PARTNER> found something unacceptable about o	205	1.6 %
7	(7) Unplanned pregnancy	56	0.4 %
8	(8) One partner wanted relation more serious/committed than	537	4.2 %
9	(9) One partner wanted the relationship to be less committed	295	2.3 %
10	(10) One partner lied/was unfaithful	555	4.4 %

Value	Label	Unweighted Frequency	%
11	(11) <PARTNER> died	29	0.2 %
12	(12) One partner was sent to jail/prison	82	0.6 %
13	(13) Other	1540	12.1 %
	Missing Data		
95	(95) Question not asked of this respondent	1341	10.6 %
96	(96) Refused	376	3.0 %
97	(97) Legitimate skip	1892	14.9 %
98	(98) Don't know	355	2.8 %
99	(99) Not applicable	163	1.3 %
.	-	616	4.9 %
	Total	12,680	100%

Based upon 7,937 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD22: S19Q22 R HOME OTHER THAN CO-HAB?-W3

Do you have a residence, other than the one you share with <PARTNER>, where you keep clothing or toiletries and sometimes spend the night?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.24)	530	4.2 %
1	(1) Yes	93	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	5	0.0 %
7	(7) Legitimate skip	47	0.4 %
8	(8) Don't know	8	0.1 %
9	(9) Not applicable	3	0.0 %
.	-	655	5.2 %
	Total	12,680	100%

Based upon 623 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD23A: S19Q23 PARENTS R'S OTHER HOME?-W3

Who else lives in your other residence? Parent(s)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	49	0.4 %
1	(1) Marked	44	0.3 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1201	9.5 %
	Total	12,680	100%

Based upon 93 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD23B: S19Q23 RELATIVES R'S OTHER HOME?-W3

Who else lives in your other residence? Other relative(s)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	74	0.6 %
1	(1) Marked	19	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1201	9.5 %
	Total	12,680	100%

Based upon 93 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD23C: S19Q23 ROOMMATE R'S OTHER HOME?-W3

Who else lives in your other residence? Friend/roommate

Value	Label	Unweighted Frequency	%
0	(0) Not marked	80	0.6 %
1	(1) Marked	13	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1201	9.5 %
	Total	12,680	100%

Based upon 93 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD23D: S19Q23 OTHER P R'S OTHER HOME?-W3

Who else lives in your other residence? Another romantic or sexual partner, spouse, ex-spouse

Value	Label	Unweighted Frequency	%
0	(0) Not marked	93	0.7 %
1	(1) Marked	0	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1201	9.5 %
	Total	12,680	100%

Based upon 93 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD23E: S19Q23 SOMEONE ELSE R'S OTHER HOME?-W3

Who else lives in your other residence? Other.

Value	Label	Unweighted Frequency	%
0	(0) Not marked	87	0.7 %
1	(1) Marked	6	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1201	9.5 %
	Total	12,680	100%

Based upon 93 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD24: S19Q24 P HOME OTHER THAN CO-HAB.?-W3

Does <PARTNER> have a residence, other than the one you share, where {HE/ SHE} keeps clothing or toiletries and sometimes spends the night?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.26)	570	4.5 %
1	(1) Yes	52	0.4 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	6	0.0 %
7	(7) Legitimate skip	47	0.4 %
8	(8) Don't know	8	0.1 %
9	(9) Not applicable	3	0.0 %
.	-	655	5.2 %
	Total	12,680	100%

Based upon 622 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD25A: S19Q25 PARENTS P'S OTHER HOME?-W3

Who else lives in <PARTNER>'s other residence? Parent(s)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	22	0.2 %
1	(1) Marked	30	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
.	-	1242	9.8 %
	Total	12,680	100%

Based upon 52 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD25B: S19Q25 RELATIVES P'S OTHER HOME?-W3

Who else lives in <PARTNER>'s other residence? Other relative(s)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	41	0.3 %
1	(1) Marked	10	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
9	(9) Not applicable	1	0.0 %
.	-	1242	9.8 %
	Total	12,680	100%

Based upon 51 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 9 , .

H3RD25C: S19Q25 ROOMMATE P'S OTHER HOME?-W3

Who else lives in <PARTNER>'s other residence? Friend/roommate

Value	Label	Unweighted Frequency	%
0	(0) Not marked	48	0.4 %
1	(1) Marked	3	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	47	0.4 %
9	(9) Not applicable	1	0.0 %
.	-	1242	9.8 %
	Total	12,680	100%

Based upon 51 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 9 , .

H3RD25D: S19Q25 OTHER P P'S OTHER HOME?-W3

Who else lives in <PARTNER>'s other residence? Another romantic or sexual partner, spouse, ex-spouse

Value	Label	Unweighted Frequency	%
0	(0) Not marked	48	0.4 %
1	(1) Marked	3	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %
9	(9) Not applicable	1	0.0 %
.	-	1242	9.8 %
	Total	12,680	100%

Based upon 51 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 9 , .

H3RD25E: S19Q25 SOMEONE ELSE P'S OTHER HOME?-W3

Who else lives in <PARTNER>'s other residence? Other

Value	Label	Unweighted Frequency	%
0	(0) Not marked	46	0.4 %
1	(1) Marked	5	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	47	0.4 %

Value	Label	Unweighted Frequency	%
9	(9) Not applicable	1	0.0 %
.	-	1242	9.8 %
	Total	12,680	100%

Based upon 51 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 9 , .

H3RD26: S19Q26 R AND P ENGAGED?-W3

At the present time, are you and <PARTNER> engaged to be married?

Value	Label	Unweighted Frequency	%
0	(0) No	10237	80.7 %
1	(1) Yes	945	7.5 %
	Missing Data		
6	(6) Refused	361	2.8 %
7	(7) Legitimate skip	831	6.6 %
8	(8) Don't know	169	1.3 %
9	(9) Not applicable	131	1.0 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 11,182 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3RD27: S19Q27 RELATIONSHIP TYPE-W3

Which of the following best describes your relationship with <PARTNER> at the present time?

Value	Label	Unweighted Frequency	%
1	(1) Dating <PARTNER> exclusively	5186	40.9 %
2	(2) Dating <PARTNER> frequently, but not exclusively	1525	12.0 %
3	(3) Dating <PARTNER> once in awhile	1038	8.2 %
4	(4) Only having sex with <PARTNER>	2581	20.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
6	(6) Refused	409	3.2 %
7	(7) Legitimate skip	1472	11.6 %
8	(8) Don't know	265	2.1 %
9	(9) Not applicable	198	1.6 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 10,330 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3RD28: S19Q28 SPEND NIGHT TOGETHER?-W3

Do you and <PARTNER> ever spend the night together?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.30)	109	0.9 %
1	(1) Yes	567	4.5 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	6	0.0 %
7	(7) Legitimate skip	650	5.1 %
8	(8) Don't know	4	0.0 %
9	(9) Not applicable	5	0.0 %
	Total	12,680	100%

Based upon 676 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD29: S19Q29 FREQ. NIGHT TOGETHER-W3

In an average week, how often do you and {HE/SHE} spend the entire night together?

Value	Label	Unweighted Frequency	%
0	(0) Never	85	0.7 %
1	(1) One or two nights	298	2.4 %

Value	Label	Unweighted Frequency	%
2	(2) Three or four nights	108	0.9 %
3	(3) Five to seven nights	67	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	774	6.1 %
8	(8) Don't know	4	0.0 %
9	(9) Not applicable	5	0.0 %
	Total	12,680	100%

Based upon 558 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , 9

H3RD30: S19Q30 STUFF AT OTHER'S HOME?-W3

Do you or <PARTNER> keep clothing or toiletries at the other's residence?

Value	Label	Unweighted Frequency	%
0	(0) No	364	2.9 %
1	(1) Yes	314	2.5 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	6	0.0 %
7	(7) Legitimate skip	650	5.1 %
8	(8) Don't know	3	0.0 %
9	(9) Not applicable	4	0.0 %
	Total	12,680	100%

Based upon 678 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9

H3RD31: S19Q31 SPENT NIGHT PRE-MARRIAGE?-W3

Did you and <PARTNER> ever spend the night together before you married?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.33)	56	0.4 %
1	(1) Yes	83	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	1201	9.5 %
	Total	12,680	100%

Based upon 139 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7

H3RD32: S19Q32 FREQ. SPENT NIGHT PRE-MARR.-W3

In an average week before you married, how often did you and {HE/SHE} spend the entire night together?

Value	Label	Unweighted Frequency	%
0	(0) Never	16	0.1 %
1	(1) One or two nights	36	0.3 %
2	(2) Three or four nights	14	0.1 %
3	(3) Five to seven nights	13	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
7	(7) Legitimate skip	995	7.8 %
8	(8) Don't know	4	0.0 %
.	-	263	2.1 %
	Total	12,680	100%

Based upon 79 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , .

H3RD33: S19Q33 STUFF OTHER'S HOME PRE-MARR.-W3

Before you married, did you or <PARTNER> keep clothing or toiletries at the other's residence?

Value	Label	Unweighted Frequency	%
0	(0) No	94	0.7 %
1	(1) Yes	45	0.4 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	1201	9.5 %
	Total	12,680	100%

Based upon 139 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7

H3RD34: S19Q34 SPENT NIGHT PRE-CO-HAB?-W3

Did you and <PARTNER> ever spend the night together before you started living together?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.37)	118	0.9 %
1	(1) Yes	628	5.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	7	0.1 %
7	(7) Legitimate skip	582	4.6 %
8	(8) Don't know	5	0.0 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 746 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD35: S19Q35 FREQ. SPENT NIGHT PRE-CO-HAB-W3

In an average week before you started living together, how often did you and {HE/ SHE} spend the entire night together?

Value	Label	Unweighted Frequency	%
0	(0) Never	28	0.2 %

Value	Label	Unweighted Frequency	%
1	(1) One or two nights	311	2.5 %
2	(2) Three or four nights	142	1.1 %
3	(3) Five to seven nights	132	1.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	713	5.6 %
8	(8) Don't know	12	0.1 %
9	(9) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 613 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD36: S19Q36 STUFF OTHER'S HOME PRE-CO-HAB?-W3

Before you started living together, did you or <PARTNER> keep clothing or toiletries at the other's residence?

Value	Label	Unweighted Frequency	%
0	(0) No	342	2.7 %
1	(1) Yes	401	3.2 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	7	0.1 %
7	(7) Legitimate skip	582	4.6 %
8	(8) Don't know	7	0.1 %
9	(9) Not applicable	1	0.0 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 743 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD37: S19Q37 MEALS PER WEEK TOGETHER-W3

In an average week, how many meals do you and <PARTNER> eat together?

Value	Label	Unweighted Frequency	%
0	(0) None	112	0.9 %
1	(1) One or two meals	281	2.2 %
2	(2) Three or seven meals	528	4.2 %
3	(3) More than seven meals	390	3.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	12	0.1 %
8	(8) Don't know	9	0.1 %
9	(9) Not applicable	9	0.1 %
	Total	12,680	100%

Based upon 1,311 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD38: S19Q38 P'S RELIGION-W3

What is <PARTNER>'s religion?

Value	Label	Unweighted Frequency	%
0	(0) None	281	2.2 %
1	(1) Protestant	134	1.1 %
2	(2) Catholic	286	2.3 %
3	(3) Other Christian	324	2.6 %
4	(4) Jewish	15	0.1 %
5	(5) Buddhist	5	0.0 %
6	(6) Hindu	1	0.0 %
7	(7) Moslem	6	0.0 %
8	(8) Other	169	1.3 %
	Missing Data		
95	(95) Question not asked of this respondent	11339	89.4 %
96	(96) Refused	16	0.1 %
98	(98) Don't know	94	0.7 %
99	(99) Not applicable	10	0.1 %
	Total	12,680	100%

Based upon 1,221 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 8.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD39: S19Q39 FREQ. P TO RELIGIOUS SERV.-W3

How often does <PARTNER> attend religious services?

Value	Label	Unweighted Frequency	%
0	(0) Never	5588	44.1 %
1	(1) Less than once a year	700	5.5 %
2	(2) Once or twice a year	922	7.3 %
3	(3) Several times a year	978	7.7 %
4	(4) Once a month	476	3.8 %
5	(5) Two or three times a month	609	4.8 %
6	(6) Nearly every week	577	4.6 %
7	(7) Once a week	707	5.6 %
8	(8) Several times a week	279	2.2 %
	Missing Data		
96	(96) Refused	415	3.3 %
98	(98) Don't know	1249	9.9 %
99	(99) Not applicable	174	1.4 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 10,836 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 8.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99 , .

H3RD40: S19Q40 P'S LEVEL OF EDUCATION-W3

What is the highest level of education <PARTNER> has completed?

Value	Label	Unweighted Frequency	%
0	(0) Never went to school	155	1.2 %
1	(1) 8th grade or less	101	0.8 %
2	(2) >8th grade/didn't graduate high school	1142	9.0 %
3	(3) Business/trade/voc. school instead high school	94	0.7 %
4	(4) High school graduate	4686	37.0 %

Value	Label	Unweighted Frequency	%
5	(5) Completed GED	586	4.6 %
6	(6) Business/trade/voc. school after high school	420	3.3 %
7	(7) College/didn't graduate	1752	13.8 %
8	(8) Graduated from a two-year college	438	3.5 %
9	(9) Graduated from a four-year college/university	1343	10.6 %
10	(10) Professional training beyond 4-year college/university	237	1.9 %
	Missing Data		
96	(96) Refused	414	3.3 %
98	(98) Don't know	1120	8.8 %
99	(99) Not applicable	186	1.5 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 10,954 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99 , .

H3RD41: S19Q41 VAGINAL INTERCOURSE (VI)?-W3

Have you ever had vaginal intercourse with <PARTNER>? By vaginal intercourse, we mean when a man inserts his penis into a woman's vagina.

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.58)	1424	11.2 %
1	(1) Yes	10303	81.3 %
	Missing Data		
5	(5) Question not asked of this respondent	235	1.9 %
6	(6) Refused	425	3.4 %
8	(8) Don't know	171	1.3 %
9	(9) Not applicable	118	0.9 %
.	-	4	0.0 %
	Total	12,680	100%

Based upon 11,727 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9 , .

H3RD42: S19Q42 LENGTH ACQUAINT. PRE-VI-W3

How long had you known <PARTNER> when you first had vaginal intercourse with {HIM/HER}?

Value	Label	Unweighted Frequency	%
1	(1) One day or less	931	7.3 %
2	(2) Two to seven days	877	6.9 %
3	(3) One or two weeks	967	7.6 %
4	(4) Two to four weeks	1188	9.4 %
5	(5) One to five months	2530	20.0 %
6	(6) Six months to a year	1279	10.1 %
7	(7) A year or more	2403	19.0 %
	Missing Data		
95	(95) Question not asked of this respondent	235	1.9 %
96	(96) Refused	30	0.2 %
97	(97) Legitimate skip	2142	16.9 %
98	(98) Don't know	78	0.6 %
99	(99) Not applicable	20	0.2 %
	Total	12,680	100%

Based upon 10,175 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD43: S19Q43 VI ONCE OR MORE-W3

Have you and <PARTNER> had vaginal intercourse on one occasion or more than one occasion?

Value	Label	Unweighted Frequency	%
1	(1) One occasion	1973	15.6 %
2	(2) More than one occasion (skip to Q.48)	8187	64.6 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	15	0.1 %
7	(7) Legitimate skip	1475	11.6 %
8	(8) Don't know	29	0.2 %
9	(9) Not applicable	11	0.1 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 10,160 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD44: S19Q44 BIRTH CONTROL AT SINGLE VI?-W3

Did you or <PARTNER> use any method of birth control when you had vaginal intercourse?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.46)	617	4.9 %
1	(1) Yes	1345	10.6 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	9719	76.6 %
8	(8) Don't know	11	0.1 %
	Total	12,680	100%

Based upon 1,962 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 8

H3RD45A: S19Q45 CONDOM AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Condoms (rubbers)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	176	1.4 %
1	(1) Marked	1164	9.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
8	(8) Don't know	5	0.0 %
	Total	12,680	100%

Based upon 1,340 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric
(Range of Missing Values: 5 , 6 , 7 , 8

H3RD45B: S19Q45 WITHDRAWAL AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Withdrawal (pulling out)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1217	9.6 %
1	(1) Marked	127	1.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
8	(8) Don't know	1	0.0 %
	Total	12,680	100%

Based upon 1,344 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 110-110 (width: 1; decimal: 0)
Variable Type: numeric
(Range of Missing Values: 5 , 6 , 7 , 8

H3RD45C: S19Q45 RHYTHM AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Rhythm (safe time)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1332	10.5 %
1	(1) Marked	13	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 111-111 (width: 1; decimal: 0)
Variable Type: numeric
(Range of Missing Values: 5 , 6 , 7 , 8

H3RD45D: S19Q45 THE PILL AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Birth control pills

Value	Label	Unweighted Frequency	%
0	(0) Not marked	978	7.7 %
1	(1) Marked	366	2.9 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
8	(8) Don't know	1	0.0 %
	Total	12,680	100%

Based upon 1,344 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45E: S19Q45 SPONGE AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Vaginal sponge

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1341	10.6 %
1	(1) Marked	3	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,344 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45F: S19Q45 FOAM, ETC., AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Foam, jelly, creme, suppositories

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1335	10.5 %
1	(1) Marked	10	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45G: S19Q45 DIAPHRAGM AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Diaphragm, with or without jelly

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1339	10.6 %
1	(1) Marked	6	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45H: S19Q45 IUD AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? IUD (intrauterine device)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1345	10.6 %
1	(1) Marked	0	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 116-116 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45I: S19Q45 NORPLANT AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Norplant

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1341	10.6 %
1	(1) Marked	4	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 117-117 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45J: S19Q45 RING AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Ring

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1344	10.6 %
1	(1) Marked	1	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 118-118 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45K: S19Q45 DEPO PROV. AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Depo Provera

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1301	10.3 %
1	(1) Marked	44	0.3 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45L: S19Q45 FILM AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Contraceptive film

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1342	10.6 %
1	(1) Marked	3	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD45M: S19Q45 OTHER METHOD AT SINGLE VI?-W3

What methods of birth control did you or <PARTNER> use when you had vaginal intercourse? Some other method

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1337	10.5 %
1	(1) Marked	8	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	10347	81.6 %
	Total	12,680	100%

Based upon 1,345 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8

H3RD46: S19Q46 CONDOM AT SINGLE VI (AGAIN)?-W3

Was a condom used when you had vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No	653	5.1 %
1	(1) Yes	161	1.3 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	10	0.1 %
7	(7) Legitimate skip	9351	73.7 %
8	(8) Don't know	15	0.1 %
9	(9) Not applicable	4	0.0 %
.	-	1722	13.6 %
	Total	12,680	100%

Based upon 814 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD47M: S19Q47 MONTH OF SINGLE VI-W3

In what month (and year) did you have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	130	1.0 %
2	(2) February	99	0.8 %
3	(3) March	126	1.0 %
4	(4) April	124	1.0 %

Value	Label	Unweighted Frequency	%
5	(5) May	164	1.3 %
6	(6) June	190	1.5 %
7	(7) July	177	1.4 %
8	(8) August	165	1.3 %
9	(9) September	146	1.2 %
10	(10) October	135	1.1 %
11	(11) November	110	0.9 %
12	(12) December	114	0.9 %
	Missing Data		
95	(95) Question not asked of this respondent	988	7.8 %
96	(96) Refused	31	0.2 %
97	(97) Legitimate skip	9719	76.6 %
98	(98) Don't know	238	1.9 %
99	(99) Not applicable	21	0.2 %
.	-	3	0.0 %
	Total	12,680	100%

Based upon 1,680 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD47Y: S19Q47 YEAR OF SINGLE VI-W3

In what (month and) year did you have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1990	-	1	0.0 %
1991	-	4	0.0 %
1992	-	4	0.0 %
1993	-	19	0.1 %
1994	-	35	0.3 %
1995	-	120	0.9 %
1996	-	139	1.1 %
1997	-	207	1.6 %
1998	-	204	1.6 %
1999	-	267	2.1 %
2000	-	331	2.6 %
2001	-	360	2.8 %

Value	Label	Unweighted Frequency	%
2002	-	27	0.2 %
	Missing Data		
9995	(9995) Question not asked of this respondent	988	7.8 %
9996	(9996) Refused	29	0.2 %
9997	(9997) Legitimate skip	9719	76.6 %
9998	(9998) Don't know	198	1.6 %
9999	(9999) Not applicable	20	0.2 %
.	-	8	0.1 %
	Total	12,680	100%

Based upon 1,718 valid cases out of 12,680 total cases.

- Mean: 1998.57
- Median: 1999.00
- Mode: 2001.00
- Minimum: 1990.00
- Maximum: 2002.00
- Standard Deviation: 2.16

Location: 125-128 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD48A: S19Q48 VI WITH P, NUMBER-W3

On average, how often do you have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
0	-	27	0.2 %
1	-	1726	13.6 %
2	-	2071	16.3 %
3	-	1732	13.7 %
4	-	901	7.1 %
5	-	778	6.1 %
6	-	211	1.7 %
7	-	136	1.1 %
8	-	61	0.5 %
9	-	23	0.2 %
10	-	108	0.9 %
11	-	2	0.0 %
12	-	20	0.2 %
13	-	3	0.0 %
14	-	1	0.0 %
15	-	17	0.1 %

Value	Label	Unweighted Frequency	%
18	-	2	0.0 %
20	-	19	0.1 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	3	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	7	0.1 %
32	-	1	0.0 %
35	-	1	0.0 %
40	-	2	0.0 %
48	-	2	0.0 %
50	-	7	0.1 %
60	-	3	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
90	-	1	0.0 %
100	-	6	0.0 %
111	-	1	0.0 %
117	-	1	0.0 %
187	-	1	0.0 %
200	-	1	0.0 %
250	-	1	0.0 %
300	-	1	0.0 %
365	-	1	0.0 %
500	-	1	0.0 %
	Missing Data		
995	(995) Question not asked of this respondent	988	7.8 %
996	(996) Refused	58	0.5 %
997	(997) Legitimate skip	3505	27.6 %
998	(998) Don't know	205	1.6 %
999	(999) Not applicable	29	0.2 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 7,889 valid cases out of 12,680 total cases.

- Mean: 3.51
- Median: 3.00

- Mode: 2.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 9.94

Location: 129-131 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 995 , 996 , 997 , 998 , 999 , .

H3RD48B: S19Q48 VI WITH P, UNIT-W3

On average, how often do you have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Times per day	1528	12.1 %
2	(2) Times per week	4648	36.7 %
3	(3) Times per month	1327	10.5 %
4	(4) Times per year	385	3.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	3505	27.6 %
.	-	299	2.4 %
	Total	12,680	100%

Based upon 7,888 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD49: S19Q49 BIRTH CONTROL AT FIRST VI?-W3

Did you or <PARTNER> use any method of birth control the first time you had vaginal intercourse?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.51)	2073	16.3 %
1	(1) Yes	6063	47.8 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	11	0.1 %
7	(7) Legitimate skip	3505	27.6 %
8	(8) Don't know	34	0.3 %
9	(9) Not applicable	6	0.0 %
	Total	12,680	100%

Based upon 8,136 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50A: S19Q50 CONDOM AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Condoms (rubbers)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	892	7.0 %
1	(1) Marked	5165	40.7 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
8	(8) Don't know	4	0.0 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,057 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50B: S19Q50 WITHDRAWAL AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Withdrawal (pulling out)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	4958	39.1 %
1	(1) Marked	1103	8.7 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50C: S19Q50 RHYTHM AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Rhythm (safe time)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5938	46.8 %
1	(1) Marked	122	1.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	2	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,060 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50D: S19Q50 THE PILL AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Birth control pills

Value	Label	Unweighted Frequency	%
0	(0) Not marked	3653	28.8 %
1	(1) Marked	2408	19.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 137-137 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50E: S19Q50 SPONGE AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Vaginal sponge

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6045	47.7 %
1	(1) Marked	16	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 138-138 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50F: S19Q50 FOAM, ETC., AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Foam, jelly, creme, suppositories

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5979	47.2 %
1	(1) Marked	82	0.6 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 139-139 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50G: S19Q50 DIAPHRAGM AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Diaphragm, with or without jelly

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6040	47.6 %
1	(1) Marked	21	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50H: S19Q50 IUD AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? IUD (intrauterine device)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6046	47.7 %
1	(1) Marked	16	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,062 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50I: S19Q50 NORPLANT AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Norplant

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6038	47.6 %
1	(1) Marked	23	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50J: S19Q50 RING AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Ring

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6054	47.7 %
1	(1) Marked	8	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
	Total	12,680	100%

Based upon 6,062 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50K: S19Q50 DEPO PROV. AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Depo Provera

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5777	45.6 %
1	(1) Marked	284	2.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50L: S19Q50 FILM AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Contraceptive film

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6038	47.6 %
1	(1) Marked	23	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD50M: S19Q50 OTHER METHOD AT FIRST VI?-W3

What methods of birth control did you or <PARTNER> use the first time you had vaginal intercourse? Some other method

Value	Label	Unweighted Frequency	%
0	(0) Not marked	6006	47.4 %
1	(1) Marked	55	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5629	44.4 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 6,061 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD51: S19Q51 CONDOM AT FIRST VI (AGAIN)?-W3

Was a condom used the first time you had vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No	2298	18.1 %
1	(1) Yes	676	5.3 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	16	0.1 %
7	(7) Legitimate skip	8670	68.4 %
8	(8) Don't know	25	0.2 %
9	(9) Not applicable	7	0.1 %
	Total	12,680	100%

Based upon 2,974 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD52M: S19Q52 MONTH OF LATEST VI-W3

In what month (and year) did you most recently have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	567	4.5 %
2	(2) February	503	4.0 %
3	(3) March	568	4.5 %

Value	Label	Unweighted Frequency	%
4	(4) April	487	3.8 %
5	(5) May	525	4.1 %
6	(6) June	535	4.2 %
7	(7) July	543	4.3 %
8	(8) August	889	7.0 %
9	(9) September	791	6.2 %
10	(10) October	713	5.6 %
11	(11) November	623	4.9 %
12	(12) December	709	5.6 %
	Missing Data		
95	(95) Question not asked of this respondent	988	7.8 %
96	(96) Refused	85	0.7 %
97	(97) Legitimate skip	3505	27.6 %
98	(98) Don't know	568	4.5 %
99	(99) Not applicable	77	0.6 %
.	-	4	0.0 %
	Total	12,680	100%

Based upon 7,453 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD52Y: S19Q52 YEAR OF LATEST VI-W3

In what (month and) year did you most recently have vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1990	-	2	0.0 %
1991	-	8	0.1 %
1992	-	9	0.1 %
1993	-	30	0.2 %
1994	-	83	0.7 %
1995	-	259	2.0 %
1996	-	467	3.7 %
1997	-	583	4.6 %
1998	-	653	5.1 %
1999	-	870	6.9 %
2000	-	1109	8.7 %

Value	Label	Unweighted Frequency	%
2001	-	2866	22.6 %
2002	-	627	4.9 %
	Missing Data		
9995	(9995) Question not asked of this respondent	988	7.8 %
9996	(9996) Refused	85	0.7 %
9997	(9997) Legitimate skip	3505	27.6 %
9998	(9998) Don't know	462	3.6 %
9999	(9999) Not applicable	71	0.6 %
.	-	3	0.0 %
	Total	12,680	100%

Based upon 7,566 valid cases out of 12,680 total cases.

- Mean: 1999.49
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1990.00
- Maximum: 2002.00
- Standard Deviation: 2.06

Location: 150-153 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD53: S19Q53 BIRTH CONTROL AT LATEST VI?-W3

Did you or <PARTNER> use any method of birth control the most recent time you had vaginal intercourse?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.55)	2536	20.0 %
1	(1) Yes	5542	43.7 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	18	0.1 %
7	(7) Legitimate skip	3505	27.6 %
8	(8) Don't know	62	0.5 %
9	(9) Not applicable	29	0.2 %
	Total	12,680	100%

Based upon 8,078 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54A: S19Q54 CONDOM AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Condoms (rubbers)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1651	13.0 %
1	(1) Marked	3878	30.6 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
8	(8) Don't know	10	0.1 %
9	(9) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 5,529 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54B: S19Q54 WITHDRAWAL AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Withdrawal (pulling out)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	4791	37.8 %
1	(1) Marked	746	5.9 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
8	(8) Don't know	1	0.0 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,537 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54C: S19Q54 RHYTHM AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Rhythm (safe time)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5475	43.2 %
1	(1) Marked	64	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 5,539 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54D: S19Q54 THE PILL AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Birth control pills

Value	Label	Unweighted Frequency	%
0	(0) Not marked	3141	24.8 %
1	(1) Marked	2393	18.9 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	2	0.0 %
7	(7) Legitimate skip	6150	48.5 %
8	(8) Don't know	4	0.0 %
9	(9) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 5,534 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54E: S19Q54 SPONGE AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Vaginal sponge

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5517	43.5 %
1	(1) Marked	21	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	6150	48.5 %
8	(8) Don't know	1	0.0 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54F: S19Q54 FOAM AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Foam, jelly, creme, suppositories

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5489	43.3 %
1	(1) Marked	49	0.4 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54G: S19Q54 DIAPHRAGM AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Diaphragm, with or without jelly

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5519	43.5 %
1	(1) Marked	19	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54H: S19Q54 IUD AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? IUD (intrauterine device)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5514	43.5 %
1	(1) Marked	23	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	2	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,537 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54I: S19Q54 NORPLANT AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Norplant

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5515	43.5 %
1	(1) Marked	22	0.2 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
8	(8) Don't know	1	0.0 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,537 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54J: S19Q54 RING AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Ring

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5535	43.7 %
1	(1) Marked	4	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,539 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54K: S19Q54 DEPO PROV. AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Depo Provera

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5193	41.0 %

Value	Label	Unweighted Frequency	%
1	(1) Marked	345	2.7 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54L: S19Q54 FILM AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Contraceptive film

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5522	43.5 %
1	(1) Marked	16	0.1 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD54M: S19Q54 OTHER METHOD AT LATEST VI?-W3

What methods of birth control did you or <PARTNER> use the most recent time you had vaginal intercourse? Some other method

Value	Label	Unweighted Frequency	%
0	(0) Not marked	5479	43.2 %
1	(1) Marked	59	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6150	48.5 %
9	(9) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 5,538 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD55: S19Q55 CONDOM AT LATEST VI (AGAIN)?-W3

Was a condom used when you had vaginal intercourse most recently with <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No	2709	21.4 %
1	(1) Yes	237	1.9 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	14	0.1 %
7	(7) Legitimate skip	7383	58.2 %
8	(8) Don't know	15	0.1 %
9	(9) Not applicable	13	0.1 %
.	-	1321	10.4 %
	Total	12,680	100%

Based upon 2,946 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD56: S19Q56 HOW MUCH R LIKES VI WITH P-W3

How much {DO/DID} you like having vaginal intercourse with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Like very much	2503	19.7 %

Value	Label	Unweighted Frequency	%
2	(2) Like somewhat	649	5.1 %
3	(3) Neither like nor dislike	174	1.4 %
4	(4) Dislike somewhat	77	0.6 %
5	(5) Dislike very much	62	0.5 %
	Missing Data		
95	(95) Question not asked of this respondent	5981	47.2 %
96	(96) Refused	45	0.4 %
97	(97) Legitimate skip	1136	9.0 %
98	(98) Don't know	21	0.2 %
99	(99) Not applicable	12	0.1 %
.	-	2020	15.9 %
	Total	12,680	100%

Based upon 3,465 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD57: S19Q57 VI WITH P AGAIN?-W3

Do you expect to have vaginal intercourse with <PARTNER> again?

Value	Label	Unweighted Frequency	%
0	(0) No	188	1.5 %
1	(1) Yes	2626	20.7 %
	Missing Data		
5	(5) Question not asked of this respondent	988	7.8 %
6	(6) Refused	3	0.0 %
7	(7) Legitimate skip	1475	11.6 %
8	(8) Don't know	17	0.1 %
9	(9) Not applicable	3	0.0 %
.	-	7380	58.2 %
	Total	12,680	100%

Based upon 2,814 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD58: S19Q58 P PERFORMED ORAL SEX (POS)?-W3

Has <PARTNER> ever performed oral sex on you? That is, has <PARTNER> ever put {HIS/HER} mouth on your... [if the respondent is male, add:]...penis? [if the respondent is female, add:] ...genitals (sex organs)?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.70)	4734	37.3 %
1	(1) Yes	6987	55.1 %
	Missing Data		
6	(6) Refused	530	4.2 %
8	(8) Don't know	204	1.6 %
9	(9) Not applicable	152	1.2 %
.	-	73	0.6 %
	Total	12,680	100%

Based upon 11,721 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3RD59: S19Q59 LENGTH ACQUAINT. PRE-POS-W3

How long had you known <PARTNER> when {HE/SHE} first performed oral sex on you?

Value	Label	Unweighted Frequency	%
1	(1) One day or less	548	4.3 %
2	(2) Two to seven days	550	4.3 %
3	(3) One or two weeks	562	4.4 %
4	(4) Two to four weeks	775	6.1 %
5	(5) One to five months	1817	14.3 %
6	(6) Six months to a year	1046	8.2 %
7	(7) A year or more	1596	12.6 %
	Missing Data		
96	(96) Refused	28	0.2 %
97	(97) Legitimate skip	5693	44.9 %
98	(98) Don't know	60	0.5 %
99	(99) Not applicable	5	0.0 %
	Total	12,680	100%

Based upon 6,894 valid cases out of 12,680 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99

H3RD60: S19Q60 POS ONCE OR MORE-W3

Has <PARTNER> performed oral sex on you on one or more than one occasion?

Value	Label	Unweighted Frequency	%
1	(1) One occasion	1144	9.0 %
2	(2) More than one occasion (skip to Q.63)	5687	44.9 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	23	0.2 %
7	(7) Legitimate skip	5038	39.7 %
8	(8) Don't know	18	0.1 %
9	(9) Not applicable	4	0.0 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 6,831 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD61: S19Q61 R USED CONDOM AT SINGLE POS?-W3

Did you wear a condom when {HE/SHE} performed oral sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No	558	4.4 %
1	(1) Yes	66	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	11290	89.0 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 624 valid cases out of 12,680 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 9

H3RD62M: S19Q62 MONTH OF SINGLE POS-W3

In what month (and year) did <PARTNER> perform oral sex on you?

Value	Label	Unweighted Frequency	%
1	(1) January	61	0.5 %
2	(2) February	66	0.5 %
3	(3) March	84	0.7 %
4	(4) April	70	0.6 %
5	(5) May	89	0.7 %
6	(6) June	104	0.8 %
7	(7) July	114	0.9 %
8	(8) August	112	0.9 %
9	(9) September	101	0.8 %
10	(10) October	82	0.6 %
11	(11) November	60	0.5 %
12	(12) December	71	0.6 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	15	0.1 %
97	(97) Legitimate skip	10772	85.0 %
98	(98) Don't know	107	0.8 %
99	(99) Not applicable	6	0.0 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 1,014 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD62Y: S19Q62 YEAR OF SINGLE POS-W3

In what (month and) year did <PARTNER> perform oral sex on you?

Value	Label	Unweighted Frequency	%
1991	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1993	-	10	0.1 %
1994	-	20	0.2 %
1995	-	56	0.4 %
1996	-	78	0.6 %
1997	-	79	0.6 %
1998	-	96	0.8 %
1999	-	134	1.1 %
2000	-	231	1.8 %
2001	-	297	2.3 %
2002	-	21	0.2 %
	Missing Data		
9995	(9995) Question not asked of this respondent	764	6.0 %
9996	(9996) Refused	15	0.1 %
9997	(9997) Legitimate skip	10772	85.0 %
9998	(9998) Don't know	91	0.7 %
9999	(9999) Not applicable	7	0.1 %
.	-	5	0.0 %
	Total	12,680	100%

Based upon 1,026 valid cases out of 12,680 total cases.

- Mean: 1998.98
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 2.15

Location: 179-182 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD63A: S19Q63 POS, NUMBER-W3

On average, how often does <PARTNER> perform oral sex on you?

Value	Label	Unweighted Frequency	%
0	-	12	0.1 %
1	-	1807	14.3 %
2	-	1500	11.8 %
3	-	1002	7.9 %
4	-	431	3.4 %
5	-	405	3.2 %
6	-	108	0.9 %

Value	Label	Unweighted Frequency	%
7	-	53	0.4 %
8	-	30	0.2 %
9	-	9	0.1 %
10	-	73	0.6 %
11	-	1	0.0 %
12	-	11	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	9	0.1 %
16	-	1	0.0 %
18	-	3	0.0 %
20	-	14	0.1 %
25	-	5	0.0 %
26	-	1	0.0 %
30	-	4	0.0 %
40	-	2	0.0 %
50	-	4	0.0 %
60	-	1	0.0 %
70	-	1	0.0 %
100	-	2	0.0 %
123	-	1	0.0 %
	Missing Data		
995	(995) Question not asked of this respondent	764	6.0 %
996	(996) Refused	30	0.2 %
997	(997) Legitimate skip	6229	49.1 %
998	(998) Don't know	143	1.1 %
999	(999) Not applicable	16	0.1 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 5,492 valid cases out of 12,680 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 123.00
- Standard Deviation: 3.88

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 995 , 996 , 997 , 998 , 999 , .

H3RD63B: S19Q63 POS, UNIT-W3

On average, how often does <PARTNER> perform oral sex on you?

Value	Label	Unweighted Frequency	%
1	(1) Times per day	558	4.4 %
2	(2) Times per week	2631	20.7 %
3	(3) Times per month	1858	14.7 %
4	(4) Times per year	445	3.5 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	6229	49.1 %
.	-	195	1.5 %
	Total	12,680	100%

Based upon 5,492 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , .

H3RD64: S19Q64 R EVER USES CONDOM AT POS?-W3

When <PARTNER> performs oral sex on you, do you ever wear a condom?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.66)	2472	19.5 %
1	(1) Yes	151	1.2 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	4	0.0 %
7	(7) Legitimate skip	9281	73.2 %
8	(8) Don't know	7	0.1 %
9	(9) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 2,623 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9

H3RD65: S19Q65 R USED CONDOM AT FIRST POS?-W3

Did you wear a condom the first time <PARTNER> performed oral sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No	58	0.5 %
1	(1) Yes	91	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	11765	92.8 %
8	(8) Don't know	1	0.0 %
	Total	12,680	100%

Based upon 149 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8

H3RD66M: S19Q66 MONTH OF LATEST POS-W3

In what month (and year) did <PARTNER> most recently perform oral sex on you?

Value	Label	Unweighted Frequency	%
1	(1) January	363	2.9 %
2	(2) February	386	3.0 %
3	(3) March	399	3.1 %
4	(4) April	340	2.7 %
5	(5) May	363	2.9 %
6	(6) June	367	2.9 %
7	(7) July	375	3.0 %
8	(8) August	620	4.9 %
9	(9) September	537	4.2 %
10	(10) October	514	4.1 %
11	(11) November	437	3.4 %
12	(12) December	493	3.9 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	61	0.5 %
97	(97) Legitimate skip	6229	49.1 %
98	(98) Don't know	396	3.1 %

Value	Label	Unweighted Frequency	%
99	(99) Not applicable	35	0.3 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 5,194 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD66Y: S19Q66 YEAR OF LATEST POS-W3

In what (month and) year did <PARTNER> most recently perform oral sex on you?

Value	Label	Unweighted Frequency	%
1989	-	1	0.0 %
1990	-	1	0.0 %
1991	-	3	0.0 %
1992	-	6	0.0 %
1993	-	21	0.2 %
1994	-	52	0.4 %
1995	-	153	1.2 %
1996	-	281	2.2 %
1997	-	343	2.7 %
1998	-	425	3.4 %
1999	-	588	4.6 %
2000	-	732	5.8 %
2001	-	2188	17.3 %
2002	-	464	3.7 %
	Missing Data		
9995	(9995) Question not asked of this respondent	764	6.0 %
9996	(9996) Refused	59	0.5 %
9997	(9997) Legitimate skip	6229	49.1 %
9998	(9998) Don't know	336	2.6 %
9999	(9999) Not applicable	33	0.3 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 5,258 valid cases out of 12,680 total cases.

- Mean: 1999.66
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1989.00
- Maximum: 2002.00
- Standard Deviation: 1.99

Location: 191-194 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD67: S19Q67 R USED CONDOM AT LATEST POS?-W3

Did you wear a condom the most recent time <PARTNER> performed oral sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No	0	0.0 %
1	(1) Yes	4	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5363	42.3 %
.	-	147	1.2 %
	Total	12,680	100%

Based upon 4 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD68: S19Q68 HOW MUCH R LIKES POS WITH P-W3

How much {DO/DID} you like for <PARTNER> to perform oral sex on you?

Value	Label	Unweighted Frequency	%
1	(1) Like very much	3069	24.2 %
2	(2) Like somewhat	968	7.6 %
3	(3) Neither like nor dislike	290	2.3 %
4	(4) Dislike somewhat	88	0.7 %
5	(5) Dislike very much	47	0.4 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	46	0.4 %
97	(97) Legitimate skip	2291	18.1 %
98	(98) Don't know	12	0.1 %

Value	Label	Unweighted Frequency	%
99	(99) Not applicable	9	0.1 %
	Total	12,680	100%

Based upon 4,462 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD69: S19Q69 POS WITH P AGAIN?-W3

Do you expect that <PARTNER> will perform oral sex on you again?

Value	Label	Unweighted Frequency	%
0	(0) No	165	1.3 %
1	(1) Yes	2193	17.3 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	18	0.1 %
7	(7) Legitimate skip	5038	39.7 %
8	(8) Don't know	15	0.1 %
9	(9) Not applicable	4	0.0 %
.	-	4483	35.4 %
	Total	12,680	100%

Based upon 2,358 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD70: S19Q70 R PERFORMED ORAL SEX (ROS)?-W3

Have you ever performed oral sex on <PARTNER>? That is, have you ever put your mouth on ... [if <PARTNER> is male, add:]...his penis? [if <PARTNER> is female, add:]...her genitals (sex organs)?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.82)	5890	46.5 %
1	(1) Yes	5795	45.7 %
	Missing Data		
6	(6) Refused	560	4.4 %

Value	Label	Unweighted Frequency	%
8	(8) Don't know	207	1.6 %
9	(9) Not applicable	157	1.2 %
.	-	71	0.6 %
	Total	12,680	100%

Based upon 11,685 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3RD71: S19Q71 LENGTH ACQUAINT. PRE-ROS-W3

How long had you known <PARTNER> when you first performed oral sex on {HIM/HER}?

Value	Label	Unweighted Frequency	%
1	(1) One day or less	350	2.8 %
2	(2) Two to seven days	433	3.4 %
3	(3) One or two weeks	431	3.4 %
4	(4) Two to four weeks	669	5.3 %
5	(5) One to five months	1592	12.6 %
6	(6) Six months to a year	904	7.1 %
7	(7) A year or more	1350	10.6 %
	Missing Data		
96	(96) Refused	12	0.1 %
97	(97) Legitimate skip	6885	54.3 %
98	(98) Don't know	45	0.4 %
99	(99) Not applicable	9	0.1 %
	Total	12,680	100%

Based upon 5,729 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98 , 99

H3RD72: S19Q72 ROS ONCE OR MORE-W3

Have you performed oral sex on <PARTNER> on one or more than one occasion?

Value	Label	Unweighted Frequency	%
1	(1) One occasion	889	7.0 %
2	(2) More than one occasion (skip to Q.75)	4796	37.8 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	9	0.1 %
7	(7) Legitimate skip	6206	48.9 %
8	(8) Don't know	11	0.1 %
9	(9) Not applicable	3	0.0 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 5,685 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD73: S19Q73 P USED CONDOM AT SINGLE ROS?-W3

Did <PARTNER> wear a condom when you performed oral sex on him?

Value	Label	Unweighted Frequency	%
0	(0) No	440	3.5 %
1	(1) Yes	44	0.3 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	5903	46.6 %
	Total	12,680	100%

Based upon 484 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7

H3RD74M: S19Q74 MONTH OF SINGLE ROS-W3

In what month (and year) did you perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	49	0.4 %
2	(2) February	50	0.4 %
3	(3) March	60	0.5 %
4	(4) April	67	0.5 %
5	(5) May	60	0.5 %
6	(6) June	93	0.7 %
7	(7) July	70	0.6 %
8	(8) August	89	0.7 %
9	(9) September	76	0.6 %
10	(10) October	75	0.6 %
11	(11) November	51	0.4 %
12	(12) December	63	0.5 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
96	(96) Refused	8	0.1 %
97	(97) Legitimate skip	11027	87.0 %
98	(98) Don't know	73	0.6 %
99	(99) Not applicable	3	0.0 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 803 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD74Y: S19Q74 YEAR OF SINGLE ROS-W3

In what (month and) year did you perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1991	-	3	0.0 %
1992	-	1	0.0 %
1993	-	5	0.0 %
1994	-	15	0.1 %
1995	-	39	0.3 %
1996	-	62	0.5 %
1997	-	68	0.5 %
1998	-	72	0.6 %

Value	Label	Unweighted Frequency	%
1999	-	123	1.0 %
2000	-	152	1.2 %
2001	-	251	2.0 %
2002	-	23	0.2 %
	Missing Data		
9995	(9995) Question not asked of this respondent	764	6.0 %
9996	(9996) Refused	8	0.1 %
9997	(9997) Legitimate skip	11027	87.0 %
9998	(9998) Don't know	59	0.5 %
9999	(9999) Not applicable	3	0.0 %
.	-	5	0.0 %
	Total	12,680	100%

Based upon 814 valid cases out of 12,680 total cases.

- Mean: 1999.05
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 2.13

Location: 206-209 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD75A: S19Q75 ROS, NUMBER-W3

On average, how often do you perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
0	-	10	0.1 %
1	-	1467	11.6 %
2	-	1252	9.9 %
3	-	858	6.8 %
4	-	362	2.9 %
5	-	369	2.9 %
6	-	79	0.6 %
7	-	39	0.3 %
8	-	31	0.2 %
9	-	12	0.1 %
10	-	79	0.6 %
11	-	1	0.0 %
12	-	10	0.1 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
14	-	2	0.0 %
15	-	16	0.1 %
16	-	1	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	14	0.1 %
21	-	1	0.0 %
25	-	2	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	2	0.0 %
60	-	1	0.0 %
150	-	1	0.0 %
200	-	1	0.0 %
	Missing Data		
995	(995) Question not asked of this respondent	764	6.0 %
996	(996) Refused	30	0.2 %
997	(997) Legitimate skip	7120	56.2 %
998	(998) Don't know	127	1.0 %
999	(999) Not applicable	14	0.1 %
.	-	4	0.0 %
	Total	12,680	100%

Based upon 4,621 valid cases out of 12,680 total cases.

- Mean: 2.88
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 4.66

Location: 210-212 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 995 , 996 , 997 , 998 , 999 , .

H3RD75B: S19Q75 ROS, UNIT-W3

On average, how often do you perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Times per day	389	3.1 %
2	(2) Times per week	2270	17.9 %
3	(3) Times per month	1574	12.4 %
4	(4) Times per year	388	3.1 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	7120	56.2 %
.	-	175	1.4 %
	Total	12,680	100%

Based upon 4,621 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD76: S19Q76 P EVER USES CONDOM AT ROS?-W3

When you perform oral sex on <PARTNER>, does he ever wear a condom?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.80)	2540	20.0 %
1	(1) Yes	134	1.1 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
6	(6) Refused	6	0.0 %
7	(7) Legitimate skip	3704	29.2 %
8	(8) Don't know	2	0.0 %
9	(9) Not applicable	2	0.0 %
	Total	12,680	100%

Based upon 2,674 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9

H3RD77: S19Q77 P USED CONDOM AT FIRST ROS?-W3

Did <PARTNER> wear a condom the first time you performed oral sex on him?

Value	Label	Unweighted Frequency	%
0	(0) No	46	0.4 %
1	(1) Yes	86	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	6254	49.3 %
8	(8) Don't know	2	0.0 %
	Total	12,680	100%

Based upon 132 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 8

H3RD78M: S19Q78 MONTH OF LATEST ROS-W3

In what month (and year) did you most recently perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	13	0.1 %
2	(2) February	9	0.1 %
3	(3) March	11	0.1 %
4	(4) April	9	0.1 %
5	(5) May	10	0.1 %
6	(6) June	11	0.1 %
7	(7) July	8	0.1 %
8	(8) August	16	0.1 %
9	(9) September	13	0.1 %
10	(10) October	6	0.0 %
11	(11) November	8	0.1 %
12	(12) December	16	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	764	6.0 %
97	(97) Legitimate skip	9232	72.8 %
98	(98) Don't know	4	0.0 %
.	-	2550	20.1 %
	Total	12,680	100%

Based upon 130 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 97 , 98 , .

H3RD78Y: S19Q78 YEAR OF LATEST ROS-W3

In what (month and) year did you most recently perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1991	-	1	0.0 %
1993	-	1	0.0 %
1994	-	1	0.0 %
1995	-	3	0.0 %
1996	-	8	0.1 %
1997	-	13	0.1 %
1998	-	14	0.1 %
1999	-	11	0.1 %
2000	-	13	0.1 %
2001	-	45	0.4 %
2002	-	21	0.2 %
	Missing Data		
9995	(9995) Question not asked of this respondent	764	6.0 %
9997	(9997) Legitimate skip	9232	72.8 %
9998	(9998) Don't know	3	0.0 %
.	-	2550	20.1 %
	Total	12,680	100%

Based upon 131 valid cases out of 12,680 total cases.

- Mean: 1999.54
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 2.24

Location: 218-221 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9997 , 9998 , .

H3RD79: S19Q79 P USED CONDOM AT LATEST ROS?-W3

Did <PARTNER> wear a condom the most recent time you performed oral sex on him ?

Value	Label	Unweighted Frequency	%
0	(0) No	29	0.2 %
1	(1) Yes	43	0.3 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	9232	72.8 %
8	(8) Don't know	1	0.0 %
.	-	2611	20.6 %
	Total	12,680	100%

Based upon 72 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , .

H3RD80: S19Q80 HOW MUCH R LIKES ROS WITH P-W3

How much {DO/DID} you like to perform oral sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Like very much	1741	13.7 %
2	(2) Like somewhat	1207	9.5 %
3	(3) Neither like nor dislike	623	4.9 %
4	(4) Dislike somewhat	250	2.0 %
5	(5) Dislike very much	132	1.0 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	23	0.2 %
97	(97) Legitimate skip	2829	22.3 %
98	(98) Don't know	9	0.1 %
99	(99) Not applicable	6	0.0 %
	Total	12,680	100%

Based upon 3,953 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 95 , 96 , 97 , 98 , 99

H3RD81: S19Q81 ROS WITH P AGAIN?-W3

Do you expect that you will perform oral sex on <PARTNER> again?

Value	Label	Unweighted Frequency	%
0	(0) No	166	1.3 %
1	(1) Yes	2022	15.9 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	3	0.0 %
7	(7) Legitimate skip	6206	48.9 %
8	(8) Don't know	20	0.2 %
9	(9) Not applicable	2	0.0 %
.	-	3497	27.6 %
	Total	12,680	100%

Based upon 2,188 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD82: S19Q82 P PERFORMED ANAL SEX (PAS)?-W3

Has <PARTNER> ever performed anal sex or anal intercourse on you? By anal sex, we mean when a man inserts his penis into his partner's anus or asshole.

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.94)	5732	45.2 %
1	(1) Yes	662	5.2 %
	Missing Data		
5	(5) Question not asked of this respondent	5895	46.5 %
6	(6) Refused	251	2.0 %
8	(8) Don't know	75	0.6 %
9	(9) Not applicable	63	0.5 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 6,394 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9 , .

H3RD83: S19Q83 LENGTH ACQUAINT. PRE-PAS-W3

How long had you known <PARTNER> when he first performed anal sex on you?

Value	Label	Unweighted Frequency	%
1	(1) One day or less	30	0.2 %
2	(2) Two to seven days	17	0.1 %
3	(3) One or two weeks	22	0.2 %
4	(4) Two to four weeks	26	0.2 %
5	(5) One to five months	120	0.9 %
6	(6) Six months to a year	114	0.9 %
7	(7) A year or more	317	2.5 %
	Missing Data		
95	(95) Question not asked of this respondent	5895	46.5 %
96	(96) Refused	4	0.0 %
97	(97) Legitimate skip	6123	48.3 %
98	(98) Don't know	9	0.1 %
99	(99) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 646 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD84: S19Q84 PAS ONCE OR MORE-W3

Has <PARTNER> performed anal sex on you on one or more than one occasion?

Value	Label	Unweighted Frequency	%
1	(1) One occasion	300	2.4 %
2	(2) More than one occasion (skip to Q.87)	349	2.8 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
6	(6) Refused	3	0.0 %
7	(7) Legitimate skip	5730	45.2 %
8	(8) Don't know	1	0.0 %
9	(9) Not applicable	5	0.0 %
	Total	12,680	100%

Based upon 649 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-229 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9

H3RD85: S19Q85 P USED CONDOM AT SINGLE PAS?-W3

Did he wear a condom on that occasion?

Value	Label	Unweighted Frequency	%
0	(0) No	204	1.6 %
1	(1) Yes	95	0.7 %
	Missing Data		
5	(5) Question not asked of this respondent	764	6.0 %
7	(7) Legitimate skip	6088	48.0 %
8	(8) Don't know	1	0.0 %
.	-	5528	43.6 %
	Total	12,680	100%

Based upon 299 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , .

H3RD86M: S19Q86 MONTH OF SINGLE PAS-W3

In what month (and year) did <PARTNER> perform anal sex on you?

Value	Label	Unweighted Frequency	%
1	(1) January	17	0.1 %
2	(2) February	13	0.1 %
3	(3) March	15	0.1 %
4	(4) April	15	0.1 %
5	(5) May	28	0.2 %
6	(6) June	31	0.2 %
7	(7) July	35	0.3 %
8	(8) August	33	0.3 %
9	(9) September	25	0.2 %
10	(10) October	22	0.2 %
11	(11) November	16	0.1 %
12	(12) December	18	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
95	(95) Question not asked of this respondent	6292	49.6 %
96	(96) Refused	1	0.0 %
97	(97) Legitimate skip	6088	48.0 %
98	(98) Don't know	28	0.2 %
99	(99) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 268 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD86Y: S19Q86 YEAR OF SINGLE PAS-W3

In what (month and) year did <PARTNER> perform anal sex on you?

Value	Label	Unweighted Frequency	%
1994	-	2	0.0 %
1995	-	8	0.1 %
1996	-	18	0.1 %
1997	-	22	0.2 %
1998	-	33	0.3 %
1999	-	43	0.3 %
2000	-	49	0.4 %
2001	-	93	0.7 %
2002	-	6	0.0 %
	Missing Data		
9995	(9995) Question not asked of this respondent	6292	49.6 %
9996	(9996) Refused	1	0.0 %
9997	(9997) Legitimate skip	6088	48.0 %
9998	(9998) Don't know	21	0.2 %
9999	(9999) Not applicable	3	0.0 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 274 valid cases out of 12,680 total cases.

- Mean: 1999.29
- Median: 2000.00

- Mode: 2001.00
- Minimum: 1994.00
- Maximum: 2002.00
- Standard Deviation: 1.83

Location: 233-236 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD87A: S19Q87 PAS, NUMBER-W3

On average, how often does <PARTNER> perform anal sex on you?

Value	Label	Unweighted Frequency	%
0	-	3	0.0 %
1	-	122	1.0 %
2	-	118	0.9 %
3	-	50	0.4 %
4	-	21	0.2 %
5	-	13	0.1 %
6	-	5	0.0 %
7	-	7	0.1 %
8	-	2	0.0 %
20	-	1	0.0 %
40	-	1	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	6292	49.6 %
97	(97) Legitimate skip	6039	47.6 %
98	(98) Don't know	6	0.0 %
	Total	12,680	100%

Based upon 343 valid cases out of 12,680 total cases.

- Mean: 2.37
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 2.67

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 97 , 98

H3RD87B: S19Q87 PAS, UNIT-W3

On average, how often does <PARTNER> perform anal sex on you?

Value	Label	Unweighted Frequency	%
1	(1) Times per day	8	0.1 %
2	(2) Times per week	51	0.4 %
3	(3) Times per month	116	0.9 %
4	(4) Times per year	168	1.3 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	6039	47.6 %
.	-	6	0.0 %
	Total	12,680	100%

Based upon 343 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 239-239 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD88: S19Q88 P EVER USES CONDOM AT PAS?-W3

Does <PARTNER> ever use a condom when he performs anal sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.92)	275	2.2 %
1	(1) Yes	73	0.6 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	6039	47.6 %
8	(8) Don't know	1	0.0 %
	Total	12,680	100%

Based upon 348 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 240-240 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 8

H3RD89: S19Q89 P USED CONDOM AT FIRST PAS?-W3

Did <PARTNER> wear a condom the first time he performed anal sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No	12	0.1 %

Value	Label	Unweighted Frequency	%
1	(1) Yes	60	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	6315	49.8 %
8	(8) Don't know	1	0.0 %
	Total	12,680	100%

Based upon 72 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 241-241 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , 8

H3RD90M: S19Q90 MONTH OF LATEST PAS-W3

In what month (and year) did <PARTNER> most recently perform anal sex on you?

Value	Label	Unweighted Frequency	%
1	(1) January	7	0.1 %
2	(2) February	3	0.0 %
3	(3) March	9	0.1 %
4	(4) April	2	0.0 %
5	(5) May	7	0.1 %
6	(6) June	2	0.0 %
7	(7) July	8	0.1 %
8	(8) August	9	0.1 %
9	(9) September	7	0.1 %
10	(10) October	4	0.0 %
11	(11) November	5	0.0 %
12	(12) December	6	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	6292	49.6 %
97	(97) Legitimate skip	6039	47.6 %
98	(98) Don't know	4	0.0 %
.	-	276	2.2 %
	Total	12,680	100%

Based upon 69 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 95 , 97 , 98 , .

H3RD90Y: S19Q90 YEAR OF LATEST PAS-W3

In what (month and) year did <PARTNER> most recently perform anal sex on you?

Value	Label	Unweighted Frequency	%
1980	-	1	0.0 %
1993	-	2	0.0 %
1994	-	1	0.0 %
1995	-	2	0.0 %
1996	-	1	0.0 %
1997	-	3	0.0 %
1998	-	8	0.1 %
1999	-	7	0.1 %
2000	-	10	0.1 %
2001	-	31	0.2 %
2002	-	5	0.0 %
	Missing Data		
9995	(9995) Question not asked of this respondent	6292	49.6 %
9997	(9997) Legitimate skip	6039	47.6 %
9998	(9998) Don't know	2	0.0 %
.	-	276	2.2 %
	Total	12,680	100%

Based upon 71 valid cases out of 12,680 total cases.

- Mean: 1999.37
- Median: 2001.00
- Mode: 2001.00
- Minimum: 1980.00
- Maximum: 2002.00
- Standard Deviation: 3.14

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9995 , 9997 , 9998 , .

H3RD91: S19Q91 P USED CONDOM AT LATEST PAS?-W3

Did <PARTNER> wear a condom the most recent time he performed anal sex on you?

Value	Label	Unweighted Frequency	%
0	(0) No	9	0.1 %
1	(1) Yes	32	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	6315	49.8 %
.	-	32	0.3 %
	Total	12,680	100%

Based upon 41 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD92: S19Q92 HOW MUCH R LIKES PAS WITH P-W3

How much {DO/DID} you like having <PARTNER> perform anal sex on you?

Value	Label	Unweighted Frequency	%
1	(1) Like very much	81	0.6 %
2	(2) Like somewhat	126	1.0 %
3	(3) Neither like nor dislike	78	0.6 %
4	(4) Dislike somewhat	97	0.8 %
5	(5) Dislike very much	141	1.1 %
	Missing Data		
95	(95) Question not asked of this respondent	8959	70.7 %
96	(96) Refused	3	0.0 %
97	(97) Legitimate skip	3191	25.2 %
98	(98) Don't know	3	0.0 %
99	(99) Not applicable	1	0.0 %
	Total	12,680	100%

Based upon 523 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD93: S19Q93 PAS WITH P AGAIN?-W3

Do you expect that <PARTNER> will perform anal sex on you again?

Value	Label	Unweighted Frequency	%
0	(0) No	142	1.1 %
1	(1) Yes	206	1.6 %
	Missing Data		
5	(5) Question not asked of this respondent	6292	49.6 %
7	(7) Legitimate skip	5730	45.2 %
8	(8) Don't know	4	0.0 %
.	-	306	2.4 %
	Total	12,680	100%

Based upon 348 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , .

H3RD94: S19Q94 R PERFORMED ANAL SEX (RAS)?-W3

Have you ever performed anal sex or anal intercourse on <PARTNER>? That is, have you ever inserted your penis into <PARTNER>'s anus or asshole?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.106)	4776	37.7 %
1	(1) Yes	599	4.7 %
	Missing Data		
5	(5) Question not asked of this respondent	6800	53.6 %
6	(6) Refused	283	2.2 %
8	(8) Don't know	129	1.0 %
9	(9) Not applicable	92	0.7 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 5,375 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 7 , 8 , 9 , .

H3RD95: S19Q95 LENGTH ACQUAINT. PRE-RAS-W3

How long had you known <PARTNER> when you first performed anal sex on {HIM/HER}?

Value	Label	Unweighted Frequency	%
1	(1) One day or less	61	0.5 %
2	(2) Two to seven days	28	0.2 %
3	(3) One or two weeks	36	0.3 %
4	(4) Two to four weeks	54	0.4 %
5	(5) One to five months	103	0.8 %
6	(6) Six months to a year	107	0.8 %
7	(7) A year or more	197	1.6 %
Missing Data			
95	(95) Question not asked of this respondent	6800	53.6 %
96	(96) Refused	2	0.0 %
97	(97) Legitimate skip	5281	41.6 %
98	(98) Don't know	7	0.1 %
99	(99) Not applicable	4	0.0 %
Total		12,680	100%

Based upon 586 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD96: S19Q96 RAS ONCE OR MORE-W3

Have you performed anal sex on <PARTNER> on one or more than one occasion?

Value	Label	Unweighted Frequency	%
1	(1) One occasion	242	1.9 %
2	(2) More than one occasion (skip to Q.99)	340	2.7 %
Missing Data			
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	4922	38.8 %
8	(8) Don't know	4	0.0 %
9	(9) Not applicable	5	0.0 %
.	-	1	0.0 %
Total		12,680	100%

Based upon 582 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric
 (Range of Missing Values: 5 , 7 , 8 , 9 , .

H3RD97: S19Q97 R USED CONDOM AT SINGLE RAS?-W3

Did you wear a condom on that occasion?

Value	Label	Unweighted Frequency	%
0	(0) No	144	1.1 %
1	(1) Yes	98	0.8 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5272	41.6 %
	Total	12,680	100%

Based upon 242 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 256-256 (width: 1; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: 5 , 7

H3RD98M: S19Q98 MONTH OF SINGLE RAS-W3

In what month (and year) did you perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	19	0.1 %
2	(2) February	15	0.1 %
3	(3) March	12	0.1 %
4	(4) April	11	0.1 %
5	(5) May	21	0.2 %
6	(6) June	24	0.2 %
7	(7) July	33	0.3 %
8	(8) August	27	0.2 %
9	(9) September	17	0.1 %
10	(10) October	16	0.1 %
11	(11) November	12	0.1 %
12	(12) December	21	0.2 %
	Missing Data		
95	(95) Question not asked of this respondent	7166	56.5 %
96	(96) Refused	6	0.0 %
97	(97) Legitimate skip	5272	41.6 %
98	(98) Don't know	6	0.0 %

Value	Label	Unweighted Frequency	%
99	(99) Not applicable	1	0.0 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 228 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99 , .

H3RD98Y: S19Q98 YEAR OF SINGLE RAS-W3

In what (month and) year did you perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1991	-	2	0.0 %
1992	-	1	0.0 %
1993	-	1	0.0 %
1994	-	1	0.0 %
1995	-	7	0.1 %
1996	-	10	0.1 %
1997	-	20	0.2 %
1998	-	25	0.2 %
1999	-	34	0.3 %
2000	-	53	0.4 %
2001	-	72	0.6 %
2002	-	3	0.0 %
	Missing Data		
9995	(9995) Question not asked of this respondent	7166	56.5 %
9996	(9996) Refused	3	0.0 %
9997	(9997) Legitimate skip	5272	41.6 %
9998	(9998) Don't know	7	0.1 %
9999	(9999) Not applicable	1	0.0 %
.	-	2	0.0 %
	Total	12,680	100%

Based upon 229 valid cases out of 12,680 total cases.

- Mean: 1999.21
- Median: 2000.00
- Mode: 2001.00

- Minimum: 1991.00
- Maximum: 2002.00
- Standard Deviation: 1.99

Location: 259-262 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , 9999 , .

H3RD99A: S19Q99 RAS, NUMBER-W3

On average, how often do you perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	112	0.9 %
2	-	78	0.6 %
3	-	46	0.4 %
4	-	5	0.0 %
5	-	13	0.1 %
6	-	5	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
15	-	1	0.0 %
20	-	2	0.0 %
40	-	1	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	7166	56.5 %
97	(97) Legitimate skip	5174	40.8 %
98	(98) Don't know	1	0.0 %
99	(99) Not applicable	1	0.0 %
.	-	70	0.6 %
	Total	12,680	100%

Based upon 268 valid cases out of 12,680 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 3.24

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 97 , 98 , 99 , .

H3RD99B: S19Q99 RAS, UNIT-W3

On average, how often do you perform anal sex on <PARTNER>? Times per day/times per week/times per month/times per year

Value	Label	Unweighted Frequency	%
1	(1) Times per day	12	0.1 %
2	(2) Times per week	46	0.4 %
3	(3) Times per month	97	0.8 %
4	(4) Times per year	113	0.9 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5174	40.8 %
.	-	72	0.6 %
	Total	12,680	100%

Based upon 268 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD100: S19Q100 R EVER USES CONDOM AT RAS?-W3

Do you ever use a condom when you perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.104)	201	1.6 %
1	(1) Yes	69	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5174	40.8 %
.	-	70	0.6 %
	Total	12,680	100%

Based upon 270 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD101: S19Q101 R USED CONDOM AT FIRST RAS?-W3

Did you wear a condom the first time you performed anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No	9	0.1 %
1	(1) Yes	60	0.5 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5445	42.9 %
	Total	12,680	100%

Based upon 69 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7

H3RD102M: S19Q102 MONTH OF LATEST RAS-W3

In what month (and year) did you most recently perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) January	6	0.0 %
2	(2) February	3	0.0 %
3	(3) March	6	0.0 %
4	(4) April	3	0.0 %
5	(5) May	9	0.1 %
6	(6) June	6	0.0 %
7	(7) July	4	0.0 %
8	(8) August	6	0.0 %
9	(9) September	4	0.0 %
10	(10) October	5	0.0 %
11	(11) November	5	0.0 %
12	(12) December	8	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	7166	56.5 %
96	(96) Refused	2	0.0 %
97	(97) Legitimate skip	5445	42.9 %
98	(98) Don't know	2	0.0 %
	Total	12,680	100%

Based upon 65 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 268-269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 95 , 96 , 97 , 98

H3RD102Y: S19Q102 YEAR OF LATEST RAS-W3

In what (month and) year did you most recently perform anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1992	-	1	0.0 %
1994	-	1	0.0 %
1995	-	1	0.0 %
1996	-	2	0.0 %
1997	-	4	0.0 %
1998	-	3	0.0 %
1999	-	13	0.1 %
2000	-	14	0.1 %
2001	-	22	0.2 %
2002	-	4	0.0 %
	Missing Data		
9995	(9995) Question not asked of this respondent	7166	56.5 %
9996	(9996) Refused	2	0.0 %
9997	(9997) Legitimate skip	5445	42.9 %
9998	(9998) Don't know	1	0.0 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 65 valid cases out of 12,680 total cases.

- Mean: 1999.57
- Median: 2000.00
- Mode: 2001.00
- Minimum: 1992.00
- Maximum: 2002.00
- Standard Deviation: 1.95

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9995 , 9996 , 9997 , 9998 , .

H3RD103: S19Q103 R USED CONDOM AT LATEST RAS?-W3

Did you wear a condom the most recent time you performed anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) No	6	0.0 %
1	(1) Yes	24	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	5445	42.9 %
.	-	39	0.3 %
	Total	12,680	100%

Based upon 30 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 7 , .

H3RD104: S19Q104 HOW MUCH R LIKES RAS WITH P-W3

How much {DO/DID} you like performing anal sex on <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Like very much	237	1.9 %
2	(2) Like somewhat	107	0.8 %
3	(3) Neither like nor dislike	60	0.5 %
4	(4) Dislike somewhat	21	0.2 %
5	(5) Dislike very much	22	0.2 %
	Missing Data		
95	(95) Question not asked of this respondent	9582	75.6 %
96	(96) Refused	1	0.0 %
97	(97) Legitimate skip	2646	20.9 %
98	(98) Don't know	1	0.0 %
99	(99) Not applicable	3	0.0 %
	Total	12,680	100%

Based upon 447 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98 , 99

H3RD105: S19Q105 RAS WITH P AGAIN?-W3

Do you expect that you will perform anal sex on <PARTNER> again?

Value	Label	Unweighted Frequency	%
0	(0) No	78	0.6 %
1	(1) Yes	169	1.3 %
	Missing Data		
5	(5) Question not asked of this respondent	7166	56.5 %
7	(7) Legitimate skip	4922	38.8 %
8	(8) Don't know	6	0.0 %
.	-	339	2.7 %
	Total	12,680	100%

Based upon 247 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 7 , 8 , .

H3RD106: S19Q106 R OR P INITIATES SEX-W3

In all the types of sexual relations that you and <PARTNER> have, which of you typically initiates the sex?

Value	Label	Unweighted Frequency	%
1	(1) I always do	77	0.6 %
2	(2) I usually do	126	1.0 %
3	(3) We each initiate equally often	798	6.3 %
4	(4) <PARTNER> usually does	176	1.4 %
5	(5) <PARTNER> always does	34	0.3 %
	Missing Data		
95	(95) Question not asked of this respondent	11339	89.4 %
96	(96) Refused	29	0.2 %
98	(98) Don't know	19	0.1 %
99	(99) Not applicable	9	0.1 %
.	-	73	0.6 %
	Total	12,680	100%

Based upon 1,211 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 95 , 96 , 98 , 99 , .

H3RD107: S19Q107 FREQUENCY R'S ORGASM WITH P-W3

When you and <PARTNER> have sexual relations, how often do you have an orgasm--that is, climax or come?

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	70	0.6 %
1	(1) Less than half the time	79	0.6 %
2	(2) About half the time	124	1.0 %
3	(3) More than half the time	169	1.3 %
4	(4) Most of the time/every time	761	6.0 %
Missing Data			
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	37	0.3 %
8	(8) Don't know	17	0.1 %
9	(9) Not applicable	11	0.1 %
.	-	73	0.6 %
Total		12,680	100%

Based upon 1,203 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 5 , 6 , 8 , 9 , .

H3RD108: S19Q108 P HAS CONCURRENT PARTNERS?-W3

As far as you know, during the time you and <PARTNER> have had a sexual relationship, has <PARTNER> had any other sexual partners?

Value	Label	Unweighted Frequency	%
0	(0) No	8621	68.0 %
1	(1) Yes	1985	15.7 %
Missing Data			
5	(5) Question not asked of this respondent	764	6.0 %
6	(6) Refused	465	3.7 %
8	(8) Don't know	702	5.5 %
9	(9) Not applicable	137	1.1 %
.	-	6	0.0 %
Total		12,680	100%

Based upon 10,606 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: 5 , 6 , 8 , 9 , .

H3RD109: S19Q109 FREQ. R VIOLENT TO P-W3

How often [if LONG=1, add: "in the past year"] have you threatened <PARTNER> with violence, pushed or shoved {HIM/HER}, or thrown something at {HIM/HER} that could hurt?

Value	Label	Unweighted Frequency	%
0	(0) Never	5518	43.5 %
1	(1) Once	422	3.3 %
2	(2) Twice	263	2.1 %
3	(3) 3 to 5 times	210	1.7 %
4	(4) 6 to 10 times	75	0.6 %
5	(5) 11 to 20 times	34	0.3 %
6	(6) More than 20 times (If LONG=1, add:)	31	0.2 %
7	(7) Hasn't happened in past year/but did happen before then	19	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	117	0.9 %
98	(98) Don't know	67	0.5 %
99	(99) Not applicable	64	0.5 %
	Total	12,680	100%

Based upon 6,572 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 282-283 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: 95 , 96 , 98 , 99

H3RD110: S19Q110 FREQ. P VIOLENT TO R-W3

How often [if LONG=1, add: "in the past year"] has <PARTNER> threatened you with violence, pushed or shoved you, or thrown something at you that could hurt?

Value	Label	Unweighted Frequency	%
0	(0) Never	5552	43.8 %
1	(1) Once	360	2.8 %
2	(2) Twice	207	1.6 %
3	(3) 3 to 5 times	233	1.8 %
4	(4) 6 to 10 times	93	0.7 %
5	(5) 11 to 20 times	54	0.4 %
6	(6) More than 20 times (If LONG=1, add:)	72	0.6 %
7	(7) Hasn't happened in past year/but did happen before then	16	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	115	0.9 %
98	(98) Don't know	59	0.5 %
99	(99) Not applicable	59	0.5 %
	Total	12,680	100%

Based upon 6,587 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD111: S19Q111 FREQ. R HIT P-W3

How often [if LONG=1, add: "in the past year"] have you slapped, hit, or kicked <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) Never	5885	46.4 %
1	(1) Once	319	2.5 %
2	(2) Twice	162	1.3 %
3	(3) 3 to 5 times	148	1.2 %
4	(4) 6 to 10 times	46	0.4 %
5	(5) 11 to 20 times	17	0.1 %
6	(6) More than 20 times (If LONG=1, add:)	13	0.1 %
7	(7) Hasn't happened in past year/but did happen before then	8	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	115	0.9 %
98	(98) Don't know	52	0.4 %
99	(99) Not applicable	55	0.4 %
	Total	12,680	100%

Based upon 6,598 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD112: S19Q112 FREQ. P HIT R-W3

How often [if LONG=1, add: "in the past year"] has <PARTNER> slapped, hit, or kicked you?

Value	Label	Unweighted Frequency	%
0	(0) Never	5837	46.0 %
1	(1) Once	292	2.3 %
2	(2) Twice	141	1.1 %
3	(3) 3 to 5 times	168	1.3 %
4	(4) 6 to 10 times	68	0.5 %
5	(5) 11 to 20 times	31	0.2 %
6	(6) More than 20 times (If LONG=1, add:)	47	0.4 %
7	(7) Hasn't happened in past year/but did happen before then	13	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	112	0.9 %
98	(98) Don't know	55	0.4 %
99	(99) Not applicable	56	0.4 %
	Total	12,680	100%

Based upon 6,597 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD113: S19Q113 FREQ. R FORCED SEX ON P-W3

How often [if LONG=1, add: "in the past year"] have you insisted on or made <PARTNER> have sexual relations with you when {HE/SHE} didn't want to?

Value	Label	Unweighted Frequency	%
0	(0) Never	6340	50.0 %
1	(1) Once	106	0.8 %
2	(2) Twice	54	0.4 %
3	(3) 3 to 5 times	54	0.4 %
4	(4) 6 to 10 times	12	0.1 %
5	(5) 11 to 20 times	11	0.1 %
6	(6) More than 20 times (If LONG=1, add:)	13	0.1 %
7	(7) Hasn't happened in past year/but did happen before then	7	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	111	0.9 %
98	(98) Don't know	53	0.4 %

Value	Label	Unweighted Frequency	%
99	(99) Not applicable	58	0.5 %
.	-	1	0.0 %
	Total	12,680	100%

Based upon 6,597 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 95 , 96 , 98 , 99 , .

H3RD114: S19Q114 FREQ. P FORCED SEX ON R-W3

How often [if LONG=1, add: "in the past year"] has <PARTNER> insisted on or made you have sexual relations with {HIM/HER} when you didn't want to?

Value	Label	Unweighted Frequency	%
0	(0) Never	6096	48.1 %
1	(1) Once	165	1.3 %
2	(2) Twice	109	0.9 %
3	(3) 3 to 5 times	129	1.0 %
4	(4) 6 to 10 times	39	0.3 %
5	(5) 11 to 20 times	18	0.1 %
6	(6) More than 20 times (If LONG=1, add:)	30	0.2 %
7	(7) Hasn't happened in past year/but did happen before then	12	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	112	0.9 %
98	(98) Don't know	51	0.4 %
99	(99) Not applicable	59	0.5 %
	Total	12,680	100%

Based upon 6,598 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 95 , 96 , 98 , 99

H3RD115: S19Q115 FREQ. R INJURED BY P-W3

How often [if LONG=1, add: "in the past year"] have you had an injury, such as a sprain, bruise, or cut because of a fight with <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) Never	6239	49.2 %
1	(1) Once	144	1.1 %
2	(2) Twice	93	0.7 %
3	(3) 3 to 5 times	72	0.6 %
4	(4) 6 to 10 times	21	0.2 %
5	(5) 11 to 20 times	12	0.1 %
6	(6) More than 20 times (If LONG=1, add:)	8	0.1 %
7	(7) Hasn't happened in past year/but did happen before then	10	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	110	0.9 %
98	(98) Don't know	51	0.4 %
99	(99) Not applicable	60	0.5 %
	Total	12,680	100%

Based upon 6,599 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD116: S19Q116 FREQ. P INJURED BY R-W3

How often [if LONG=1, add: "in the past year"] has <PARTNER> had an injury, such as a sprain, bruise, or cut because of a fight with you?

Value	Label	Unweighted Frequency	%
0	(0) Never	6379	50.3 %
1	(1) Once	127	1.0 %
2	(2) Twice	43	0.3 %
3	(3) 3 to 5 times	32	0.3 %
4	(4) 6 to 10 times	8	0.1 %
5	(5) 11 to 20 times	4	0.0 %
6	(6) More than 20 times (If LONG=1, add:)	2	0.0 %
7	(7) Hasn't happened in past year/but did happen before then	8	0.1 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
96	(96) Refused	105	0.8 %
98	(98) Don't know	50	0.4 %
99	(99) Not applicable	62	0.5 %

Value	Label	Unweighted Frequency	%
	Total	12,680	100%

Based upon 6,603 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD117: S19Q117 R&P JOINT BANK ACCOUNT?-W3

Do you and <PARTNER> have a joint bank account?

Value	Label	Unweighted Frequency	%
0	(0) No	5753	45.4 %
1	(1) Yes	892	7.0 %
	Missing Data		
5	(5) Question not asked of this respondent	5860	46.2 %
6	(6) Refused	94	0.7 %
8	(8) Don't know	38	0.3 %
9	(9) Not applicable	43	0.3 %
	Total	12,680	100%

Based upon 6,645 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD118: S19Q118 R&P MADE >\$500 PURCHASE?-W3

Have you and <PARTNER> ever purchased anything together that cost more than \$500?

Value	Label	Unweighted Frequency	%
0	(0) No	5093	40.2 %
1	(1) Yes	1547	12.2 %
	Missing Data		
5	(5) Question not asked of this respondent	5860	46.2 %
6	(6) Refused	93	0.7 %
8	(8) Don't know	45	0.4 %
9	(9) Not applicable	42	0.3 %
	Total	12,680	100%

Based upon 6,640 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD119: S19Q119 EXTENT OF R'S SATISF WITH P-W3

In general, how satisfied are you with your relationship with <PARTNER>?

Value	Label	Unweighted Frequency	%
1	(1) Very satisfied	904	7.1 %
2	(2) Somewhat satisfied	274	2.2 %
3	(3) Neither dissatisfied or satisfied	56	0.4 %
4	(4) Somewhat dissatisfied	43	0.3 %
5	(5) Very dissatisfied	27	0.2 %
Missing Data			
95	(95) Question not asked of this respondent	11339	89.4 %
96	(96) Refused	14	0.1 %
98	(98) Don't know	11	0.1 %
99	(99) Not applicable	12	0.1 %
Total		12,680	100%

Based upon 1,304 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD120: S19Q120 EXTENT OF R'S LOVE FOR P-W3

How much do you love <PARTNER>?

Value	Label	Unweighted Frequency	%
0	(0) A lot	4127	32.5 %
1	(1) Somewhat	1134	8.9 %
2	(2) A little	690	5.4 %
3	(3) Not at all	651	5.1 %
Missing Data			
5	(5) Question not asked of this respondent	5860	46.2 %
6	(6) Refused	99	0.8 %
8	(8) Don't know	72	0.6 %

Value	Label	Unweighted Frequency	%
9	(9) Not applicable	47	0.4 %
	Total	12,680	100%

Based upon 6,602 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD121: S19Q121 EXTENT OF P'S LOVE FOR R-W3

How much do you think <PARTNER> loves you?

Value	Label	Unweighted Frequency	%
0	(0) A lot	4115	32.5 %
1	(1) Somewhat	1249	9.9 %
2	(2) A little	644	5.1 %
3	(3) Not at all	527	4.2 %
	Missing Data		
5	(5) Question not asked of this respondent	5860	46.2 %
6	(6) Refused	96	0.8 %
8	(8) Don't know	136	1.1 %
9	(9) Not applicable	53	0.4 %
	Total	12,680	100%

Based upon 6,535 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD122: S19Q122 R OR P GETS BETTER DEAL-W3

Considering what you put into the relationship compared to what you get out of it, and what <PARTNER> puts in compared to what {HE/SHE} gets out, who is getting a better deal in the relationship?

Value	Label	Unweighted Frequency	%
1	(1) I am getting a much better deal than <PARTNER>	99	0.8 %
2	(2) I am getting a somewhat better deal	78	0.6 %
3	(3) We are both getting an equally good or equally bad deal	949	7.5 %
4	(4) <PARTNER> is getting a somewhat better deal	113	0.9 %

Value	Label	Unweighted Frequency	%
5	(5) <PARTNER> is getting a much better deal	51	0.4 %
	Missing Data		
95	(95) Question not asked of this respondent	11339	89.4 %
96	(96) Refused	15	0.1 %
98	(98) Don't know	19	0.1 %
99	(99) Not applicable	17	0.1 %
	Total	12,680	100%

Based upon 1,290 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 98 , 99

H3RD123A: S19Q123 MARRIAGE TO P, NUMBER-W3

How long were you married to <PARTNER>?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.0 %
3	-	3	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
97	(97) Legitimate skip	6743	53.2 %
98	(98) Don't know	2	0.0 %
99	(99) Not applicable	1	0.0 %
.	-	66	0.5 %
	Total	12,680	100%

Based upon 8 valid cases out of 12,680 total cases.

- Mean: 4.12
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.40

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 97 , 98 , 99 , .

H3RD123B: S19Q123 MARRIAGE TO P, UNIT-W3

How long were you married to <PARTNER>? Years/months/days

Value	Label	Unweighted Frequency	%
1	(1) Years	3	0.0 %
2	(2) Months	5	0.0 %
	Missing Data		
95	(95) Question not asked of this respondent	5860	46.2 %
97	(97) Legitimate skip	6743	53.2 %
.	-	69	0.5 %
	Total	12,680	100%

Based upon 8 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 97 , .

H3RD124: S19Q124 HOW REL. WITH P ENDED-W3

How did your marriage to <PARTNER> end?

Value	Label	Unweighted Frequency	%
1	(1) Divorced	10	0.1 %
2	(2) Marriage annulled	1	0.0 %
	Missing Data		
5	(5) Question not asked of this respondent	5860	46.2 %
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	6743	53.2 %
9	(9) Not applicable	1	0.0 %
.	-	64	0.5 %
	Total	12,680	100%

Based upon 11 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 7 , 9 , .

H3RD125: S19Q125 FREQ. R DECIDES RE DATES-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You decide what to do or where to go when you go out.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	85	0.7 %
1	(1) Less than half the time	119	0.9 %
2	(2) About half the time	770	6.1 %
3	(3) More than half the time	222	1.8 %
4	(4) Most of the time/every time	87	0.7 %
Missing Data			
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	17	0.1 %
8	(8) Don't know	22	0.2 %
9	(9) Not applicable	19	0.1 %
Total		12,680	100%

Based upon 1,283 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD126: S19Q126 FREQ. R FIRST TO APOLOGIZE-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You are the first to apologize after a disagreement or argument.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	124	1.0 %
1	(1) Less than half the time	239	1.9 %
2	(2) About half the time	557	4.4 %
3	(3) More than half the time	236	1.9 %
4	(4) Most of the time/every time	130	1.0 %
Missing Data			
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	16	0.1 %
8	(8) Don't know	17	0.1 %
9	(9) Not applicable	22	0.2 %
Total		12,680	100%

Based upon 1,286 valid cases out of 12,680 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 312-312 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD127: S19Q127 FREQ. R DRIVES-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You do the driving when you are out together.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	312	2.5 %
1	(1) Less than half the time	239	1.9 %
2	(2) About half the time	285	2.2 %
3	(3) More than half the time	137	1.1 %
4	(4) Most of the time/every time	320	2.5 %
Missing Data			
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	15	0.1 %
8	(8) Don't know	13	0.1 %
9	(9) Not applicable	20	0.2 %
Total		12,680	100%

Based upon 1,293 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 313-313 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD128: S19Q128 FREQ. R BOLSTERS P-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You laugh at <PARTNER>'s jokes, even if they are not funny, just to make {HIM/HER} feel good.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	259	2.0 %
1	(1) Less than half the time	238	1.9 %
2	(2) About half the time	293	2.3 %
3	(3) More than half the time	250	2.0 %
4	(4) Most of the time/every time	244	1.9 %
Missing Data			
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	17	0.1 %
8	(8) Don't know	20	0.2 %

Value	Label	Unweighted Frequency	%
9	(9) Not applicable	20	0.2 %
	Total	12,680	100%

Based upon 1,284 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD129: S19Q129 FREQ. R CODDLES P-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You try to notice and respond to <PARTNER>'s mood changes.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	85	0.7 %
1	(1) Less than half the time	73	0.6 %
2	(2) About half the time	223	1.8 %
3	(3) More than half the time	387	3.1 %
4	(4) Most of the time/every time	525	4.1 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	16	0.1 %
8	(8) Don't know	16	0.1 %
9	(9) Not applicable	16	0.1 %
	Total	12,680	100%

Based upon 1,293 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 315-315 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD130: S19Q130 FREQ. R CARES FOR CAR-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You fix the car or make arrangements to fix the car.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	536	4.2 %
1	(1) Less than half the time	156	1.2 %

Value	Label	Unweighted Frequency	%
2	(2) About half the time	180	1.4 %
3	(3) More than half the time	129	1.0 %
4	(4) Most of the time/every time	257	2.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	14	0.1 %
8	(8) Don't know	18	0.1 %
9	(9) Not applicable	51	0.4 %
	Total	12,680	100%

Based upon 1,258 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 316-316 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD131: S19Q131 FREQ. R CLEANS HOUSE-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You clean the house or apartment.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	202	1.6 %
1	(1) Less than half the time	136	1.1 %
2	(2) About half the time	330	2.6 %
3	(3) More than half the time	214	1.7 %
4	(4) Most of the time/every time	359	2.8 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	15	0.1 %
8	(8) Don't know	14	0.1 %
9	(9) Not applicable	71	0.6 %
	Total	12,680	100%

Based upon 1,241 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 317-317 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD132: S19Q132 FREQ. R MOWS LAWN-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You mow the lawn or do other yard work.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	650	5.1 %
1	(1) Less than half the time	117	0.9 %
2	(2) About half the time	160	1.3 %
3	(3) More than half the time	81	0.6 %
4	(4) Most of the time/every time	173	1.4 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	13	0.1 %
8	(8) Don't know	16	0.1 %
9	(9) Not applicable	131	1.0 %
	Total	12,680	100%

Based upon 1,181 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 318-318 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

H3RD133: S19Q133 FREQ. R DOES WASH-W3

In your relationship with <PARTNER>, what proportion of the time do you do the following? You wash or iron clothes.

Value	Label	Unweighted Frequency	%
0	(0) Never/hardly ever	247	1.9 %
1	(1) Less than half the time	141	1.1 %
2	(2) About half the time	259	2.0 %
3	(3) More than half the time	194	1.5 %
4	(4) Most of the time/every time	385	3.0 %
	Missing Data		
5	(5) Question not asked of this respondent	11339	89.4 %
6	(6) Refused	15	0.1 %
8	(8) Don't know	15	0.1 %
9	(9) Not applicable	85	0.7 %
	Total	12,680	100%

Based upon 1,226 valid cases out of 12,680 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 319-319 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 5 , 6 , 8 , 9

E_SUBSEC: S19 SUB-SECTION ADMINISTERED TO R-W3

Version of Section 19 Administered

Value	Label	Unweighted Frequency	%
1	(1) Couples Sample/Morris Sample/Udry Sample	1243	9.8 %
2	(2) Couples Sample/Morris Sample	25	0.2 %
3	(3) Couples Sample/Udry Sample	67	0.5 %
4	(4) Morris Sample/Udry Sample	4788	37.8 %
5	(5) Couples Sample	6	0.0 %
6	(6) Morris Sample	5860	46.2 %
7	(7) Udry Sample	691	5.4 %
	Total	12,680	100%

Based upon 12,680 valid cases out of 12,680 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric