ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave III: In-Home Questionnaire, Public Use Sample (Section 22: Completed Pregnancies) Variable Description and Frequencies

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008
[Public Use]

DS12: Wave III: In-Home Questionnaire, Public Use Sample
(Section 22: Completed Pregnancies)

1. **Value Range Discrepancy:** For variable **RRELNO,** valid values range from '1' to '23' in the dataset. In the P.I. Codebook/Questionnaire, the valid value range is listed as "1 to 48". No information was provided.

2. **Undefined Text Abbreviations:** Several variables feature coded question text abbreviations (e.g. <CPEMTHT> and <CPEYR>) that are not explicitly defined in the P.I. Codebook/Questionnaire.

3. **Truncated Value Labels:** Due to limitations in the statistical packages, several variables feature truncated value labels. Please see the P.I. Codebook/Questionnaire for full value labels.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave III: In-Home Questionnaire, Public Use Sample (Section 22: Completed Pregnancies)

AID: RESPONDENT IDENTIFIER

Respondent identification number

Value	Label	Unweighted Frequency	%
57100270	-	1	0.0 %
57101310	-	2	0.1 %
57117542	-	1	0.0 %
57120005	-	1	0.0 %
57120046	-	1	0.0 %
57120371	-	2	0.1 %
57134970	-	1	0.0 %
57135078	-	4	0.2 %
57136630	-	1	0.0 %
57154249	-	4	0.2 %
57154779	-	2	0.1 %
57157723	-	1	0.0 %
57160648	-	1	0.0 %
57165081	-	2	0.1 %
57178110	-	1	0.0 %
57191909	-	3	0.1 %
57199320	-	1	0.0 %
57200870	-	2	0.1 %
57211108	-	2	0.1 %
57212347	-	1	0.0 %
57214806	-	2	0.1 %
57217465	-	1	0.0 %
57233403	-	2	0.1 %
57234514	-	2	0.1 %
57235039	-	1	0.0 %
57241075	-	1	0.0 %
57245293	-	1	0.0 %
57245315	-	3	0.1 %
57245379	-	1	0.0 %
57251197	-	1	0.0 %
57262270	-	1	0.0 %
57265490	-	1	0.0 %
57275298	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57277289	-	1	0.0 %
88149345	-	4	0.2 %
88202138	-	1	0.0 %
88249047	-	2	0.1 %
90500516	-	2	0.1 %
90500914	-	2	0.1 %
90504142	-	4	0.2 %
90504248	-	2	0.1 %
90504500	-	3	0.1 %
90506094	-	2	0.1 %
90506203	-	2	0.1 %
90506268	-	1	0.0 %
90506428	-	1	0.0 %
90506849	-	1	0.0 %
90507350	-	2	0.1 %
90507957	-	1	0.0 %
90508165	-	2	0.1 %
	Total	**2,163**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,163 valid cases out of 2,163 total cases.

Location: 1-8 (width: 8; decimal: 0)
Variable Type: character

RRELNO: ROMANTIC RELATIONSHIP NUMBER

Romantic relationship number

Value	Label	Unweighted Frequency	%
1	-	1179	54.5 %
2	-	412	19.0 %
3	-	213	9.8 %
4	-	114	5.3 %
5	-	69	3.2 %
6	-	53	2.5 %
7	-	47	2.2 %
8	-	18	0.8 %
9	-	11	0.5 %
10	-	6	0.3 %
11	-	6	0.3 %

Value	Label	Unweighted Frequency	%
12	-	9	0.4 %
13	-	5	0.2 %
14	-	7	0.3 %
15	-	6	0.3 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	3	0.1 %
23	-	1	0.0 %
	Total	**2,163**	**100%**

Based upon 2,163 valid cases out of 2,163 total cases.

- Mean: 2.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 2.36

Location: 9-10 (width: 2; decimal: 0)
Variable Type: numeric

RPREGNO: RELATIONSHIP PREGNANCY NUMBER

Relationship pregnancy number

Value	Label	Unweighted Frequency	%
1	-	1606	74.2 %
2	-	411	19.0 %
3	-	104	4.8 %
4	-	24	1.1 %
5	-	9	0.4 %
6	-	5	0.2 %
7	-	3	0.1 %
8	-	1	0.0 %
	Total	**2,163**	**100%**

Based upon 2,163 valid cases out of 2,163 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.74

Location: 11-11 (width: 1; decimal: 0)
Variable Type: numeric

H3PG1: S22Q1 MONTHS PREG WHEN TOLD PARTNER-W3

[If the respondent is male and number of pregnancies = 1:] How many months pregnant was she when <PARTNER> told you that she was pregnant? [If the respondent is male and number of pregnancies > 1:] With regard to <PARTNER>'s pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant was she when she told you that she was pregnant? [If the respondent is female and number of pregnancies = 1:] How many months pregnant were you when you told <PARTNER> that you were pregnant? [If the respondent is female and number of pregnancies > 1:] With regard to your pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant were you when you told <PARTNER> that you were pregnant?

Value	Label	Unweighted Frequency	%
0	(0) 0 months	124	5.7 %
1	(1) 1 month	1032	47.7 %
2	(2) 2 months	474	21.9 %
3	(3) 3 months	252	11.7 %
4	(4) 4 months	83	3.8 %
5	(5) 5 months	49	2.3 %
6	(6) 6 months	20	0.9 %
7	(7) 7 months	7	0.3 %
8	(8) 8 months	5	0.2 %
9	(9) 9 months	37	1.7 %
	Missing Data		
96	(96) Refused	24	1.1 %
98	(98) Don't know	19	0.9 %
99	(99) Not applicable	22	1.0 %
.	-	15	0.7 %
	Total	**2,163**	**100%**

Based upon 2,083 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 12-13 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 98 , 99 , .

H3PG2: S22Q2 WEEKS PREGNANT WHEN ENDED-W3

How many weeks had you been pregnant when {YOUR/THIS} pregnancy ended?

Value	Label	Unweighted Frequency	%
0	(0) 0 weeks	44	2.0 %
1	-	18	0.8 %
2	-	24	1.1 %
3	-	32	1.5 %

Value	Label	Unweighted Frequency	%
4	-	38	1.8 %
5	-	24	1.1 %
6	-	52	2.4 %
7	-	27	1.2 %
8	-	75	3.5 %
9	-	25	1.2 %
10	-	23	1.1 %
11	-	16	0.7 %
12	-	83	3.8 %
13	-	22	1.0 %
14	-	17	0.8 %
15	-	8	0.4 %
16	-	17	0.8 %
17	-	3	0.1 %
18	-	6	0.3 %
19	-	1	0.0 %
20	-	7	0.3 %
21	-	2	0.1 %
22	-	2	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
25	-	4	0.2 %
26	-	3	0.1 %
27	-	1	0.0 %
28	-	13	0.6 %
29	-	2	0.1 %
30	-	6	0.3 %
31	-	2	0.1 %
32	-	35	1.6 %
33	-	4	0.2 %
34	-	22	1.0 %
35	-	11	0.5 %
36	-	127	5.9 %
37	-	35	1.6 %
38	-	95	4.4 %
39	-	79	3.7 %
40	-	383	17.7 %
	Missing Data		
96	(96) Refused	18	0.8 %

Value	Label	Unweighted Frequency	%
97	(97) Legitimate skip	713	33.0 %
98	(98) Don't know	18	0.8 %
99	(99) Not applicable	9	0.4 %
.	-	13	0.6 %
	Total	**2,163**	**100%**

Based upon 1,392 valid cases out of 2,163 total cases.

- Mean: 25.65
- Median: 36.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 15.20

Location: 14-15 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG3: S22Q3 SCHOOL LEVEL WHEN GOT PREGNANT-W3

How far had <PARTNER> gone in school when {SHE/YOU} got pregnant by {YOU/HIM}?

Value	Label	Unweighted Frequency	%
0	(0) Had never gone to school	73	3.4 %
1	(1) 8th grade or less	55	2.5 %
2	(2) >8th grade/but not high school graduate	527	24.4 %
3	(3) Business/trade/voc. school instead high school	29	1.3 %
4	(4) High school graduate	734	33.9 %
5	(5) Completed GED	146	6.7 %
6	(6) Business/trade/voc. school after high school	78	3.6 %
7	(7) Attending college	110	5.1 %
8	(8) College/didn't graduate	171	7.9 %
9	(9) College/university graduate	52	2.4 %
10	(10) Attending graduate school	6	0.3 %
11	(11) Receiving professional training beyond 4-year college/u	14	0.6 %
12	(12) Had received an advanced degree	11	0.5 %
	Missing Data		
96	(96) Refused	34	1.6 %
98	(98) Don't know	68	3.1 %
99	(99) Not applicable	41	1.9 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 2,006 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 12.00

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 98 , 99 , .

H3PG4: S22Q4 ANY CONTACT DURING PREGNANCY-W3

Did {YOU/<PARTNER>} have any contact with {<PARTNER>/YOU} between the time {YOU/HE} learned {SHE WAS/YOU WERE} pregnant and the time {HER/YOUR} pregnancy ended?

Value	Label	Unweighted Frequency	%
0	(0) No	163	7.5 %
1	(1) Yes	1919	88.7 %
	Missing Data		
6	(6) Refused	27	1.2 %
8	(8) Don't know	23	1.1 %
9	(9) Not applicable	17	0.8 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 2,082 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 18-18 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 8 , 9 , .

H3PG5: S22Q5 BIRTH CONTROL BEFORE PREGNANCY-W3

Before {<PARTNER>/YOU} got pregnant, were you or {SHE/<PARTNER>} using any kind of birth control when you had sex with each other?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.8)	1195	55.2 %
1	(1) Yes	878	40.6 %
	Missing Data		
6	(6) Refused	32	1.5 %
8	(8) Don't know	25	1.2 %
9	(9) Not applicable	19	0.9 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 2,073 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 19-19 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 8 , 9 , .

H3PG6A: S22Q6A FIRST METHOD OF BIRTH CONTROL-W3

What kinds of birth control were you or {SHE/HE} using? You may report as many as three methods. 1st response

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	550	25.4 %
2	(2) Withdrawal	45	2.1 %
3	(3) Rhythm (safe time) or safe period by the calendar	5	0.2 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	1	0.0 %
5	(5) Birth control pills (the pill)	179	8.3 %
6	(6) Vaginal sponge	4	0.2 %
7	(7) Spermicidal foam/jelly/creme/suppositories	4	0.2 %
8	(8) Diaphragm, with/without jelly/cream	1	0.0 %
9	(9) Cervical cap	0	0.0 %
10	(10) Female condom	11	0.5 %
11	(11) IUD (intrauterine device)/coil/loop	2	0.1 %
12	(12) The implant of Norplant	1	0.0 %
13	(13) Ring	1	0.0 %
14	(14) The injectable or Depo Provera	14	0.6 %
15	(15) Vaginal contraceptive film or insert	0	0.0 %
16	(16) Female sterilization/tubal ligation	0	0.0 %
17	(17) Hysterectomy	1	0.0 %
18	(18) Vasectomy	1	0.0 %
19	(19) Emer contraception-high dose birth cont/morning after p	0	0.0 %
20	(20) Some other method	3	0.1 %
21	(21) No other method	43	2.0 %
	Missing Data		
96	(96) Refused	40	1.8 %
97	(97) Legitimate skip	1195	55.2 %
98	(98) Don't know	17	0.8 %
99	(99) Not applicable	31	1.4 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 866 valid cases out of 2,163 total cases.

- Minimum: 1.00

- Maximum: 21.00

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG6B: S22Q6B SECOND METHOD OF BIRTH CONTROL-W3

What kinds of birth control were you or {SHE/HE} using? You may report as many as three methods. 2nd response

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	360	16.6 %
2	(2) Withdrawal	87	4.0 %
3	(3) Rhythm (safe time) or safe period by the calendar	9	0.4 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	4	0.2 %
5	(5) Birth control pills (the pill)	219	10.1 %
6	(6) Vaginal sponge	2	0.1 %
7	(7) Spermicidal foam/jelly/creme/suppositories	6	0.3 %
8	(8) Diaphragm, with/without jelly/cream	0	0.0 %
9	(9) Cervical cap	0	0.0 %
10	(10) Female condom	9	0.4 %
11	(11) IUD (intrauterine device)/coil/loop	3	0.1 %
12	(12) The implant of Norplant	3	0.1 %
13	(13) Ring	4	0.2 %
14	(14) The injectable or Depo Provera	11	0.5 %
15	(15) Vaginal contraceptive film or insert	1	0.0 %
16	(16) Female sterilization/tubal ligation	0	0.0 %
17	(17) Hysterectomy	0	0.0 %
18	(18) Vasectomy	2	0.1 %
19	(19) Emer contraception-high dose birth cont/morning after p	2	0.1 %
20	(20) Some other method	1	0.0 %
21	(21) No other method	67	3.1 %
	Missing Data		
96	(96) Refused	48	2.2 %
97	(97) Legitimate skip	1238	57.2 %
98	(98) Don't know	27	1.2 %
99	(99) Not applicable	46	2.1 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 790 valid cases out of 2,163 total cases.

- Minimum: 1.00
- Maximum: 21.00

H3PG6C: S22Q6C THIRD METHOD OF BIRTH CONTROL-W3

What kinds of birth control were you or {SHE/HE} using? You may report as many as three methods. 3rd response

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	336	15.5 %
2	(2) Withdrawal	65	3.0 %
3	(3) Rhythm (safe time) or safe period by the calendar	2	0.1 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	2	0.1 %
5	(5) Birth control pills (the pill)	170	7.9 %
6	(6) Vaginal sponge	1	0.0 %
7	(7) Spermicidal foam/jelly/creme/suppositories	12	0.6 %
8	(8) Diaphragm, with/without jelly/cream	2	0.1 %
9	(9) Cervical cap	0	0.0 %
10	(10) Female condom	14	0.6 %
11	(11) IUD (intrauterine device)/coil/loop	1	0.0 %
12	(12) The implant of Norplant	2	0.1 %
13	(13) Ring	2	0.1 %
14	(14) The injectable or Depo Provera	8	0.4 %
15	(15) Vaginal contraceptive film or insert	2	0.1 %
16	(16) Female sterilization/tubal ligation	0	0.0 %
17	(17) Hysterectomy	0	0.0 %
18	(18) Vasectomy	0	0.0 %
19	(19) Emer contraception-high dose birth cont/morning after p	0	0.0 %
20	(20) Some other method	7	0.3 %
21	(21) No other method	74	3.4 %
	Missing Data		
96	(96) Refused	49	2.3 %
97	(97) Legitimate skip	1305	60.3 %
98	(98) Don't know	31	1.4 %
99	(99) Not applicable	64	3.0 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 700 valid cases out of 2,163 total cases.

- Minimum: 1.00
- Maximum: 21.00

H3PG7: S22Q7 BIRTH CONTR EVERY TIME PREV MO-W3

In the month before {SHE/YOU} got pregnant, did you or <PARTNER> use {THIS/AT LEAST ONE} kind of birth control every time you and {SHE/HE} had sexual intercourse?

Value	Label	Unweighted Frequency	%
0	(0) No	351	16.2 %
1	(1) Yes	530	24.5 %
	Missing Data		
6	(6) Refused	35	1.6 %
7	(7) Legitimate skip	1195	55.2 %
8	(8) Don't know	20	0.9 %
9	(9) Not applicable	18	0.8 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 881 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 26-26 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG8: S22Q8 WANT CHILD BEFORE PREGNANCY-W3

Please think back to the time just before {<PARTNER>/YOU} became pregnant. Did you want to have a child then?

Value	Label	Unweighted Frequency	%
0	(0) No	1287	59.5 %
1	(1) Yes (skip to Q.10	768	35.5 %
	Missing Data		
6	(6) Refused	35	1.6 %
8	(8) Don't know	40	1.8 %
9	(9) Not applicable	20	0.9 %
.	-	13	0.6 %
	Total	**2,163**	**100%**

Based upon 2,055 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 27-27 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 8 , 9 , .

H3PG9: S22Q9 WANT CHILD LATER-W3

Did you want to have a child sometime later?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.11)	341	15.8 %
1	(1) Yes	968	44.8 %
	Missing Data		
6	(6) Refused	30	1.4 %
7	(7) Legitimate skip	768	35.5 %
8	(8) Don't know	28	1.3 %
9	(9) Not applicable	15	0.7 %
.	-	13	0.6 %
	Total	**2,163**	**100%**

Based upon 1,309 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 28-28 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG10: S22Q10 WANT TO BE YOUR CHILD'S PARENT-W3

Did you want <PARTNER> to be your child's {MOTHER/FATHER}?

Value	Label	Unweighted Frequency	%
0	(0) No	318	14.7 %
1	(1) Yes	1360	62.9 %
	Missing Data		
6	(6) Refused	1	0.0 %
7	(7) Legitimate skip	414	19.1 %
8	(8) Don't know	56	2.6 %
9	(9) Not applicable	1	0.0 %
.	-	13	0.6 %
	Total	**2,163**	**100%**

Based upon 1,678 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 29-29 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG11: S22Q11 DR OR NURSE FOR PRENATAL CARE-W3

While {<PARTNER> WAS/YOU WERE} pregnant, did {SHE/YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.18)	379	17.5 %
1	(1) Yes	1639	75.8 %
	Missing Data		
6	(6) Refused	34	1.6 %
7	(7) Legitimate skip	55	2.5 %
8	(8) Don't know	21	1.0 %
9	(9) Not applicable	19	0.9 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 2,018 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG12: S22Q12 PARTNER WENT WITH YOU CHECKUPS-W3

Did {YOU/HE} go along with {HER/YOU} for any of these check-ups?

Value	Label	Unweighted Frequency	%
0	(0) No	436	20.2 %
1	(1) Yes	1211	56.0 %
	Missing Data		
6	(6) Refused	30	1.4 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	18	0.8 %
9	(9) Not applicable	17	0.8 %
.	-	17	0.8 %
	Total	**2,163**	**100%**

Based upon 1,647 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG13: S22Q13 MONTH FIRST SEE DR OR NURSE-W3

In which month of the pregnancy did you first see a doctor or nurse-mid wife? This was an open-ended question with a range of 0 to 9, making the response category of (0) ambiguous. Zero could mean before the first month or never.

Value	Label	Unweighted Frequency	%
0	(0) Before the 1st month	16	0.7 %
1	(1) 1st month	396	18.3 %
2	(2) 2nd month	314	14.5 %
3	(3) 3rd month	220	10.2 %
4	(4) 4th month	66	3.1 %
5	(5) 5th month	62	2.9 %
6	(6) 6th month	26	1.2 %
7	(7) 7th month	11	0.5 %
8	(8) 8th month	11	0.5 %
9	(9) 9th month	11	0.5 %
	Missing Data		
96	(96) Refused	17	0.8 %
97	(97) Legitimate skip	974	45.0 %
98	(98) Don't know	15	0.7 %
99	(99) Not applicable	13	0.6 %
.	-	11	0.5 %
	Total	**2,163**	**100%**

Based upon 1,133 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG14: S22Q14 # PRENATAL VISITS FIRST 6 MOS-W3

[If Q.2<=24:] How many prenatal-care visits did you have with a doctor or nurse-mid wife? [If Q.2>24:] During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-mid wife? A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.

Value	Label	Unweighted Frequency	%
1	-	111	5.1 %
2	-	85	3.9 %
3	-	102	4.7 %
4	-	88	4.1 %
5	-	96	4.4 %
6	-	249	11.5 %

Value	Label	Unweighted Frequency	%
7	-	56	2.6 %
8	-	62	2.9 %
9	-	40	1.8 %
10	-	56	2.6 %
11	-	5	0.2 %
12	-	46	2.1 %
13	-	6	0.3 %
14	-	6	0.3 %
15	-	27	1.2 %
16	-	6	0.3 %
17	-	5	0.2 %
18	-	5	0.2 %
19	-	4	0.2 %
20	-	23	1.1 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	8	0.4 %
26	-	1	0.0 %
30	-	4	0.2 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
50	-	3	0.1 %
	Missing Data		
96	(96) Refused	16	0.7 %
97	(97) Legitimate skip	974	45.0 %
98	(98) Don't know	49	2.3 %
99	(99) Not applicable	13	0.6 %
.	-	10	0.5 %
	Total	**2,163**	**100%**

Based upon 1,101 valid cases out of 2,163 total cases.

- Mean: 6.72
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 5.54

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG15: S22Q15 # PRENATAL VISITS AFTER 6 MOS-W3

After the first six months, how many prenatal-care visits did you have with a doctor or nurse-mid wife? A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.

Value	Label	Unweighted Frequency	%
0	(0) 0 visits	4	0.2 %
1	-	13	0.6 %
2	-	20	0.9 %
3	-	34	1.6 %
4	-	42	1.9 %
5	-	56	2.6 %
6	-	134	6.2 %
7	-	41	1.9 %
8	-	89	4.1 %
9	-	31	1.4 %
10	-	86	4.0 %
11	-	2	0.1 %
12	-	66	3.1 %
13	-	10	0.5 %
14	-	15	0.7 %
15	-	36	1.7 %
16	-	11	0.5 %
17	-	1	0.0 %
18	-	5	0.2 %
19	-	1	0.0 %
20	-	26	1.2 %
22	-	2	0.1 %
23	-	1	0.0 %
24	-	5	0.2 %
25	-	2	0.1 %
30	-	6	0.3 %
34	-	1	0.0 %
70	-	2	0.1 %
	Missing Data		
96	(96) Refused	2	0.1 %
97	(97) Legitimate skip	1354	62.6 %
98	(98) Don't know	38	1.8 %
99	(99) Not applicable	6	0.3 %
.	-	21	1.0 %
	Total	**2,163**	**100%**

Based upon 742 valid cases out of 2,163 total cases.

- Mean: 8.96
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 5.97

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG16: S22Q16 PLACE OF PRENATAL CARE-W3

Where did {SHE/YOU} go for most of {HER/YOUR} prenatal care?

Value	Label	Unweighted Frequency	%
1	(1) Private doctor's office	939	43.4 %
2	(2) Nurse-midwife's office	134	6.2 %
3	(3) County or city health department	50	2.3 %
4	(4) Community health center	149	6.9 %
5	(5) HMO (health maintenance organization)	46	2.1 %
6	(6) Clinic at work or at school	17	0.8 %
7	(7) Clinic in a hospital	234	10.8 %
8	(8) Emergency room in a hospital	6	0.3 %
9	(9) Birthing center	30	1.4 %
10	(10) Another sort of place	28	1.3 %
	Missing Data		
96	(96) Refused	27	1.2 %
97	(97) Legitimate skip	434	20.1 %
98	(98) Don't know	29	1.3 %
99	(99) Not applicable	26	1.2 %
.	-	14	0.6 %
	Total	**2,163**	**100%**

Based upon 1,633 valid cases out of 2,163 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 96 , 97 , 98 , 99 , .

H3PG17A: S22Q17A YOU/PARTNER PAID PRENAT CARE-W3

How was <PARTNER>'s/YOUR} prenatal care paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/YOUR} prenatal care paid for? Your or <PARTNER>'s income or savings

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1337	61.8 %
1	(1) Marked	323	14.9 %
	Missing Data		
6	(6) Refused	29	1.3 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	13	0.6 %
9	(9) Not applicable	11	0.5 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,660 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 40-40 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG17B: S22Q17B PARENTS PAID PRENAT CARE-W3

How was <PARTNER>'s/YOUR} prenatal care paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/YOUR} prenatal care paid for? Your or <PARTNER>'s parents or other relatives

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1514	70.0 %
1	(1) Marked	156	7.2 %
	Missing Data		
6	(6) Refused	25	1.2 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	9	0.4 %
9	(9) Not applicable	9	0.4 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,670 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 41-41 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG17C: S22Q17C PRIVATE INSUR PD PRENAT CARE-W3

How was \<PARTNER\>'s/YOUR} prenatal care paid for? For the pregnancy that ended in \<CPEMTHT\> of \<CPEYR\>, how was {\<PARTNER\>'s/YOUR} prenatal care paid for? Private insurance

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1254	58.0 %
1	(1) Marked	416	19.2 %
	Missing Data		
6	(6) Refused	23	1.1 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	11	0.5 %
9	(9) Not applicable	9	0.4 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,670 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 42-42 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG17D: S22Q17D MEDICAID PAID PRENATAL CARE-W3

How was \<PARTNER\>'s/YOUR} prenatal care paid for? For the pregnancy that ended in \<CPEMTHT\> of \<CPEYR\>, how was {\<PARTNER\>'s/YOUR} prenatal care paid for? Medicaid

Value	Label	Unweighted Frequency	%
0	(0) Not marked	858	39.7 %
1	(1) Marked	812	37.5 %
	Missing Data		
6	(6) Refused	24	1.1 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	10	0.5 %
9	(9) Not applicable	9	0.4 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,670 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 43-43 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG17E: S22Q17E GOVT ASSIST PD PRENATAL CARE-W3

How was <PARTNER>'s/YOUR} prenatal care paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/YOUR} prenatal care paid for? Government assistance other than Medicaid (state or local)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1478	68.3 %
1	(1) Marked	194	9.0 %
	Missing Data		
6	(6) Refused	22	1.0 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	10	0.5 %
9	(9) Not applicable	9	0.4 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,672 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 44-44 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG17F: S22Q17F OTHER SOURCE PD PRENATAL CARE-W3

How was <PARTNER>'s/YOUR} prenatal care paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/YOUR} prenatal care paid for? Some other source of money

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1596	73.8 %
1	(1) Marked	79	3.7 %
	Missing Data		
6	(6) Refused	20	0.9 %
7	(7) Legitimate skip	434	20.1 %
8	(8) Don't know	10	0.5 %
9	(9) Not applicable	8	0.4 %
.	-	16	0.7 %
	Total	**2,163**	**100%**

Based upon 1,675 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 45-45 (width: 1; decimal: 0)
Variable Type: numeric

H3PG18: S22Q18 PREG: HOW OFTEN DRANK ALCOHOL-W3

During this pregnancy, how often did {SHE/YOU} drink alcoholic beverages?

Value	Label	Unweighted Frequency	%
0	(0) Never	1853	85.7 %
1	(1) Less than once a month	115	5.3 %
2	(2) Several times a month	48	2.2 %
3	(3) Several times a week	13	0.6 %
4	(4) Almost every day	5	0.2 %
	Missing Data		
6	(6) Refused	25	1.2 %
7	(7) Legitimate skip	55	2.5 %
8	(8) Don't know	19	0.9 %
9	(9) Not applicable	18	0.8 %
.	-	12	0.6 %
	Total	**2,163**	**100%**

Based upon 2,034 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 46-46 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG19: S22Q19 PREG: HOW OFTEN USED DRUGS-W3

How often did {SHE/YOU} use drugs such as marijuana, crack cocaine, or heroin?

Value	Label	Unweighted Frequency	%
0	(0) Never	1912	88.4 %
1	(1) Less than once a month	59	2.7 %
2	(2) Several times a month	41	1.9 %
3	(3) Several times a week	6	0.3 %
4	(4) Almost every day	15	0.7 %
	Missing Data		
6	(6) Refused	26	1.2 %
7	(7) Legitimate skip	55	2.5 %
8	(8) Don't know	20	0.9 %
9	(9) Not applicable	18	0.8 %
.	-	11	0.5 %
	Total	**2,163**	**100%**

Based upon 2,033 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 47-47 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG20: S22Q20 PREG:HOW MANY CIGARETTES SMOKE-W3

How many cigarettes did {SHE/YOU} smoke?

Value	Label	Unweighted Frequency	%
0	(0) None	1599	73.9 %
1	(1) 1 pack a day or less	403	18.6 %
2	(2) More than 1 pack/day, but less than 2 packs/day	29	1.3 %
3	(3) 2 or more packs a day	5	0.2 %
	Missing Data		
6	(6) Refused	27	1.2 %
7	(7) Legitimate skip	55	2.5 %
8	(8) Don't know	17	0.8 %
9	(9) Not applicable	19	0.9 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 2,036 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 48-48 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21A: S22Q21A YOU/PARTNER PAID HOSP CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Your or <PARTNER>'s income or savings

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1136	52.5 %
1	(1) Marked	186	8.6 %
	Missing Data		
6	(6) Refused	19	0.9 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	8	0.4 %
9	(9) Not applicable	9	0.4 %

Value	Label	Unweighted Frequency	%
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,322 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 49-49 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21B: S22Q21B PARENTS PAID HOSP CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Your or <PARTNER>'s parents or other relatives

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1228	56.8 %
1	(1) Marked	102	4.7 %
	Missing Data		
6	(6) Refused	15	0.7 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	5	0.2 %
9	(9) Not applicable	8	0.4 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,330 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 50-50 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21C: S22Q21C PRIVATE INSUR PAID HOSP CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Private insurance

Value	Label	Unweighted Frequency	%
0	(0) Not marked	985	45.5 %
1	(1) Marked	343	15.9 %
	Missing Data		
6	(6) Refused	15	0.7 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	7	0.3 %
9	(9) Not applicable	8	0.4 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,328 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21D: S22Q21D MEDICAID PAID HOSPITAL CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Medicaid

Value	Label	Unweighted Frequency	%
0	(0) Not marked	630	29.1 %
1	(1) Marked	697	32.2 %
	Missing Data		
6	(6) Refused	16	0.7 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	7	0.3 %
9	(9) Not applicable	8	0.4 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,327 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-52 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21E: S22Q21E GOVT ASSIST PD HOSPITAL CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Government assistance other than Medicaid (state or local)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1166	53.9 %

Value	Label	Unweighted Frequency	%
1	(1) Marked	163	7.5 %
	Missing Data		
6	(6) Refused	14	0.6 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	7	0.3 %
9	(9) Not applicable	8	0.4 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,329 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 53-53 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG21F: S22Q21F OTHER SOURCE PD HOSPITAL CARE-W3

How were <PARTNER>'s/YOUR} delivery and hospital stay paid for? For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for? Some other source of money

Value	Label	Unweighted Frequency	%
0	(0) Not marked	1296	59.9 %
1	(1) Marked	32	1.5 %
	Missing Data		
6	(6) Refused	15	0.7 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	7	0.3 %
9	(9) Not applicable	8	0.4 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,328 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-54 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG22: S22Q22 MARRIED AT TIME OF BIRTH-W3

Were you and <PARTNER> married to each other at the time of this birth?

Value	Label	Unweighted Frequency	%
0	(0) No	897	41.5 %
1	(1) Yes	423	19.6 %
	Missing Data		
6	(6) Refused	17	0.8 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	6	0.3 %
9	(9) Not applicable	13	0.6 %
.	-	11	0.5 %
	Total	**2,163**	**100%**

Based upon 1,320 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 55-55 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG23: S22Q23 LIVING TOGETHER TIME OF BIRTH-W3

Were you and <PARTNER> living together at that time?

Value	Label	Unweighted Frequency	%
0	(0) No	486	22.5 %
1	(1) Yes	837	38.7 %
	Missing Data		
6	(6) Refused	16	0.7 %
7	(7) Legitimate skip	796	36.8 %
8	(8) Don't know	8	0.4 %
9	(9) Not applicable	11	0.5 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 1,323 valid cases out of 2,163 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-56 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .

H3PG24: S22Q24 RELATIONSHIP AT TIME OF BIRTH-W3

Which of the following statements best describes your relationship with <PARTNER> at the time of this birth?

Value	Label	Unweighted Frequency	%
1	(1) We didn't see or talk to each other	85	3.9 %
2	(2) We hardly ever saw or talked to each other	54	2.5 %
3	(3) We were just friends	44	2.0 %
4	(4) We were involved in an on-again/off-again relationship	92	4.3 %
5	(5) We were romantically involved on a steady basis	185	8.6 %
	Missing Data		
6	(6) Refused	3	0.1 %
7	(7) Legitimate skip	1688	78.0 %
8	(8) Don't know	2	0.1 %
9	(9) Not applicable	1	0.0 %
.	-	9	0.4 %
	Total	**2,163**	**100%**

Based upon 460 valid cases out of 2,163 total cases.

• Minimum: 1.00
• Maximum: 5.00

Location: 57-57 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 6 , 7 , 8 , 9 , .