

ICPSR 21600

**National Longitudinal Study of  
Adolescent to Adult Health (Add  
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris  
*University of North Carolina-Chapel Hill*

J. Richard Udry  
*University of North Carolina-Chapel Hill*

Wave III: In-Home Questionnaire, Public Use  
Sample (Section 18: Pregnancies)  
Codebook/Questionnaire

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent  
to Adult Health (Add Health), 1994-2008  
[Public Use]

Wave III: In-Home Questionnaire, Public Use Sample  
(Section 18: Pregnancies)

Original P.I. Documentation

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

### Section 18: Compiling a Table of Pregnancies

		Respondent identification number.	<b>AID</b>	num 8
		Romantic relationship number.	<b>RRELNO</b>	num 2
	2348	range 1 to 23		
		Relationship pregnancy number.	<b>RPREGNO</b>	num 2
	2348	range 1 to 8		
1.	[Display grid with number and {INITIALS} name at top of screen.]			
	Next, please indicate the outcome of this pregnancy by selecting the appropriate response.			
	If the pregnancy involved more than one baby, and all had the same outcome, indicate that outcome—for example, a pregnancy involving twins who were both live births should be coded as live birth.			
			<b>H3TP1</b>	num 2
	338	1 miscarriage		
	387	2 abortion		
	60	3 single, stillbirth		
	1308	4 live birth		
	180	5 pregnancy not yet ended		
	12	6 multiple, no live birth		
	54	7 multiple, involving both a live birth and another outcome		
	9	● missing		
2.	Please indicate the month (and year) in which this pregnancy ended or is expected to end—the due date. If you are not sure of an ending date, enter your best guess.		<b>H3TP2M</b>	num 2
	217	1 January		
	183	2 February		
	209	3 March		

*Public In Home Questionnaire Code Book III, S.18*

Frequency	Code	Response	Variable Name	Type/ Length
198	4	April		
199	5	May		
230	6	June		
174	7	July		
195	8	August		
198	9	September		
191	10	October		
174	11	November		
169	12	December		
11	●	missing		
2. Please indicate the (month and) year in which this pregnancy ended or is expected to end—the due date. If you are not sure of an ending date, enter your best guess.			<b>H3TP2Y</b>	num 4
2	1977	1977		
1	1978	1978		
1	1980	1980		
3	1990	1990		
2	1991	1991		
3	1992	1992		
17	1993	1993		
39	1994	1994		
127	1995	1995		
165	1996	1996		
227	1997	1997		
287	1998	1998		
393	1999	1999		
424	2000	2000		
460	2001	2001		

*Public In Home Questionnaire Code Book III, S.18*

Frequency	Code	Response	Variable Name	Type/ Length
176	2002	2002		
21	●	missing		
3. Please indicate how many babies were born alive. For example, for twins who were both born alive enter 2, for twins of whom only one was born alive enter 1, for triplets who were all born alive enter 3, for a single birth enter 1.			<b>H3TP3</b>	num 2
1281	1	1 live birth		
39	2	2 live births		
10	3	3 live births		
986	97	legitimate skip		
32	●	missing		