

ICPSR 21600

**National Longitudinal Study of  
Adolescent to Adult Health (Add  
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris

*University of North Carolina-Chapel Hill*

J. Richard Udry

*University of North Carolina-Chapel Hill*

Wave III: In-Home Questionnaire, Public Use  
Sample (Section 22: Completed Pregnancies)  
Codebook/Questionnaire

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent  
to Adult Health (Add Health), 1994-2008  
[Public Use]

Wave III: In-Home Questionnaire, Public Use Sample  
(Section 22: Completed Pregnancies)

Original P.I. Documentation

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

## Section 22: Completed Pregnancies

*[Generate a Completed Pregnancies Data Set containing one record for each pregnancy represented in the Section 18 for which H3TP1 ≠ 5.*

The next questions are about the {PREGNANCY/ PREGNANCIES} you reported that {HAS/ HAVE} ended.

*[For each record in the Completed Pregnancy Data Set, ask Q.1 to Q.24.]*

Respondent identification number.			<b>AID</b>	num 8
		Range 10000000 - 99999999		
Romantic relationship number.			<b>RRELNO</b>	num 2
2163		Range 1 to 48		
Relationship pregnancy number.			<b>RPREGNO</b>	num 2
2163		Range 1 to 8		
1. <i>[If the respondent is male and number of pregnancies = 1:]</i> How many months pregnant was she when <PARTNER> told you that she was pregnant? <i>[If the respondent is male and number of pregnancies &gt; 1:]</i> With regard to <PARTNER>'s pregnancy that ended in <CPEMTHT> of<CPEYR>, how many months pregnant was she when she told you that she was pregnant? <i>[If the respondent is female and number of pregnancies = 1:]</i> How many months pregnant were you when you told <PARTNER> that you were pregnant? <i>[If the respondent is female and number of pregnancies &gt; 1:]</i> With regard to your pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant were you when you told <PARTNER> that you were pregnant?			<b>H3PG1</b>	num 2
124	0	0 months		
1032	1	1 month		
474	2	2 months		
252	3	3 months		
83	4	4 months		
49	5	5 months		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
20	6	6 months		
7	7	7 months		
5	8	8 months		
37	9	9 months		
24	96	refused		
19	98	don't know		
22	99	not applicable		
15	●	missing		
<i>[If the respondent is female, ask Q.2.]</i>				
2.	How many weeks had you been pregnant when {YOUR/ THIS} pregnancy ended?		<b>H3PG2</b>	num 2
44	0	0 weeks		
1348		range 1 to 40		
18	96	refused		
713	97	legitimate skip		
18	98	don't know		
9	99	not applicable		
13	●	missing		
3.	How far had <PARTNER> gone in school when {SHE/ YOU} got pregnant by {YOU/ HIM}?		<b>H3PG3</b>	num 2
73	0	had never gone to school		
55	1	8th grade or less		
527	2	more than 8th grade, but not a high school graduate		
29	3	had gone to a business, trade, or vocational school instead of high school		
734	4	high school graduate		
146	5	completed a GED		
78	6	had gone to a business, trade, or vocational school after high school		
110	7	attending college		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
171	8	had gone to college, but not a college graduate		
52	9	college or university graduate		
6	10	attending graduate school		
14	11	receiving professional training beyond a four-year college or university		
11	12	had received an advanced degree		
34	96	refused		
68	98	don't know		
41	99	not applicable		
14	●	missing		
4. Did {YOU/ <PARTNER>} have any contact with {<PARTNER>/ YOU} between the time {YOU/ HE} learned {SHE WAS/ YOU WERE} pregnant and the time {HER/ YOUR} pregnancy ended?			<b>H3PG4</b>	num 1
163	0	no		
1919	1	yes		
27	6	refused		
23	8	don't know		
17	9	not applicable		
14	●	missing		
5. Before {<PARTNER>/ YOU} got pregnant, were you or {SHE/ <PARTNER>} using any kind of birth control when you had sex with each other?			<b>H3PG5</b>	num 1
1195	0	no <i>[skip to Q.8]</i>		
878	1	yes		
32	6	refused		
25	8	don't know		
19	9	not applicable		
14	●	missing		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
6.		What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>1st response</i>	<b>H3PG6A</b>	num 2
550	1	condoms (rubbers)		
45	2	withdrawal		
5	3	rhythm (safe time) or safe period by the calendar		
1	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
179	5	birth control pills (the pill)		
4	6	vaginal sponge		
4	7	spermicidal foam, jelly, creme, suppositories		
1	8	diaphragm, with or without jelly or cream		
11	10	female condom		
2	11	IUD (intrauterine device), coil, loop		
1	12	the implant of Norplant		
1	13	ring		
14	14	the injectable or Depo Provera		
1	17	hysterectomy		
1	18	vasectomy		
3	20	some other method		
43	21	no other method		
40	96	refused		
1195	97	legitimate skip		
17	98	don't know		
31	99	not applicable		
14	●	missing		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>2nd response</i>			<b>H3PG 6B</b>	num 2
360	1	condoms (rubbers)		
87	2	withdrawal		
9	3	rhythm (safe time) or safe period by the calendar		
4	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
219	5	birth control pills (the pill)		
2	6	vaginal sponge		
6	7	spermicidal foam, jelly, creme, suppositories		
9	10	female condom		
3	11	IUD (intrauterine device), coil, loop		
3	12	the implant of Norplant		
4	13	ring		
11	14	the injectable or Depo Provera		
1	15	vaginal contraceptive film or insert		
2	18	vasectomy		
2	19	emergency contraception, such as high-dose birth control pills or the morning-after pill		
1	20	some other method		
67	21	no other method		
48	96	refused		
1238	97	legitimate skip		
27	98	don't know		
46	99	not applicable		
14	●	missing		



*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. 3rd response			<b>H3PG6C</b>	num 2
336	1	condoms (rubbers)		
65	2	withdrawal		
2	3	rhythm (safe time) or safe period by the calendar		
2	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
170	5	birth control pills (the pill)		
1	6	vaginal sponge		
12	7	spermicidal foam, jelly, creme, suppositories		
2	8	diaphragm, with or without jelly or cream		
14	10	female condom		
1	11	IUD (intrauterine device), coil, loop		
2	12	the implant of Norplant		
2	13	ring		
8	14	the injectable or Depo Provera		
2	15	vaginal contraceptive film or insert		
7	20	some other method		
74	21	no other method		
49	96	refused		
1305	97	legitimate skip		
31	98	don't know		
1305	97	legitimate skip		
31	98	don't know		
64	99	not applicable		
14	●	missing		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
7. In the month before {SHE/ YOU} got pregnant, did you or <PARTNER> use {THIS/ AT LEAST ONE} kind of birth control <b>every</b> time you and {SHE/ HE} had sexual intercourse?			<b>H3PG7</b>	num 1
351	0	no		
530	1	yes		
35	6	refused		
1195	7	legitimate skip		
20	8	don't know		
18	9	not applicable		
14	●	missing		
8. Please think back to the time just before {<PARTNER>/ YOU} became pregnant. Did you want to have a child then?			<b>H3PG8</b>	num 1
1287	0	no		
768	1	yes <i>[skip to Q.10]</i>		
35	6	refused		
40	8	don't know		
20	9	not applicable		
13	●	missing		
9. Did you want to have a child sometime later?			<b>H3PG9</b>	num 1
341	0	no <i>[skip to Q.11]</i>		
968	1	yes		
30	6	refused		
768	7	legitimate skip		
28	8	don't know		
15	9	not applicable		
13	●	missing		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
10. Did you want <PARTNER> to be your child's {MOTHER/ FATHER}?			<b>H3PG 10</b>	num 1
318	0	no		
1360	1	yes		
1	6	refused		
414	7	legitimate skip		
56	8	don't know		
1	9	not applicable		
13	●	missing		
<i>[If the respondent is male and Q.4 = 1, or if the respondent is female, ask Q.11 to Q.18.]</i>				
11. While {<PARTNER> WAS/ YOU WERE} pregnant, did {SHE/ YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups?			<b>H3PG 11</b>	num 1
379	0	no <i>[skip to Q.18]</i>		
1639	1	yes		
34	6	refused		
55	7	legitimate skip		
21	8	don't know		
19	9	not applicable		
16	●	missing		
12. Did {YOU/ HE} go along with {HER/ YOU} for any of these check-ups?			<b>H3PG 12</b>	num 1
436	0	no		
1211	1	yes		
30	6	refused		
434	7	legitimate skip		
18	8	don't know		
17	9	not applicable		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
17	●	missing		
<i>[If the respondent is female, ask Q.13 to Q.15.]</i>				
13.		In which month of the pregnancy did you first see a doctor or nurse-midwife?	<b>H3PG13</b>	num 2
16	0	before the first month *		
396	1	first month		
314	2	second month		
220	3	third month		
66	4	fourth month		
62	5	fifth month		
26	6	sixth month		
11	7	seventh month		
11	8	eighth month		
11	9	ninth month		
17	96	refused		
974	97	legitimate skip		
15	98	don't know		
13	99	not applicable		
11	●	missing		
14.		<i>[If Q.2 ≤ 24:]</i> How many prenatal-care visits did you have with a doctor or nurse-midwife? <i>[If Q.2 &gt; 24:]</i> During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-midwife?	<b>H3PG14</b>	num 2
1101		visits range 1 to 90**		
16	96	refused		
974	97	legitimate skip		
49	98	don't know		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
13	99	not applicable		
10	●	missing		
<i>[If Q.2 &gt; 24, ask Q.15.]</i>				
15.	After the first six months, how many prenatal-care visits did you have with a doctor or nurse-midwife?		<b>H3PG15</b>	num 2
4	0	0 visits		
738		visits range 1 to 70**		
2	96	refused		
1354	97	legitimate skip		
38	98	don't know		
6	99	not applicable		
21	●	missing		
16.	Where did {SHE/ YOU} go for most of {HER/ YOUR} prenatal care?		<b>H3PG16</b>	num 2
939	1	private doctor's office		
134	2	nurse-midwife's office		
50	3	county or city health department		
149	4	community health center		
46	5	HMO (health maintenance organization)		
17	6	clinic at work or at school		
234	7	clinic in a hospital		
6	8	emergency room in a hospital		
30	9	birthing center		
28	10	another sort of place		
27	96	refused		
434	97	legitimate skip		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
29	98	don't know		
26	99	not applicable		
14	●	missing		
17. [If MAX = 1:] How was <PARTNER>'s/ YOUR} prenatal care paid for? [If MAX > 1:] For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/ YOUR} prenatal care paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			<b>H3PG17A</b>	num 1
1337	0	not marked		
323	1	marked		
29	6	refused		
434	7	legitimate skip		
13	8	don't know		
11	9	not applicable		
16	●	missing		
your or <PARTNER>'s parents or other relatives			<b>H3PG17B</b>	num 1
1514	0	not marked		
156	1	marked		
25	6	refused		
434	7	legitimate skip		
9	8	don't know		
9	9	not applicable		
16	●	missing		
private insurance			<b>H3PG17C</b>	num 1
1254	0	not marked		
416	1	marked		
23	6	refused		
434	7	legitimate skip		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
11	8	don't know		
9	9	not applicable		
16	●	missing		
Medicaid			<b>H3PG17D</b>	num 1
858	0	not marked		
812	1	marked		
24	6	refused		
434	7	legitimate skip		
10	8	don't know		
9	9	not applicable		
16	●	missing		
government assistance other than Medicaid (state or local)			<b>H3PG17E</b>	num 1
1478	0	not marked		
194	1	marked		
22	6	refused		
434	7	legitimate skip		
10	8	don't know		
9	9	not applicable		
16	●	missing		
some other source of money			<b>H3PG17F</b>	num 1
1596	0	not marked		
79	1	marked		
20	6	refused		
434	7	legitimate skip		
10	8	don't know		
8	9	not applicable		
16	●	missing		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
18. During this pregnancy, how often did {SHE/ YOU} drink alcoholic beverages?			<b>H3PG 18</b>	num 1
1853	0	never		
115	1	less than once a month		
48	2	several times a month		
13	3	several times a week		
5	4	almost every day		
25	6	refused		
55	7	legitimate skip		
19	8	don't know		
18	9	not applicable		
12	●	missing		
19. How often did {SHE/ YOU} use drugs such as marijuana, crack cocaine, or heroin?			<b>H3PG 19</b>	num 1
1912	0	never		
59	1	less than once a month		
41	2	several times a month		
6	3	several times a week		
15	4	almost every day		
26	6	refused		
55	7	legitimate skip		
20	8	don't know		
18	9	not applicable		
11	●	missing		
20. How many cigarettes did {SHE/ YOU} smoke?			<b>H3PG 20</b>	num 1
1599	0	none		
403	1	1 pack a day or less		
29	2	more than 1 pack a day, but less than 2 packs a day		



*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
5	3	2 or more packs a day		
27	6	refused		
55	7	legitimate skip		
17	8	don't know		
19	9	not applicable		
9	●	missing		
<i>[If CPOUTC = L or D (i.e., the pregnancy ended in a live birth), ask Q.21 to Q.24.]</i>				
21. <i>[If MAX = 1:]</i> How were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? <i>[If MAX &gt; 1:]</i> For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			<b>H3PG21A</b>	num 1
1136	0	not marked		
186	1	marked		
19	6	refused		
796	7	legitimate skip		
8	8	don't know		
9	9	not applicable		
9	●	missing		
your or <PARTNER>'s parents or other relatives			<b>H3PG21B</b>	num 1
1228	0	not marked		
102	1	marked		
15	6	refused		
796	7	legitimate skip		
5	8	don't know		
8	9	not applicable		
9	●	missing		
private insurance			<b>H3PG21C</b>	num 1

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
985	0	not marked		
343	1	marked		
15	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
Medicaid			<b>H3PG21D</b>	num 1
630	0	not marked		
697	1	marked		
16	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
government assistance other than Medicaid (state or local)			<b>H3PG21E</b>	num 1
1166	0	not marked		
163	1	marked		
14	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
some other source of money			<b>H3PG21F</b>	num 1
1296	0	not marked		
32	1	marked		
15	6	refused		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/Length
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
22. Were you and <PARTNER> married to each other at the time of this birth?			<b>H3PG22</b>	num 1
897	0	no		
423	1	yes		
17	6	refused		
796	7	legitimate skip		
6	8	don't know		
13	9	not applicable		
11	●	missing		
23. Were you and <PARTNER> living together at that time?			<b>H3PG23</b>	num 1
486	0	no		
837	1	yes		
16	6	refused		
796	7	legitimate skip		
8	8	don't know		
11	9	not applicable		
9	●	missing		
<i>[If Q.22 = 0 and Q.23 = 0, ask Q.24.]</i>				
24. Which of the following statements best describes your relationship with <PARTNER> at the time of this birth?			<b>H3PG24</b>	num 1
85	1	We did not see or talk to each other.		
54	2	We hardly ever saw or talked to each other.		
44	3	We were just friends.		
92	4	We were involved in an on -again, off-again relationship.		

*Public In Home Questionnaire Code Book III, S.22*

Frequency	Code	Response	Variable Name	Type/ Length
185	5	We were romantically involved on a steady basis.		
3	6	refused		
1688	7	legitimate skip		
2	8	don't know		
1	9	not applicable		
9	●	missing		

**\* H3PG13**

This was an open-ended question with a range of 0 to 9, making the response category of (0) ambiguous. Zero could mean before the first month or never.

**\*\* H3PG14, H3PG15**

A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.