

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave IV: In-Home Questionnaire, Public Use
Sample (Section 18: Pregnancy Table) Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008
[Public Use]

DS25: Wave IV: In-Home Questionnaire, Public Use Sample
(Section 18: Pregnancy Table)

1. **Truncated Value Labels:** Due to limitations in the statistical packages, a number of variables feature truncated value labels. Please see the P.I. Codebook/Questionnaire for full value labels.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave IV: In-Home Questionnaire, Public Use Sample (Section 18: Pregnancy Table)

AID: RESPONDENT IDENTIFIER

RESPONDENT IDENTIFIER

Based upon 7,081 valid cases out of 7,081 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

PTNR_ID: PARTNER ID -W4

Partner Identifier

Value	Label	Unweighted Frequency	%
1	-	4884	69.0 %
2	-	1369	19.3 %
3	-	478	6.8 %
4	-	175	2.5 %
5	-	92	1.3 %
6	-	36	0.5 %
7	-	12	0.2 %
8	-	11	0.2 %
9	-	12	0.2 %
10	-	6	0.1 %
11	-	4	0.1 %
12	-	1	0.0 %
16	-	1	0.0 %
	Total	7,081	100%

Based upon 7,081 valid cases out of 7,081 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 1.08

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

PRGNO: PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Pregnancy Number within Relationship

Value	Label	Unweighted Frequency	%
1	-	4331	61.2 %
2	-	1772	25.0 %
3	-	638	9.0 %
4	-	221	3.1 %
5	-	70	1.0 %
6	-	25	0.4 %
7	-	8	0.1 %
8	-	6	0.1 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	2	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
	Total	7,081	100%

Based upon 7,081 valid cases out of 7,081 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 1.00

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

H4PG1: S18Q1 PREGNANCY OUTCOME-W4

This question refers to your {fill (pregnancy/number reported pregnancy)} with {initials}. How did this pregnancy end?

Value	Label	Unweighted Frequency	%
1	(1) Abortion	1004	14.2 %
2	(2) Ectopic or tubal pregnancy	65	0.9 %
3	(3) Miscarriage	935	13.2 %
4	(4) Stillbirth	61	0.9 %
5	(5) Live birth by Cesarean section	1103	15.6 %
6	(6) Live birth by vaginal delivery	3539	50.0 %
7	(7) Pregnancy has not ended (currently pregnant)	295	4.2 %
	Missing Data		
96	(96) Refused	49	0.7 %
98	(98) Don't know	30	0.4 %
	Total	7,081	100%

Based upon 7,002 valid cases out of 7,081 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

H4PG2Y: S18Q2 YEAR CURRENT PREGNANCY DUE-W4

What is the expected due date (year)?

Value	Label	Unweighted Frequency	%
2007	-	4	0.1 %
2008	-	247	3.5 %
2009	-	39	0.6 %
	Missing Data		
9994	(9994) 1995 and before	2	0.0 %
9997	(9997) Legitimate skip	6786	95.8 %
9998	(9998) Don't know	3	0.0 %
	Total	7,081	100%

Based upon 290 valid cases out of 7,081 total cases.

- Mean: 2008.12
- Median: 2008.00
- Mode: 2008.00
- Minimum: 2007.00
- Maximum: 2009.00
- Standard Deviation: 0.37

Location: 15-18 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9994 , 9997 , 9998

H4PG3Y: S18Q3 YEAR PREGNANCY ENDED-W4

In what year did this pregnancy end (year)?

Value	Label	Unweighted Frequency	%
1990	-	2	0.0 %
1991	-	6	0.1 %
1992	-	7	0.1 %
1993	-	26	0.4 %
1994	-	72	1.0 %
1995	-	133	1.9 %
1996	-	191	2.7 %
1997	-	269	3.8 %

Value	Label	Unweighted Frequency	%
1998	-	359	5.1 %
1999	-	428	6.0 %
2000	-	473	6.7 %
2001	-	553	7.8 %
2002	-	539	7.6 %
2003	-	576	8.1 %
2004	-	557	7.9 %
2005	-	612	8.6 %
2006	-	642	9.1 %
2007	-	655	9.3 %
2008	-	274	3.9 %
Missing Data			
9996	(9996) Refused	78	1.1 %
9997	(9997) Legitimate skip	295	4.2 %
9998	(9998) Don't know	334	4.7 %
Total		7,081	100%

Based upon 6,374 valid cases out of 7,081 total cases.

- Mean: 2002.38
- Median: 2003.00
- Mode: 2007.00
- Minimum: 1990.00
- Maximum: 2008.00
- Standard Deviation: 3.64

Location: 19-22 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998

H4PG5: S18Q5 # LIVE BIRTH FROM PREGNANCY-W4

With this pregnancy, how many babies were born alive? Please include babies who died shortly after birth and babies who were placed for adoption.

Value	Label	Unweighted Frequency	%
1	-	4462	63.0 %
2	-	127	1.8 %
3	-	22	0.3 %
4	-	9	0.1 %
5	-	2	0.0 %
Missing Data			
96	(96) Refused	58	0.8 %
97	(97) Legitimate skip	2360	33.3 %

Value	Label	Unweighted Frequency	%
98	(98) Don't know	41	0.6 %
	Total	7,081	100%

Based upon 4,622 valid cases out of 7,081 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.26

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4PG6: S18Q6 BABIES FRATERNAL/IDENTICAL?-W4

Were the babies fraternal or identical?

Value	Label	Unweighted Frequency	%
1	(1) Fraternal	117	1.7 %
2	(2) Identical	26	0.4 %
	Missing Data		
6	(6) Refused	6	0.1 %
7	(7) Legitimate skip	6921	97.7 %
8	(8) Don't know	11	0.2 %
	Total	7,081	100%

Based upon 143 valid cases out of 7,081 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4PG7: S18Q7 BIRTH CONTROL BEFORE PREGNANCY-W4

In the month before you (got pregnant/got {initials} pregnant) were you or {initials} using any kind of birth control, including condoms?

Value	Label	Unweighted Frequency	%
0	(0) No	5126	72.4 %
1	(1) Yes	1840	26.0 %
2	(2) Pregnancy result of artificial insemination/sperm donor	11	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
6	(6) Refused	52	0.7 %
8	(8) Don't know	52	0.7 %
	Total	7,081	100%

Based upon 6,977 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

H4PG8: S18Q8 WANT CHILD BEFORE PREGNANCY-W4

Thinking back to the time just before this pregnancy with {initials}, did you want to have a child then?

Value	Label	Unweighted Frequency	%
0	(0) No	3320	46.9 %
1	(1) Yes	3653	51.6 %
	Missing Data		
6	(6) Refused	49	0.7 %
7	(7) Legitimate skip	11	0.2 %
8	(8) Don't know	48	0.7 %
	Total	7,081	100%

Based upon 6,973 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4PG9: S18Q9 MARRIED AT TIME OF PREG/BIRTH-W4

Were you and {initials} married to each other at the time of (pregnancy/birth)?

Value	Label	Unweighted Frequency	%
0	(0) No	941	13.3 %
1	(1) Yes	2791	39.4 %
	Missing Data		
6	(6) Refused	12	0.2 %
7	(7) Legitimate skip	3330	47.0 %
8	(8) Don't know	7	0.1 %
	Total	7,081	100%

Based upon 3,732 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4PG10: S18Q10 LIVING TOGETHER AT PREG/BIRTH-W4

Were you and {initials} living together at that time?

Value	Label	Unweighted Frequency	%
0	(0) No	1010	14.3 %
1	(1) Yes	2083	29.4 %
	Missing Data		
6	(6) Refused	29	0.4 %
7	(7) Legitimate skip	3931	55.5 %
8	(8) Don't know	28	0.4 %
	Total	7,081	100%

Based upon 3,093 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4PG11: S18Q11 RELATIONSHIP TIME OF PREG/BIRTH-W4

Which of the following statements best describes your relationship with {initials} at the time of (pregnancy/birth)?

Value	Label	Unweighted Frequency	%
1	(1) We (do/did not) see or talk to each other	184	2.6 %
2	(2) We hardly ever (see/saw) or (talk/talked) to each other	169	2.4 %
3	(3) We (are/were) just friends	266	3.8 %
4	(4) We (are/were) involved in an on-again/off-again relation	494	7.0 %
5	(5) We (are/were) romantically involved on a steady basis	1012	14.3 %
	Missing Data		
95	(95) Not asked in pretest	8	0.1 %
96	(96) Refused	45	0.6 %
97	(97) Legitimate skip	4874	68.8 %
98	(98) Don't know	29	0.4 %
	Total	7,081	100%

Based upon 2,125 valid cases out of 7,081 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 95 , 96 , 97 , 98

H4PG12: S18Q12 PRENATAL CARE DURING PREGNANCY-W4

During this pregnancy with {initials} did (you/{initials}) ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?

Value	Label	Unweighted Frequency	%
0	(0) No	140	2.0 %
1	(1) Yes	4775	67.4 %
	Missing Data		
6	(6) Refused	7	0.1 %
7	(7) Legitimate skip	2144	30.3 %
8	(8) Don't know	15	0.2 %
	Total	7,081	100%

Based upon 4,915 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8

H4PG13: S18Q13 WEEKS PREG 1ST PRENATAL VISIT-W4

How many weeks pregnant were you at the time of your first prenatal care visit?

Value	Label	Unweighted Frequency	%
1	-	41	0.6 %
2	-	112	1.6 %
3	-	174	2.5 %
4	-	506	7.1 %
5	-	217	3.1 %
6	-	600	8.5 %
7	-	122	1.7 %
8	-	487	6.9 %
9	-	76	1.1 %
10	-	97	1.4 %
11	-	29	0.4 %

Value	Label	Unweighted Frequency	%
12	-	240	3.4 %
13	-	17	0.2 %
14	-	19	0.3 %
15	-	18	0.3 %
16	-	33	0.5 %
17	-	3	0.0 %
18	-	13	0.2 %
19	-	5	0.1 %
20	-	34	0.5 %
21	-	4	0.1 %
22	-	4	0.1 %
23	-	3	0.0 %
24	-	15	0.2 %
25	-	5	0.1 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	13	0.2 %
29	-	1	0.0 %
30	-	5	0.1 %
31	-	1	0.0 %
32	-	6	0.1 %
33	-	2	0.0 %
34	-	6	0.1 %
35	-	4	0.1 %
36	-	4	0.1 %
37	-	3	0.0 %
38	-	19	0.3 %
39	-	7	0.1 %
40	-	22	0.3 %
41	-	1	0.0 %
42	-	6	0.1 %
	Missing Data		
96	(96) Refused	8	0.1 %
97	(97) Legitimate skip	4049	57.2 %
98	(98) Don't know	47	0.7 %
	Total	7,081	100%

Based upon 2,977 valid cases out of 7,081 total cases.

- Mean: 8.01

- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 42.00
- Standard Deviation: 6.54

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4PG14: S18Q14 FREQ. SMOKE CIGARETTE DUR PREG-W4

During this pregnancy with {initials} how many cigarettes did you smoke?

Value	Label	Unweighted Frequency	%
0	(0) None	2346	33.1 %
1	(1) A few cigarettes, but not every week	141	2.0 %
2	(2) A few cigarettes a week, but not every day	143	2.0 %
3	(3) 10 or fewer a day	210	3.0 %
4	(4) 11 to 20 a day	92	1.3 %
5	(5) 21 to 30 a day	6	0.1 %
6	(6) 31 or more a day	5	0.1 %
Missing Data			
96	(96) Refused	3	0.0 %
97	(97) Legitimate skip	4131	58.3 %
98	(98) Don't know	4	0.1 %
Total		7,081	100%

Based upon 2,943 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 97 , 98

H4PG15: S18Q15 FREQ. ALCOHOL DRINKS DUR PREG-W4

During this pregnancy with {initials}, how often did you drink alcoholic beverages?

Value	Label	Unweighted Frequency	%
0	(0) Never	2812	39.7 %
1	(1) Once a month or less	104	1.5 %
2	(2) 2 or 3 days a month	19	0.3 %
3	(3) 1 or 2 days a week	11	0.2 %
Missing Data			
6	(6) Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	4131	58.3 %
8	(8) Don't know	3	0.0 %
	Total	7,081	100%

Based upon 2,946 valid cases out of 7,081 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8