

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris

University of North Carolina-Chapel Hill

J. Richard Udry

University of North Carolina-Chapel Hill

Wave III: Public In-Home Weights Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave III: Public In-Home Weights

AID: RESPONDENT IDENTIFIER

Respondent Identifier

Based upon 4,882 valid cases out of 4,882 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

CLUSTER2: SAMPLE CLUSTER

Sample cluster

Value	Label	Unweighted Frequency	%
102	-	12	0.2 %
103	-	21	0.4 %
104	-	50	1.0 %
107	-	67	1.4 %
108	-	57	1.2 %
109	-	39	0.8 %
110	-	44	0.9 %
111	-	60	1.2 %
113	-	80	1.6 %
114	-	68	1.4 %
115	-	43	0.9 %
116	-	46	0.9 %
118	-	38	0.8 %
119	-	39	0.8 %
120	-	48	1.0 %
121	-	67	1.4 %
122	-	44	0.9 %
123	-	45	0.9 %
124	-	36	0.7 %
125	-	37	0.8 %
126	-	49	1.0 %
127	-	45	0.9 %
128	-	48	1.0 %
129	-	68	1.4 %
130	-	44	0.9 %
132	-	18	0.4 %
134	-	32	0.7 %
135	-	65	1.3 %

Value	Label	Unweighted Frequency	%
136	-	59	1.2 %
140	-	34	0.7 %
141	-	69	1.4 %
142	-	39	0.8 %
143	-	42	0.9 %
145	-	57	1.2 %
147	-	32	0.7 %
148	-	49	1.0 %
150	-	41	0.8 %
151	-	46	0.9 %
153	-	58	1.2 %
154	-	45	0.9 %
155	-	50	1.0 %
156	-	36	0.7 %
157	-	42	0.9 %
158	-	46	0.9 %
159	-	43	0.9 %
160	-	22	0.5 %
161	-	39	0.8 %
163	-	29	0.6 %
165	-	42	0.9 %
166	-	99	2.0 %
	Total	4,882	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,882 valid cases out of 4,882 total cases.

- Mean: 186.58
- Median: 169.00
- Mode: 166.00
- Minimum: 102.00
- Maximum: 472.00
- Standard Deviation: 69.12

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

GSWGT3: POSTSTRAT GS LONGITUDINAL WGT-W3

Post stratified trimmed grand sample longitudinal weight-Wave III

Value	Label	Unweighted Frequency	%
324.9471	-	1	0.0 %

Value	Label	Unweighted Frequency	%
370.5113	-	1	0.0 %
437.0126	-	3	0.1 %
465.1496	-	1	0.0 %
466.2873	-	1	0.0 %
496.6356	-	1	0.0 %
503.9932	-	3	0.1 %
517.9519	-	1	0.0 %
520.9293	-	1	0.0 %
523.4712	-	5	0.1 %
525.4022	-	3	0.1 %
543.3815	-	1	0.0 %
544.4451	-	1	0.0 %
555.5311	-	3	0.1 %
588.8227	-	1	0.0 %
590.1596	-	1	0.0 %
591.1996	-	2	0.0 %
591.5760	-	2	0.0 %
597.7144	-	2	0.0 %
608.6221	-	2	0.0 %
612.3730	-	1	0.0 %
614.6869	-	1	0.0 %
618.4007	-	1	0.0 %
621.8935	-	1	0.0 %
623.6579	-	1	0.0 %
628.4719	-	1	0.0 %
635.6093	-	1	0.0 %
636.4963	-	4	0.1 %
651.9034	-	1	0.0 %
652.1422	-	1	0.0 %
654.0413	-	1	0.0 %
663.7058	-	1	0.0 %
672.8885	-	4	0.1 %
675.0139	-	1	0.0 %
678.0287	-	6	0.1 %
685.5882	-	1	0.0 %
694.3496	-	2	0.0 %
694.8292	-	1	0.0 %
695.6710	-	1	0.0 %
697.2291	-	2	0.0 %

Value	Label	Unweighted Frequency	%
704.6907	-	8	0.2 %
718.0960	-	1	0.0 %
725.1709	-	3	0.1 %
742.8376	-	1	0.0 %
750.2177	-	1	0.0 %
754.4514	-	2	0.0 %
760.9607	-	1	0.0 %
777.3819	-	1	0.0 %
781.0652	-	2	0.0 %
789.2842	-	4	0.1 %
	Missing Data		
.	-	1038	21.3 %
	Total	4,882	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,844 valid cases out of 4,882 total cases.

- Mean: 4872.6056
- Minimum: 324.9471
- Maximum: 27206.7287
- Standard Deviation: 2799.5110

Location: 12-21 (width: 10; decimal: 4)

Variable Type: numeric

GSWGT3_2: POSTSTRAT GS CROSS-SECTIONAL WGT-W3

Post stratified trimmed grand sample cross-sectional weight-Wave III

Value	Label	Unweighted Frequency	%
295.5669	-	1	0.0 %
344.2218	-	1	0.0 %
403.3401	-	3	0.1 %
418.6490	-	1	0.0 %
421.6883	-	2	0.0 %
429.2066	-	1	0.0 %
449.5401	-	1	0.0 %
467.8081	-	5	0.1 %
468.2325	-	3	0.1 %
476.3112	-	3	0.1 %
482.1918	-	1	0.0 %

Value	Label	Unweighted Frequency	%
484.5569	-	1	0.0 %
485.5054	-	1	0.0 %
492.6959	-	1	0.0 %
514.1951	-	4	0.1 %
525.0788	-	3	0.1 %
535.3103	-	1	0.0 %
545.6468	-	2	0.0 %
547.2565	-	1	0.0 %
551.7555	-	3	0.1 %
552.7016	-	2	0.0 %
553.6164	-	2	0.0 %
567.3244	-	1	0.0 %
567.7718	-	1	0.0 %
573.9757	-	1	0.0 %
583.8788	-	1	0.0 %
586.4107	-	1	0.0 %
587.2882	-	1	0.0 %
588.5990	-	1	0.0 %
590.5098	-	2	0.0 %
591.2093	-	1	0.0 %
595.0751	-	4	0.1 %
607.6340	-	2	0.0 %
610.1297	-	1	0.0 %
610.3503	-	5	0.1 %
616.4674	-	1	0.0 %
616.6127	-	1	0.0 %
619.1818	-	2	0.0 %
621.9388	-	1	0.0 %
627.1185	-	2	0.0 %
630.4455	-	2	0.0 %
638.7159	-	1	0.0 %
643.1602	-	1	0.0 %
650.7459	-	6	0.1 %
654.6895	-	8	0.2 %
659.3049	-	3	0.1 %
663.3408	-	1	0.0 %
665.5012	-	3	0.1 %
665.7479	-	1	0.0 %
666.8659	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	4,882	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,882 valid cases out of 4,882 total cases.

- Mean: 4535.9129
- Minimum: 295.5669
- Maximum: 27327.0767
- Standard Deviation: 2630.6386

Location: 22-31 (width: 10; decimal: 4)

Variable Type: numeric