

# PSdemo Developer's Guide

1.0 (alpha)

Pulse Secure, LLC

Pulse Secure, LLC 2700 Zanker Road, Suite 200 San Jose, CA 95134 https://www.pulsesecure.net

 $\ensuremath{\texttt{©}}$  2019 by Pulse Secure, LLC. All rights reserved

# **CONTENTS**

I	Introduction	3
	API for some functionality 2.1 Pet Store APIs	5
3	Example Code	13
	3.1 Using API for xyz use case	13
	3.2 Using API for mno use case	13

# TBD

- Introduction
- API for some functionality
  - Pet Store APIs
    - \* pet
    - \* store
    - \* user
- Example Code
  - Using API for xyz use case
  - Using API for mno use case

CONTENTS 1

2 CONTENTS

CHAPTER	
ONE	

# INTRODUCTION

TBD

**CHAPTER** 

**TWO** 

# **API FOR SOME FUNCTIONALITY**

**TBD** 

# 2.1 Pet Store APIs

# 2.1.1 pet

# POST /pet/{petId}/uploadImage

uploads an image

• Description:

• Consumes: ['multipart/form-data']

• **Produces:** ['application/json']

# **Parameters**

Name	Position	Description	Type
petId	path	ID of pet to update	integer
additionalMetadata	formData	Additional data to pass to server	string
file	formData	file to upload	file

# Responses

200 - successful operation

# POST /pet

Add a new pet to the store

- Description:
- Consumes: ['application/json', 'application/xml']
- **Produces:** ['application/json', 'application/xml']

# **Parameters**

Name	Position	Description	Type
body	body	Pet object that needs to be added to the store	

# PSdemo Developer's Guide, 1.0 (alpha)

#### Responses

405 - Invalid input

# PUT /pet

Update an existing pet

- Description:
- Consumes: ['application/json', 'application/xml']
- Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Туре
body	body	Pet object that needs to be added to the store	

#### Responses

400 - Invalid ID supplied

404 - Pet not found

405 - Validation exception

# **GET /pet/findByStatus**

Finds Pets by status

- Description: Multiple status values can be provided with comma separated strings
- Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
status	query	Status values that need to be considered for filter	array

# Responses

200 - successful operation

400 - Invalid status value

# GET /pet/findByTags

Finds Pets by tags

- Description: Multiple tags can be provided with comma separated strings. Use tag1, tag2, tag3 for testing.
- Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
tags	query	Tags to filter by	array

#### Responses

200 - successful operation

400 - Invalid tag value

# GET /pet/{petId}

Find pet by ID

• Description: Returns a single pet

• Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
petId	path	ID of pet to return	integer

#### Responses

200 - successful operation

400 - Invalid ID supplied

404 - Pet not found

# POST /pet/{petId}

Updates a pet in the store with form data

• Description:

• Consumes: ['application/x-www-form-urlencoded']

• Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
petId	path	ID of pet that needs to be updated	integer
name	formData	Updated name of the pet	string
status	formData	Updated status of the pet	string

# Responses

405 - Invalid input

# DELETE /pet/{petId}

Deletes a pet

- Description:
- Produces: ['application/json', 'application/xml']

2.1. Pet Store APIs 7

#### **Parameters**

Name	Position	Description	Type
api_key	header		string
petId	path	Pet id to delete	integer

# Responses

400 - Invalid ID supplied

404 - Pet not found

# 2.1.2 store

# POST /store/order

Place an order for a pet

• Description:

• Consumes: ['application/json']

• Produces: ['application/json', 'application/xml']

# **Parameters**

Name	Position	Description	Type
body	body	order placed for purchasing the pet	

# Responses

200 - successful operation

400 - Invalid Order

# **GET /store/order/{orderId}**

Find purchase order by ID

- **Description:** For valid response try integer IDs with value >= 1 and <= 10. Other values will generated exceptions
- **Produces:** ['application/json', 'application/xml']

# **Parameters**

Name	Position	Description	Туре
orderId	path	ID of pet that needs to be fetched	integer

# Responses

200 - successful operation

400 - Invalid ID supplied

#### 404 - Order not found

# **DELETE** /store/order/{orderId}

Delete purchase order by ID

• **Description:** For valid response try integer IDs with positive integer value. Negative or non-integer values will generate API errors

• **Produces:** ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Туре
orderId	path	ID of the order that needs to be deleted	integer

#### Responses

400 - Invalid ID supplied

404 - Order not found

# **GET /store/inventory**

Returns pet inventories by status

• **Description:** Returns a map of status codes to quantities

• **Produces:** ['application/json']

#### **Parameters**

Name P	osition	Description	Type
--------	---------	-------------	------

#### Responses

200 - successful operation

# 2.1.3 user

# POST /user/createWithArray

Creates list of users with given input array

• Description:

• Consumes: ['application/json']

• **Produces:** ['application/json', 'application/xml']

# **Parameters**

Name	Position	Description	Type
body	body	List of user object	

2.1. Pet Store APIs 9

# PSdemo Developer's Guide, 1.0 (alpha)

#### Responses

default - successful operation

#### POST /user/createWithList

Creates list of users with given input array

- Description:
- Consumes: ['application/json']
- Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
body	body	List of user object	

#### Responses

default - successful operation

# **GET /user/{username}**

Get user by user name

- Description:
- Produces: ['application/json', 'application/xml']

# **Parameters**

Name	Position	Description	Туре
username	path	The name that needs to be fetched. Use user1 for testing.	string

#### Responses

200 - successful operation

400 - Invalid username supplied

404 - User not found

# PUT /user/{username}

Updated user

• **Description:** This can only be done by the logged in user.

• Consumes: ['application/json']

• Produces: ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Туре
username	path	name that need to be updated	string
body	body	Updated user object	

### Responses

400 - Invalid user supplied

404 - User not found

# **DELETE /user/{username}**

Delete user

• **Description:** This can only be done by the logged in user.

• **Produces:** ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
username	path	The name that needs to be deleted	string

# Responses

400 - Invalid username supplied

404 - User not found

# **GET /user/login**

Logs user into the system

- Description:
- **Produces:** ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
username	query	The user name for login	string
password	query	The password for login in clear text	string

# Responses

200 - successful operation

400 - Invalid username/password supplied

# **GET /user/logout**

Logs out current logged in user session

- Description:
- **Produces:** ['application/json', 'application/xml']

2.1. Pet Store APIs

# **Parameters**

Name	Position	Description	Type

# Responses

default - successful operation

# POST /user

Create user

• **Description:** This can only be done by the logged in user.

• Consumes: ['application/json']

• **Produces:** ['application/json', 'application/xml']

#### **Parameters**

Name	Position	Description	Type
body	body	Created user object	

# Responses

default - successful operation

**CHAPTER** 

# **THREE**

# **EXAMPLE CODE**

Perform the setup using the following commands

bash xyz.py -o <outputfile> -d <inputdir> -t <type>

- 3.1 Using API for xyz use case
- 3.2 Using API for mno use case