

ESG Readiness Report

Generated: 17/5/2026, 1:58:37 pm
Assessment ID: 6a089bfa551e95f86afe13fd

1. Organisation Profile

Sector: TEXT
Building Area: 23 sqft
Assessment Name: Assessment 16/5/2026
Status: draft

2. Data Upload Summary

Category	Months	Source	Uploaded At
Electricity	8	excel	17/5/2026
Water	8	excel	17/5/2026
Fuel	7	excel	17/5/2026
Waste	7	excel	17/5/2026

3. Emissions Summary (tCO₂e)

Scope 1	Scope 2	Scope 3	Total
16.03	0	1.75	17.78

4. KPI Benchmarks

Water Score: 20
Waste Score: 16
Governance Score: 40
Overall Score: 31
Readiness Stage: Foundational

Energy Score: 43

5. Certification Readiness Matrix

Framework	Score	Tier	Timeline	Prerequisites
ISSP_CORE	40.58%	Bronze	12+ months	Met
ISO_14001_EMS	39.23%	Bronze	12+ months	Met
ISO_50001_ENMS	46.63%	Silver	12+ months	UNMET
BRSR_CORE	40.78%	Bronze	12+ months	Met
GRI_STANDARDS	44.17%	Bronze	12+ months	Met
CDP_CLIMATE	54.6%	Silver	12+ months	Met

6. Regulatory Readiness

Regulation	Score	Risk	Applicable	Notes
GHG Protocol	88%	Low	Yes	Emissions tracking is adequately covered.
ISO 14001 EMS	31%	High	Yes	Severe lack of environmental management governance
SEBI BRSR	41%	High	Yes	Missing fundamental disclosures required by SEBI.
EU CSRD	0%	N/A	No	Not applicable for this sector/ country.
Singapore GreenMark	0%	N/A	No	Not applicable for this sector/ country.

7. Strengths & Gaps

- Renewable contribution materially exceeds the baseline target — strong decarbonisation signal for certification narratives.
 - Measured recycling rate clears the 60% benchmark used for readiness dashboards.
- Gaps:**
- Energy intensity exceeds the upper benchmark — efficiency retrofits or sub-metering should be prioritised.
 - Overall ESG score is in the foundational band — cross-functional remediation is required before certification submissions.
 - No certification pathway currently clears the eligibility score — address prerequisite gaps flagged in the certification matrix.
 - Governance score is below the structured threshold — assign ESG ownership, formalise SOPs, and document reviews.
 - Composite energy score is materially below peer readiness — revisit intensity, renewables, and monitoring

flags.

8. Executive Summary

Based on the operational data provided, your current ESG maturity scores at 31%, placing you in the "Foundational" stage. Key strengths include: [object Object]; [object Object]. Primary gaps include: [object Object]; [object Object]; [object Object].

DISCLAIMER

This assessment provides an indicative readiness evaluation based on self-reported data. It does not constitute formal certification, regulatory assurance, or legal advice. Results should be independently verified before being used for compliance filings.