Task – Run Frontend Project.

1. Create a Repo to GitHub and push code to repository.



Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Add collaborators to this repository

Search for people using their GitHub username or email address.

Quick setup — if you've done this kind of thing before

`https://github.com/sham9394/Frontend-Project.git`

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# Frontend-Project" >> README.md
```



```
kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend
$ git init
Initialized empty Git repository in C:/Users/kk/Downloads/frontend/.git/

kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend (master)
$ git add .

kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend (master)
$ git commit -m "first commit"
[master (root-commit) 39d5373] first commit
 40 files changed, 25120 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 README.md
 create mode 100644 SECURITY.md
 create mode 100644 package-lock.json
 create mode 100644 package.json
 create mode 100644 public/favicon.ico
 create mode 100644 public/index.html
 create mode 100644 public/logo192.png
 create mode 100644 public/manifest.json
 create mode 100644 public/robots.txt
 create mode 100644 server/index.js
 create mode 100644 server/package-lock.json
 create mode 100644 server/package.json
 create mode 100644 sonar-project.properties
 create mode 100644 src/App.css
 create mode 100644 src/App.js
 create mode 100644 src/Components/home/contact-us/AboutUs.js
 create mode 100644 src/Components/home/contact-us/CustomerForm.js
 create mode 100644 src/Components/home/contact-us/CustomerStyles.css
 create mode 100644 src/Components/home/contact-us/DriverForm.js
 create mode 100644 src/Components/home/contact-us/DriverStyles.css
 create mode 100644 src/Components/home/contact-us/ParentCustomer.js
 create mode 100644 src/Components/home/contact-us/ParentDriver.js
 create mode 100644 src/Components/home/parent/CustomerDetailsComponent.js
 create mode 100644 src/Components/home/parent/DriverDetailsComponent.js
 create mode 100644 src/Components/home/scroller/Home.js
 create mode 100644 src/Components/home/scroller/HomeComponentStyles.css
```



```
 create mode 100644 src/assets/homepage-image1.jpg
 create mode 100644 src/assets/homepage.jpg
 create mode 100644 src/assets/truckdriver.jpg
 create mode 100644 src/index.css
 create mode 100644 src/index.js
 create mode 100644 src/reportWebVitals.js
 create mode 100644 src/server.js
 create mode 100644 src/setupTests.js

kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend (master)
$ git branch -M main
git remote add origin https://github.com/sham9394/Frontend-Project.git

kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend (main)
$ git push -u origin main
Enumerating objects: 49, done.
Counting objects: 100% (49/49), done.
Delta compression using up to 4 threads
Compressing objects: 100% (48/48), done.
Writing objects: 100% (49/49), 922.57 KiB | 8.31 MiB/s, done.
Total 49 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/sham9394/Frontend-Project.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

kk@DESKTOP-KS88HI9 MINGW64 ~/Downloads/frontend (main)
$ 
```



sham9394 first commit 39d5373 · 2 minutes ago 1 Commit

public	first commit	2 minutes ago
server	first commit	2 minutes ago
src	first commit	2 minutes ago
.gitignore	first commit	2 minutes ago
README.md	first commit	2 minutes ago
SECURITY.md	first commit	2 minutes ago
package-lock.json	first commit	2 minutes ago
package.json	first commit	2 minutes ago
sonar-project.properties	first commit	2 minutes ago

About

No description, website, or topics provided.

Readme
Security policy
Activity
0 stars
0 watching
0 forks

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

Languages

2. Pull The code on locally.



```
PS C:\Users\kk\Desktop\Frontend-project> git clone https://github.com/sham9394/Frontend-Project.git
Cloning into 'Frontend-Project'...
remote: Enumerating objects: 49, done.
remote: Counting objects: 100% (49/49), done.
remote: Compressing objects: 100% (42/42), done.
remote: Total 49 (delta 6), reused 49 (delta 6), pack-reused 0 (from 0)
Receiving objects: 100% (49/49), 922.57 KiB | 2.09 MiB/s, done.
Resolving deltas: 100% (6/6), done.
PS C:\Users\kk\Desktop\Frontend-project> cd .\Frontend-Project\
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> ls ltr
```



```
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> ls


    Directory: C:\Users\kk\Desktop\Frontend-project\Frontend-Project


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         10/6/2025   1:48 PM                public
d-----         10/6/2025   1:48 PM                server
d-----         10/6/2025   1:48 PM                src
-a----         10/6/2025   1:48 PM            334 .gitignore
-a----         10/6/2025   1:48 PM         896599 package-lock.json
-a----         10/6/2025   1:48 PM           1129 package.json
-a----         10/6/2025   1:48 PM           3307 README.md
-a----         10/6/2025   1:48 PM            640 SECURITY.md
-a----         10/6/2025   1:48 PM            408 sonar-project.properties


PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> 
```

3. Write a docker file to RUN application.



```dockerfile
# --------- Stage 1: Build the frontend ---------
FROM node:18 AS build

WORKDIR /app

COPY package*.json ./

RUN npm install --legacy-peer-deps

COPY . .

RUN npm run build


# --------- Stage 2: Serve with Nginx ---------
FROM nginx:alpine

RUN rm -rf /usr/share/nginx/html/*

COPY --from=build /app/dist /usr/share/nginx/html

EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
```

4. Create a Docker file and Run container.



```dockerfile
# --------- Stage 2: Serve with Nginx ---------
FROM nginx:alpine

RUN rm -rf /usr/share/nginx/html/*

COPY --from=build /app/build /usr/share/nginx/html

EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
```

```
 => [internal] load build context                                                                                  0.2s
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> docker build -t my-frontend-app .
[+] Building 109.5s (15/15) FINISHED                                                                docker:desktop-linux
 => [internal] load build definition from Dockerfile                                                               0.1s
 => => transferring dockerfile: 442B                                                                               0.0s
 => [internal] load metadata for docker.io/library/node:18                                                         1.3s
 => [internal] load metadata for docker.io/library/nginx:alpine                                                    1.2s
 => [internal] load .dockerignore                                                                                  0.1s
 => => transferring context: 2B                                                                                    0.0s
 => [build 1/6] FROM docker.io/library/node:18@sha256:c6ae79e38498325db67193d391e6ec1d224d96c693a8a4d943498556716d3783   0.2s
 => => resolve docker.io/library/node:18@sha256:c6ae79e38498325db67193d391e6ec1d224d96c693a8a4d943498556716d3783        0.2s
 => [stage-1 1/3] FROM docker.io/library/nginx:alpine@sha256:42a516af16b852e33b7682d5ef8acbd5d13fe08fecadc7ed98605ba5e3b26ab8   0.3s
 => => resolve docker.io/library/nginx:alpine@sha256:42a516af16b852e33b7682d5ef8acbd5d13fe08fecadc7ed98605ba5e3b26ab8        0.2s
 => [internal] load build context                                                                                  0.2s
 => => transferring context: 4.72kB                                                                                0.1s
 => CACHED [stage-1 2/3] RUN rm -rf /usr/share/nginx/html/*                                                        0.0s
 => CACHED [build 2/6] WORKDIR /app                                                                                0.0s
 => CACHED [build 3/6] COPY package*.json ./                                                                       0.0s
 => CACHED [build 4/6] RUN npm install --legacy-peer-deps                                                          0.0s
 => [build 5/6] COPY . .                                                                                           0.2s
 => [build 6/6] RUN npm run build                                                                                 71.7s
 => [stage-1 3/3] COPY --from=build /app/build /usr/share/nginx/html                                               0.6s
 => exporting to image                                                                                             4.1s
 => => exporting layers                                                                                            1.6s
 => => exporting manifest sha256:ec7e13092a008c9a53c54d4dc18360d541c09481daf58585f4f9154422345bd3                  0.1s
 => => exporting config sha256:0b2276b0c4fff65001e20bd24f0727f6d4094ab59197e7ba4b290f88dff9722c                    0.1s
 => => exporting attestation manifest sha256:826a18cb1db8fb80ae4b7fea5d9944a338daf6a2544b27e86ae6373b7de8f377      0.3s
```



```dockerfile
# --------- Stage 2: Serve with Nginx ---------
FROM nginx:alpine

RUN rm -rf /usr/share/nginx/html/*

COPY --from=build /app/build /usr/share/nginx/html

EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
```

```
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> docker images
REPOSITORY        TAG       IMAGE ID       CREATED         SIZE
my-frontend-app   latest    5f18aae4caa4   4 minutes ago   82.6MB
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> []
```



```
# ---------- Stage 2: Serve with Nginx ----------
FROM nginx:alpine

RUN rm -rf /usr/share/nginx/html/*

COPY --from=build /app/build /usr/share/nginx/html

EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
```

```
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> docker images
REPOSITORY        TAG       IMAGE ID       CREATED         SIZE
my-frontend-app   latest    5f18aae4caa4   4 minutes ago   82.6MB
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> docker run -d -p 80:80 my-frontend-app
3d779212668a60c4516cb0293354299d555dbe63bfc058cdd5fc4123cb528c53
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> docker ps
CONTAINER ID   IMAGE             COMMAND                  CREATED         STATUS         PORTS                                 NAMES
3d779212668a   my-frontend-app   "/docker-entrypoint.…"   7 seconds ago   Up 4 seconds   0.0.0.0:80->80/tcp, [::]:80->80/tcp   great_noether
PS C:\Users\kk\Desktop\Frontend-project\Frontend-Project> 
```

5. Verify the output.





Hyderabad Packers and Movers

Turn to the most trusted Hyderabad packers and movers, Element Moving and Storage. Our helpful, dedicated team is available to address even the most specific and unique needs of a local or long-distance move.

Driver Details

Name *



Hyderabad Packers and Movers

Turn to the most trusted Hyderabad packers and movers, Element Moving and Storage. Our helpful, dedicated team is available to address even the most specific and unique needs of a local or long-distance move.

I'm looking for movers near me in Hyderabad, Telangana

Element Moving and Storage has you covered. We are experienced in working with a wide range of clients, in the most general terms, these clients include:

- **Residential:** Our local packers and movers in Hyderabad Telangana bring value to residential moves. We ensure that the move will be quick, efficient and effective. Element has worked with clients who are moving in and out of everything from small apartments and condos to large, sprawling homes.
- **Commercial:** If you're thinking,'I need Hyderabad movers near me that can handle the extensive logistical needs of an office relocation', then you have come to the right place. We have a team of Hyderabad packers and movers that will streamline a commercial move to minimize the impact that it has on your operations.

We also offer specialty services. For instance, if you have a piano, our professional piano movers in Hyderabad Telangana can utilize special equipment to make sure that the item is packed, transported and unpacked safely and soundly. We're not just premier Hyderabad professional piano movers, either.

Customer Details

Name *

Full Name

Email

Email

Phone Number *

Phone

From Address

From Address

To Address

To Address

Estimated Date