

**TABLE 1: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN ANDHRA PRADESH - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite – N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
26	WELL AT GRAM PANCHAYAT OFFICE, KAAANURU, VIJAYWADA	ANDHRA PRADESH	24	25	7.7	7.8	1742	1894	BDL	BDL	0.54	0.63	3	3	24	28	BDL	BDL	1026	1210	0.72	1.2	BDL	BDL
1513	BOREWELL KRISHNA MURTHY, D.NO. 48-16-43 AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	24	24	7.7	7.8	1920	1926	BDL	1.2	0.57	0.82	3	3	75	75	BDL	BDL	1140	1190	0.26	0.92	BDL	BDL
1514	BOREWELL VIJAY KUMAR AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	24	25	7.6	7.8	1859	1924	1.2	1.4	0.53	0.9	3	3	39	64	BDL	BDL	1100	1220	0.34	1.04	BDL	BDL
1516	BOREWELL OF NAVLOK GARDENS, NELLORE	ANDHRA PRADESH	27	27	8.2	8.2	984	984	BDL	BDL	1.74	1.74	3	3	23	23	BDL	BDL	600	600	1.16	1.16	-	-
1517	BOREWELL NEAR TUNGBHADRA RIVER KURNOOL	ANDHRA PRADESH	22	28	6.8	7.5	4640	5860	BDL	2.2	6.61	7.2	BDL	BDL	BDL	BDL	-	-	3248	3517	1.5	1.9	-	-
1518	BOREWELL AT NANDYAL (KUNDU)	ANDHRA PRADESH	20	27	6.1	7.2	4820	6546	BDL	2.8	1.83	10.6	BDL	BDL	BDL	BDL	-	-	2896	4582	1	1.2	-	-
1519	BOREWELL AT NAGIRI	ANDHRA PRADESH	26	30	6.2	6.9	1620	1756	1.2	1.8	2.9	4.32	BDL	BDL	BDL	BDL	-	-	973	1226	0.5	0.6	-	-
1520	BOREWELL NEAR SWARNAMUKHI RIVER AT SRIKALAHASTI	ANDHRA PRADESH	28	29	6.8	6.9	837	1310	BDL	2.5	1.54	5.17	BDL	BDL	BDL	BDL	-	-	586	784	0.5	0.5	-	-
1521	OPEN WELL NEAR RAMA TEMPLE , WARD NO.2 , MINDI , VISAKHAPATNAM	ANDHRA PRADESH	26	26	7.8	7.8	1880	3010	2	2.9	2.3	6.67	4	4	69	93	-	-	1212	1888	0.89	1.15	BDL	BDL
1522	OPEN WELL PEDDANUVVI - VIZIANAGARAM	ANDHRA PRADESH	26	28	7.3	8.4	1950	2060	1.1	2.3	2.28	3.46	3	4	39	64	-	-	1320	1396	0.21	0.98	BDL	BDL
1523	BOREWELL NEAR M/S ANDHRA SUGARS LTD. , KOVVUR	ANDHRA PRADESH	22	29	7.5	7.9	234	612	1.8	1.9	BDL	4.9	3	7	28	75	-	-	160	394	BDL	0.38	BDL	BDL
1524	OPEN WELL NEAR PARTAP NAGAR BRIDGE -KAKINADA	ANDHRA PRADESH	27	30	7.1	7.8	1740	1820	1.6	2.5	0.97	12.26	3	4	64	93	-	-	1180	1240	0.58	0.92	BDL	BDL
3087	BORE WELL NEAR VILLAGE SECRETARIAT, PATHAPADU (V)	ANDHRA PRADESH	26	26	7.3	7.5	2279	2992	BDL	1.2	4.26	7.35	3	3	23	64	BDL	BDL	1340	1820	0.56	0.67	BDL	BDL
3089	HAND PUMP AT TANAM VILL., VISHAKHAPATNAM	ANDHRA PRADESH	26	27	7.4	8	1480	2220	1.2	1.4	5.94	23.72	3	7	75	93	-	-	1244	1540	0.8	0.9	BDL	BDL
3090	HAND PUMP AT PITTAVANIPALEM, VISHAKHAPATNAM	ANDHRA PRADESH	26	27	7.1	7.6	2350	3280	BDL	1.5	4.44	7.47	4	9	64	120	-	-	1612	2216	0.23	0.74	BDL	BDL
3091	BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM	ANDHRA PRADESH	25	28	7.9	7.9	4520	5670	1.9	2.4	7.1	90.73	3	7	75	93	-	-	3160	3844	BDL	0.51	BDL	BDL
3092	BORE WELL AT ARINAMA AKKIVALASA, SRIKAKULAM	ANDHRA PRADESH	26	27	7.4	8.5	960	1840	1.5	2	2.42	6.67	4	7	69	75	BDL	BDL	648	1244	0.62	1.15	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite – N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3093	BORE WELL AT ALLADAPALEM VILLAGE, PYDIBHIMAVARAM	ANDHRA PRADESH	28	28	7.1	7.9	950	1280	1.2	2	7.14	7.81	4	7	69	75	-	-	644	872	0.24	1.75	BDL	BDL
4350	BOREWELL AT ZP HIGH SCHOOL, UDDANAM REGION, (V) AMALAPADU VAJRAPUKOTTURU	ANDHRA PRADESH	27	30	7.4	7.8	1040	1050	1.4	2.3	3.23	5.5	4	7	75	75	-	-	704	708	0.42	0.47	BDL	BDL
4353	BORE WELL AT MANGARAJU HOUSE, GAJAPATHINAGARAM VILLAGE, PAYAKARAOPETA (M)	ANDHRA PRADESH	24	26	7.5	7.5	2360	8452	1.8	2.5	1.06	6.46	3	4	39	75	-	-	1648	5524	0.42	0.56	BDL	BDL
4354	BORE WELL, SRI NOOKATATA TEMPLE RAJAYYAPETA VILLAGE, NAKKAPALI (M)	ANDHRA PRADESH	23	26	7.2	7.8	11500	13520	BDL	2.5	6.47	7.85	4	11	69	150	-	-	7348	9196	0.86	1.29	BDL	BDL
4355	BORE WELL, CHIPPADA VILLAGE, BHEEMUNIPATNAM (M)	ANDHRA PRADESH	24	26	7	7.5	720	1370	1.2	2.1	7.39	11.09	3	7	75	93	-	-	492	956	0.46	0.64	BDL	BDL
4360	BORE WELL AT IDA, RAMANAYYAPETA, KKAINADA	ANDHRA PRADESH	25	26	7.9	8.1	1480	1790	BDL	2	4.49	6.51	3	4	69	75	-	-	1020	1140	BDL	0.43	BDL	BDL
4364	BOREWELL AT RAJIV GRUHA KA;PA, NEAR AP PAPER MAILLS WORKERS COLONY, MALLAYAPETA, KATHERU, RAJAMAHENDRAVARAM	ANDHRA PRADESH	26	26	8	8	631	631	1.9	1.9	0.85	0.85	4	4	64	64	-	-	428	428	0.37	0.37	BDL	BDL
4376	BOREWELL WATER , APIIC OFFICE, IDA KONDAPALLI, IBRAHIMPATNAM (M)	ANDHRA PRADESH	27	27	7.5	8.1	2932	3624	1.2	2	2.66	3.58	3	3	75	75	BDL	BDL	1904	2170	0.7	1.39	0.02	0.02
4377	BOREWELL AT IMITATION JEWELLARY PARK, MACHILIPATNAM	ANDHRA PRADESH	26	27	7.9	8.2	1820	1850	BDL	BDL	2.92	2.94	3	3	23	28	BDL	BDL	1100	1150	0.92	1.2	BDL	BDL
4380	BOREWELL WATER , SRI VENKATESWARA SWAMY TEMPLE, VENKATAPALEM (V), TULLUR (M)	ANDHRA PRADESH	21	27	7.5	7.8	670	922	BDL	BDL	1.45	1.66	3	3	15	23	BDL	BDL	410	570	0.54	0.58	BDL	BDL
4382	BOREWELL WATER POLICE STATION, AUTONAGAR, PEDAKAKANI, GUNTUR	ANDHRA PRADESH	23	24	7.1	7.4	4240	4525	1.2	2.2	3.5	3.6	3	3	23	78	BDL	BDL	2670	2760	0.88	2.11	-	-
4384	BOREWELL IN FRONT OF M/S BHAGEERADHA CHEMICALS & INDUSTRIES LTD, CHERUVUKOMMUPALEM (V) ONGOLE (M)	ANDHRA PRADESH	27	31	7.2	7.8	8319	15660	1.4	2.6	4.62	6.84	3	3	43	150	BDL	BDL	5240	9860	1.04	1.7	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite – N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4392	BOREWELL NEAR SRI GOVINDARAJA SWAMY TEMPLE, TIRUPATI TOWN	ANDHRA PRADESH	26	28	6.1	6.6	1172	1560	BDL	BDL	2.2	4.27	BDL	BDL	BDL	BDL	-	-	820	929	0.5	0.8	-	-
4393	CLOSED MSW DUMPSITE, UKKAYAPALLI (V), KADAPA (M)	ANDHRA PRADESH	27	28	6.5	7.3	2172	2970	BDL	6	8.6	13.59	BDL	BDL	BDL	BDL	-	-	1521	1783	0.7	1.2	-	-
4394	BOREWELL AT APLLC OFFICE INDUSTRIAL ESTATE GROWTH CENTRE, THUMAKUNTA, HINDUPUR (M)	ANDHRA PRADESH	25	28	6.4	6.8	2836	3080	1.2	2.8	7.87	9.2	BDL	BDL	BDL	BDL	-	-	1849	1984	1.1	1.2	-	-
4395	BOREWELL AT APLLC OFFICE INDUSTRIAL ESTATE, ANANTAPURAM (M)	ANDHRA PRADESH	25	28	6.6	6.7	3210	3650	BDL	BDL	4.51	7.2	BDL	BDL	BDL	BDL	-	-	2189	2245	1.4	1.5	-	-

**TABLE 2: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN ASSAM - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1533	GROUND WATER AT DIGBOI, TINSUKIA DISTT., ASSAM	ASSAM	24	26	6.8	7.5	193	262	1.2	1.8	0.7	0.8	BDL	BDL	BDL	BDL	-	-	112	168	BDL	BDL	-	-
1534	GROUND WATER AT KARBI ANGLONG DISTT., ASSAM	ASSAM	25	25	7.3	7.3	120	120	1.6	1.6	0.8	0.8	BDL	BDL	BDL	BDL	-	-	74	74	0.26	0.26	-	-
1535	GROUND WATER AT SIBSAGAR GOVT ME SCHOOL WARD 6, RED CROSS ROAD , ASSAM	ASSAM	24	25	7	7.3	256	288	1.2	1.8	0.7	1.4	BDL	BDL	BDL	BDL	-	-	146	160	BDL	0.21	-	-
1536	GROUND WATER NEAR BPMS H.S. SCHOOL SONARI TOWN DIST CHARAIDEO	ASSAM	26	26	6.8	7	290	308	1.2	1.7	0.6	0.8	BDL	BDL	BDL	BDL	-	-	164	174	BDL	0.24	-	-
1537	GROUND WATER AT (JORHAT, ASSAM)	ASSAM	26	26	7.4	7.8	223	365	1.1	1.3	0.7	1.8	BDL	BDL	BDL	BDL	-	-	132	200	0.23	0.24	-	-
1538	GROUND WATER AT SILCHAR, ASSAM	ASSAM	22	24	6.8	6.8	104	202	1.3	1.7	0.5	0.6	BDL	BDL	BDL	BDL	-	-	68	116	0.22	0.23	-	-
1539	GROUND WATER AT BARPETA, ASSAM	ASSAM	28	28	7	7.3	276	392	1.7	2.1	0.5	0.7	BDL	BDL	BDL	BDL	-	-	166	212	BDL	0.22	-	-
1540	GROUND WATER AT BONAIGAON, ASSAM	ASSAM	29	31	7.3	7.5	201	366	1.3	1.5	0.5	0.5	BDL	BDL	BDL	BDL	-	-	118	202	BDL	BDL	-	-
1541	GROUND WATER AT NOONMATI GUWAHATI, ASSAM	ASSAM	26	27	7	7.3	194	390	1.1	1.6	0.7	0.7	BDL	BDL	BDL	BDL	-	-	124	214	BDL	0.23	-	-
1542	GROUND WATER AT SIJUBARI MAZAR, NATBOMA HATIGAON	ASSAM	26	30	7	7.2	176	391	1.4	2	0.7	0.7	BDL	BDL	BDL	BDL	-	-	104	214	0.23	0.23	-	-
2243	GROUND WATER FROM LEDO, MARGHERITA, ASSAM	ASSAM	25	25	7	7.2	295	310	1.4	2	0.6	0.8	BDL	BDL	BDL	BDL	-	-	164	172	BDL	0.26	-	-
2244	GROUND WATER FROM NAZIRA, ASSAM	ASSAM	27	27	7	7	281	297	1.2	1.8	0.6	0.9	BDL	BDL	BDL	BDL	-	-	160	168	BDL	0.23	-	-
2245	GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY), ASSAM	ASSAM	25	28	7	7	151	358	1.1	1.8	0.6	0.8	BDL	BDL	BDL	BDL	-	-	92	196	0.21	0.22	-	-
2246	GROUND WATER FROM SEMENCHAPARI, ASSAM	ASSAM	23	25	7	7.3	153	380	BDL	1.7	0.4	0.6	BDL	BDL	BDL	BDL	-	-	90	208	0.21	0.24	-	-
2247	GROUND WATER FROM SILAPATHAR, ASSAM	ASSAM	23	25	7.1	7.1	41	408	1.1	1.9	BDL	0.5	BDL	BDL	BDL	BDL	-	-	30	220	BDL	BDL	-	-
2248	GROUND WATER FROM LAKHIMPUR TOWN, ASSAM	ASSAM	28	28	7.2	7.5	155	242	1.2	1.7	0.5	0.6	BDL	BDL	BDL	BDL	-	-	92	138	BDL	0.22	-	-
2249	GROUND WATER FROM TEZPUR (MISSION CHARIALI), ASSAM	ASSAM	26	30	7	7.1	151	368	1.2	1.8	0.5	0.6	BDL	BDL	BDL	BDL	-	-	96	198	BDL	0.24	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2250	GROUND WATER FROM NAGAON (PANIGAON), ASSAM	ASSAM	28	29	7	7.1	208	312	1.2	1.9	0.7	0.8	BDL	BDL	BDL	BDL	-	-	122	176	0.21	0.22	-	-
2251	GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT, ASSAM	ASSAM	28	28	7	7.3	211	408	1.4	2.3	0.8	0.9	BDL	BDL	BDL	BDL	-	-	118	218	BDL	0.21	BDL	BDL
2252	GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI, ASSAM	ASSAM	25	30	7	7.4	284	401	1.2	2.1	0.8	0.8	BDL	BDL	BDL	BDL	-	-	152	218	BDL	0.22	-	-
2253	GROUND WATER FROM NALBARI, ASSAM	ASSAM	28	31	7.2	7.6	193	230	1.2	1.4	0.6	0.6	BDL	BDL	BDL	BDL	-	-	114	130	0.21	0.23	-	-
2254	GROUND WATER FROM BARPETA ROAD(RLY STATION), ASSAM	ASSAM	27	28	7.3	7.3	276	376	1.7	2.2	0.7	0.7	BDL	BDL	BDL	BDL	-	-	166	204	BDL	0.22	-	-
2255	GROUND WATER NEAR BPRL, DHALIGAON, ASSAM	ASSAM	28	30	7.2	7.3	194	329	1.2	1.7	0.6	0.6	BDL	BDL	BDL	BDL	-	-	114	182	0.21	0.23	BDL	BDL
2256	GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL ), ASSAM	ASSAM	28	28	7	7.7	201	346	1.1	1.8	0.6	0.7	BDL	BDL	BDL	BDL	-	-	118	192	BDL	BDL	-	-
2257	GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR ), ASSAM	ASSAM	34	34	6.8	6.8	209	209	1.9	1.9	0.7	0.7	BDL	BDL	BDL	BDL	-	-	122	122	0.22	0.22	-	-
2258	GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE ), ASSAM	ASSAM	20	30	7	7.2	217	341	1.2	1.8	0.6	0.7	BDL	BDL	BDL	BDL	-	-	130	190	BDL	0.21	-	-
2259	GROUND WATER FROM DIPHU (GOVT. COLLEGE), ASSAM	ASSAM	24	24	7.5	7.5	119	119	1.5	1.5	0.6	0.6	BDL	BDL	BDL	BDL	-	-	72	72	0.24	0.24	-	-
2260	GROUND WATER FROM HAMREN, ASSAM	ASSAM	26	26	6.8	6.8	157	157	1.7	1.7	0.7	0.7	BDL	BDL	BDL	BDL	-	-	94	94	BDL	BDL	-	-
2261	GROUND WATER FROM HAFLONG, ASSAM	ASSAM	20	20	7	7	120	120	1.6	1.6	0.5	0.5	BDL	BDL	BDL	BDL	-	-	76	76	0.23	0.23	-	-
2262	GROUND WATER FROM KARIMGANJ (COLLEGE), ASSAM	ASSAM	24	24	6.9	7.2	116	148	1.2	1.8	0.7	0.8	BDL	BDL	BDL	BDL	-	-	76	90	BDL	BDL	-	-
2263	GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND ), ASSAM	ASSAM	24	24	6.8	6.8	186	196	1.4	1.7	0.6	0.6	BDL	BDL	BDL	BDL	-	-	110	116	BDL	BDL	-	-
2264	GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL, ASSAM	ASSAM	23	24	6.8	7	151	346	1.3	2.2	0.6	0.7	BDL	BDL	BDL	BDL	-	-	96	192	BDL	0.23	-	-
3761	GROUND WATER FROM BISWANATH CHARIALI TOWN	ASSAM	28	28	7	7.8	162	253	1.1	1.8	0.4	0.6	BDL	BDL	BDL	BDL	-	-	96	144	BDL	0.21	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3762	GROUND WATER NEAR MUNICIPAL WASTE PROCESSING FACILITY, MORABHARLI, TEZPUR	ASSAM	26	32	7.3	7.6	80	391	1.3	1.6	0.6	0.7	BDL	BDL	BDL	BDL	-	-	54	212	BDL	0.21	-	-
3766	GROUND WATER FROM MANGALDOI TOWN	ASSAM	26	30	7.3	7.4	73	372	1.2	1.7	0.7	0.7	BDL	BDL	BDL	BDL	-	-	50	202	0.21	0.24	-	-
3770	GROUND WATER NEAR GARMUR RECREATION GROUND, JORHAT	ASSAM	25	26	6.8	7	230	236	1.2	1.4	0.8	1.6	BDL	BDL	BDL	BDL	-	-	130	140	0.23	0.26	-	-
3771	GROUND WATER FROM TITABAR URBAN WATER SUPPLY, TITABAR	ASSAM	25	26	7.8	7.8	303	406	1.2	2.3	0.8	1.3	BDL	BDL	BDL	BDL	-	-	168	224	0.22	0.22	-	-
3779	GROUND WATER FROM GARMUR, MAJULI	ASSAM	25	25	7.2	7.2	223	223	1.3	1.3	0.5	0.5	BDL	BDL	BDL	BDL	-	-	128	128	0.23	0.23	-	-
3790	GROUND WATER NEAR GOGAMUKH PUBLIC WATER SUPPLY SCHEME, GOGAMUKH, DHEMAJI	ASSAM	25	25	7	7	188	188	1.4	1.4	0.6	0.6	BDL	BDL	BDL	BDL	-	-	120	120	0.21	0.21	-	-
3793	TUBE WELL AT R/O SRI TANKESWAR DAS, RUPIYOTI COLONY (NAGABALI) MUNICIPALITY DUMPING SITE, GOLAGHAT	ASSAM	25	27	6.9	7	153	343	1.2	1.7	0.4	0.8	BDL	BDL	BDL	BDL	-	-	94	190	BDL	0.21	-	-
3794	TUBE WELL AT R/O SRI ANIL BAORA AT BOSAGAON NEAR BY THE ATHKHALIA, NAMGHAR, PO: PULIKAITONI	ASSAM	24	26	7.1	7.2	170	364	1.3	1.8	0.6	0.7	BDL	BDL	BDL	BDL	-	-	102	200	BDL	0.22	-	-
3795	TUBE WELL OF WOKHA GORONGA GIRLS ME SCHOOL, GOROUNGA TINIALI, FURKATING	ASSAM	24	26	7	7.3	58	380	1.2	1.3	0.6	0.7	BDL	BDL	BDL	BDL	-	-	38	206	BDL	0.21	-	-
3801	GROUND WATER FROM MEHEPUR TRENCHING GROUND, MEHERPUR, CACHAR	ASSAM	23	24	6.8	6.8	322	326	1.2	1.8	0.5	0.6	BDL	BDL	BDL	BDL	-	-	180	190	0.21	0.21	-	-
3802	GROUND WATER FROM MEHEPUR NEAR A CLUSTER OF NURSING HOME & DIAGNOSTIC CENTRE, MEHERPUR, CACHAR	ASSAM	24	24	6.7	7	142	319	1.2	1.9	0.5	0.8	BDL	BDL	BDL	BDL	-	-	88	188	BDL	BDL	-	-
3805	GROUND WATER NEAR BADARPUR INDUSTRIAL AREA AT BADARPUR GHAT, KARIMGANJ	ASSAM	24	24	6.8	6.9	116	144	1.2	2	0.8	0.8	BDL	BDL	BDL	BDL	-	-	72	90	BDL	0.23	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3813	GROUND WATER FROM BONDA, GUWAHATI	ASSAM	25	30	7	7.2	258	368	1.3	1.8	0.8	0.8	BDL	BDL	BDL	BDL	-	-	148	200	0.22	0.23		
3815	GROUND WATER FROM KHANAPARA, GUWAHATI	ASSAM	27	29	6.8	7.1	76	408	1.3	1.8	0.7	0.7	BDL	BDL	BDL	BDL	-	-	48	220	0.22	0.23	-	-
3816	GROUND WATER FROM BASISTHA, GUWAHATI	ASSAM	27	28	7.2	7.2	73	393	1.2	1.7	0.6	0.8	BDL	BDL	BDL	BDL	-	-	50	212	BDL	0.27	-	-
3817	GROUND WATER FROM KAHILIPARA, GUWAHATI	ASSAM	28	29	7.2	7.3	213	392	1.2	1.8	0.6	0.8	BDL	BDL	BDL	BDL	-	-	130	212	BDL	0.23	-	-
3818	GROUND WATER FROM MALIGAON, GUWAHATI	ASSAM	29	29	7.4	7.4	60	400	1.3	1.5	0.4	0.8	BDL	BDL	BDL	BDL	-	-	42	216	BDL	0.21	-	-
4001	GROUND WATER FROM PANJABARI	ASSAM	30	30	7	7.8	60	366	1.3	1.7	0.6	0.6	BDL	BDL	BDL	BDL	-	-	42	188	0.21	0.24	-	-
4002	GROUND WATER FROM SANTIPUR	ASSAM	29	29	7	7.5	65	383	1.5	1.6	0.5	0.6	BDL	BDL	BDL	BDL	-	-	46	210	0.21	0.21	-	-
4003	GROUND WATER FROM TEZPUR COLLEGIATE HIGH SCHOOL	ASSAM	26	32	7	7.5	118	353	1.1	1.5	0.4	0.4	BDL	BDL	BDL	BDL	-	-	78	192	BDL	0.21	-	-
4007	GROUND WATER FROM LAKWAH	ASSAM	22	28	7	7.2	242	314	1.3	1.4	0.5	0.8	BDL	BDL	BDL	BDL	-	-	136	176	BDL	0.21	-	-
4008	GROUND WATER FROM GELEKY	ASSAM	20	24	7	7.3	241	303	1.1	1.7	0.6	0.8	BDL	BDL	BDL	BDL	-	-	148	170	0.21	0.22	-	-
4303	GROUND WATER FROM SATGAON	ASSAM	27	27	7.2	7.2	66	66	1.6	1.6	0.5	0.5	BDL	BDL	BDL	BDL	-	-	44	44	BDL	BDL	-	-
4327	GROUND WATER FROM RAILWAY STATION ROAD, ROWTA	ASSAM	26	26	7.2	7.2	57	57	1.5	1.5	0.6	0.6	BDL	BDL	BDL	BDL	-	-	50	50	0.24	0.24	-	-
4328	GROUND WATER BESIDE MSW DUMPING SITE, DHEKIAJULI	ASSAM	26	26	7.2	7.2	57	57	1.8	1.8	0.6	0.6	BDL	BDL	BDL	BDL	-	-	38	38	0.23	0.23	-	-
4330	GROUND WATER NEAR PANGRAM STONE CRASHER CLUSTER	ASSAM	23	23	6.9	6.9	129	129	1.8	1.8	0.5	0.5	BDL	BDL	BDL	BDL	-	-	78	78	BDL	BDL	-	-
4333	GROUND WATER FROM DEMOW WATER SUPPLY DEMOW TOWN	ASSAM	25	26	7.5	7.6	251	266	1.1	1.8	0.6	0.8	BDL	BDL	BDL	910	-	-	142	150	0.22	0.24	-	-
4335	GROUND WATER FROM AMGURI, AMGURI TOWN	ASSAM	24	27	6.8	7	195	249	1.2	1.8	0.6	0.6	BDL	BDL	BDL	BDL	-	-	118	140	BDL	0.23	-	-
4338	GROUND WATER FORM TENGA PUKHURI KUKURACHOWA WATER SUPPLY TENGA PUKHURI	ASSAM	18	27	7.2	7.4	35	262	1.3	2.2	0.6	0.8	BDL	BDL	BDL	BDL	-	-	20	150	0.23	0.24	-	-
4340	GROUND WATER FROM NAGAON COLLEGE, NAGAON	ASSAM	20	20	7.2	7.2	47	47	1.8	1.8	0.6	0.6	BDL	BDL	BDL	BDL	-	-	32	32	0.21	0.21	-	-

**TABLE 3: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN BIHAR - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1825	BORE WELL WATER AT KATRA BAZAR WATER TANK, MALSALAMI, PATNA	BIHAR	24	24	7.3	7.3	1590	1590	-	-	6.04	6.04	79	79	79	79	18	18	1168	1168	0.38	0.38	-	-
1826	BORE WELL WATER AT BHUT NATH ROAD WATER TANK SEC-3, KANKARBAGH, PATNA	BIHAR	23	23	7.6	7.6	538	538	-	-	BDL	BDL	49	49	49	49	-	-	318	318	0.75	0.75	-	-
1827	GROUND WATER FROM TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA	BIHAR	25	25	7.7	7.7	600	600	-	-	BDL	BDL	33	33	46	46	-	-	-	-	0.82	0.82	-	-
1828	BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA	BIHAR	27	27	7.6	7.6	659	659	-	-	0.4	0.4	79	79	1600	1600	-	-	-	-	0.7	0.7	-	-
1829	BORE WELL WATER FROM IGIMS CAMPUS, PATNA	BIHAR	23	23	7.7	7.7	602	602	-	-	BDL	BDL	14	14	22	22	-	-	-	-	0.43	0.43	-	-
1830	BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR	BIHAR	26	26	7.3	7.3	1110	1110	-	-	0.7	0.7	-	-	17	17	-	-	-	-	0.25	0.25	-	-
1831	BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR	BIHAR	26	26	7.1	7.1	1340	1340	-	-	BDL	BDL	49	49	49	49	-	-	-	-	0.38	0.38	-	-
1832	GROUND WATER NEAR TAP WATER IN CAMPUS OF KALI ASTHAN, BEGUSARAI	BIHAR	-	-	7.4	7.4	1170	1170	-	-	BDL	BDL	BDL	BDL	4	4	-	-	800	800	-	-	-	-
1833	GROUND WATER NEAR TAP WATER IN CAMPUS OF S.P OFFICE, POKHARIA, BEGUSARAI	BIHAR	-	-	7.6	7.6	1340	1340	-	-	BDL	BDL	22	22	1600	1600	-	-	910	910	0.25	0.25	-	-
1834	HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA	BIHAR	-	-	7.2	7.2	934	934	-	-	5.31	5.31	17	17	1600	1600	-	-	710	710	BDL	BDL	-	-
1835	HAND PUMP WATER NEAR COURT LOWER COURT, PURNEA	BIHAR	-	-	7.4	7.4	642	642	-	-	5.69	5.69	22	22	1600	1600	-	-	580	580	BDL	BDL	-	-
1836	HAND PUMP WATER NEAR BUS STAND TILKS MANJHI CHOWK, BEGUSARAI	BIHAR	-	-	7.7	7.7	313	313	-	-	BDL	BDL	540	540	920	920	-	-	-	-	0.32	0.32	-	-
1837	GROUND WATER FROM BEGUSARAI	BIHAR	-	-	7.7	7.7	896	896	-	-	1.74	1.74	920	920	920	920	-	-	-	-	0.79	0.79	-	-
1838	GROUND WATER FROM TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER	BIHAR	-	-	7.5	7.5	716	716	-	-	0.5	0.5	920	920	1600	1600	-	-	-	-	0.58	0.58	-	-



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1839	HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER	BIHAR	-	-	7.8	7.8	289	289	-	-	BDL	BDL	350	350	350	350	-	-	-	-	0.93	0.93	-	-
1840	TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI	BIHAR	27	27	7.8	7.8	501	501	-	-	BDL	BDL	79	79	170	170	-	-	315	315	BDL	BDL	-	-
1842	TAP WATER SAMPLE AT RAMKUND, GAYA	BIHAR	28	28	7.3	7.3	1001	1001	-	-	3.98	3.98	7	7	11	11	-	-	-	-	0.73	0.73	-	-
1843	PHED WATER SUPPLY NEAR BUS STAND, RAJGIR	BIHAR	30	30	8	8	522	522	-	-	5.38	5.38	920	920	920	920	-	-	-	-	0.62	0.62	-	-
1844	BORE WELL WATER NEAR COMMISSIONARY OFFICE, CHAPRA	BIHAR	28	28	7.3	7.3	549	549	-	-	1.2	1.2	33	33	540	540	-	-	358	358	0.9	0.9	-	-
2577	HAND PUMP WATER AT COURT CAMPOUND, ARARIA	BIHAR	-	-	6.5	6.5	264	264	-	-	3.23	3.23	1100	1100	4900	4900	-	-	208	208	0.41	0.41	-	-
2578	HAND PUMP WATER AT SARDAR PATEL BUS STAND, BHOJPUR	BIHAR	26	26	7.1	7.1	510	510	-	-	BDL	BDL	17	17	33	33	-	-	-	-	0.3	0.3	-	-
2579	TUBE WELL WATER AT COLLECTRIATE CAMPUS, BUXAR	BIHAR	25	25	7.5	7.5	1020	1020	-	-	3.04	3.04	33	33	220	220	-	-	-	-	0.44	0.44	-	-
2581	HAND PUMP WATER AT KILA GATE NEAR RAMBAGH MITHILA UNIVERSITY, DARBHANGA	BIHAR	27	27	7.6	7.6	574	574	-	-	BDL	BDL	920	920	920	920	-	-	-	-	0.25	0.25	-	-
2582	HAND PUMP WATER AT DARBHANGA BUS STAND, DARBHANGA	BIHAR	27	27	7.8	7.8	393	393	-	-	BDL	BDL	920	920	920	920	-	-	-	-	0.58	0.58	-	-
2583	HAND PUMP WATER AT BUS STAND, GOPALGANJ	BIHAR	28	28	7.1	7.1	1370	1370	-	-	-	-	2	2	2	2	-	-	880	880	0.52	0.52	-	-
2584	HAND PUMP WATER AT THAWAY MANDIR CAMPUS, GOPALGANJ	BIHAR	28	28	7.4	7.4	557	557	-	-	BDL	BDL	-	-	-	-	-	-	396	396	BDL	BDL	-	-
2585	TAP WATER NEAR PANI TANKI AT JAHANABAD COURT, JAHANABAD	BIHAR	30	30	7.9	7.9	506	506	-	-	BDL	BDL	130	130	220	220	-	-	-	-	0.55	0.55	-	-
2586	HAND PUMP WATER AT BUS STAND, KATI HAR	BIHAR	-	-	7	7	734	734	-	-	3.51	3.51	70	70	1600	1600	-	-	524	524	BDL	BDL	-	-
2588	HAND PUMP WATER AT D.M OFFICE, KISHANGANJ	BIHAR	-	-	6.6	6.6	375	375	-	-	5.04	5.04	2	2	11	11	-	-	262	262	-	-	-	-
2589	HAND PUMP WATER NEAR D.M OFFICE, MADHEPURA	BIHAR	-	-	7.3	7.3	624	624	-	-	BDL	BDL	14	14	1600	1600	-	-	384	384	1.14	1.14	-	-
2590	HAND PUMP WATER AT COLLECTRIATE OFFICE, MADHUBANI	BIHAR	25	25	7.6	7.6	523	523	-	-	BDL	BDL	280	280	280	280	-	-	-	-	0.83	0.83	-	-
2591	TAP WATER INSIDE THE CAMPUS OF TOURIST CAFETERIA, NALANDA	BIHAR	30	30	7.7	7.7	979	979	-	-	1.1	1.1	11	11	40	40	-	-	-	-	1.01	1.01	-	-

Station Code	Name of Monitoring Location			State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
					Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2592	WELL AT NALANDA			BIHAR	27	27	7.2	7.2	2110	2110	-	-	0.93	0.93	49	49	70	70	-	-	-	-	0.45	0.45	-	-
2593	GROUND WATER FROM	NAWADA		BIHAR	29	29	7.1	7.1	1370	1370	-	-	0.38	0.38	4	4	6	6	-	-	-	-	0.56	0.56	-	-
2594	GROUND WATER FROM	SAHARSA		BIHAR	-	-	7	7	1260	1260	-	-	5.81	5.81	2	2	13	13	-	-	816	816	0.84	0.84	-	-
2595	GROUND WATER FROM	SAMASTIPUR		BIHAR	28	28	7.5	7.5	981	981	-	-	BDL	BDL	1600	1600	1600	1600	-	-	-	-	0.6	0.6	-	-
2596	GROUND WATER FROM	SITAMARHI		BIHAR	27	27	-	-	308	308	-	-	BDL	BDL	1600	1600	1600	1600	-	-	198	198	BDL	BDL	-	-
2597	GROUND WATER FROM SIWAN			BIHAR	-	-	7.3	7.3	524	524	-	-	-	-	-	-	-	-	-	-	340	340	0.7	0.7	-	-
2600	GROUND WATER FROM	VAISHALI		BIHAR	26	26	7	7	841	841	-	-	-	-	4	4	6	6	-	-	-	-	0.3	0.3	-	-
3138	GROUND WATER FROM ARRAH			BIHAR	26	26	7.8	7.8	452	452	-	-	1.9	1.9	13	13	23	23	-	-	-	-	BDL	BDL	-	-
3139	GROUND WATER FROM ARARIA			BIHAR	-	-	6.5	6.5	437	437	-	-	5.9	5.9	1700	1700	160000	160000	18	18	386	386	0.81	0.81	-	-
3140	GROUND WATER FROM	BETTIAH		BIHAR	29	29	7.7	7.7	497	497	-	-	BDL	BDL	27	27	110	110	-	-	332	332	0.35	0.35	-	-
3141	GROUND WATER FROM	BODHGAYA		BIHAR	28	28	7.1	7.1	793	793	-	-	BDL	BDL	13	13	33	33	-	-	-	-	0.27	0.27	-	-
3143	GROUND WATER FROM	BAGAHA		BIHAR	25	25	7	7	1084	1084	-	-	0.42	0.42	BDL	BDL	BDL	BDL	-	-	1116	1116	BDL	BDL	-	-
3144	GROUND WATER FROM BARH			BIHAR	27	27	8	8	1750	1750	-	-	0.61	0.61	540	540	920	920	-	-	-	-	0.62	0.62	-	-
3146	GROUND WATER FROM	DUMRAON		BIHAR	26	26	7.7	7.7	523	523	-	-	0.62	0.62	-	-	920	920	-	-	-	-	BDL	BDL	-	-
3147	GROUND WATER FROM	JAYNAGAR		BIHAR	25	25	7.6	7.6	597	597	-	-	BDL	BDL	920	920	920	920	-	-	-	-	0.43	0.43	-	-
3148	GROUND WATER FROM	JAMALPUR		BIHAR	-	-	7.5	7.5	946	946	-	-	5.18	5.18	920	920	920	920	-	-	-	-	0.44	0.44	-	-
3150	GROUND WATER FROM MANER			BIHAR	26	26	7.2	7.2	583	583	-	-	1.44	1.44	23	23	23	23	-	-	-	-	0.29	0.29	-	-
3152	GROUND WATER FROM	NARKATIAGANJ		BIHAR	29	29	8	8	317	317	-	-	BDL	BDL	21	21	39	39	-	-	150	150	0.24	0.24	-	-
3154	GROUND WATER FROM	RAMKUND GAYA		BIHAR	28	28	7.4	7.4	432	432	-	-	4.74	4.74	170	170	280	280	79	79	-	-	0.63	0.63	-	-
3155	GROUND WATER FROM	SUPUAL		BIHAR	-	-	7	7	480	480	-	-	BDL	BDL	2	2	79	79	-	-	318	318	-	-	-	-
3156	GROUND WATER FROM	SAMASTIPUR		BIHAR	28	28	7.6	7.6	1308	1308	-	-	3.93	3.93	280	280	350	350	-	-	-	-	0.42	0.42	-	-
3157	GROUND WATER FROM	SULTANGANJ		BIHAR	28	28	7.6	7.6	846	846	-	-	2.66	2.66	1600	1600	1600	1600	-	-	-	-	0.4	0.4	-	-
3158	GROUND WATER FROM	SHERGHATI		BIHAR	29	29	7.2	7.2	928	928	-	-	4.27	4.27	170	170	220	220	-	-	-	-	0.68	0.68	-	-

Station Code	Name of Monitoring Location			State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
					Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3159	GROUND SHAHPUR	WATER	FROM	BIHAR	26	26	7	7	1780	1780	-	-	3.03	3.03	7	7	23	23	-	-	-	-	0.89	0.89	-	-
3160	GROUND RAXAUL	WATER	FROM	BIHAR	25	25	7.5	7.5	350	350	-	-	BDL	BDL	280	280	350	350	-	-	236	236	0.74	0.74	-	-
3161	GROUND KATIHAR	WATER	FROM	BIHAR	-	-	7.9	7.9	1070	1070	-	-	5.73	5.73	-	-	-	-	-	-	830	830	BDL	BDL	-	-
3162	GROUND VAISHALI	WATER	FROM	BIHAR	26	26	7	7	1330	1330	-	-	3.9	3.9	4	4	4	4	-	-	-	-	0.41	0.41	-	-

**TABLE 4: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN CHANDIGARH– 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2039	GROUND WATER FROM SECTOR 15, CHANDIGARH	CHANDIGARH	25	27	6.7	6.7	710	723	BDL	1.1	3.2	3.2	8	8	87	87	-	-	350	382	0.32	0.33	-	-
2040	GROUND WATER FROM SECTOR 22, CHANDIGARH	CHANDIGARH	28	28	6.6	6.6	1106	1106	1.8	1.8	-	-	-	-	-	-	-	-	438	438	0.51	0.51	-	-
2041	GROUND WATER FROM SECTOR 34, CHANDIGARH	CHANDIGARH	24	24	7	7	933	933	2.5	2.5	4.9	4.9	-	-	11	11	-	-	472	472	0.34	0.34	-	-
2042	GROUND WATER FROM SECTOR 47, CHANDIGARH	CHANDIGARH	24.5	25	6.3	6.7	715	984	1.3	2.8	1.7	1.7	4	4	41	41	BDL	BDL	492	654	0.26	0.49	-	-
2043	GROUND WATER FROM PALSORA VILLAGE, CHANDIGARH	CHANDIGARH	24.5	27	6.8	6.9	737	1075	1.7	2	6.2	6.2	-	-	21	21	-	-	360	636	0.21	0.99	-	-
2044	GROUND WATER FROM DHANAS VILLAGE, CHANDIGARH	CHANDIGARH	24	25	6.6	7	640	762	BDL	BDL	2	2	BDL	BDL	39	39	-	-	356	358	BDL	0.35	-	-
2045	GROUND WATER FROM DADU MAJRA, CHANDIGARH	CHANDIGARH	24	26	6.6	6.7	978	1079	1.5	1.9	9.2	9.2	10	10	91	91	-	-	554	590	0.66	0.88	-	-

**TABLE 5: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN CHHATTISGARH – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N <sub>2</sub> (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1620	GROUND WATER AT JANTA COLONY, STATION ROAD, RAIPUR REGION, CHHATTISGARH.	CHHATTISGARH	24	26	7.3	7.3	194	256	-	-	-	-	-	-	-	-	-	-	185	188	-	-	-	-
1621	GROUND WATER AT RAIPUR REGION, CHHATTISGARH.	CHHATTISGARH	23	23	7.4	7.6	242	272	-	-	-	-	-	-	-	-	-	-	244	256	-	-	-	-
3171	HAND PUMP WATER 17/10 NEPALI MOHLLA, SHANKAR NAGAR, HEAVY INDUSTRIAL AREA, BHILAI, CHHATTISGARH.	CHHATTISGARH	28	28	7.1	7.1	-	-	BDL	BDL	-	-	-	-	-	-	-	-	80	80	-	-	-	-
3172	BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA, CHHATTISGARH.	CHHATTISGARH	26	26	6.1	6.1	-	-	-	-	-	-	-	-	-	-	-	-	235	235	-	-	-	-
3173	BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA, CHHATTISGARH.	CHHATTISGARH	26.1	26.1	7.1	7.1	-	-	-	-	-	-	-	-	-	-	-	-	215	215	-	-	-	-
3174	BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA, CHHATTISGARH.	CHHATTISGARH	26.1	26.1	7.1	7.1	-	-	-	-	-	-	-	-	-	-	-	-	210	210	-	-	-	-

**TABLE 6: WATER QUALITY DATA OF GROUND WATER UNDER NMWP IN DAMAN DIU AND DADRA NAGAR HAVELI - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1440	WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.1	7.7	1098	1660	BDL	BDL	3.7	4.9	BDL	BDL	BDL	BDL	-	-	732	1108	0.53	0.77	BDL	BDL
2448	GROUND WATER FROM VILLAGE BHIMPORE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.1	7.6	719	955	BDL	BDL	2.5	6.7	BDL	BDL	BDL	BDL	-	-	482	724	0.25	0.47	BDL	BDL
2449	WELL AT VILLAGE RINGANWADA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.3	7.8	1178	1620	BDL	BDL	5	6.7	BDL	BDL	BDL	BDL	-	-	796	1082	0.31	1.19	BDL	BDL
2450	WELL AT VILLAGE DUNETHA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7	7.1	686	821	BDL	BDL	2.5	3.3	BDL	BDL	BDL	BDL	-	-	458	548	BDL	0.23	BDL	BDL
2451	WELL AT VILLAGE DABHEL, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7	7	611	904	BDL	BDL	2.5	4.4	BDL	BDL	BDL	BDL	-	-	408	720	BDL	0.29	BDL	BDL
2452	WELL AT VILLAGE KACHIGAM, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	30	30	7.2	8	451	924	BDL	BDL	2.7	5.7	4	7	6	10	-	-	356	612	0.73	1	BDL	BDL
2453	WELL AT VILLAGE KHANVEL, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.3	7.5	307	1164	BDL	BDL	2	4.2	BDL	BDL	BDL	BDL	-	-	200	786	BDL	0.46	BDL	BDL
2454	WELL AT VILLAGE ATHAL, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	30	30	7.5	7.7	567	721	BDL	BDL	BDL	BDL	2	6	6	10	-	-	378	488	0.3	0.76	BDL	BDL
2455	WELL AT VILLAGE MASAT, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	30	30	7.5	7.8	1192	1810	BDL	BDL	1.7	2.6	BDL	BDL	BDL	BDL	-	-	802	1208	0.25	0.54	BDL	BDL
2456	WELL AT VILLAGE PIPERIA, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	30	30	7.6	8.4	1006	1975	BDL	BDL	2.3	6.4	BDL	2	BDL	4	-	-	672	1320	0.69	1.04	BDL	BDL
2457	WELL AT VILLAGE GALONDA, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.4	8.3	1078	4325	BDL	BDL	2.3	2.4	2	2	4	6	-	-	286	718	0.39	0.99	BDL	BDL
2458	WELL AT VILLAGE, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29	30	7.7	8.2	1992	2340	BDL	BDL	1.9	2.2	BDL	BDL	BDL	BDL	-	-	1332	1556	0.76	0.84	BDL	BDL

**TABLE 7: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN DELHI - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite – N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3477	WELL AT ALIPUR, DELHI	DELHI	-	-	7.3	7.3	2926	2926	-	-	6.12	6.12	400	400	5400	5400	22	22	1872	1872	0.5	0.5	BDL	BDL
3479	WELL AT AURBINDO MARG, DELHI	DELHI	-	-	7.5	7.5	1290	1290	-	-	51.62	51.62	2	2	2	2	-	-	807	807	-	-	-	-
3480	WELL AT BAWANA, DELHI	DELHI	-	-	7.7	7.7	772	772	-	-	5.21	5.21	2	2	2	2	2	2	430	430	BDL	BDL	BDL	BDL
3483	WELL AT BURARI, DELHI	DELHI	-	-	7.5	7.5	1319	1319	-	-	1.62	1.62	2	2	4	4	2	2	828	828	1	1	BDL	BDL
3485	WELL AT DEFENCE COLONY, DELHI	DELHI	-	-	6.8	6.8	1890	1890	-	-	147.02	147.02	2	2	8	8	-	-	1138	1138	0.3	0.3	-	-
3488	WELL AT DILSHAD GARDEN, DELHI	DELHI	-	-	7.2	7.2	2200	2200	-	-	6.01	6.01	2	2	2	2	2	2	1396	1396	0.3	0.3	-	-
3489	WELL AT DWARKA, DELHI	DELHI	-	-	7.3	7.3	1892	1892	-	-	85.03	85.03	4	4	27	27	17	17	1040	1040	0.4	0.4	-	-
3490	WELL AT FATEH PUR BERI, DELHI	DELHI	-	-	7.1	7.1	873	873	-	-	51.21	51.21	4	4	94	94	-	-	538	538	-	-	-	-
3492	WELL AT GAJIPUR, DELHI	DELHI	-	-	7	7	1818	1818	-	-	2.72	2.72	4	4	13	13	-	-	1050	1050	0.5	0.5	BDL	BDL
3493	WELL AT GANDHI NAGAR, DELHI	DELHI	-	-	7	7	1700	1700	-	-	7.84	7.84	2	2	14	14	-	-	844	844	-	-	BDL	BDL
3494	WELL AT HAIDERPUR, DELHI	DELHI	-	-	8.2	8.2	901	901	-	-	22.31	22.31	2	2	2	2	2	2	530	530	2.4	2.4	BDL	BDL
3496	WELL AT ISBT, DELHI	DELHI	-	-	7.6	7.6	1053	1053	-	-	22.31	22.31	2	2	8	8	33	33	668	668	0.4	0.4	BDL	BDL
3498	WELL AT KALKA JI, DELHI	DELHI	-	-	7.3	7.3	360	360	-	-	4.42	4.42	2	2	2	2	-	-	200	200	BDL	BDL	-	-
3500	WELL AT KAMLA NAGAR, DELHI	DELHI	-	-	7.6	7.6	1217	1217	-	-	28.51	28.51	2	2	2	2	2	2	784	784	0.8	0.8	BDL	BDL
3503	WELL AT KAROL BAGH, DELHI	DELHI	-	-	7.7	7.7	919	919	-	-	20.11	20.11	2	2	13	13	2	2	572	572	0.6	0.6	BDL	BDL
3514	WELL AT MATIALA, DELHI	DELHI	-	-	7.3	7.3	1473	1473	-	-	37.81	37.81	2	2	2	2	11	11	819	819	0.3	0.3	-	-
3515	WELL AT MAYA PURI, DELHI	DELHI	-	-	7.4	7.4	1047	1047	-	-	16.92	16.92	2	2	5	5	4	4	564	564	0.3	0.3	BDL	BDL
3516	WELL AT MAYUR VIHAR, DELHI	DELHI	-	-	7.5	7.5	222	222	-	-	1.62	1.62	2	2	2	2	-	-	156	156	BDL	BDL	BDL	BDL
3517	WELL AT NAJAFGARH, DELHI	DELHI	-	-	7.1	7.1	4110	4110	-	-	307.85	307.85	2	2	7	7	2	2	2401	2401	0.7	0.7	-	-
3518	WELL AT NARAINA INDL AREA, DELHI	DELHI	-	-	7.2	7.2	1941	1941	-	-	57.01	57.01	2	2	2	2	-	-	1144	1144	0.3	0.3	BDL	BDL
3520	WELL AT OKHLA, DELHI	DELHI	-	-	7	7	1580	1580	-	-	48.52	48.52	2	2	33	33	-	-	934	934	1	1	-	-
3523	WELL AT PARIVESH BHAWAN, DELHI	DELHI	-	-	7.2	7.2	2582	2582	-	-	2.22	2.22	2	2	2	2	2	2	1564	1564	0.5	0.5	-	-
3524	WELL AT PASCHIM VIHAR, DELHI	DELHI	-	-	7.8	7.8	1818	1818	-	-	8.33	8.33	2	2	2	2	2	2	1010	1010	0.6	0.6	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite – N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3525	WELL AT PATEL NAGAR, DELHI	DELHI	-	-	7.3	7.3	1152	1152	-	-	17.82	17.82	2	2	11	11	2	2	616	616	0.5	0.5	BDL	BDL
3526	WELL AT PATPAR GANJ, DELHI	DELHI	-	-	7.2	7.2	1056	1056	-	-	0.32	0.32	2	2	4	4	-	-	618	618	0.4	0.4	BDL	BDL
3527	WELL AT PATPARGANJ INDL AREA, DELHI	DELHI	-	-	7.7	7.7	3880	3880	-	-	0.32	0.32	22	22	79	79	-	-	2246	2246	0.6	0.6	BDL	BDL
3528	WELL AT PEERAGARHI, DELHI	DELHI	-	-	7.2	7.2	2849	2849	-	-	29.22	29.22	2	2	2	2	280	280	1540	1540	1.2	1.2	BDL	BDL
3529	WELL AT PILANJI, DELHI	DELHI	-	-	7.5	7.5	1862	1862	-	-	5.62	5.62	170	170	1100	1100	230	230	-	-	1	1	BDL	BDL
3530	WELL AT PRIYA ENCLAVE, DELHI	DELHI	-	-	7.1	7.1	1719	1719	-	-	4.82	4.82	2	2	2	2	2	2	-	-	0.7	0.7	BDL	BDL
3531	WELL AT QUTAB GARH, DELHI	DELHI	-	-	7.7	7.7	5300	5300	-	-	25.32	25.32	2	2	2	2	2	2	2930	2930	1.6	1.6	BDL	BDL
3532	WELL AT RAJENDER NAGAR, DELHI	DELHI	-	-	7.2	7.2	1105	1105	-	-	48.82	48.82	2	2	17	17	2	2	-	-	0.7	0.7	BDL	BDL
3533	WELL AT RAJPURA ROAD, DELHI	DELHI	-	-	7.3	7.3	803	803	-	-	5.12	5.12	2	2	4	4	2	2	-	-	0.8	0.8	BDL	BDL
3534	WELL NEAR GURUDWARA SHRI RAKABGANJ SAHIB, DELHI	DELHI	-	-	7.1	7.1	1819	1819	-	-	53.71	53.71	2	2	8	8	-	-	1074	1074	0.9	0.9	BDL	BDL
3535	WELL AT ROHINI, DELHI	DELHI	-	-	8.1	8.1	2482	2482	-	-	37.12	37.12	2	2	2	2	2	2	1390	1390	3.3	3.3	BDL	BDL
3536	WELL AT SAKET, DELHI	DELHI	-	-	7.1	7.1	1420	1420	-	-	52.32	52.32	2	2	2	2	-	-	832	832	-	-	-	-
3537	WELL AT SHAHDARA, DELHI	DELHI	-	-	7.1	7.1	1918	1918	-	-	83.3	83.3	2	2	2	2	2	2	1272	1272	0.3	0.3	-	-
3538	WELL AT SINGHU BORDER, DELHI	DELHI	-	-	7.5	7.5	2484	2484	-	-	49.82	49.82	2	2	4	4	5	5	1738	1738	0.8	0.8	BDL	BDL
3539	WELL AT SINGOLA, DELHI	DELHI	-	-	7.6	7.6	5580	5580	-	-	10.32	10.32	2	2	5	5	2	2	3930	3930	0.6	0.6	BDL	BDL
3540	WELL AT SULTANPURI, DELHI	DELHI	-	-	7.8	7.8	2097	2097	-	-	83.72	83.72	2	2	27	27	5	5	1316	1316	1.4	1.4	BDL	BDL
3541	WELL AT TIKRI KALAN , DELHI	DELHI	-	-	7.9	7.9	6200	6200	-	-	119.12	119.12	2	2	2	2	2	2	3632	3632	4.5	4.5	BDL	BDL
3542	WELL AT TILAK NAGAR, DELHI	DELHI	-	-	7.2	7.2	1968	1968	-	-	29.9	29.9	2	2	2	2	2	2	-	-	0.6	0.6	BDL	BDL
3543	WELL AT TRILOKPURI, DELHI	DELHI	-	-	7.7	7.7	1850	1850	-	-	0.32	0.32	2	2	2	2	-	-	1090	1090	0.7	0.7	BDL	BDL
3544	WELL AT UJWAH, DELHI	DELHI	-	-	7.6	7.6	3770	3770	-	-	2.22	2.22	2	2	2	2	-	-	2442	2442	3.4	3.4	-	-
3545	WELL AT VASANT KUNJ, DELHI	DELHI	-	-	7	7.2	881	1101	-	-	19.5	21.21	2	45	8	350	-	-	514	604	1.2	1.4	BDL	BDL
3546	WELL AT VASANT VIHAR	DELHI	-	-	7.2	7.2	1070	1070	-	-	52.35	52.35	2	2	2	2	-	-	660	660	0.7	0.7	BDL	BDL



**TABLE 8: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN GOA - 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2277	WELL AT VERNA INDI. ESTATE.(M/S CIPLA LIMITED)	GOA	29	29	6.2	7.4	382	394	BDL	BDL	0.32	3.665	BDL	BDL	BDL	BDL	131	131	245	264	BDL	BDL	BDL	BDL
2278	WELL AT SANCOALE INDL. ESTATE	GOA	27	27	6.6	6.6	256	256	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	431	431	146	146	BDL	BDL	BDL	BDL
2280	WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED)	GOA	28	30	5.4	7.5	107	114	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	141	141	61	71	0.47	0.47	BDL	BDL
2281	WELL AT CORLIM INDL. ESTATE	GOA	28	28	4.7	4.7	46	46	BDL	BDL	0.32	0.32	BDL	BDL	8	8	221	221	25	25	BDL	BDL	BDL	BDL
2282	WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM )	GOA	29	29	6.4	7.2	131	250	BDL	BDL	0.32	0.705	BDL	BDL	BDL	BDL	241	241	77	172	0.46	0.92	BDL	BDL
3193	BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE	GOA	27	30	6.5	7.1	403	475	BDL	2.2	BDL	0.32	2	1300	9	2200	95	95	247	310	BDL	0.28	BDL	BDL
3194	BORE WELL AT BETHORA INDUSTRIAL ESTATE	GOA	27	29	6.2	6.3	110	140	BDL	BDL	0.485	1.74	BDL	BDL	BDL	BDL	351	351	77	79	BDL	0.24	BDL	BDL
3195	BORE WELL AT MADKAIM INDUSTRIAL ESTATE	GOA	27	30	5.7	6.1	80	85	BDL	BDL	0.815	1.08	BDL	BDL	BDL	2	151	151	48	58	BDL	0.46	BDL	BDL

**TABLE 9: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN GUJARAT – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3	WELL AT AHMEDABAD	GUJARAT	28	28	7.6	8.4	929	1384	BDL	BDL	0.74	1.81	BDL	2	BDL	2	-	-	480	748	0.37	1.41	-	-
6	WELL AT BARODA	GUJARAT	29	30	7.6	7.7	500	1478	BDL	BDL	BDL	0.56	BDL	2	BDL	2	-	-	180	896	0.48	0.54	-	-
1948	GROUND WATER AT BHAVNAGAR	GUJARAT	29	30	7.5	8	1620	2160	1.2	1.6	0.51	0.53	2	2	2	2	-	-	1040	1066	0.28	0.32	BDL	BDL
1949	GROUND WATER AT AMRELI	GUJARAT	30	31	8	8.3	1300	1740	1.4	2.2	BDL	0.45	BDL	2	BDL	4	-	-	844	848	BDL	0.34	BDL	BDL
1950	GROUND WATER AT JUNAGADH	GUJARAT	26	26	7.9	7.9	1108	1417	1.5	2	1.3	1.58	2	2	2	2	-	-	722	752	0.45	0.63	BDL	BDL
1951	GROUND WATER AT RAJKOT	GUJARAT	27	27	7.6	7.6	1389	1389	2	2	1.67	1.67	-	-	-	-	-	-	752	752	0.51	0.51	-	-
1952	GROUND WATER AT SURENDRANAGAR	GUJARAT	28	29	7.9	8	1546	3228	1.2	1.5	1.22	1.67	-	-	-	-	-	-	105	1764	0.59	0.98	BDL	BDL
1953	GROUND WATER AT JAMNAGAR	GUJARAT	26	29	7.4	7.4	1056	1120	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	-	-	642	660	BDL	BDL	BDL	BDL
1954	GROUND WATER AT BHUJ	GUJARAT	30	32	7.3	7.4	3140	3170	1.5	1.6	BDL	BDL	BDL	2	BDL	2	-	-	2130	2400	0.6	0.7	-	-
1955	GROUND WATER AT PALANPUR	GUJARAT	28	28	7.2	7.2	1730	1730	BDL	BDL	1.93	1.93	2	2	2	2	-	-	1064	1064	0.36	0.36	-	-
1956	GROUND WATER AT MEHASANA	GUJARAT	30	30	7.5	7.5	3273	3273	BDL	BDL	0.944	0.944	2	2	2	2	-	-	1798	1798	0.98	0.98	-	-
1957	GROUND WATER AT SIDDHPUR (DIST.PATAN)	GUJARAT	29	29	7.8	7.8	1748	1748	BDL	BDL	1.98	1.98	2	2	2	2	-	-	872	872	0.63	0.63	-	-
1958	GROUND WATER AT HIMATNAGAR	GUJARAT	27	27	7.9	7.9	611	611	BDL	BDL	0.311	0.311	2	2	2	2	-	-	342	342	BDL	BDL	-	-
1959	GROUND WATER AT NADIAD	GUJARAT	28	28	7.5	7.5	1753	1753	BDL	BDL	0.42	0.42	BDL	BDL	BDL	BDL	-	-	984	984	0.46	0.46	-	-
1960	GROUND WATER AT DAHOD	GUJARAT	29	30	7.7	7.8	759	1000	BDL	BDL	0.44	0.69	BDL	2	BDL	2	-	-	426	608	0.28	1.3	-	-
1961	GROUND WATER AT GODHARA	GUJARAT	29	30	7.3	7.3	944	1040	BDL	BDL	1.18	1.4	BDL	2	BDL	2	-	-	584	586	BDL	0.48	-	-
1962	VADODARA (INDUSTRIAL-NANDESARI)	GUJARAT	27	28	6.6	6.9	4070	5500	BDL	BDL	0.52	0.71	BDL	2	BDL	2	-	-	2282	2818	BDL	0.34	-	-
1964	PANDESARA (INDSTRIL) SURAT	GUJARAT	28	29	7.3	8.1	2374	5201	BDL	BDL	BDL	BDL	2	9	21	41	-	-	1282	3640	0.23	0.44	BDL	BDL
1965	MORA-HAJIRA (INDUSTRIAL), HAJIRA	GUJARAT	29	29	7.1	7.3	1335	6973	BDL	BDL	BDL	BDL	BDL	6	13	39	-	-	488	748	BDL	0.34	BDL	BDL
1966	GABHENI VILLAGE, SURAT (INDUSTRIAL)	GUJARAT	29	30	7.1	7.6	2114	2741	BDL	1.1	BDL	BDL	2	6	11	39	-	-	1478	1510	BDL	BDL	BDL	BDL
1967	ATUL, VILLAGE G.W, (VALSAD)	GUJARAT	24	27	7.5	7.9	1087	1998	BDL	1.8	BDL	0.461	BDL	2	BDL	2	-	-	690	1164	0.27	0.32	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1968	VAPI INDUSTRIAL AREA IN D/S, VAPI	GUJARAT	23	25	7.3	7.9	369	747	BDL	2.1	0.37	0.49	BDL	2	BDL	2	-	-	232	508	0.28	0.36	BDL	BDL
1969	SARIGAM VILLAGE (D/S OF INDUSTRIALAREA), VAPI	GUJARAT	27	27	6.8	6.8	533	533	2.3	2.3	BDL	BDL	BDL	BDL	BDL	BDL	-	-	332	332	0.31	0.31	-	-
1970	BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPI	GUJARAT	22	25	7	7.4	551	598	BDL	2.2	BDL	0.95	BDL	2	BDL	2	-	-	346	382	0.33	0.4	BDL	BDL
2083	BORE WELL OF CHHATRAL GIDC.	GUJARAT	30	30	7	7	4313	4313	BDL	BDL	1.134	1.134	BDL	BDL	BDL	BDL	-	-	2680	2680	BDL	BDL	-	-
2084	BORE WELL OF PALSANA VILLAGE.	GUJARAT	29	31	7.84	8.3	1441	3217	BDL	BDL	0.36	0.5	BDL	7	BDL	17	-	-	1008	1738	0.51	0.85	BDL	BDL
2085	BORE WELL OF SANTEJ VILLAGE.	GUJARAT	31	31	8.2	8.2	2051	2051	BDL	BDL	1.005	1.005	BDL	BDL	BDL	BDL	-	-	1082	1082	0.69	0.69	-	-
2087	B/W- HAZARDOUS W. DISPOSAL SITE (GUJ. ENVIRO P.& I. LTD. )	GUJARAT	29	29	7.4	8	4446	5484	BDL	BDL	BDL	BDL	6	9	20	53	-	-	382	2490	0.28	0.41	BDL	BDL
2088	BORE WELL OF SACHIN GIDC.	GUJARAT	29	29	7.2	7.9	8883	10630	BDL	BDL	BDL	BDL	4	6	17	41	-	-	6218	6270	0.28	0.37	BDL	BDL
2089	B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SURAT.	GUJARAT	26	32	7.4	7.9	3205	3595	BDL	BDL	BDL	BDL	9	11	39	53	-	-	2080	2244	0.39	0.55	BDL	BDL
2090	WELL AT OLPAD.	GUJARAT	29	30	7.5	7.8	14610	15720	BDL	1.5	BDL	BDL	2	9	10	39	-	-	9130	10228	0.35	0.62	BDL	BDL
2091	BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIATION OFFICE.	GUJARAT	32	33	7.4	7.9	2495	2495	BDL	BDL	BDL	0.35	2	6	10	41	-	-	1430	1746	0.23	0.33	BDL	BDL
2093	WELL OF BARDOLI AT REST HOUSE.	GUJARAT	28	29	7.3	8.1	1657	2300	BDL	BDL	BDL	BDL	4	11	12	53	-	-	978	1610	0.29	0.33	BDL	BDL
2094	WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M/S INDUSTRIAL CARBON AT ANKLESHWAR-RAJPIPLA ROAD.	GUJARAT	29	30	7.1	7.4	6640	7630	BDL	BDL	0.32	0.584	BDL	BDL	BDL	BDL	-	-	3710	4930	0.21	0.59	BDL	BDL
2096	BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI MANDALI LTD. (CETP ), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	26	30	7.2	7.5	5210	6540	BDL	BDL	0.33	1.045	2	2	2	2	-	-	2958	3658	0.57	0.9	BDL	BDL
2097	BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO PROJECT, (CETP ), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	27	30	7.4	7.4	4803	6455	BDL	BDL	0.63	0.714	2	2	2	2	-	-	2680	3668	0.68	0.87	BDL	BDL
2098	BORE WELL OF PIRANA TERMINAL PUMPING	GUJARAT	28	30	7	7.5	2600	3203	BDL	BDL	1.65	2.248	2	2	2	2	-	-	1446	1766	1.1	1.81	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	STATION, PIRANA, NR. V. N. BRIDGE, AHMEDABAD.																							
3207	BOREWELL OF GIDC, JHAGADIA	GUJARAT	29	29	7.4	7.4	2095	2095	BDL	BDL	0.33	0.33	-	-	-	-	-	-	1098	1098	0.36	0.36	-	-
3208	JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSAD	GUJARAT	25	25	6.6	6.6	565	565	2.4	2.4	BDL	BDL	2	2	2	2	-	-	354	354	0.37	0.37	BDL	BDL
3209	BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSAD	GUJARAT	27	27	7.2	7.2	839	839	2.4	2.4	BDL	BDL	BDL	BDL	BDL	BDL	-	-	522	522	0.3	0.3	-	-
3210	BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOSAMBA INDUSTRIAL AREA, SURAT	GUJARAT	26	32	7.5	7.9	3595	4019	BDL	BDL	BDL	BDL	6	10	41	48	-	-	2812	3595	0.55	0.55	BDL	BDL
3211	BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURAT	GUJARAT	24	29	7.2	7.8	2032	2280	BDL	BDL	BDL	BDL	6	7	41	43	-	-	1300	1422	BDL	0.24	BDL	BDL
3212	BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC, VATVA, AHMEDABAD	GUJARAT	28	32	7.4	8	2143	2401	BDL	BDL	BDL	0.4	2	2	2	2	-	-	1166	1352	0.69	0.75	BDL	BDL
3213	BOREWELL, CETP-NARODA, GIDC, NARODA-AHMEDABAD	GUJARAT	33	33	7.5	8.2	1366	2607	BDL	BDL	BDL	1.1	2	2	2	2	-	-	782	1320	0.67	1.25	BDL	BDL
3214	BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BUILDING, GIDC, ODHAV, AHMEDABAD	GUJARAT	28	32	7.4	8.1	1826	1954	BDL	BDL	BDL	1.1	2	2	2	2	-	-	1012	1086	0.52	1.08	BDL	BDL
3215	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE- GYASPUR, NAROL, AHMEDABAD	GUJARAT	26	30	7.3	8.5	3243	4185	BDL	BDL	0.63	2.26	BDL	2	BDL	2	-	-	1974	2234	0.64	76	-	-
3216	BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, VATVA, AHMEDABAD	GUJARAT	32	32	7.4	8.1	2679	3108	BDL	BDL	BDL	0.7	2	2	2	2	-	-	1564	1634	0.85	1.31	BDL	BDL
3217	BOREWELL NEAR TSDF SITE OF NARODA ENVIRO PROJECT.LTD, ODHAVE, AHMEDABAD	GUJARAT	28	33	8.1	8.2	2149	2229	BDL	BDL	BDL	2.2	2	2	2	2	-	-	1234	1252	0.98	1.32	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3218	WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASA	GUJARAT	27	27	7.2	7.2	1006	1006	BDL	BDL	0.37	0.37	2	2	2	2	-	-	636	636	1.19	1.19	-	-
3219	WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDAR	GUJARAT	27	27	7.7	7.7	801	801	BDL	BDL	BDL	BDL	2	2	2	2	-	-	490	490	1.2	1.2	-	-
3220	BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDA	GUJARAT	28	28	7.7	7.7	2760	2760	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	1542	1542	0.48	0.48	-	-
3221	BOREWELL OF TOWN RAJPIPLA, DIST.NARMADA	GUJARAT	29	33	7.3	7.5	800	813	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	-	-	510	538	BDL	0.8	BDL	BDL
3222	BOREWELL OF GIDC, PANOLI	GUJARAT	29	30	7.2	7.9	410	4102	BDL	BDL	BDL	0.49	BDL	BDL	BDL	BDL	-	-	216	2098	0.25	1.32	BDL	BDL
3223	BOREWELL KADI INDUSTRIAL AREA	GUJARAT	30	30	7.9	7.9	1980	1980	BDL	BDL	1.104	1.104	2	2	2	2	-	-	1022	1022	0.7	0.7	-	-
3224	DEESA BOREWELL	GUJARAT	29	29	7.4	7.4	1232	1232	BDL	BDL	1.9	1.9	2	2	2	2	-	-	478	478	0.45	0.45	-	-
3225	VISNAGAR BOREWELL	GUJARAT	30	30	7.8	7.8	516	516	BDL	BDL	BDL	BDL	2	2	2	2	-	-	278	278	0.79	0.79	-	-
3226	PATAN BOREWELL	GUJARAT	29	29	7.8	7.8	2190	2190	BDL	BDL	2.35	2.35	2	2	2	2	-	-	1104	1104	0.6	0.6	-	-
3227	VIJAPUR (RANASAN) BOREWELL	GUJARAT	30	30	6.9	6.9	1969	1969	BDL	BDL	BDL	BDL	2	2	2	2	-	-	1054	1054	0.63	0.63	-	-
3228	GIDC, HALOL, PANCHMAHAL	GUJARAT	29	30	7.1	7.3	3060	3500	BDL	BDL	0.46	0.62	BDL	2	BDL	2	-	-	1716	1972	0.36	1.14	-	-
3229	GIDC, DAHOD, DAHOD	GUJARAT	29	30	6.8	7.1	1418	2359	BDL	BDL	0.52	2.08	BDL	2	BDL	2	-	-	796	1390	0.54	0.67	-	-
3230	BOREWELL OF GIDC, JUNAGADH	GUJARAT	26	28	7.7	8.2	1950	3814	1.1	1.8	1	1.52	2	2	2	2	-	-	293	992	0.33	0.53	BDL	BDL
3231	BOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJECT LTD., JUNA KATARIYA, BHACHAU	GUJARAT	30	30	7.3	7.3	692	692	1.8	1.8	BDL	BDL	2	2	2	2	-	-	440	440	0.4	0.4	-	-
3232	BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA, GANDEVI	GUJARAT	32	33	7.5	8	1933	2236	BDL	BDL	BDL	0.472	5	9	14	39	-	-	1230	1352	0.22	0.24	BDL	BDL
3233	BOREWELL OF KALIAWADI GRID ROAD, NAVSARI	GUJARAT	32	33	7.5	7.8	2772	3799	BDL	BDL	BDL	0.312	2	9	12	53	-	-	1940	2100	0.24	0.28	BDL	BDL
3234	BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIMITED, NADESARI, VADODARA	GUJARAT	27	28	6.8	6.8	6710	7290	BDL	BDL	0.78	1.08	2	2	2	2	-	-	4092	5652	0.58	1.91	-	-
3235	BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KALOL, GANDHINAGAR	GUJARAT	31	31	8.2	8.2	2211	2211	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	1174	1174	0.8	0.8	-	-
3236	BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1,	GUJARAT	28	30	7.6	7.9	1917	2183	BDL	BDL	0.95	1.01	2	2	2	2	-	-	1072	1328	0.69	0.73	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	SR.NO. 249, UMA IND. ESTATE, VASNA , IYAVA, SANAND, AHMEDABAD																							
3237	BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD	GUJARAT	26	29	7.3	7.4	4375	6040	BDL	BDL	0.32	0.967	2	2	2	2	-	-	2528	3586	0.69	0.72	BDL	BDL
3238	BOREWELL OF GIDC KANSARI	GUJARAT	30	30	7.5	7.5	4970	4970	BDL	BDL	0.52	0.52	2	2	2	2	-	-	2778	2778	0.56	0.56	-	-
3239	BOREWELL OF GIDC, SOJITRA	GUJARAT	31	31	7.5	7.5	3100	3100	BDL	BDL	0.44	0.44	2	2	2	2	-	-	1734	1734	0.3	0.3	-	-
3242	BOREWELL NEAR TSDF OF GUJARAT MARITIME BOARD, ALANG, BHAVNAGAR	GUJARAT	30	34	7.3	7.9	2100	3600	1.4	1.8	0.43	0.57	BDL	2	BDL	2	-	-	1394	1608	0.22	0.31	BDL	BDL
3243	BOREWELL OF GIDC, VARTEJ, BHAVNAGAR	GUJARAT	30	30	8	8	4000	4000	1.2	1.2	0.43	0.43	2	2	2	2	-	-	2608	2608	0.29	0.29	-	-
3244	BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTURE LIMITED, ANKLESHWAR, BHARUCH	GUJARAT	28	30	7.1	7.4	3570	5930	BDL	BDL	0.324	0.37	BDL	BDL	BDL	BDL	-	-	2310	3826	BDL	0.27	BDL	BDL
3245	BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALS	GUJARAT	28	30	7.3	7.4	4648	8026	BDL	1.5	0.7	1.42	BDL	BDL	BDL	BDL	-	-	309	4658	0.87	0.97	-	-
3246	BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGAR, JAMNANGAR	GUJARAT	25	27	7.4	7.5	3859	4580	BDL	BDL	0.32	0.333	BDL	BDL	BDL	BDL	-	-	2904	2924	BDL	0.25	BDL	BDL
3247	BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGAR	GUJARAT	25	26	7.2	7.4	2589	4820	BDL	BDL	0.302	0.32	BDL	BDL	BDL	BDL	-	-	180	2420	BDL	0.22	BDL	BDL
4411	BOREWELL OF MR. HITENDRABHAI LAKHMANBHAI KER SHIV SAI PARK, NEW SMASHAN ROAD, GANDHINAGAR	GUJARAT	24	27	8	8.3	2504	2528	BDL	BDL	0.302	0.32	BDL	BDL	BDL	BDL	-	-	136	1486	BDL	BDL	BDL	BDL
4412	BOREWELL OF SHRI KANKESHWAR MAHADEV MANDIR, OPP. MSW DUMPSITE, VIBHAPAR	GUJARAT	26	27	7.1	7.3	2499	4620	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	-	-	186	2890	BDL	0.22	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100m)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4413	B/W OF JASHWANTBHAI PARMAR, S. NO. 18 AT: VILLAGE KALAMSAR, TA KHAMBHAT	GUJARAT	31	31	8.1	8.1	1307	1307	BDL	BDL	0.36	0.36	2	2	2	2	-	-	738	738	0.48	0.48	-	-
4414	B/W OF DISASTER PREVENTION AND MANAGEMANT CENTER(DPMC) GIDE, ANKLE SHWAR FOR (MINARS)	GUJARAT	29	30	7.6	7.9	1390	1442	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	-	-	682	800	0.48	0.85	BDL	BDL
4416	BORE WELL AT VORAGAMDI	GUJARAT	28	30	6.7	7.8	1251	1368	BDL	BDL	BDL	0.58	BDL	2	BDL	2	-	-	780	789	0.27	0.38	-	-
4422	BORE WELL OF ITI COLLAGE OPP, M/S PALIWAL MILK AT MOTA SONELA, MODASA ROAD, TAL, LUNAVADA, DIST. MAHISAGAR	GUJARAT	29	30	6.7	7	1057	1156	BDL	BDL	0.39	0.46	BDL	2	BDL	2	-	-	594	728	0.3	0.39	-	-

**TABLE 10: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN HARYANA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4829	HANP PUMP NEAR WATER WORKS OF PHED, DELHI-ROHTAK ROAD, SAMPLA, DIST. ROHTAK	HARYANA	-	-	8.1	8.6	1361	1626	-	-	-	-	-	-	-	-	-	-	840	987	-	-	-	-
4830	HANDPUMP NEAR JLN CANAL NEAR TILYAR LAKE AT ROHTAK	HARYANA	-	-	8.6	8.6	2810	2810	-	-	-	-	-	-	-	-	-	-	1781	1781	-	-	-	-
4831	BOREWELL IN FRONT OF CETP HSIIDC RAI, SONEPAT	HARYANA	28	28	7.6	7.6	1477	1477	-	-	0.88	0.88	-	-	500	500	-	-	868	868	BDL	BDL	-	-
4832	BOREWELL IN THE PREMISES OF CETP, MURTHAL, SONEPAT	HARYANA	28	28	7.9	8.4	944	3410	-	-	0.45	1.87	-	-	170	900	-	-	498	1888	BDL	BDL	-	-
4833	BOREWELL IN THE PREMISES OF DCRUST, MURTHAL, SONEPAT	HARYANA	29	29	8	8.4	940	1140	-	-	0.41	1.83	-	-	140	700	-	-	405	632	BDL	BDL	-	-
4834	BOREWELL OF STAR COMPLEX BUILDING NEAR CIVIL HOSPITAL, DELHI ROAD, SONEPAT	HARYANA	27	27	8.3	8.4	939	995	-	-	0.31	1.39	-	-	110	700	-	-	496	548	BDL	BDL	-	-
4835	BOREWELL IN THE PREMISES OF STP PHED, KHARKHODA, SONEPAT	HARYANA	28	28	8.3	8.3	933	933	-	-	0.33	0.33	-	-	700	700	-	-	498	498	BDL	BDL	-	-
4836	TUBEWELL NO. 1, NEAR UPSTREAM GHAGGAR RIVER, VILLAGE CHIALI	HARYANA	-	-	8.1	8.1	2132	2460	-	-	-	-	-	-	-	-	-	-	1215	1494	-	-	-	-
4837	TUBEWELL NO. 2, NEAR GURUDWARA, VILLAGE BHATIA	HARYANA	-	-	8.1	8.2	2392	2529	-	-	-	-	-	-	-	-	-	-	1438	1575	-	-	-	-
4838	HAND PUMP INSTALLED NEAR PIR BABA MANDIR, SECTOR - 13, BHIWANI	HARYANA	-	-	7.2	7.2	1140	1140	-	-	-	-	-	-	-	-	-	-	552	552	-	-	-	-
4839	TUBEWELL AT PRITHLA, PALWAL	HARYANA	-	-	7.3	7.3	2870	2870	5	5	-	-	-	-	-	-	-	-	1520	1520	0.4	0.4	-	-
4840	TUBEWELL AT HATHIN, PLAWAL	HARYANA	-	-	7.2	7.3	2040	2160	-	-	-	-	-	-	-	-	-	-	1080	1120	0.3	1.2	-	-
4841	TUBEWELL AT GARHI, HODAL, PALWAL	HARYANA	-	-	7.2	7.4	2010	2140	-	-	-	-	-	-	-	-	-	-	1100	1180	BDL	0.6	-	-
4842	TUBEWELL NEAR POLICE STATION	HARYANA	-	-	7.1	7.2	1880	1960	-	-	-	-	-	-	-	-	-	-	1010	1010	BDL	0.4	-	-
4843	GEPIL, VILLAGE PALI, MOHABATABAD CRUSHER ZONE, FARIDABAD	HARYANA	-	-	6.8	6.9	630	640	5	5	-	-	-	-	-	-	-	-	340	350	-	-	-	-



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4844	BOREWELL NEAR POSCO COMPANY, SECTOR - 14, PHASE - II, VILLAGE PATHUHERA, HSIIDC, IMT, BAWAL	HARYANA	11	11	7.5	7.5	1820	1820	-	-	-	-	-	-	-	-	-	-	1100	1100	0.6	0.6	-	-
4845	BOREWELL OF HSIIDC PARK, SECTOR - 1, IMT, MANESAR, GURUGRAM	HARYANA	6	9	6.8	7.7	1340	1520	-	-	-	-	-	-	-	-	-	-	670	670	0.75	0.75	-	-
4846	TUBEWELL NO. 6 OF HSIIDC, NEAR PLOT NO. 237, SECTOR - 8, IMT MANESAR, GURUGRAM	HARYANA	7	8	6.9	7.4	1280	2010	-	-	-	-	-	-	-	-	-	-	610	1210	1	1	-	-
4847	TUBEWELL NO. 4, HAILY MANDI, TEHSIL - PATAUDI (PWD), GURUGRAM	HARYANA	5	9	6.9	7.7	1940	2320	-	-	-	-	-	-	-	-	-	-	910	1440	0.6	0.6	-	-
4848	TUBEWELL HSSIIDC, NEAR PLOT NO. 7, SECTOR 37, GURUGRAM	HARYANA	6	8	7	7.5	1430	1540	-	-	-	-	-	-	-	-	-	-	710	920	1.1	1.1	-	-
4849	BOREWELL AT ENTRY GATE OF ANSAL PIONEER INDUSTRIAL PARK, PATHERI, BILASPUR, GURUGRAM	HARYANA	5	9	7	7.1	1040	1120	-	-	-	-	-	-	-	-	-	-	560	630	0.8	0.8	-	-
4850	BOREWELL OF WATER WORKS, SECTOR - 35, HSIIDC, NH - 8, GURUGRAM	HARYANA	7	7	7	7.2	1010	1210	-	-	-	-	-	-	-	-	-	-	520	520	0.25	0.25	-	-
4851	BOREWELL OF PHED OFFICE, PATAUDI, GURUGRAM	HARYANA	6	11	7	7.1	1490	1580	-	-	-	-	-	-	-	-	-	-	710	930	0.65	0.65	-	-
4852	TUBEWELL AT FAUJI DHABA, GT KARNAL ROAD, PANIPAT	HARYANA	-	-	7.8	7.8	1950	1950	-	-	-	-	-	-	-	-	-	-	-	-	BDL	BDL	-	-
4853	TUBEWELL NEAR 25 MLD STP, SEWAH, PANIPAT	HARYANA	-	-	7.8	7.8	441	441	-	-	-	-	-	-	-	-	-	-	-	-	BDL	BDL	-	-
4854	TUBEWELL NEAR 20 MLD STP, VILLAGE JATTAL ROAD, PANIPAT	HARYANA	-	-	7.7	7.7	1336	1336	-	-	-	-	-	-	-	-	-	-	-	-	BDL	BDL	-	-
4855	TUBEWELL NEAR 5 MLD STP, SAMALKHA, PANIPAT	HARYANA	28	28	8	8	1509	1509	-	-	-	-	-	-	-	-	-	-	-	-	BDL	BDL	-	-
4856	TUBEWELL AT ASSAM OIL PETROL PUMP, NEAR ROHTAK ROAD BYPASS, PANIPAT	HARYANA	28	28	8.2	8.2	1424	1424	-	-	-	-	-	-	-	-	-	-	-	-	BDL	BDL	-	-

**TABLE 11: WATER QUALITY OF GROUND WATER UNDER NWMP IN HIMACHAL PRADESH – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1555	WELL AT KALA AMB,	HIMACHAL PRADESH	-	-	7.1	7.2	561	878	BDL	BDL	0.55	0.55	BDL	BDL	BDL	BDL	BDL	BDL	376	417	0.41	0.41	-	-
1556	WELL AT PAONTA SAHIB	HIMACHAL PRADESH	26	26	7.3	7.3	838	857	BDL	BDL	0.82	0.82	BDL	BDL	BDL	BDL	BDL	BDL	441	478	0.66	0.66	-	-
1561	GROUND WATER AT DAMTAL	HIMACHAL PRADESH	16	27	7.8	7.9	545	673	BDL	BDL	BDL	BDL	BDL	BDL	10	10	-	-	348	457	BDL	BDL	-	-
1562	WELL AT UNA	HIMACHAL PRADESH	-	-	8	8.3	417	526	BDL	BDL	-	-	BDL	BDL	21	21	-	-	257	357	BDL	BDL	-	-
1872	GROUND WATER AT SHIMLA D/S OF MSW DUMPING SITE	HIMACHAL PRADESH	18	18	7.1	7.6	535	5735	14	160	1.59	8.8	430	1600	1600	1600	-	-	241	325	0.53	1.58	-	-
1873	GROUND WATER AT DHARAMSHALA KANGRA D/S OF MSW DUMPING SITE	HIMACHAL PRADESH	15	15	7.4	7.4	339	339	BDL	BDL	BDL	BDL	BDL	BDL	130	130	-	-	216	216	BDL	BDL	-	-
1874	GROUND WATER AT SOLAN-D/S OF MSW DUMPING SITE SALOGRA	HIMACHAL PRADESH	18	18	7	8.5	207	738	BDL	BDL	-	-	BDL	BDL	BDL	2	BDL	BDL	112	432	BDL	0.65	-	-
1877	GROUND WATER AT BADDI INDUSTRIAL AREA	HIMACHAL PRADESH	25	25	7.4	7.6	560	743	BDL	BDL	-	-	BDL	BDL	BDL	BDL	BDL	BDL	336	422	BDL	0.48	-	-
1878	GROUND WATER AT BAROTIWALA INDUSTRIAL AREA	HIMACHAL PRADESH	25	25	7	7.3	569	702	BDL	BDL	-	-	BDL	BDL	BDL	BDL	BDL	BDL	341	412	0.75	0.75	-	-
1880	GROUND WATER AT KALA AMB INDUSTRIAL AREA	HIMACHAL PRADESH	-	-	6.9	8.1	693	900	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	398	603	BDL	BDL	-	-
1881	GROUND WATER AT PAONTA SAHIB INDUSTRIAL AREA	HIMACHAL PRADESH	20	20	6.6	7.1	663	909	BDL	BDL	0.81	0.81	BDL	BDL	BDL	BDL	BDL	BDL	418	438	0.67	0.67	-	-
1882	GROUND WATER AT MEHATPUR INDUSTRIAL AREA	HIMACHAL PRADESH	-	-	7.5	7.9	438	688	BDL	BDL	BDL	0.31	BDL	BDL	17	17	-	-	271	467	BDL	BDL	-	-
1883	GROUND WATER AT UNA INDUSTRIAL AREA	HIMACHAL PRADESH	-	-	7.7	7.7	542	662	BDL	BDL	BDL	BDL	BDL	BDL	21	21	-	-	340	450	BDL	BDL	-	-
2628	HAND PUMP AT SHAMSHI	HIMACHAL PRADESH	11	15	6.8	7	523	580	-	-	2.7	2.7	BDL	BDL	BDL	BDL	BDL	BDL	345	383	-	-	-	-
2629	HAND PUMP AT MANDI TOWN	HIMACHAL PRADESH	19	21	7.5	8	362	512	-	-	1.78	1.78	BDL	BDL	BDL	BDL	BDL	BDL	228	335	-	-	-	-
2630	HAND PUMP AT HAMIRPUR TOWN	HIMACHAL PRADESH	15.5	15.5	6.6	8.2	102	650	BDL	BDL	-	-	BDL	BDL	11	11	-	-	68	428	BDL	BDL	-	-
2631	HAND PUMP AT NADAUN TOWN	HIMACHAL PRADESH	15.7	27	7.7	7.7	622	824	BDL	BDL	BDL	BDL	BDL	BDL	20	26	BDL	BDL	379	560	BDL	BDL	-	-
2632	HAND PUMP AT BILASPUR TOWN	HIMACHAL PRADESH	19	20	7.8	8.6	426	804	-	-	2.35	2.35	BDL	BDL	BDL	BDL	BDL	BDL	282	526	-	-	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2634	HAND PUMP AT SHIMLA	HIMACHAL PRADESH	-	-	8.2	8.2	290	290	-	-	1.05	1.05	-	-	-	-	-	-	174	174	0.66	0.66	-	-
2635	HAND PUMP AT RAMPUR	HIMACHAL PRADESH	-	-	8	8	2129	2129	BDL	BDL	0.32	0.32	-	-	-	-	-	-	133	133	0.56	0.56	BDL	BDL
2637	HAND PUMP AT JWALAJI TEMPLE	HIMACHAL PRADESH	23	24	6.9	7.2	132	1213	BDL	BDL	BDL	BDL	BDL	BDL	14	14	-	-	84	800	BDL	BDL	-	-
2638	HAND PUMP AT CHINTPURNI TEMPLE/ TOWN	HIMACHAL PRADESH	-	-	7.6	7.6	561	561	BDL	BDL	-	-	BDL	BDL	14	14	-	-	342	342	BDL	BDL	-	-
2639	HAND PUMP AT CHAMUNDA DEVI TEMPLE/ TOWN	HIMACHAL PRADESH	22	22	7.7	7.7	89	132	BDL	BDL	-	-	BDL	BDL	11	11	-	-	60	90	BDL	BDL	-	-
2640	HAND PUMP AT SANSARPUR TERRACE IA	HIMACHAL PRADESH	21	21	7.3	7.9	346	386	BDL	BDL	BDL	BDL	BDL	BDL	13	13	-	-	218	250	BDL	BDL	-	-
2641	HAND PUMP AT CHAMBA TOWN	HIMACHAL PRADESH	12	12	7.1	7.1	897	897	BDL	BDL	-	-	-	-	-	-	-	-	606	606	BDL	BDL	-	-
2645	HAND PUMP AT NAHAN	HIMACHAL PRADESH	-	-	7.1	7.2	714	753	BDL	BDL	0.64	0.64	BDL	BDL	BDL	BDL	BDL	BDL	418	478	0.48	0.48	-	-
2646	HAND PUMP AT KALA AMB	HIMACHAL PRADESH	-	-	7.2	7.4	435	646	BDL	BDL	BDL	0.71	BDL	BDL	BDL	BDL	BDL	BDL	279	356	0.3	0.39	-	-
2647	HAND PUMP AT TAHLIWAL IA	HIMACHAL PRADESH	14	14	7.7	8.3	174	2947	BDL	BDL	BDL	BDL	BDL	17	27	170	BDL	BDL	109	193	BDL	0.5	-	-
2648	HAND PUMP AT KEYLONG	HIMACHAL PRADESH	8	8	7.3	7.3	156	156	-	-	0.42	0.42	BDL	BDL	BDL	BDL	BDL	BDL	98	98	-	-	-	-
4434	BOREWELL OF DIC UNA AT IA JEETPUR BEHRI	HIMACHAL PRADESH	-	-	7.6	7.8	377	406	BDL	BDL	BDL	BDL	BDL	BDL	17	17	-	-	241	267	BDL	BDL	-	-
4456	HANDPUMP AT VILLAGE MUGIA NEAR SHIV TEMPLE	HIMACHAL PRADESH	14	14	7.9	7.9	178	471	BDL	BDL	BDL	BDL	BDL	BDL	11	11	-	-	111	320	BDL	BDL	-	-
4467	LIFT WATER SUPPLY SCHEME FOR DHARAMSHALA TOWN, NEAR HOTEL DHAULADHAR HEIGHTS DARI, DHARAMSHALA	HIMACHAL PRADESH	15	20	7.5	7.8	161	214	BDL	BDL	BDL	BDL	BDL	2	17	21	BDL	BDL	104	143	BDL	BDL	-	-
4468	WATER SUPPLY SCHEME DARI, MELA GROUND DARI, DHARAMSHALA	HIMACHAL PRADESH	15	21	6.9	7.8	153	206	BDL	BDL	BDL	BDL	BDL	2	13	17	BDL	BDL	99	137	BDL	BDL	-	-
4472	WATER SUPPLY SCHEME NAGROTA TOWN, NEAR POLICE STATION, NAGROTA BAGWAN	HIMACHAL PRADESH	18	21	6.8	7.7	224	268	BDL	BDL	BDL	BDL	BDL	BDL	24	24	-	-	148	172	BDL	BDL	-	-
4478	INFITING WATER SUPPLY SCHEME SAMSHI, NEAR SABJI MANDI BHUNTAR, TEHSIL KULLU, DISTT KULLU	HIMACHAL PRADESH	16	19	7	7.3	232	250	BDL	BDL	2.4	2.4	13	26	94	94	BDL	BDL	150	166	BDL	BDL	-	-
4483	GROUND WATER SUPPLY SCHEME (MC UNA)	HIMACHAL PRADESH	-	-	7.5	8.4	439	532	BDL	BDL	BDL	BDL	BDL	BDL	25	25	-	-	280	350	BDL	BDL	-	-

**TABLE 12: WATER QUALITY OF GROUND WATER UNDER NWMP IN JAMMU & KASHMIR – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2759	DUGWELL AT GAGHWAL(KATHUA DISTT)	JAMMU & KASHMIR	22	22	7.4	7.4	630	630	-	-	BDL	BDL	-	-	-	-	-	-	365	365	-	-	-	-
2760	MALADHAR TALAB(POND)HATLI (KATHUA)	JAMMU & KASHMIR	22	22	7.6	7.6	322	322	4.3	4.3	BDL	BDL	-	-	-	-	-	-	187	187	-	-	-	-
2761	TUBE WELL KATHUA SICOP INDUSTRIAL AREA KATHUA	JAMMU & KASHMIR	20	20	7.3	7.3	415	415	-	-	-	-	-	-	-	-	-	-	241	241	-	-	-	-
2762	R.S. PURA TEHSIL, JAMMU	JAMMU & KASHMIR	20	20	9	9	880	880	2.5	2.5	BDL	BDL	-	-	-	-	-	-	510	510	-	-	-	-
3288	GROUND WATER AT IQBAL PARK	JAMMU & KASHMIR	14.2	14.2	7.3	7.3	84	84	7.1	7.1	-	-	-	-	-	-	-	-	416.3	416.3	-	-	-	-
3290	GROUND WATER AT ZANAKOT (I)	JAMMU & KASHMIR	9.1	9.1	7.4	7.4	861	861	1.4	1.4	-	-	-	-	-	-	-	-	447	447	-	-	-	-
3291	GROUND WATER AT ZANAKOT (II)	JAMMU & KASHMIR	9.8	9.8	7.4	7.4	870	870	2	2	-	-	-	-	-	-	-	-	450	450	-	-	-	-
3292	GROUND WATER AT SADAKADAL	JAMMU & KASHMIR	11.1	11.1	7.4	7.4	984	984	2.3	2.3	-	-	-	-	-	-	-	-	513	513	-	-	-	-
4064	BOREWELL NEAR INDUSTRIAL AREA GANGYAL	JAMMU & KASHMIR	20	20	7.8	7.8	350	350	-	-	BDL	BDL	-	-	-	-	-	-	203	203	-	-	-	-
4065	BOREWELL NEAR INDUSTRIAL AREA BARI-BRAHMNA	JAMMU & KASHMIR	20	20	7.9	7.9	376	376	-	-	BDL	BDL	-	-	-	-	-	-	218	218	-	-	-	-
4066	BOREWELL NEAR INDUSTRIAL AREA SAMBA	JAMMU & KASHMIR	23	23	7.4	7.4	560	560	-	-	BDL	BDL	-	-	-	-	-	-	325	325	-	-	-	-
4067	BOREWELL NEAR INDUSTRIAL AREA UDHAMPUR	JAMMU & KASHMIR	22	22	7.9	7.9	504	504	-	-	BDL	BDL	-	-	-	-	-	-	292	292	-	-	-	-
4068	BABA TALAB (ANCIENT POND) AT MISHRIWALA (WETLAND)	JAMMU & KASHMIR	22	22	7.5	7.5	334	334	1.5	1.5	BDL	BDL	-	-	-	-	-	-	267	267	-	-	-	-
4069	ANCIENT BOWLIES IN UDHAMPUR AT GANGERA BOWLI	JAMMU & KASHMIR	22	22	7.9	7.9	696	696	-	-	BDL	BDL	-	-	-	-	-	-	403	403	-	-	-	-
4070	ANCIENT BOWLIES IN UDHAMPUR AT REHMATI MOHALLA BOWLI	JAMMU & KASHMIR	22	22	7.9	7.9	458	458	-	-	BDL	BDL	-	-	-	-	-	-	266	266	-	-	-	-
4072	BOREWELL IN SMAILPUR NEAR CHRISTIAN HOSPITAL	JAMMU & KASHMIR	20	20	7.9	7.9	372	372	-	-	BDL	BDL	-	-	-	-	-	-	216	216	-	-	-	-
4073	BOREWELL NEAR MAIN CHOWK, SMAILPUR	JAMMU & KASHMIR	20	20	7.9	7.9	412	412	-	-	BDL	BDL	-	-	-	-	-	-	239	239	-	-	-	-

**TABLE 12: WATER QUALITY OF GROUND WATER UNDER NWMP IN JHARKHAND – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4492	HAND PUMP NEAR GARBAGE DUMP, RAKSHIBANDH DUMKA	JHARKHAND	36	36	7.5	7.5	260	260	1.8	1.8	-	-	-	-	-	-	-	-	230	230	-	-	-	-
4493	HOLY POND AT VILLAGE SIKATIA	JHARKHAND	35	35	7.6	7.6	280	280	2.6	2.6	-	-	-	-	-	-	-	-	280	280	-	-	-	-
4758	GOVT. HANDPUMP NEAR HOUSE OF RAJENDRA SINGH MUNDA, KOKRANA MURI	JHARKHAND	12	18	6.5	6.5	-	-	-	-	-	-	-	-	-	-	-	-	478	480	-	-	-	-

**TABLE 13: WATER QUALITY OF GROUND WATER UNDER NWMP IN KARNATAKA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3564	BOREWELL WATER NEAR MANGALIYOTHI SCHOOL MSW SITE VAMMANJOOR	KARNATAKA	28	28	7.2	7.2	168	174	3	3	1.06	1.32	2	2	6	7	-	-	114	118	BDL	BDL	-	-

**TABLE 13: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN KERALA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
19	WELL AT ALWAYE, KERALA	KERALA	27	30	5.4	6	120	187	1.1	2.4	2.23	4.63	430	700	1700	2600	31	43	80	123	BDL	BDL	-	-
22	WELL AT CHUNGAPALLY, KERALA	KERALA	25	27	6.3	6.5	89	99	BDL	BDL	BDL	1.99	2	94	8	140	2	10	50	55	BDL	BDL	-	-
35	WELL AT PUNALUR, KERALA	KERALA	22	24	6.2	6.9	156	158	BDL	1.2	0.4	0.5	20	20	91	100	BDL	BDL	106	109	BDL	BDL	-	-
1581	WELL AT PAPPANAMKODE, THIRUVANANTHAPURAM, KERALA	KERALA	27	27	5.8	6.2	168	190	1.2	3.4	BDL	BDL	100	100	310	310	BDL	BDL	99	165	BDL	BDL	-	-
1582	WELL AT NEDUMANGAD, THIRUVANANTHAPURAM, KERALA	KERALA	27	29	6.4	6.5	140	184	3.8	6	BDL	BDL	200	200	600	700	BDL	BDL	82	150	BDL	BDL	-	-
1583	WELL AT KUNDARA, KOLLAM DISTT., KERALA	KERALA	23	23	6.7	6.9	156	182	1.2	1.3	0.46	0.58	20	31	91	94	BDL	BDL	111	135	BDL	BDL	-	-
1584	WELL AT CHERTHALA, ALLEPPY, KERALA	KERALA	25	30	6.9	7.2	317	393	1.6	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	203	258	0.64	0.8	-	-
1585	WELL AT VYTILA, ERNAKULAM DISTT., KERALA	KERALA	28	29	7.1	7.6	330	420	1.4	1.9	2.1	4.9	49	920	490	3500	5	6	200	235	BDL	0.28	-	-
1586	WELL AT EDAYAR, ERNAKULAM DISTT., KERALA	KERALA	27	29	6.1	6.1	240	350	1.6	2.6	BDL	0.99	2800	4000	5400	7900	70	70	139	200	BDL	BDL	-	-
1587	WELL AT KALAMASSERY, ERNAKULAM DISTT., KERALA	KERALA	29	29	6.2	6.2	210	330	2.2	2.6	BDL	6.89	34	79	43	260	BDL	6	115	190	BDL	BDL	-	-
1588	WELL AT PUNKUNNAM, TRISSUR DISTT., KERALA	KERALA	20	22	6	6.1	180	292	BDL	1.1	BDL	2.3	100	100	580	580	20	20	109	184	BDL	BDL	-	-
1589	WELL AT MALAPURAM, KERALA	KERALA	22	23	5.7	7.9	356	376	BDL	5.6	0.4	1.8	70	84	110	140	12	16	199	215	BDL	0.9	-	-
1590	WELL AT MAVOOR, KOZHIKKODE DISTT., KERALA	KERALA	23	26	6.5	6.8	69	96	BDL	BDL	BDL	1.55	170	270	310	320	27	61	42	55	BDL	BDL	-	-
1591	WELL AT KANNUR (MUNICIPALITY), KANNUR DISTTM, KERALA	KERALA	25	26	4.6	5.9	101	121	BDL	1.2	BDL	BDL	31	40	150	180	BDL	BDL	62	69	BDL	0.26	-	-
1592	WELL AT PAYYANNUR, KANNUR DISTT., KERALA	KERALA	27	27	6.4	7.9	207	243	BDL	2	BDL	BDL	40	63	100	280	10	10	120	154	BDL	0.34	-	-
2308	WELL AT FATHIMAPURAM (CHANGANASSERY)	KERALA	26	29	7.3	7.8	156	262	BDL	BDL	0.74	2.98	200	400	500	790	350	350	96	150	BDL	BDL	-	-
2309	WELL AT KAROOR (PALA)	KERALA	25	29	6.8	6.8	71	72	BDL	BDL	BDL	2.17	BDL	600	BDL	1100	BDL	50	42	48	BDL	BDL	-	-
2310	WELL AT VAIKOM	KERALA	26	28	7.5	7.6	221	282	BDL	BDL	BDL	0.94	BDL	150	BDL	400	BDL	BDL	129	193	BDL	BDL	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2311	WELL AT VADAVATHOOR (KOTTAYAM)	KERALA	28	32	6.2	7.4	98	190	BDL	BDL	2.26	3.15	BDL	2750	250	5100	2000	2000	70	110	BDL	BDL	-	-
2313	WELL AT SARVODAPURAM, ALAPPUZHA	KERALA	25	30	7.2	7.4	285	419	1.2	1.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	200	284	0.68	0.8	-	-
2314	WELL AT KUREEPUZHA (KOLLAM)	KERALA	21	24	6.9	7.2	174	197	1.2	1.5	0.38	0.59	40	70	79	150	BDL	BDL	114	138	BDL	BDL	-	-
2315	WELL AT K.M.M.L. (KOLLAM)	KERALA	22	24	6.8	7.9	224	262	1.1	1.7	0.42	0.66	49	49	100	110	BDL	BDL	140	178	BDL	BDL	-	-
2316	WELL AT CHELLORA TRENCHING GROUND (KANNUR)	KERALA	26	27	4.6	6.3	43	103	1.6	1.8	BDL	0.4	40	63	100	340	10	20	30	60	BDL	0.32	-	-
2317	WELL AT PUNNALPETTIPALAM (TELLICHERRY MUNICIPALITY)	KERALA	26	27	5.6	7.5	289	299	1.4	2.2	BDL	BDL	15	40	79	230	10	10	162	188	BDL	0.62	-	-
2320	WELL AT MANJERI	KERALA	22	23	6	6.3	214	260	BDL	1.6	0.8	1	17	38	48	79	8	8	118	145	BDL	0.56	-	-
2321	WELL AT LALOOR (THRISSUR)	KERALA	21	25	6	6.4	255	340	BDL	1.3	0.77	1.5	BDL	BDL	BDL	BDL	BDL	BDL	150	200	BDL	BDL	-	-
2322	WELL AT OLLUR (THRISSUR)	KERALA	24	26	6.5	6.6	81	210	BDL	1.7	BDL	2	BDL	BDL	BDL	BDL	BDL	BDL	50	136	BDL	BDL	-	-
2323	WELL AT BRAHMAPURAM M.S.W. DUMPARK (ERNAKULAM)	KERALA	26	28	6.2	6.5	175	200	BDL	1.3	BDL	0.66	150	280	540	1700	2	25	97	120	BDL	BDL	-	-
2324	WELL AT HAZARDOUS WASTE DUMP (AMBALAMUGHAL)	KERALA	28	28	5.3	5.3	85	85	BDL	BDL	BDL	BDL	12	12	20	20	BDL	BDL	54	54	BDL	BDL	-	-
2327	WELL AT KARUKAMANI	KERALA	28	30	7.2	7.5	795	967	1.2	1.8	1.3	4.46	BDL	BDL	BDL	200	BDL	BDL	484	586	0.49	0.5	-	-
3463	WELL AT VELLIPARAMBA, KOZHEKODE	KERALA	24	26	6	6.6	79	112	BDL	BDL	BDL	4.55	48	110	79	170	BDL	41	45	69	BDL	BDL	-	-
3472	WELL OF TEMPLE PARASSINIKADAVU, KANNUR	KERALA	26	27	7.1	7.8	302	14800	BDL	BDL	BDL	BDL	10	140	49	170	BDL	BDL	186	10610	BDL	0.41	-	-
3474	WELL AT PAYANOOR, KANNUR	KERALA	26	28	6.4	6.9	93	143	BDL	1.1	BDL	BDL	20	40	120	130	BDL	BDL	61	86	BDL	BDL	-	-
3475	WELL AT KARIMBAM, KANNUR	KERALA	26	26	5	5.4	108	195	BDL	1.1	BDL	BDL	40	79	110	310	BDL	10	68	112	BDL	BDL	-	-

**TABLE 14: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN LAKSHADWEEP – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1402	WELL NEAR PWD ADJACENT TO CHAKIKILUM IN KAVARATTI	LAKSHADWEEP	31.1	31.1	7	7	833	833	-	-	-	-	-	-	-	-	-	-	558.1	558.1	-	-	-	-
1593	WELL NEAR J.B SCHOOL	LAKSHADWEEP	32	32	7.3	7.3	957	957	-	-	-	-	-	-	-	-	-	-	641.2	641.2	-	-	-	-
1594	WELL NEAR OTTAVATHIL PALLI	LAKSHADWEEP	31.6	31.6	6.9	6.9	1430	1430	-	-	-	-	-	-	-	-	-	-	958.1	958.1	-	-	-	-
1595	WELL NEAR CHEKKILLAM HOUSE	LAKSHADWEEP	31.6	31.6	7.1	7.1	961	961	-	-	-	-	-	-	-	-	-	-	643.9	643.9	-	-	-	-
1596	WELL C/O KADAT PALLI	LAKSHADWEEP	30.6	30.6	7.1	7.1	704	704	-	-	-	-	-	-	-	-	-	-	471.7	471.7	-	-	-	-
1597	WELL NEAR BADER PALLI	LAKSHADWEEP	30.8	30.8	7.8	7.8	808	808	-	-	-	-	-	-	-	-	-	-	541.4	541.4	-	-	-	-
1598	WELL C/O PUTHIYA PALLI	LAKSHADWEEP	30.6	30.6	7	7	820	820	-	-	-	-	-	-	-	-	-	-	549.4	549.4	-	-	-	-
1599	WELL C/O PURATHA PALLI	LAKSHADWEEP	31.1	31.1	7	7	796	796	-	-	-	-	-	-	-	-	-	-	533.3	533.3	-	-	-	-
1600	WELL C/O ANDAM PALLI	LAKSHADWEEP	31.3	31.3	6.9	6.9	901	901	-	-	-	-	-	-	-	-	-	-	603.7	603.7	-	-	-	-
1601	WELL C/O CIRCUIT HOUSE	LAKSHADWEEP	30	30	7	7	940	940	-	-	-	-	-	-	-	-	-	-	629.8	629.8	-	-	-	-
1602	WELL C/O GOVT. PRESS,	LAKSHADWEEP	30.7	30.7	7.3	7.3	817	817	-	-	-	-	-	-	-	-	-	-	547.4	547.4	-	-	-	-
1603	WELL C/O OLD POLICE BARRACKS,	LAKSHADWEEP	30.5	30.5	7.1	7.1	1900	1900	-	-	-	-	-	-	-	-	-	-	1273	1273	-	-	-	-
1604	WELL C/O MPSAF QUARTER	LAKSHADWEEP	30.3	30.3	7	7	3780	3780	-	-	-	-	-	-	-	-	-	-	2532.6	2532.6	-	-	-	-
1605	WELL NEAR HALIPAD	LAKSHADWEEP	30.5	30.5	7.4	7.4	1206	1206	-	-	-	-	-	-	-	-	-	-	808	808	-	-	-	-



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1606	WELL (PUBLIC) OPPOSITE S.B.SCHOOL	LAKSHADWEEP	31.1	31.1	7.4	7.4	559	559	-	-	-	-	-	-	-	-	-	-	374.5	374.5	-	-	-	-
4548	WELL NEAR KENDRIYA VIDYALAYA	LAKSHADWEEP	30	30	7.2	7.2	1256	1256	-	-	-	-	-	-	-	-	-	-	841.5	841.5	-	-	-	-
4549	WELL NEAR STADIUM	LAKSHADWEEP	30.4	30.4	7.3	7.3	822	822	-	-	-	-	-	-	-	-	-	-	550.7	550.7	-	-	-	-
4550	WELL C/O KENDRIYA VIDYALAYA	LAKSHADWEEP	30.2	30.2	7.4	7.4	2640	2640	-	-	-	-	-	-	-	-	-	-	1768.8	1768.8	-	-	-	-
4551	WELL NEAR J.B. SCHOOL (E) WITH MOTOR)	LAKSHADWEEP	31.6	31.6	7.5	7.5	1390	1390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4552	WELL C/O HIGH SCHOOL	LAKSHADWEEP	30.9	30.9	7.7	7.7	1310	1310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4553	WELL C/O J.B. SCHOOL (N)	LAKSHADWEEP	31.4	31.4	7.3	7.3	805	805	-	-	-	-	-	-	-	-	-	-	539.4	539.4	-	-	-	-
4554	WELL C/O I.G HOSPITAL	LAKSHADWEEP	31.2	31.2	7.7	7.7	1008	1008	-	-	-	-	-	-	-	-	-	-	675.4	675.4	-	-	-	-
4555	WELL NEAR HELIPAD 2	LAKSHADWEEP	30.7	30.7	8	8	1371	1371	-	-	-	-	-	-	-	-	-	-	918.6	918.6	-	-	-	-
4556	WELL C/O SOLAR PLANT	LAKSHADWEEP	31	31	7.7	7.7	768	768	-	-	-	-	-	-	-	-	-	-	514.6	514.6	-	-	-	-
4558	WELL C/O PURAKKATTAPOO MI	LAKSHADWEEP	28.8	28.8	7.4	7.4	893	1083	-	-	-	-	-	-	-	-	-	-	581	704	-	-	-	-
4559	WELL C/O THAJ MANZIL	LAKSHADWEEP	28.8	28.8	7.6	7.6	1489	2350	-	-	-	-	-	-	-	-	-	-	968	1528	-	-	-	-
4560	WELL C/O PUTHIYARA PALLI	LAKSHADWEEP	28.8	28.8	7.4	7.4	2150	4280	-	-	-	-	-	-	-	-	-	-	1398	2782	-	-	-	-
4561	WELL C/O PUTHIYATHAKAL	LAKSHADWEEP	28.9	28.9	7.1	7.1	1663	1681	-	-	-	-	-	-	-	-	-	-	1081	1093	-	-	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4562	WELL C/O JBS (C )	LAKSHADWEEP	28.6	28.6	7.5	7.5	795	1328	-	-	-	-	-	-	-	-	-	-	517	863	-	-	-	-
4563	WELL C/O NURSERY SCHOOL	LAKSHADWEEP	28.3	28.3	7.2	7.2	940	1170	-	-	-	-	-	-	-	-	-	-	611	761	-	-	-	-
4564	WELL C/O BELAVILATHA PALLI	LAKSHADWEEP	28.9	28.9	7.3	7.3	790	1792	-	-	-	-	-	-	-	-	-	-	370	1165	-	-	-	-
4565	WELL C/O LAGOONS BATH	LAKSHADWEEP	28.9	28.9	7.1	7.1	826	1602	-	-	-	-	-	-	-	-	-	-	537	1041	-	-	-	-
4566	WELL NEAR S & T	LAKSHADWEEP	28.5	28.5	7.2	7.2	1103	1498	-	-	-	-	-	-	-	-	-	-	717	974	-	-	-	-
4567	WELL C/O UJRA PALLI	LAKSHADWEEP	29.1	29.1	7.2	7.2	628	999	-	-	-	-	-	-	-	-	-	-	408	974	-	-	-	-
4569	WELL C/O MANDALI	LAKSHADWEEP	28.6	28.6	7.2	7.2	874	1498	-	-	-	-	-	-	-	-	-	-	568	974	-	-	-	-
4570	WELL C/O FRIENDS COMMON CLUB	LAKSHADWEEP	28.9	28.9	6.9	6.9	886	1190	-	-	-	-	-	-	-	-	-	-	576	774	-	-	-	-
4571	WELL NEAR HARBOR COTTAGE	LAKSHADWEEP	28.9	28.9	7.3	7.3	2970	2970	-	-	-	-	-	-	-	-	-	-	1931	1931	-	-	-	-
4572	WELL C/O OBSERVATORY	LAKSHADWEEP	29.1	29.1	7.4	7.4	795	982	-	-	-	-	-	-	-	-	-	-	517	638	-	-	-	-
4573	WELL C/O SULTHAN VEED	LAKSHADWEEP	28.9	28.9	7.5	7.5	748	1095	-	-	-	-	-	-	-	-	-	-	486	712	-	-	-	-
4574	WELL C/O MOULA PALL	LAKSHADWEEP	29.5	29.5	7.3	7.3	810	820	-	-	-	-	-	-	-	-	-	-	527	533	-	-	-	-
4575	WELL C/O BEERADAM	LAKSHADWEEP	-	-	-	-	1079	1079	-	-	-	-	-	-	-	-	-	-	701	701	-	-	-	-
4576	WELL C/O HUSSAIN MANZIL	LAKSHADWEEP	29.2	29.2	7.3	7.3	766	1402	-	-	-	-	-	-	-	-	-	-	498	911	-	-	-	-

**TABLE 15: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN MADHYA PRADESH – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
52	WELL, SHRI RAO PRAJAPATI WELL , M. P.(T/W OF HANIF KHAN S/O JABBAR KHAN, AMRAWATI ROAD, BURHANPUR )	MADHYA PRADESH	23	23	7.6	7.6	971	971	BDL	BDL	4.214	4.214	BDL	BDL	3	3	-	-	602	602	0.68	0.68	-	-
1618	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	25	25	7.2	7.2	880	880	-	-	1.8	1.8	2	2	13	13	-	-	588	588	-	-	-	-
1619	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	24	26	7.1	7.6	414	780	-	-	0.6	0.82	2	2	10	12	-	-	264	438	-	-	-	-
1897	TUBE WELL AT JAINABAD, NEAR TAPTI BRIDGE, PUMPING STN. BURHANPUR, M.P.	MADHYA PRADESH	23	23	7.7	7.7	920	920	BDL	BDL	3.924	3.924	BDL	BDL	3	3	-	-	560	560	0.73	0.73	-	-
2143	WELL AT KATHODA, JABALPUR	MADHYA PRADESH	22.2	23	7.3	7.6	360	658	BDL	BDL	-	-	BDL	BDL	BDL	BDL	-	-	272	558	-	-	BDL	BDL
2144	WELL AT MADAI GRAM, JABALPUR	MADHYA PRADESH	21	22	7.5	7.5	250	360	BDL	BDL	-	-	BDL	BDL	BDL	BDL	-	-	356	372	BDL	BDL	BDL	BDL
2147	WELL AT PRATAL NAGAR, DEWAS	MADHYA PRADESH	26	26	7.1	7.1	-	-	BDL	BDL	4.26	4.26	-	-	-	-	-	-	2424	2424	-	-	-	-
2148	WELL AT DOSIGAON, RATLAM	MADHYA PRADESH	-	-	7.8	7.8	3344	3344	1.6	1.6	8.006	8.006	-	-	-	-	-	-	2342	2342	0.41	0.41	-	-
2149	WELL AT CULVERT ON A.B. ROAD, MAKSI	MADHYA PRADESH	27	27	7.1	7.4	1304	1304	1.2	1.6	3.64	7.171	-	-	-	-	-	-	1150	1968	-	-	-	-
2150	WELL AT TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE	MADHYA PRADESH	23	24.5	7.5	7.6	1440	1444	BDL	BDL	3.224	5.49	BDL	BDL	3	9	-	-	996	1008	0.67	0.78	-	-
2151	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE	MADHYA PRADESH	23	24.5	7.8	8	2023	3675	1.3	1.6	4.816	6.114	BDL	BDL	8	12	-	-	1287	2672	0.92	1.04	-	-
2152	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE	MADHYA PRADESH	23	24.8	7.2	7.4	2175	3202	BDL	1.2	3.63	3.839	BDL	BDL	9	92	-	-	1408	1610	1.01	1.08	-	-
2154	WELL AT NEAR PRIMARY SCHOOL, PILUKHEDI, RAJGARH.	MADHYA PRADESH	23	26	7.5	7.9	1164	1420	-	-	0.4	0.8	-	-	-	-	-	-	746	1158	-	-	-	-
3332	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, DEWAS	MADHYA PRADESH	24	24	7.8	7.8	1260	1260	BDL	1.6	4.261	4.96	-	-	-	-	-	-	888	1216	-	-	-	-
3334	TUBE WELL NEAR BUS STAND AT BETUL	MADHYA PRADESH	29	29	7.7	7.7	-	-	1.2	1.2	2.2	2.2	3	3	11	11	-	-	545	545	0.6	0.6	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3335	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, JABALPUR	MADHYA PRADESH	21	22.3	7.2	7.5	360	629	BDL	BDL	-	-	BDL	BDL	BDL	BDL	-	-	354	534	0.36	0.36	BDL	BDL
3336	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, CHHINDWARA	MADHYA PRADESH	28	28	7.7	7.7	793	793	1.4	1.4	2.2	2.2	3	3	11	11	-	-	588	588	-	-	-	-
3337	TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR	MADHYA PRADESH	22	22.2	7.3	8.7	290	1166	BDL	1.9	0.4	0.4	BDL	BDL	BDL	BDL	-	-	120	935	-	-	BDL	BDL
3338	HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI RAIRU	MADHYA PRADESH	24	26	7.1	7.2	1009	1012	-	-	0.68	0.8	2	2	8	14	-	-	646	648	-	-	-	-
3339	TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE	MADHYA PRADESH	23	24.5	7.2	7.5	1014	1521	BDL	BDL	3.79	6.969	BDL	BDL	9	35	-	-	654	806	0.48	0.82	-	-
3340	TUBE WELL AT NEAR TRENCHING GROUND, INDORE	MADHYA PRADESH	23	24	6.9	7.3	1797	2398	BDL	BDL	3.199	6.68	BDL	BDL	3	6	-	-	1076	1678	0.62	1.02	-	-
3341	TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA	MADHYA PRADESH	23	24	7.8	7.8	790	1486	BDL	BDL	2.282	4.076	BDL	BDL	3	93	-	-	465	1038	0.38	0.71	-	-
3342	BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR, INDUSTRIAL AREA	MADHYA PRADESH	23	25	7.5	7.6	432	551	BDL	BDL	2.612	3.146	BDL	BDL	BDL	9	-	-	270	385	0.67	0.88	-	-
3343	TUBE WELL NEAR INDUSTRIAL AREA UDYOG VIHAR , CHURAT, REWA	MADHYA PRADESH	26	26.5	7.1	7.9	1480	1615	BDL	1.3	2.807	6.92	BDL	2	12	14	-	-	123	1406	-	-	-	-
3344	TUBEWELL AT INDL AREA, SHAHDOLU/G WATER SAMPLE FROM INDUSTRIAL AREA,NARSARHA, DISTT. SHAHDOL(M.P.)	MADHYA PRADESH	27.5	27.6	7.8	7.9	589	642	BDL	BDL	0.682	84	BDL	BDL	18	18	BDL	BDL	401	416	-	-	-	-
3345	TUBEWELL AT INDL AREA, ANUPPUR	MADHYA PRADESH	27.5	27.8	7.8	7.8	512	543	BDL	BDL	0.64	0.75	BDL	BDL	18	18	BDL	BDL	388	403	-	-	-	-
3822	GROUND WATER NEAR BUS STAND, DIST NARSINGPUR	MADHYA PRADESH	21.7	23	7	7.6	460	460	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	339	440	-	-	-	-
3823	GROUND WATER NEAR BUS STAND, DIST BALAGHAT	MADHYA PRADESH	21	22.3	7.3	7.3	290	1409	BDL	BDL	BDL	0.49	BDL	BDL	BDL	BDL	-	-	200	1128	-	-	BDL	BDL
3824	GROUND WATER VILL BHEEMJORI, MALAJKH, DIST BALAGHAT	MADHYA PRADESH	22	22	7.4	7.5	280	380	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	-	-	200	398	-	-	BDL	BDL
3825	GROUND WATER NEAR BUS STAND, DIST MANDLA	MADHYA PRADESH	22	22	7	8.9	390	1180	BDL	BDL	-	-	BDL	BDL	BDL	BDL	-	-	284	1084	0.4	0.4	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3826	GROUND WATER NEAR BUS STAND, DIST SEONI	MADHYA PRADESH	22	22.1	7.3	8.7	250	1068	BDL	BDL	-	-	BDL	BDL	BDL	BDL	-	-	170	989	BDL	BDL	BDL	BDL
3827	GROUND WATER VILL IMALIA, DIST JABALPUR	MADHYA PRADESH	21	22	7.6	7.6	350	390	-	-	-	-	BDL	BDL	BDL	BDL	-	-	284	348	-	-	BDL	BDL
3837	GROUND WATER PRIMARY SCHOOL DHOBI GHAT, DIST SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	550	550	-	-	1.5	1.5	-	-	-	-	-	-	368	368	-	-	-	-
3838	GROUND WATER NCL, JINGURDHA, QSHF-176 METENCE OFF, DIST SINGROULI	MADHYA PRADESH	28	28	7.5	7.5	660	660	-	-	0.6	0.6	-	-	-	-	-	-	442	442	-	-	-	-
3839	GROUND WATER NEAR SHIV MANDIR, AMLORI NCL, PROJECT SINGROULI	MADHYA PRADESH	28	28	7.5	7.5	710	710	-	-	BDL	BDL	-	-	-	-	-	-	475	475	-	-	-	-
3840	GROUND WATER NEAR SUBJEE MANDI NCL JAYANT (BESIDE POLICE STATION), SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	260	260	-	-	BDL	BDL	-	-	-	-	-	-	174	174	-	-	-	-
3841	GROUND WATER SARVESWAR RAJA COLONY JAYANT, SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	400	400	-	-	2.5	2.5	-	-	-	-	-	-	268	268	-	-	-	-
3842	GROUND WATER NEAR SUB STATION SECTOR-B, DUDHICHUA NCL PROJECT, SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	410	410	-	-	BDL	BDL	-	-	-	-	-	-	273	273	-	-	-	-
3843	GROUND WATER NEAR ENTRANCE GAGE OF VIVEKANANAD STATUE, NIGAHI, SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	420	420	-	-	BDL	BDL	-	-	-	-	-	-	281	281	-	-	-	-
3844	GROUND WATER NEAR COMMERCIAL AUTO MOBILE NEAR BHARAT PETROL PUMP, VINDHYA NAGAR, SINGROULI	MADHYA PRADESH	29	29	7.5	7.5	440	440	-	-	1.4	1.4	-	-	-	-	-	-	294	294	-	-	-	-
3854	TUBE WELL WATER SAMPLE OF SIDHI CITY	MADHYA PRADESH	26	27	7	7.2	1263	1368	BDL	1.2	3.905	6.42	BDL	2	8	10	-	-	996	1234	-	-	-	-
4618	GROUND WATER AT INDUSTRIAL AREA, MANERI DISTT MANDLA	MADHYA PRADESH	22.2	22.2	7.3	8.6	592	1738	-	-	-	-	BDL	BDL	BDL	BDL	-	-	480	1217	-	-	BDL	BDL
4630	HAND PUMP DISTRICT HOSPITAL BETUL	MADHYA PRADESH	29	29	7.7	7.7	-	-	BDL	BDL	2.2	2.2	3	3	11	11	-	-	544	544	BDL	BDL	-	-

**TABLE 16: WATER QUALITY DATA OF GROUND WATER IN MEGHALAYA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1634	POLICE BAZAR, SHILLONG (POLICE BAZAAR SPRING)	MEGHALAYA	16.1	22	5.8	6.1	170	191	1.4	1.5	7.21	9.41	2	4	31	39	-	-	117	132	BDL	BDL	BDL	BDL
1635	MAWLAI, SHILLONG (MAWPDANG SPRING)	MEGHALAYA	17.2	22	5.4	5.7	265	273	1.5	1.8	13.11	16.61	BDL	BDL	BDL	17	-	-	183	188	BDL	BDL	BDL	BDL
1636	INDUSTRIAL ESTATE, BYRNIHAT (NARBONG WELL - SPRING)	MEGHALAYA	18	18	6	6.2	159	168	1.6	1.7	1.96	2.21	BDL	BDL	9	11	-	-	110	116	BDL	BDL	BDL	BDL
1637	SOHRA, CHERRAPUNJEE (WAH U DKHAR - SPRING)	MEGHALAYA	19.1	24.2	5.4	5.6	115	125	BDL	BDL	3.01	3.61	BDL	BDL	BDL	11	-	-	79	86	BDL	BDL	BDL	BDL
1638	SHANGPUNG (UMSAHEP SPRING)	MEGHALAYA	14	21.2	5.5	5.6	151	168	BDL	1.1	7.6	9.68	BDL	BDL	BDL	BDL	-	-	104	116	BDL	BDL	BDL	BDL
3385	MAWTHADRISHAN WELL AT MARKASA	MEGHALAYA	6.7	19.1	6.6	6.7	50	57	1.3	1.6	4.87	7.31	BDL	BDL	4	12	-	-	34	39	BDL	BDL	BDL	BDL
3386	JAKREM HOT SPRING AT JAKREM	MEGHALAYA	42.5	44.5	9	9.5	312	335	BDL	BDL	0.76	0.81	BDL	BDL	BDL	BDL	-	-	215	231	BDL	23.6	BDL	BDL
4323	BOREWELL AT GOOD SHAPHARD PARISH IN LADRYMBAI	MEGHALAYA	16	17.1	7.2	7.4	145	158	1.4	1.5	0.58	0.62	BDL	BDL	BDL	BDL	-	-	108	109	BDL	BDL	BDL	BDL
4324	BOREWELL AT KHLIEHWAH SHASEM - A IN KHLIEHRIAT	MEGHALAYA	16.5	18.1	5.2	5.4	119	123	1.1	1.3	BDL	0.52	BDL	BDL	BDL	BDL	-	-	85	88	BDL	BDL	BDL	BDL
4325	BOREWELL AT KHLIEHWAH SHASEM - B IN KHLIEHRIAT	MEGHALAYA	16.5	18.2	5	5.2	97	110	1.3	1.6	BDL	0.37	BDL	BDL	BDL	BDL	-	-	67	71	BDL	BDL	BDL	BDL
4904	DEEP TUBE WELL AT DONGKAMON NONGMENSONG, SHILLONG	MEGHALAYA	17	22	6.5	6.6	102	108	1.5	1.6	2.96	3.31	BDL	22	21	22	-	-	70	74	BDL	BDL	BDL	BDL
4905	DUG WELL AT FOREST COLONY, POLO, SHILLONG	MEGHALAYA	17.4	24	6	6.5	110	128	1.6	1.7	7.17	10.5	9	79	120	240	-	-	65	76	BDL	BDL	BDL	BDL
4906	DEEP TUBE WELL AT LABAN LAST STOP, SHILLONG	MEGHALAYA	17	22	5	5.2	92	110	BDL	1.2	0.37	2.21	BDL	4	12	42	-	-	63	76	BDL	BDL	BDL	BDL

**TABLE 17: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN MIZORAM – 2020**

[illegible]

[illegible]



**TABLE 17: WATER QUALITY OF GROUND WATER UNDER NWMP IN NAGALAND – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2896	BOREWELL AT KOHIMA VILLAGE IN KOHIMA	NAGALAND	18	20.1	6.6	6.7	180	340	-	-	11	12.1	-	-	-	-	-	-	13	169.5	BDL	BDL	BDL	BDL
2897	BOREWELL AT KAMDJ BAZAR, PEREN	NAGALAND	21.6	24	6.7	6.8	216	280	-	-	1	1.3	-	-	-	-	-	-	11	125	BDL	0.9	BDL	BDL
2898	OPENWELL AT DOYAPUR DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND	22.1	25	5.6	5.6	158	160	-	-	3.2	3.4	-	-	-	-	-	-	80.1	80.1	BDL	BDL	BDL	BDL
2899	BOREWELL AT DHANSIRIPAR, DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND	25.5	26	7.1	7.5	230	250	-	-	0.9	1.2	-	-	-	-	-	-	115	124.9	BDL	BDL	BDL	BDL
2900	OPENWELL AT TOULAZOUMA VILLAGE, DIMAPUR	NAGALAND	25	26.7	6.2	6.2	220	236	-	-	6	8	-	-	-	-	-	-	110	118	BDL	BDL	BDL	BDL
2901	OPENWELL AT LUNGWIRAM VILLAGE, DIMAPUR	NAGALAND	26	28.4	6	6.7	290	310	-	-	2.2	2.8	-	-	-	-	-	-	145	155	BDL	BDL	BDL	BDL
2902	BOREWELL AT THAHEKHU VILLAGE, DIMAPUR	NAGALAND	25	26.3	7.2	8.4	328	360	-	-	0.8	1.1	-	-	-	-	-	-	164	180	BDL	BDL	BDL	BDL
2903	OPENWELL AT SIGNAL ANGAMI VILLAGE, DIMAPUR	NAGALAND	26	26.7	7.3	7.6	796	820	-	-	7.5	13	-	-	-	-	-	-	398	410	BDL	BDL	BDL	BDL
2904	OPENWELL AT NAGA CEMETERY, DIMAPUR	NAGALAND	26.2	26.4	6	7.3	270	724	BDL	BDL	2.1	13.8	-	-	-	-	-	-	86	362	BDL	BDL	BDL	BDL
2905	BOREWELL AT SIGNAL POINT, DIMAPUR	NAGALAND	26.3	26.7	7.2	7.6	218	842	BDL	BDL	1.2	1.2	-	-	-	-	-	-	78	421	BDL	BDL	BDL	BDL

**TABLE 18: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN ODISHA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1644	JAGATPUR INDUSTRIAL AREA, CUTTACK	ODISHA	25	27	6.6	6.9	429	654	BDL	BDL	0.32	0.32	BDL	BDL	BDL	2	-	-	-	-	0.22	0.22	-	-
1645	MADHUPATNA- KALYAN NAGAR AREA, CUTTACK	ODISHA	25	26	6.5	6.9	351	503	BDL	BDL	0.35	0.35	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
1646	BIDANASHI - TULASIPUR AREA, CUTTACK	ODISHA	25	27	6.9	7.6	135	250	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
1647	BADAMBARI AREA, CUTTACK	ODISHA	25	26	6.9	7.3	320	382	BDL	BDL	0.33	0.33	BDL	BDL	BDL	BDL	-	-	-	-	0.43	0.43	-	-
1648	RANIHAT- MANGALABAGH AREA, CUTTACK	ODISHA	25	26	7.2	7.3	152	198	BDL	BDL	0.34	0.34	BDL	BDL	BDL	220	-	-	-	-	0.29	0.29	-	-
1649	KHANDAGIRI AREA, BHUBANESWAR	ODISHA	22	28	6.1	7.8	169	809	BDL	BDL	0.847	0.847	BDL	13	BDL	79	-	-	-	-	BDL	BDL	-	-
1650	CAPITAL HOSPITAL AREA, BHUBANESWAR	ODISHA	24	31	5.1	6.1	162	481	BDL	BDL	0.441	0.441	BDL	BDL	BDL	BDL	-	-	-	-	0.23	0.23	-	-
1651	OLD TOWN- SAMANTARAAIPUR AREA, BHUBANESWAR	ODISHA	24	30	6.8	7.1	365	530	BDL	BDL	1.549	1.549	BDL	5	11	33	-	-	-	-	BDL	BDL	-	-
1652	KALPNA - LAXMINAGAR AREA, BHUBANESWAR	ODISHA	24	30	6.1	6.1	337	407	BDL	BDL	7.701	7.701	BDL	5	23	79	-	-	-	-	BDL	BDL	-	-
1653	MANCHESWAR INDUSTRIAL AREA, BHUBANESWAR / CHANDRASHEKHARPUR	ODISHA	22	29	6.4	6.5	169	193	BDL	BDL	0.351	0.351	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
1655	NEAR SEA BEACH, PURI	ODISHA	22	29	7.9	8.2	1091	1487	BDL	BDL	0.44	0.44	BDL	BDL	BDL	13	-	-	-	-	0.41	0.41	-	-
1656	NEAR JAGANNATH TEMPLE, PURI	ODISHA	22	29	7.6	7.9	748	1044	BDL	BDL	2.509	2.509	BDL	BDL	BDL	BDL	-	-	-	-	0.21	0.21	-	-
1657	HOSPITAL - BUS STAND- MAUSHIMA TEMPLE AREA, PURI	ODISHA	23	29	7.5	7.9	1048	1128	BDL	BDL	6.793	6.793	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
1658	NEAR KUSHABHADRA, PURI	ODISHA	20	29	7.3	7.8	256	1116	BDL	BDL	0.42	0.42	BDL	BDL	BDL	5	-	-	-	-	BDL	BDL	-	-
3964	NEAR MKCG MEDICAL COLLEGE, BERHAMPUR	ODISHA	25	30	7.2	7.8	707	1078	BDL	BDL	0.32	0.32	BDL	13	BDL	49	-	-	-	-	0.23	0.23	-	-
3965	NEAR BUS STAND, BERHAMPUR	ODISHA	25	30	7.3	7.9	695	951	BDL	BDL	0.32	0.32	5	23	17	79	-	-	-	-	0.47	0.47	-	-
3966	NEAR BADABAZAR, BERHAMPUR	ODISHA	25	30	7.1	7.9	838	951	BDL	BDL	1.545	1.545	BDL	5	17	22	-	-	-	-	BDL	BDL	-	-
3967	NEAR RAILWAY STATION STAND, BERHAMPUR	ODISHA	28	30	7.2	7.3	551	1139	BDL	BDL	2.125	2.125	BDL	13	BDL	49	-	-	-	-	0.26	0.26	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3968	NEAR VSS MEDICAL COLLEGE, BURLA, SAMBALPUR	ODISHA	27	28	7.4	7.9	324	597	BDL	BDL	6.7	6.7	BDL	BDL	BDL	BDL	-	-	-	-	0.82	0.82	-	-
3969	NEAR RAILWAY STATION, SAMBALPUR	ODISHA	26	29	7.3	7.4	344	480	BDL	BDL	5.112	5.112	BDL	2	BDL	23	-	-	-	-	0.27	0.27	-	-
3970	NEAR PANTHANIVAS, SAMBALPUR	ODISHA	26	29	6.6	7.9	262	324	BDL	BDL	5.118	5.118	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3971	ANGUL TOWNSHIP	ODISHA	25	27	7	7.4	830	866	BDL	BDL	3.36	3.36	BDL	BDL	BDL	BDL	-	-	-	-	0.47	0.47	-	-
3972	NALCO TOWNSHIP, TALCHER	ODISHA	25	27	7.5	7.6	366	612	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	0.91	0.91	-	-
3973	MAHANADI COAL FIELD AREA, TALCHER	ODISHA	25	26	7	7.1	263	414	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	0.92	0.92	-	-
3974	KANIHA, TALCHER	ODISHA	26	27	7.5	7.9	245	387	BDL	BDL	0.32	0.32	BDL	5	BDL	13	-	-	-	-	0.23	0.23	-	-
3975	TALCHER TOWN	ODISHA	25	27	7	7.6	235	325	BDL	BDL	0.32	0.32	BDL	22	BDL	79	-	-	-	-	0.43	0.43	-	-
3976	MERAMUNDALI AREA, TALCHER	ODISHA	23	25	7.4	7.9	470	1008	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	0.82	0.82	-	-
3977	TALCHER THERMAL AREA	ODISHA	25	26	7.4	7.6	559	1178	BDL	BDL	0.32	0.32	BDL	BDL	BDL	23	-	-	-	-	0.73	0.73	-	-
3978	BANARPAL, TALCHER	ODISHA	23	26	7.1	7.2	678	1023	BDL	BDL	0.32	0.32	BDL	BDL	BDL	13	-	-	-	-	0.35	0.35	-	-
3979	KULAD, TALCHER	ODISHA	26	27	7.5	8	387	557	BDL	1.1	0.32	0.32	BDL	BDL	BDL	13	-	-	-	-	0.89	0.89	-	-
3981	BURKHAMUNDA, JHARSUGUDA	ODISHA	17	26	6.9	8.1	119	557	BDL	BDL	0.89	0.89	BDL	BDL	BDL	BDL	-	-	-	-	0.29	0.29	-	-
3982	BADAMANI INDUSTRIAL ESTATE, JHARSUGUDA	ODISHA	18	28	6.5	7.3	75	165	BDL	BDL	0.34	0.34	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3983	BUDHIPADAR, JHARSUGUDA	ODISHA	17	26	6.5	6.8	128	165	BDL	BDL	0.78	0.78	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3984	BRAJARAJ NAGAR MINING BELT, JHARSUGUDA	ODISHA	20	24	6.5	7.1	123	170	BDL	BDL	1.376	1.376	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3985	RAMPUR AREA (WATER TANK), JHARSUGUDA	ODISHA	18	22	7.1	7.1	275	438	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3986	IB THERMAL POWER STATION, JHARSUGUDA	ODISHA	18	23	7.2	7.2	95	432	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3987	BELPAHAR AREA, JHARSUGUDA	ODISHA	19	25	6.9	7.1	198	440	BDL	BDL	0.49	0.49	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3988	BADAPADIA MARKET COMPLEX, PARADEEP	ODISHA	31	32	8.3	8.3	1364	1920	BDL	1.7	1.58	1.58	BDL	790	BDL	1700	-	-	-	-	1.17	1.17	-	-
3989	MUSADIHA, PARADEEP	ODISHA	32	32	8	8.1	1818	2598	BDL	1.1	1.6	1.6	2	40	8	1300	-	-	-	-	0.75	0.75	-	-
3990	TISCO, SUKINDA	ODISHA	21	23	6.7	7.1	325	349	BDL	BDL	1.809	1.809	BDL	BDL	BDL	BDL	-	-	-	-	BDL	BDL	-	-
3991	SARUABIL, SUKINDA	ODISHA	22	22	6.5	6.9	183	251	BDL	BDL	0.32	0.32	11	22	33	79	-	-	-	-	BDL	BDL	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3992	KALIAPANI, SUKINDA	ODISHA	22	22	7.1	7.5	181	363	BDL	BDL	2.289	2.289	13	13	79	79	-	-	-	-	BDL	BDL	-	-
3993	KAMARDA, SUKINDA	ODISHA	22	22	6.8	7.4	264	302	BDL	BDL	0.49	0.49	BDL	5	13	17	-	-	-	-	BDL	BDL	-	-
3994	CHAKULIA, BALASORE	ODISHA	25	25	6.8	6.8	392	405	BDL	BDL	5.19	5.19	5	23	49	130	-	-	-	-	0.73	0.73	-	-
3995	KUANRPUR, BALASORE	ODISHA	25	25	7.3	7.6	278	548	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	-	-	-	-	5.94	5.94	-	-
3996	NAIGOPALPUR, BALASORE	ODISHA	24	25	6.5	7.5	132	184	BDL	BDL	0.38	0.38	5	23	33	240	-	-	-	-	0.29	0.29	-	-

**TABLE 19: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN PUDUCHERRY – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N <sub>2</sub> (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1397	WELL AT MUTHIALPET AREA(I) RAMAKRISHNA NAGAR/ KRISHNA NAGAR	PUDUCHERRY	30	31	6	7.1	602	620	BDL	BDL	4.22	7.72	-	-	-	-	-	-	376	489	-	-	BDL	BDL
1398	WELL AT THENGAITHITTU AREA, (II)	PUDUCHERRY	30	32	6.3	7.2	1329	2360	BDL	BDL	BDL	0.32	-	-	-	-	-	-	894	1554	-	-	BDL	BDL
1453	WELL AT MUTHIRAPPALAYAM (PWD)	PUDUCHERRY	30	31	6.4	6.5	652	815	BDL	BDL	1.22	3.60 4	-	-	-	-	-	-	489	524	-	-	BDL	BDL
1454	WELL AT KALAPET, POND. UNIVERSITY ADMN. BLOCK	PUDUCHERRY	30	30	6.1	6.1	275	275	-	-	1.54	1.54	-	-	-	-	-	-	175	175	-	-	-	-
1687	WELL AT NEHRU STATUE MISSION ST. - CHETTY KOIL	PUDUCHERRY	28	31	7.3	7.8	2070	2400	BDL	BDL	0.92	0.99 5	-	-	-	-	-	-	1255	1413	-	-	BDL	BDL
1688	WELL AT KATTERIKUPPAM	PUDUCHERRY	30	31	7.4	7.5	698	759	BDL	BDL	0.41 1	0.42	-	-	-	-	-	-	454	457	-	-	BDL	BDL
2009	WELL AT KURUMBAPET	PUDUCHERRY	30.5	31.5	6.2	6.9	595	682	BDL	BDL	3.03	3.12	-	-	-	-	-	-	350	447	-	-	BDL	BDL
2010	WELL AT METTUPALAYAM	PUDUCHERRY	30	30	6.4	6.8	902	1075	BDL	BDL	BDL	1.32	-	-	-	-	-	-	598	762	-	-	BDL	BDL
2011	WELL AT URUVAIYAR	PUDUCHERRY	31	32	7.2	7.4	1697	1804	BDL	BDL	BDL	0.32	-	-	-	-	-	-	1022	1080	-	-	BDL	BDL
2012	WELL AT MARUTHI SCHOOL, KARUVADIKUPPAM	PUDUCHERRY	30	31	6.5	7.4	2430	2600	BDL	BDL	BDL	0.62	-	-	-	-	-	-	1473	1521	-	-	BDL	BDL
2013	WELL AT T.R.PATTINAM, KARAİKAL	PUDUCHERRY	28	32.6	8.2	8.2	2090	2140	BDL	BDL	0.32	0.56	-	-	-	-	-	-	1132	1171	-	-	BDL	BDL
2014	WELL AT VADAMATTAM, KARAİKAL	PUDUCHERRY	31	31.2	7.8	8.3	1429	1539	BDL	BDL	0.7	0.76	-	-	-	-	-	-	802	914	-	-	BDL	BDL
2446	WELL AT PALLUR	PUDUCHERRY	27	27	5.7	5.7	335	335	BDL	BDL	-	-	-	-	-	-	-	-	246	246	-	-	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2447	WELL AT PANTHAKKAL	PUDUCHERRY	27	27	5.2	5.2	82	82	BDL	BDL	-	-	-	-	-	-	-	-	59	59	-	-	BDL	BDL
3882	WELL AT ECHANKADU, KIRUMAMBAKKAM	PUDUCHERRY	31.5	33	6.5	6.6	432	1107	BDL	BDL	BDL	0.32	-	-	-	-	-	-	234	738	-	-	BDL	BDL
3883	WELL NEAR BY LAKE BAHOUR	PUDUCHERRY	28.5	32	7.1	7.7	364	393	BDL	BDL	BDL	0.32	-	-	-	-	-	-	177	192	-	-	BDL	BDL
3884	WELL AT CHEVALIER SELLANE GOVERNMENT HIGH SECONDARY SCHOOL, KALAPET	PUDUCHERRY	30	31	6.6	7	1252	1267	BDL	BDL	12.6	15.6 2	-	-	-	-	-	-	733	871	-	-	BDL	BDL
3885	WELL AT DHANDERAR KULAM, SEDARAPET	PUDUCHERRY	31	31	6.9	6.9	1406	1849	BDL	BDL	0.34	3.92	-	-	-	-	-	-	940	1361	-	-	BDL	BDL
3886	WELL AT KOTHAPURINATHAM, THIRUVANDARKOIL	PUDUCHERRY	31	31	7.2	7.6	1368	1389	BDL	BDL	3.12	3.89	-	-	-	-	-	-	879	934	-	-	BDL	BDL
4631	THIRUKKANUR	PUDUCHERRY	30	31	7	7.7	1108	1130	BDL	BDL	1.82	1.97	-	-	-	-	-	-	691	722	-	-	BDL	BDL
4632	MADUKARAI	PUDUCHERRY	29	30	7.4	7.8	1503	1652	BDL	BDL	4.12	5.8	-	-	-	-	-	-	824	1026	-	-	BDL	BDL
4633	PANITHITTU	PUDUCHERRY	31	32	6.4	6.7	714	798	BDL	BDL	BDL	0.32	-	-	-	-	-	-	375	418	-	-	BDL	BDL

**TABLE 20: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN PUNJAB – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1898	PETROL PUMP OPP. HERO CYCLE, LUDHIANA	PUNJAB	-	-	7.2	7.5	1136	1162	BDL	BDL	8.6	24.6	BDL	BDL	BDL	BDL	-	-	667	732	0.24	0.28	BDL	BDL
1900	GURCHAARAN SINGH HAIBOWAL DAIRY COMPLEX, LUDHIANA	PUNJAB	-	-	6.6	7	627	1275	BDL	BDL	4.8	4.8	BDL	BDL	BDL	BDL	-	-	399	757	0.28	0.3	BDL	BDL
1901	DUSSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA	PUNJAB	32	37	7.1	7.6	702	716	BDL	BDL	10.4	16.1	BDL	BDL	BDL	BDL	-	-	438	444	0.36	0.42	BDL	BDL
1902	SHUKLA TEA STAL POINT, LUDHIANA	PUNJAB	-	-	6.7	7.2	1137	1191	BDL	BDL	12.1	12.8	BDL	BDL	BDL	BDL	-	-	692	727	BDL	0.21	BDL	BDL
1903	PUNJAB AGRICULTURAL UNIVERSITY, LUDHIANA	PUNJAB	-	-	7.2	7.7	450	493	BDL	BDL	5.2	6.2	BDL	BDL	BDL	BDL	-	-	281	303	0.22	0.32	BDL	BDL
2916	NEAR LANDFILL SITE, AMRITSAR, PUNJAB	PUNJAB	-	-	6.4	6.9	1048	1083	BDL	BDL	1	2.2	BDL	BDL	BDL	BDL	-	-	574	622	BDL	0.22	BDL	BDL
2917	NEAR HARMANDIR SAHEB, AMRITSAR, PUNJAB	PUNJAB	-	-	6.7	7	907	1079	BDL	BDL	0.36	4.2	BDL	BDL	BDL	BDL	-	-	532	619	0.36	0.44	BDL	BDL
2918	DERA BASSI, PUNJAB	PUNJAB	-	-	7.5	7.6	559	579	BDL	BDL	12.2	12.8	BDL	BDL	BDL	BDL	-	-	332	341	0.57	0.62	BDL	BDL
2919	DERA BASSI, PUNJAB	PUNJAB	-	-	7	7.2	2506	2660	BDL	BDL	16.6	18.6	BDL	BDL	BDL	BDL	-	-	1294	1542	0.7	0.74	BDL	BDL
2920	HAMIRA VILLAGE, PUNJAB	PUNJAB	15	30	7.2	7.2	1271	1380	BDL	BDL	3.4	8.4	BDL	BDL	BDL	BDL	-	-	784	834	0.22	0.31	BDL	BDL
2921	HAMIRA VILLAGE, PUNJAB	PUNJAB	15	30	7.2	7.4	430	431	BDL	BDL	1	2.6	BDL	BDL	BDL	BDL	-	-	254	266	0.26	0.34	BDL	BDL
2923	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB	16	16	7	7.2	1086	1859	BDL	BDL	0.8	3	BDL	BDL	BDL	BDL	-	-	665	1440	0.28	0.36	BDL	BDL
2924	MANDI GOBINDGARH, PUNJAB	PUNJAB	-	-	6.6	6.9	1606	1857	BDL	BDL	2.4	2.9	BDL	BDL	BDL	BDL	-	-	1042	1344	0.9	0.94	BDL	BDL
2925	MANDI GOBINDGARH, PUNJAB	PUNJAB	-	-	6.7	6.9	1602	1856	BDL	BDL	2.8	3.1	BDL	BDL	BDL	BDL	-	-	1026	1396	0.81	0.98	BDL	BDL
2926	NANGAL, PUNJAB	PUNJAB	-	-	6.8	7.3	778	852	BDL	BDL	10.2	14.8	BDL	BDL	BDL	BDL	-	-	468	502	0.92	1.1	BDL	BDL
2927	NANGAL, PUNJAB	PUNJAB	-	-	6.9	7.2	682	819	BDL	BDL	12.4	20.1	BDL	BDL	BDL	BDL	-	-	398	550	0.81	1	BDL	BDL
2928	ROPAR, PUNJAB	PUNJAB	-	-	7.4	7.5	379	407	BDL	BDL	2.4	3.6	BDL	BDL	BDL	BDL	-	-	245	282	0.42	0.5	BDL	BDL
2929	ROPAR, PUNJAB	PUNJAB	-	-	7.2	7.2	392	734	BDL	BDL	1.2	2.4	BDL	BDL	BDL	BDL	-	-	282	409	BDL	0.31	BDL	BDL
2930	TOANSA, PUNJAB	PUNJAB	25	32	7.1	8.2	1459	2020	BDL	BDL	1.4	2.2	BDL	BDL	BDL	BDL	-	-	862	1186	0.38	0.42	BDL	BDL
2931	TOANSA, PUNJAB	PUNJAB	25	32	7.6	8.1	355	765	BDL	BDL	1.1	1.8	BDL	BDL	BDL	BDL	-	-	183	433	0.26	0.29	BDL	BDL
4134	TUBE WELL AT RSSB, TIBBA ROAD, LUDHIANA INDUSTRIAL AREA	PUNJAB	-	-	6.8	7.4	32	1283	BDL	BDL	BDL	1.1	BDL	BDL	BDL	BDL	-	-	20	736	BDL	BDL	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4135	MSW DUMPING SITE, JAMALPUR	PUNJAB	-	-	7.2	7.2	533	555	BDL	BDL	0.9	2.2	BDL	BDL	BDL	BDL	-	-	326	365	BDL	0.24	BDL	BDL
4136	STP JAMALPUR	PUNJAB	-	-	6.6	6.6	1815	1815	BDL	BDL	4.4	4.4	BDL	BDL	BDL	BDL	-	-	1061	1061	0.26	0.26	BDL	BDL
4137	HANDPUMP IN M/S DEEP STEEL LTD, MUGHAL MAJRA, MANDI GOBBINDGARH	PUNJAB	-	-	6.6	7.3	1103	1858	BDL	BDL	2	2.6	BDL	BDL	BDL	BDL	-	-	680	1393	0.78	0.9	BDL	BDL
4138	HANDPUMP, 149 NEAR SANT PRITAM SCHOOL, AMBEY MAJRA, MANDI GOBINDGARH	PUNJAB	-	-	6.6	7.3	1115	1861	BDL	BDL	2.2	2.8	BDL	BDL	BDL	BDL	-	-	649	1386	0.69	0.75	BDL	BDL
4139	HANDPUMP AT PARK ADJOINING TO NATIONAL INDUSTRIES, E-128, PH-IV, FOCAL POINT LUDHIANA	PUNJAB	-	-	6.8	7.1	1290	1739	BDL	BDL	10.2	26.4	BDL	BDL	BDL	BDL	-	-	906	1029	BDL	0.22	BDL	BDL
4140	HANDPUMP IN SAHOTA BAGHBANI FARM, VILL HARIAN, MACHIWARA	PUNJAB	-	-	6.9	7.2	1544	1579	BDL	BDL	6.8	8.8	BDL	BDL	BDL	BDL	-	-	928	1015	0.26	0.26	BDL	BDL
4141	HANDPUMP INSTRIAL GROWTH CENTRE, DEFENCE ROAD, PATHANKOT	PUNJAB	28	34	7.1	7.4	548	551	BDL	BDL	1.8	2.2	BDL	BDL	BDL	BDL	-	-	310	318	BDL	BDL	BDL	BDL
4142	HANDPUMP, VILL DHERIWAL, DIST PATHANKOT	PUNJAB	28	35	7	7.1	525	618	BDL	BDL	3	3.6	BDL	BDL	BDL	BDL	-	-	300	349	BDL	BDL	BDL	BDL
4143	HANDPUMP NEAR ASH DYKES OF NABHA POWER LTD, VILL NALASH, RAJPURA	PUNJAB	35	35	7.3	7.9	653	1226	BDL	BDL	0.9	1.2	BDL	BDL	BDL	BDL	-	-	422	794	0.22	0.24	BDL	BDL
4144	GROUND WATER SAMPLING BLOCATION IN VILLAGE MAIN	PUNJAB	28	30	7.5	7.6	510	545	BDL	BDL	0.5	1.1	BDL	BDL	BDL	BDL	-	-	317	340	0.26	0.28	BDL	BDL
4145	SAGAR PARA DRAIN MEETING WITH GHAGGAR NEAR VILL SAGAR PARA, PATRAN	PUNJAB	30	30	7.1	7.7	502	985	BDL	BDL	0.4	1.1	BDL	BDL	BDL	BDL	-	-	320	609	0.24	0.3	BDL	BDL
4147	NEAR ASH DYKES OF GURU NANAK THERMAL POWER PLANT/ NFL, BHATINDA	PUNJAB	-	-	7.9	8.1	2606	2782	BDL	BDL	10.8	12.4	BDL	BDL	BDL	BDL	-	-	1610	1954	1.56	1.6	BDL	BDL
4148	VILLAGE KANAKWAL/ PHUKOKARI GGS HMEL REFINERY, BHATINDA	PUNJAB	-	-	7.2	7.3	4040	4830	BDL	BDL	62.4	80.6	BDL	BDL	BDL	BDL	-	-	2838	2882	1.52	1.62	BDL	BDL



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4149	ASH DYKES OF THERMAL POWER PLANT LEHRA MOHABBAT, BHATINDA	PUNJAB	-	-	7.3	7.5	1223	1243	BDL	BDL	4.2	6.9	BDL	BDL	BDL	BDL	-	-	796	874	4.2	6.44	BDL	BDL
4150	100 M D/S OF VILL RURIANWALI, DIST MUKTSAR	PUNJAB	-	-	7	7.3	1684	1742	BDL	BDL	4.4	4.8	BDL	BDL	BDL	BDL	-	-	1063	1087	0.42	0.44	BDL	BDL
4151	NEAR MALBORS INTERNATIONAL P LTD, VILL MANSOORWAL, DIST FEROZPUR	PUNJAB	-	-	7.6	8.1	1060	2170	BDL	BDL	1.8	2.1	BDL	BDL	BDL	BDL	-	-	680	1518	0.34	0.39	BDL	BDL
4153	DASHMESH NAGAR, GALI NO 12, LUDHIANA	PUNJAB	-	-	7.2	7.2	651	776	BDL	BDL	16.4	18.4	BDL	BDL	BDL	BDL	-	-	387	449	0.24	0.25	BDL	BDL
4154	TSSM SR SEC SCHOOL SHIMLAPURI, LUDHIANA	PUNJAB	32	37	6.9	7	784	826	BDL	BDL	12.1	15.6	BDL	BDL	BDL	BDL	-	-	496	541	BDL	BDL	BDL	BDL
4155	DAIRY COMPLEX, TAJPUR ROAD, LUDHIANA OPP SATISH DAIRY MEAR AMRIT DHARAM KANTA	PUNJAB	-	-	6.8	7	1286	1362	BDL	BDL	6.6	6.9	BDL	BDL	BDL	BDL	-	-	782	882	0.28	0.32	BDL	BDL
4156	HANDPUMP IN AREA ON SUA ROAD NEAR DHANDARI KALAN, LUDHIANA	PUNJAB	32	37	6.7	6.9	1056	1099	BDL	BDL	14.6	16.7	BDL	BDL	BDL	BDL	-	-	666	687	0.24	0.28	BDL	BDL
4157	HANDPUMP SHALLOW TUBEWELL IN THE AREA OF JANTA NAGAR, LUDHIANA	PUNJAB	32	37	7	7.5	702	722	BDL	BDL	10.2	12.2	BDL	BDL	BDL	BDL	-	-	435	482	0.31	0.36	BDL	BDL

**TABLE 21: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN RAJASTHAN – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1415	WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN), RAJASTHAN	RAJASTHAN	23	23	7.8	8.2	5000	12400	-	-	2.281	5.242	9	150	14	210	-	-	3986	8762	0.92	0.98	-	-
1706	RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	29	29	6.9	7.2	850	890	-	-	BDL	1.848	3	4	3	7	-	-	622	656	0.4	0.84	-	-
1707	BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	30	31	7.1	7.2	1800	1900	-	-	BDL	2.068	4	4	4	7	-	-	1338	1362	BDL	0.76	-	-
1708	WELL KOTHI IN VILLAGE BAGAR RAJPUT, ALWAR, RAJASTHAN	RAJASTHAN	29	30	7	7.1	1160	1260	-	-	BDL	1.666	7	9	11	23	-	-	904	948	0.4	0.4	-	-
1709	WELL AT VILLAGE SANTHLA VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	30	30	6.4	6.4	1300	1300	-	-	1.764	1.764	4	4	7	7	-	-	1054	1054	0.76	0.76	-	-
1710	WELL AT VILLAGE ALUPUR, VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28	28	7.4	7.4	1280	1280	-	-	0.304	0.304	460	460	1100	1100	-	-	908	908	0.3	0.3	-	-
1711	WELL AT VILLAGE HARCHANDPUR, VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	28	28	6.3	6.3	3700	3700	BDL	BDL	1.543	1.543	7	7	11	11	-	-	2950	2950	0.7	0.7	-	-
1712	WELL AT VILLAGE BHIWADI , VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	29	29	7	7	1580	1580	-	-	2.063	2.063	7	7	11	11	-	-	1258	1258	0.74	0.74	-	-
1713	WELL AT VILLAGE GATTAL, NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	30	30	6.4	7.1	810	1000	-	-	1.845	4.904	4	75	7	120	-	-	628	724	BDL	0.68	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1715	HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM KANSUA NALLAH KOTA, RAJASTHAN	RAJASTHAN	27	28	7.7	8.1	650	1020	-	-	1.14	1.824	4	14	11	20	11	11	536	722	0.84	1.12	-	-
1723	HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR, RAJASTHAN	RAJASTHAN	27	28	7.5	7.6	4500	7500	-	-	1.664	5.483	4	9	7	14	-	-	3258	5228	1.16	1.34	-	-
1724	WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR, RAJASTHAN	RAJASTHAN	28	33	7.7	8	400	1600	-	-	1.701	3.2	3	14	7	28	-	-	324	1122	0.68	0.76	-	-
1725	PUBLIC HAND PUMP BEFORE SANGANER PULIA, RAJASTHAN	RAJASTHAN	27	29	7.2	7.4	1870	2400	-	-	1.503	3.681	4	9	11	23	-	-	1294	1918	0.52	0.82	-	-
2015	PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR)	RAJASTHAN	34	34	8.1	8.1	2700	2700	-	-	4.1	4.1	7	7	11	11	-	-	193	1954	1.14	1.3	-	-
2017	VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR)	RAJASTHAN	33	34	7.8	7.9	2100	2200	-	-	2.1	5.3	4	4	7	7	-	-	1616	1738	0.36	0.74	-	-
2018	VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE)	RAJASTHAN	33	34	7.4	7.9	6100	6600	-	-	2.3	6.2	3	9	7	14	-	-	4668	4858	0.68	1.2	-	-
2019	NEAR UIT BRIDGE, UDAIPUR	RAJASTHAN	22	23	6.9	7.4	1470	1600	-	-	1.784	2.212	3	7	7	11	-	-	1162	1196	0.64	1.62	-	-
2020	NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR	RAJASTHAN	22	24	6.9	7	1900	2300	-	-	1.916	2.372	3	4	7	9	-	-	1588	1692	0.42	0.9	-	-
2021	NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR	RAJASTHAN	22	23	6.9	7	1740	1800	-	-	1.852	2.072	3	3	7	7	-	-	1252	1358	0.4	0.98	-	-
2022	NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR	RAJASTHAN	22	24	7	7	1710	1800	-	-	1.772	1.852	3	4	4	7	-	-	1236	1336	0.68	0.84	-	-
2023	HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR	RAJASTHAN	22	25	7.1	7.5	1190	1300	-	-	0.922	1.502	3	7	7	11	-	-	926	944	0.42	0.64	-	-
2028	NEAR SAMSHAN VISHWAKARMA NAGAR,	RAJASTHAN	26	28	7.7	8	650	710	-	-	1.021	1.241	3	7	3	14	-	-	468	558	0.38	0.7	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	MAHARANIFARM, JAIPUR																							
2029	NEAR GANDHI BHWAN, AJMER	RAJASTHAN	28	28	7.8	7.8	840	840	-	-	1.94	1.94	3	3	11	11	-	-	686	686	0.96	0.96	-	-
2031	NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER	RAJASTHAN	25	28	7.7	7.8	920	1060	-	-	1.769	5.68	4	7	7	11	-	-	742	786	0.42	0.86	-	-
2032	NEAR KHANPURA TALAB, AJMER	RAJASTHAN	25	28	8	8.1	380	400	-	-	1.668	4.92	3	20	7	28	-	-	280	326	0.8	0.82	-	-
2960	WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU, RAJASTHAN	RAJASTHAN	25	26	7.7	7.9	4000	5200	-	-	1.54	1.668	4	21	11	28	-	-	3138	3738	0.96	0.98	-	-
2961	WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	33	35	7.6	7.9	600	690	-	-	1.503	1.761	4	4	7	7	-	-	494	502	0.52	0.82	-	-
2962	WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	33	33	8	8	560	3000	-	-	1.602	9.845	4	7	4	11	-	-	458	2158	0.62	0.96	-	-
2963	WELL OF RIICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	30	33	7.8	8.1	1620	2300	-	-	1.664	6.184	3	7	3	14	-	-	1158	1858	0.54	0.82	-	-
2964	WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	28	36	7.6	7.9	1080	1700	-	-	1.602	5.244	3	7	4	11	-	-	788	1404	0.56	0.84	-	-
2965	SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI BRIDGE, PALI BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	24	24	7.9	8.1	5300	5500	-	-	3.101	4.404	7	150	11	210	-	-	3862	4432	0.96	1.06	-	-
2966	SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR- SUMERPUR BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	23	23	8	8.6	4400	5200	-	-	1.765	4.964	4	4	7	9	-	-	3558	3664	0.74	1.42	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2967	SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI, RAJASTHAN	RAJASTHAN	24	24	7.7	7.8	4600	8900	-	-	2.208	6.145	4	4	7	7	-	-	3764	6564	0.86	1.26	-	-
2968	SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA ROAD, OPP. VILLAGE MANDIA, PALI, RAJASTHAN	RAJASTHAN	22	22	8	8.4	1570	4100	-	-	1.664	4.201	4	9	9	20	-	-	1278	3054	1.02	1.38	-	-
2969	M/S SPECIALTY SILICA LTD., MIA ALWAR AGRO FOOD PARK, ALWAR, RAJASTHAN	RAJASTHAN	28	29	6.7	6.9	800	830	-	-	0.32	1.764	3	9	7	21	-	-	588	648	BDL	0.82	-	-
2970	RIICO TUBE WELL, RIA, BEHROR, RAJASTHAN	RAJASTHAN	30	31	7	7.2	1200	1380	-	-	1.664	2.463	3	9	7	14	-	-	944	974	0.28	0.82	-	-
2971	RIICO TUBE WELL, RIA, NEEMRANA, RAJASTHAN	RAJASTHAN	31	32	6.9	7.3	2400	2400	-	-	1.703	4.6	4	9	11	23	-	-	1588	1758	0.36	0.8	-	-
2972	RIICO TUBE WELL, RIA, SOTANALA, RAJASTHAN	RAJASTHAN	31	32	6.6	7	3200	3500	-	-	0.321	1.604	4	23	9	39	-	-	2356	2580	0.38	0.8	-	-
2973	RIICO TUBE WELL, RIA, SHAHJAHANPUR, RAJASTHAN	RAJASTHAN	29	30	6.8	7.2	1900	3100	-	-	1.543	1.821	3	21	28	28	-	-	1558	2158	0.68	1	-	-
2974	VILLAGE AGYARA, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	29	30	7.2	7.2	1580	1670	-	-	1.02	1.665	4	21	7	28	-	-	1184	1298	1.1	1.2	-	-
2975	VILLAGE BAGER MEO, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	29	30	7.2	7.3	2800	3300	-	-	1.769	2.2	3	9	7	39	-	-	2208	2282	0.64	0.96	-	-
2976	SUJAN GANGA, BHARATPUR, RAJASTHAN	RAJASTHAN	26	33	8	8.1	5100	5300	-	-	2.465	6.208	93	460	150	1100	-	-	3808	4230	0.64	1.1	-	-
2977	WELL OF RAM CHANDRA DEWRA, VILLAGE-SANGARIA, JODHPUR, RAJASTHAN	RAJASTHAN	33	34	7.1	7.9	8000	20000	-	-	2.1	6.3	4	9	7	14	-	-	7258	13258	0.96	1.35	-	-
2982	WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR, RAJASTHAN	RAJASTHAN	33	34	7.5	8.2	12000	21000	-	-	1.7	7.8	4	7	11	11	-	-	9258	15204	0.98	1.2	-	-
2985	WELL OF GIRDHARI RAM MEGHWAL, VILLAGE-NANDWAN, JODHPUR, RAJASTHAN	RAJASTHAN	33	34	7.7	7.7	13000	14500	-	-	3	7.1	4	7	9	14	-	-	8858	10318	0.84	0.9	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2986	TUBE WELL OF GIRDHARI LAL, BHITUJA, RAJASTHAN	RAJASTHAN	25	25	7.6	7.8	8700	10600	-	-	2.104	2.684	3	4	11	11	-	-	7038	7676	0.68	0.96	-	-
2988	WELL OF PEMA RAM MALI, BHITUJA, RAJASTHAN	RAJASTHAN	25	25	7.2	7.6	5800	9000	-	-	1.846	2.364	4	4	7	7	-	-	4214	7418	0.24	0.82	-	-
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	25	25	7.2	7.8	11400	13200	-	-	2.073	5.365	4	9	4	14	-	-	9158	9668	0.62	1.06	-	-
2993	WELL OF CHOUTHAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA, RAJASTHAN	RAJASTHAN	25	25	8	8.3	2900	3600	-	-	2.108	3.641	7	14	11	21	-	-	2098	2958	0.96	1.32	-	-
2999	BORE WELL SH. PREM CHAND, VILLAGE PHALSHA MODE RIA CHOPNADI, RAJASTHAN	RAJASTHAN	27	28	7.2	7.3	1320	1520	-	-	1.671	4.004	7	460	11	1100	-	-	1044	1058	0.28	0.64	-	-
3000	BORE WELL SH. UMESH KUMAR S/O SH. HORIDWARI RAM 3A-16 UIT, BHIWADI, RAJASTHAN	RAJASTHAN	27	30	7.1	7.3	850	910	-	-	1.765	3.644	4	4	4	7	-	-	648	688	0.3	0.76	-	-
3001	BORE WELL SH. BHRAM JEET SERVICE STATION, BHIWADI, RAJASTHAN	RAJASTHAN	29	29	7.6	7.6	1390	1390	-	-	11.804	11.804	93	93	460	460	-	-	958	958	0.38	0.38	-	-
3002	BORE WELL M/S R.C. PALACE HOTEL, BHIWADI, RAJASTHAN	RAJASTHAN	29	32	7	7.2	910	930	-	-	1.845	2.284	4	240	9	240	-	-	644	758	0.38	0.8	-	-
3003	BORE WELL OFFICE OF RAJ. HOUSING BOARD, BHIWADI, RAJASTHAN	RAJASTHAN	29	30	7.1	7.6	950	1540	-	-	1.605	10.504	4	7	11	14	-	-	684	1258	0.3	0.76	-	-
3004	BORE WELL OF M/S MODERN PUBLIC SCHOOL, BHIWADI, RAJASTHAN	RAJASTHAN	29	30	6.3	7.8	1310	1350	-	-	1.704	2.744	3	4	4	9	-	-	932	1008	0.62	0.86	-	-
3005	BORE WELL OF M/S KUNDAN EDIBLE FOOD PRODUCT, KHUSKHERA, RAJASTHAN	RAJASTHAN	28	29	7.4	7.8	760	880	-	-	1.765	2.744	4	460	7	1100	-	-	618	634	0.42	0.9	-	-
3006	HAND PUMP NEAR NEVTA TIRAHA, NEVTA	RAJASTHAN	26	27	7.8	8.2	2200	2400	-	-	1.763	5.36	3	4	7	7	-	-	1534	1678	0.82	1.06	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	DAM, SANGANER, JAIPUR, RAJASTHAN																							
4176	HAND PUMP NEAR RIICO INDUSTRIAL AREA, AAJOLIYON KA KHERA, GANGRAR, CHITTORGARH	RAJASTHAN	23	25	7.4	7.7	1700	2400	-	-	1.545	1.7	3	21	7	28	-	-	1216	1816	0.76	1.02	-	-
4180	BOREWELL OF JYOTI UCHCH MADHYMIC VIDHYALAYA, NAYAGAON, RAMPUR MUNDANA, BHIWADI	RAJASTHAN	30	30	7.3	7.3	1350	1350	-	-	12.312	12.312	93	93	93	93	-	-	948	948	1.12	1.12	-	-
4181	BOREWELL IN THE HOUSE AKRAM KHAN, AMLAKI, KHARGANJ INDL AREA, TIJARA, ALWAR	RAJASTHAN	25	26	7	7.2	2500	2700	-	-	BDL	1.666	9	75	14	120	-	-	1966	1978	BDL	0.76	-	-
4182	BOREWELL AT RO OF RSPCB, BHIWADI, TIJARA, ALWAR	RAJASTHAN	29	29	6.5	6.8	2400	4200	-	-	1.772	1.844	4	4	4	7	-	-	1874	2878	0.28	0.82	-	-
4183	BOREWELL AT STAR HOSPITAL, INFRONT OF STP, BHIWADI, TIJARA, ALWAR	RAJASTHAN	28	28	6.4	7.1	1800	1900	-	-	1.821	8.512	4	460	11	1100	-	-	1334	1358	0.92	0.98	-	-
4184	BOREWELL IN CETP PREMISES, BHIWADI, TIJARA, ALWAR	RAJASTHAN	28	28	7.1	7.3	1730	2200	-	-	1.605	3.154	4	4	7	9	-	-	1236	1718	0.24	0.8	-	-
4759	HANDPUMP IN FRONT OF URBAN IMPROVEMENT TRUST, CIVIL LINES, AJMER	RAJASTHAN	25	29	7.5	7.5	2200	2800	-	-	2.368	8.3	3	4	9	11	-	-	1910	1938	0.42	0.84	-	-
4760	HANDPUMP WITHIN PREMISES OF NAGAR PARISHAD OFFICE, OLD CITY ROAD, DESHWALI MOHALLA, KRISHANGARH	RAJASTHAN	25	29	7.7	7.8	1050	1540	-	-	2.75	4.562	4	4	7	7	-	-	814	1126	0.42	0.82	-	-
4761	TUBE WELL OF M/S BALOTRA WATER POLLUTION CONTROL AND RESEARCH FOUNDATION TRUST (CETP) KHED ROAD, BALOTRA	RAJASTHAN	24	26	7.2	7.5	43000	45000	-	-	1.505	3.11	7	14	14	20	-	-	31102	32078	1	1.44	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4763	BOREWELL OF SHRI PEMARAM MALI/DHUDARAM MALI, BITHUJA, BALOTRA	RAJASTHAN	24	26	7.7	8.1	4400	5700	-	-	1.546	2.621	3	4	7	9	-	-	3174	4698	0.52	0.92	-	-
4764	M/S ABHISHEK KOTHARI, NAKODA ROAD MEWA NAGAR, JASOL, PACHPADRA,	RAJASTHAN	25	25	7.6	7.8	2300	3300	-	-	1.849	4.724	3	4	7	9	-	-	1898	2344	0.42	1.2	-	-
4765	BOREWELL OF AJANTA TEXTILES NAKODA ROAD, JASOL,	RAJASTHAN	24	26	7.2	7.5	25000	25000	-	-	2.069	5.488	3	3	3	3	-	-	18334	19562	0.3	1.15	-	-
4766	BOREWELL OF AMRITLAL S/O BACHARAJ & JOINT KRISHI FORM KH. NO. 66/15, BITHUJA	RAJASTHAN	25	25	7.5	7.6	9700	13200	-	-	2.088	4.722	3	3	4	4	-	-	8124	9444	0.38	1.15	-	-
4767	OPEN WELL OF SAGNARAM MALI S/O RAJARAM MALI, KHASRA NO. 9, SINDRI	RAJASTHAN	26	26	7.5	7.5	10500	10500	-	-	2.371	2.371	4	4	7	7	-	-	8768	8768	1.3	1.3	-	-
4768	OPENWELL OF SHRI ISHWAR SINGH MALI S/O BHURJI MALI, DHANNA KI DHANI BILASAR,	RAJASTHAN	24	26	7.4	7.7	14000	15700	-	-	2.071	6.008	4	93	7	240	-	-	9796	12296	0.38	1.36	-	-
4774	RIICO TUBWELL NO. 1, LOCATED NEAR GANPATI TUBES & FABRICATION (P) LTD SP-A-53(A), RIA, BHIWADI, OPPOSITE TO WHEEL'O CITY AT T-POINT, TEHSIL- TIJARA	RAJASTHAN	29	31	7.1	7.2	1520	1790	-	-	1.704	2.692	3	460	7	1100	-	-	1198	1222	BDL	0.82	-	-
4775	RIICO TUBEWELL NO. 3 LOCATED ON ROAD SIDE CLOSE TO INDAG RUBBER AND OPPOSITE TO HONDA SHOWROOM, NEELAM CHOWK, BHIWADI, TEHSIL-TIJARA	RAJASTHAN	29	29	7	7.2	1530	1640	-	-	1.663	3.004	7	75	11	75	-	-	1138	1198	BDL	0.76	-	-
4776	RIICO TUBWELL NO. 27 LOCATED OPPOSITE TO MEGATECH INTERNATIONAL, G-1428, PHASE-V, RAMPUR MUNDANA IN RIICO OPEN AREA, BHIWADI, TEHSIL- TIJARA	RAJASTHAN	28	28	7.1	7.1	1050	1050	-	-	2.068	2.068	4	4	11	11	-	-	874	874	0.76	0.76	-	-



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4777	RIICO TUBEWELL NO. 31, LOCATED NEAR BKL LIFESTYLE, PLOT NO. 1228, RIA, BHIWADI, OPP. TO ACRO PAINTS-II, TIJARA	RAJASTHAN	29	30	6.9	7.1	1140	1340	-	-	1.705	3.084	4	4	4	7	-	-	916	932	0.38	0.7	-	-
4778	RIICO TUBEWELL NO. 34, LOCATED ON ROAD SIDE OF 220 KVA POWER STATION, CLOSE TO BKT(ESI HOSPITAL), RAMPUR MUNDANA RIS BHIWADI, TIJARA,	RAJASTHAN	28	29	7	7.3	1160	1300	-	-	1.608	5.492	4	9	7	14	-	-	898	938	0.3	0.8	-	-
4782	OFFICE OF ASSISTANT ENGINEER, JAIPUR, VIDHUT VITRAN NIGAM LTD, RIICO IND. AREA, BAGRU, TEHSIL-SANGANER,	RAJASTHAN	26	29	7.6	7.6	4500	4700	-	-	1.402	4.125	4	4	7	11	-	-	3282	3658	1.1	1.46	-	-
4783	JHALANA FOREST PARK, NEAR MALVIYA NAGAR IND. AREA, MALVIYA NAGAR JAIPUR	RAJASTHAN	25	31	7.2	7.3	720	840	-	-	1.601	2.06	3	3	4	4	-	-	592	602	0.52	0.84	-	-
4784	WELL OF SHRI HAZARI SINGH GEHLOT, NEAR PATWAR BHAWAN, SALAWAS JODHPUR	RAJASTHAN	33	34	8.2	8.3	2300	2800	-	-	2.4	4.1	3	7	4	11	-	-	1838	1944	0.62	0.86	-	-
4785	WELL OF SHRI TILARAM, NANDWAN, JODHPUR	RAJASTHAN	33	34	7.4	8.2	5100	6000	-	-	2.4	5.6	4	7	7	11	-	-	4238	4334	1.15	1.44	-	-
4786	WELL OF SHRI DEVARAM, HEER KHERA, JODHPUR	RAJASTHAN	33	33	7.2	7.2	6100	6100	-	-	3.1	3.1	9	9	14	14	-	-	4964	4964	0.98	0.98	-	-
4788	WELL OF SHRI MAGARAM, NANDWAN, JODHPUR	RAJASTHAN	33	33	6.8	6.8	15800	15800	-	-	2.2	2.2	7	7	11	11	-	-	11258	11258	1.44	1.44	-	-
4791	HANDPUMP NEAR M/S CHAMBLE FERTILIZER & CHEMICALS, GADEPAN	RAJASTHAN	26	27	7.6	8.1	520	560	-	-	1.542	2.744	3	7	4	11	4	4	384	412	0.62	0.86	-	-
4792	HANDPUMP NEAR M/S RAJASTHAN TEXTILE MILLS, BHAWANI MANDI	RAJASTHAN	27	28	7.5	7.8	3500	4200	-	-	1.246	2.281	9	14	14	20	11	11	2574	3284	0.56	0.92	-	-
4793	PUBLIC TUBEWELL, VILLAGE-NAMI, TEHSIL	RAJASTHAN	27	28	7.9	8.5	1320	1410	-	-	1.5	1.764	4	4	7	7	-	-	978	1018	0.68	0.9	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4794	TUBEWELL OF HARIPRASAD PANNALAL, BADA TALAB, VILL-NANI, TEHSIL	RAJASTHAN	26	28	8.4	8.6	900	980	-	-	1.241	1.404	7	7	11	14	-	-	708	738	1.12	1.14	-	-
4796	OPEN WELL OF SARAS DAIRY, VILAS, NH-08, UDAIPUR	RAJASTHAN	20	23	6.9	7.8	410	1390	-	-	0.924	1.512	3	4	7	9	-	-	304	1088	0.42	0.98	-	-
4797	BOREWELL NEAR MAIN GATE, CITY PALACE, NEAR SHEETLA MATA TEMPLE, UDAIPUR	RAJASTHAN	22	23	7.4	7.5	1150	1580	-	-	1.152	1.436	3	7	4	11	-	-	958	1082	0.38	0.7	-	-
4798	BOREWELL OF BSNL OFFICE, SECTOR-03, HIRAN MARG, UDAIPUR	RAJASTHAN	22	24	7.3	7.3	1130	1800	1.2	1.2	1.212	1.884	7	9	11	14	-	-	822	1258	0.28	1.1	-	-
4799	DISTRICT COLLECTOR, BARAN	RAJASTHAN	28	28	7.4	8.1	1340	1700	-	-	1.543	3.324	4	4	9	11	3	3	982	1386	0.7	0.96	-	-
4800	DISTRICT COLLECTOR, CHURU	RAJASTHAN	27	27	8.2	8.3	2700	2700	-	-	1.343	1.54	4	9	9	14	-	-	1932	2132	0.9	1.15	-	-
4801	DISTRICT COLLECTOR, DAUSA	RAJASTHAN	26	29	7.4	7.6	3300	3800	-	-	1.542	4.123	4	7	9	11	-	-	2638	2682	0.84	1.48	-	-
4802	DISTRICT COLLECTOR, KARAUJI	RAJASTHAN	28	28	7.6	7.9	1420	1900	-	-	1.842	3.404	7	7	11	14	-	-	1024	1364	0.4	0.9	-	-
4803	SHAHID CAPT, CHANDRA CHOUDHARY PARK, BIKANER	RAJASTHAN	21	28.2	7.5	7.9	4500	4800	-	-	1.765	3.34	4	4	7	7	4	4	3532	3816	0.52	1.02	-	-
4806	SHRI BABUAL SOPATRA, SHEKHO KI DDHANI PALI	RAJASTHAN	24	24	8.3	8.7	2900	3000	-	-	2.205	3.684	3	7	7	14	-	-	2082	2458	1.06	1.18	-	-
4807	SHRI MUKESH RAJPUROHIT, INFORNT OF GS-197-A, PUNAYATA INDUSTRY ROAD, NEAR BY NATIONAL HIGHWAY PALI-JODHPUR, CETP-IV, PALI	RAJASTHAN	24	24	8.3	8.5	7800	8200	-	-	1.845	5.242	3	4	4	11	-	-	5764	7058	1.14	1.46	-	-
4808	SHRI KHUM SINGH RAJPUROHIT, NEAR SBI BANK, RIICO PHASE I&II IND. AREA, PALI	RAJASTHAN	24.5	24.5	8.9	8.9	2400	2400	-	-	2.106	2.106	4	4	7	7	-	-	2038	2038	1.46	1.46	-	-
4809	SHRI RANARAM, NEAR BHANWAR SINGH MANDLI FROM HOUSE NH-PALI-SUMERPUR	RAJASTHAN	23	23	7.8	8.5	450	1480	-	-	0.984	1.508	3	7	4	14	-	-	332	1212	0.56	1.48	-	-

**TABLE 22: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN TAMIL NADU – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
32	WELL AT MUSIRI, TAMIL NADU	TAMIL NADU	28	28	7.8	7.8	502	502	2	2	BDL	BDL	-	-	-	-	-	-	316	316	0.24	0.24	-	-
4810	SURIYAMPALAYAM BOREWELL (HAND PUMP) OWNED BY ERODE CORPORATION LOATED OPPOSITE TO M/S. PIONEER PROCESSING INDIA PVT. LTD., BHAVANI MAIN ROAD, R.N. PUDUR POST, ERODE	TAMIL NADU	25	30	7.7	7.8	2420	2920	BDL	BDL	BDL	BDL	BDL	BDL	6	6	-	-	1588	1864	0.42	1.48	BDL	BDL
4811	BOREWELL LOCATED AT M/S. PHOENIX TEXTILE PROCESSORS, VENDIPALAYAM, ERODE	TAMIL NADU	29	33	7.7	8.3	2350	2380	BDL	BDL	BDL	3.45	BDL	2	6	7	-	-	1520	1652	0.5	1.03	BDL	BDL
4814	HOUSE OF THIRU MURUGAN, S/O. ESAKKI, NO.16B, MEENAKSHIPURAM, ANNA NAGAR, TIRUNELVELI	TAMIL NADU	25	25	7.7	8.1	1316	1852	BDL	6	BDL	BDL	13	27	49	100	11	11	830	1296	BDL	BDL	BDL	BDL
4815	MUNICIPAL CORPORATION BORE WELL LOCATED IN PERUMALPURAM STREET, NARANAMMALPURAM, TIRUNELVELI	TAMIL NADU	25	25	7.6	7.7	916	1102	2	7.1	BDL	BDL	6	13	15	47	2	2	578	772	BDL	BDL	BDL	BDL
4816	AUTHOR A, A- MUKKANI AGRAGARAM STREET INFRONT OF THIRU N. SAMUTHRAPANDI HOUSE BORE WELL	TAMIL NADU	27	27	6.9	6.9	1360	1360	BDL	BDL	0.32	0.32	6	6	14	14	2	2	850	850	BDL	BDL	BDL	BDL
4817	ERAL A, A- CHARMAM ARUNACHALA SWAMY TEMPLE WEST OF BORE WELL	TAMIL NADU	30	30	7	7	976	976	BDL	BDL	BDL	BDL	6	6	12	12	2	2	608	608	BDL	BDL	BDL	BDL
4818	ALWARTHIRUNAGARI A, A- VETERINARY DISPENSARY, WEST CAR STREET NEAR OVER HEAD TANK OF BORE WELL	TAMIL NADU	30	30	7.3	7.3	917	917	2	2	0.32	0.32	2	2	92	92	2	2	570	570	BDL	BDL	BDL	BDL
4819	SRIVAIKUNDAM A, A- BLOCK DEVELOPMENT OFFICE A, A- OPEN WELL	TAMIL NADU	29	29	7	7	327	327	2	2	BDL	BDL	11	11	26	26	2	2	208	208	BDL	BDL	BDL	BDL
4820	SRIVAIKUNDAM A, A- TNEB SUB STATION 33 KVA	TAMIL NADU	29	29	7.1	7.1	1770	1770	2	2	0.32	0.32	7	7	17	17	2	2	1120	1120	BDL	BDL	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	OPPOSITE TO TIRUNELVELI MAIN ROAD OPEN WELL																							
4821	BOREWELL NEAR KAMBARASAMPETTAI INTAKE WELL (TRICHY UPSTREAM)	TAMIL NADU	24	24	8.1	8.1	679	679	BDL	BDL	BDL	BDL	130	130	280	280	-	-	432	432	1.26	1.26	BDL	BDL
4822	BOREWELL NEAR THOGUR INTAKE WELL (TRICHY DOWNSTREAM)	TAMIL NADU	23	23	7.8	7.8	498	498	BDL	BDL	BDL	BDL	2	2	11	11	-	-	316	316	0.54	0.54	BDL	BDL
4824	PARAMASIVAM WATER SERVICE STATION, BLOCK NO.13 BSNL EXCHANGE OPPOSITE, METTUR DAM A, A- 636 402.	TAMIL NADU	25	29	7.5	7.9	1110	2070	BDL	BDL	0.824	3.725	BDL	2	BDL	8	-	-	784	1348	0.64	0.72	BDL	BDL
4825	M. KALIAPPAN, SANGILIMUNIYAPPAN KOVIL, ERIKKADU, METTUR	TAMIL NADU	26	31	7.6	8.2	1525	1583	BDL	BDL	BDL	9.532	BDL	BDL	4	79	-	-	1096	1096	0.63	1.21	BDL	BDL
4826	SAKTHI NAGAR, NEAR MUNICIPALITY SEWAGE TREATMENT PLANT, KOMPURANKADU, METTUR	TAMIL NADU	28	33	7.4	8.3	752	981	BDL	BDL	1.012	4.609	BDL	4	9	37	-	-	480	696	0.71	0.9	BDL	BDL
4907	KOMBUPALLAM, SATHYAMANGALAM	TAMIL NADU	29	29	7.5	7.5	159	159	BDL	BDL	0.32	0.32	11	11	27	27	-	-	116	116	0.4	0.4	BDL	BDL
4909	THALAVAIPETTAI, BHAVANI	TAMIL NADU	28	28	7.5	7.5	480	480	BDL	BDL	0.32	0.32	22	22	49	49	-	-	352	352	0.4	0.4	BDL	BDL
4910	PERUR CHETTIPALAYM PANCHAYAT LOCATED ADJACENT TO NOYYAL AT PERUR-VEDAPATTY ROAD (OPP VINAYGAR TEMPLE)	TAMIL NADU	26	26	7.1	7.1	62	62	BDL	BDL	0.32	0.32	2	2	5	5	-	-	54	54	BDL	BDL	BDL	BDL
4911	BOREWELL AT PASUPATHY PUDUR VILLAGE, PALANI TALUK, DINDIGUL DIST.	TAMIL NADU	25	25	7.8	7.8	2920	2920	BDL	BDL	0.32	0.32	2	2	6	6	-	-	1864	1864	0.42	0.42	BDL	BDL
4912	BORE WELL AT VANNIARVALASU VILLAGE, NEAR ELEMENTARY SCHOOL, THOPPAMPATTI PANCHAYAT UNION, PALANI TALUK, DINDIGUL DIST	TAMIL NADU	33	33	8.1	8.1	1860	1860	7	7	4.08	4.08	79	79	220	220	-	-	1204	1204	0.43	0.43	BDL	BDL

**TABLE 23: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN TELANGANA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
15	WELL AT KUYUYURA	TELANGANA	27	27	6.16	7.42	708	772	-	-	1.8	1.8	-	-	-	-	-	-	444	452	0.29	1	-	-
16	WELL AT TADAVAI A.P.	TELANGANA	28	28	7.78	7.78	622	622	-	-	9.4	9.4	-	-	-	-	-	-	381	381	0.53	0.53	-	-
27	WELL AT PEDDAVOORA	TELANGANA	25	26	7.46	7.47	627	785	-	-	4.28	5.21	-	-	-	-	-	-	363.66	467	0.3	0.36	BDL	0.09
1515	B/W. - NAGARAM(V), PALVONCHA, KHAMMAM DIST.	TELANGANA	29	30	7.1	7.44	1320	1785	-	-	8	8.1	-	-	-	-	-	-	740	1058	0.8	0.8	-	-
1525	B/W - IDA , NEAR CHAITANYA CHLORIDES , PASHAMAYLAM , MEDAK DIST.	TELANGANA	25	27	7.2	7.31	3650	5580	-	-	0.35	18.29	-	-	-	-	-	-	1967	3262	0.4	0.4	BDL	0.09
1793	O/W - BHOOMIAIAH NEAR ASHPONDS OF NTPC , KUNDANPALLY (V) , RAMAGUNDAM , KARIMNAGAR	TELANGANA	27	30	7.1	8.3	1867	1985	-	-	0.9	1.62	-	-	-	-	-	-	1120	1220	1	1.44	-	-
1794	B/W - MANAKONDUR (V) , KARIMNAGAR DIST.	TELANGANA	27	29	7.1	7.32	1134	1305	-	-	3.4	5.8	-	-	-	-	-	-	597	820	1	2.66	-	-
1795	B/W. - PANCHAYAT OFFICE , , BOLLARAM (V) MEDAK DIST.	TELANGANA	25	25	7.25	7.39	2215	2215	-	-	9.31	9.31	-	-	-	-	-	-	1285	1285	BDL	BDL	BDL	BDL
1810	B/W - SRI RAMNAGAR COLONY, SHAKKAR NAGAR, BODHAN, NIZAMABAD DIST.	TELANGANA	25	28	7.2	7.39	1865	2499	-	-	19.26	20.32	-	-	-	-	-	-	1079	1425	0.4	0.4	BDL	0.09
1811	B/W. - PRIMARY SCHOOL - RUDRAVELLI (V) , BIBINAGAR (M), NALGONDA DIST.	TELANGANA	25	28	7.21	7.49	1454	1740	-	-	10.27	16.31	-	-	-	-	-	-	848	980	0.3	0.32	BDL	0.09
3088	B/W AT J.NARASIMHA RAO,Ā'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE,	TELANGANA	29	30	6.7	7.92	1393	1451	-	-	6	8.8	-	-	-	-	-	-	886	980	0.9	0.9	0.09	0.09

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	KOTHAGUDEM, KHAMMAM																							
3094	B/W AT AKBARNAGAR, RAMAGUNDAM, KARIMNAGAR	TELANGANA	27	29	7.9	8.25	860	971	-	-	BDL	1.4	-	-	-	-	-	-	500	552	0.9	1.04	-	-
4260	BORE WELL NEAR MSW DUMP YARD, MEDAK TOWN MEDAK DISTRICT	TELANGANA	25	34	7.38	7.46	759	1006	-	-	5.13	14.41	-	-	-	-	-	-	467	580	0.3	0.32	BDL	0.09
4261	BORE WELL AT M/S SHALINI STEELS LTD, IDA BOLLARAM, JINNARAM MANDAL, SANGAREDDY DISTRICT	TELANGANA	25	34	6.61	6.93	3468	4250	-	-	22.33	22.39	-	-	-	-	-	-	2054	2480	0.4	0.5	BDL	0.09
4262	BOREWELL NEAR GRAMPANCHYAT OFFICE, KISTAIPALLY VILLAGE JINNARM MANDAL, SANGAREDDY DISTRICT	TELANGANA	25	32	7	7.13	1848	2179	-	-	15.35	22.41	-	-	-	-	-	-	1088	1274	0.4	0.46	BDL	0.09
4263	BOREWELL NEAR MPP SCHOOL GADDAPOTHARAM VILLAGE, JINNARAM MANDAL, SANGAREDDY DISTRICT	TELANGANA	25	32	6.65	6.87	2880	3690	-	-	21.26	23.22	-	-	-	-	-	-	1658	2108	0.4	0.41	BDL	0.09
4264	BORE WELL WATER POINT AT ZP GIRLS HIGH SCHOOL BHUDAM POCHAMPALLY (V & M) YADADRI DISTRICT	TELANGANA	25	28	7.22	7.43	1870	2481	-	-	18.41	24.46	-	-	-	-	-	-	1080	1420	0.5	0.59	BDL	0.09
4265	B/W AT GRAM PANCHAYATH OFFICE, DOTHIGUDAM	TELANGANA	25	28	7.01	7.45	1272	1847	-	-	16.21	21.23	-	-	-	-	-	-	724	1021	0.34	0.6	BDL	0.09
4266	BOREWELL NEAR PRIMARY SCHOOL, ADLOOR YELLAREDDY (N) SADASHIVANAGAR (M) KAMAREDDY DIST	TELANGANA	25	28	7	7.12	1027	1427	-	-	11.2	12.19	-	-	-	-	-	-	594	830	0.5	0.5	BDL	0.09
4268	BOREWELL LOCATED AT HOUSE OF SRI VITAL RAO, H.NO. 2-42 875, ABESTOS COLONY, GANDHI NAGAR,	TELANGANA	29	29	7.76	7.76	1420	1420	-	-	8.2	8.2	-	-	-	-	-	-	920	920	1	1	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	BALANAGAR, MEDCHAL DISTRICT																							
4269	BOREWELL LOCATED AT HOUSE OF SRI P NEKATESH RAJU, PLOT NO 115,22 321, APIIC, CO-[PERATIVE CONONY, JEEDIMETLA, QUTHBULLAPUR (M) MEDCHAL DISTRICT	TELANGANA	28	28	6.93	6.93	3020	3020	-	-	1.2	1.2	-	-	-	-	-	-	1798	1798	0.9	0.9	-	-
4270	BOREWELL LOCATED AT HOUSE OF P. ANJANEYULU, PLOT NO,25, SHAKTHIPURAM, PRASHANTH NAGAR, I. E. KUKATPALLY, MEDCHAL DISTRICT	TELANGANA	30	30	7.38	7.38	2324	2324	-	-	10.2	10.2	-	-	-	-	-	-	1344	1344	BDL	BDL	-	-
4271	BOREWELL LOCATED AT GOVERNMENT PRIMARY SCHOOL, SY. NO 32 DHULAPALLY (V) QUTHBULLAPUR (M) MEDCHAL DISTRICT.	TELANGANA	28	28	7.14	7.14	1808	1808	-	-	14.2	14.2	-	-	-	-	-	-	1120	1120	1	1	-	-
4272	BOREWELL LOCATED AT RAHIV GRUHA KA;PA, AHMEDGUDA, AMBEDKAR NAGAR, KAPRA MEDCHAL DISTRICT.	TELANGANA	29	29	7.88	7.88	995	995	-	-	2.4	2.4	-	-	-	-	-	-	580	580	1	1	-	-
4273	BOREWELL LOCATED AT THANDA DUNDIGAL (V) DHUNDIGAL (M) MEDCHAL DISTRICT	TELANGANA	30	30	7.03	7.03	2351	2351	-	-	20.2	20.2	-	-	-	-	-	-	1520	1520	BDL	BDL	-	-
4274	BOREWELL POINTS AT THE PERIPHERY OF THE IDA, JEEDIMETLA	TELANGANA	32	32	7.14	7.14	2140	2140	-	-	19.6	19.6	-	-	-	-	-	-	1246	1246	BDL	BDL	-	-
4275	BOREWELL POINTS AT THE PERIPHERY OF THE ISA BALANAGAR	TELANGANA	29	29	7.6	7.6	2267	2267	-	-	11.5	11.5	-	-	-	-	-	-	1352	1352	0.9	0.9	-	-
4276	BOREWELL NEAR GRAM PANCHAYAT OFFICE, KHAZIPALLY VILLAGE, SANGAREDDY DISTRICT	TELANGANA	25	34	6.99	7.43	1758	2259	-	-	19.29	28.33	-	-	-	-	-	-	1020	1308	0.3	0.37	BDL	0.09

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4277	B/W AT ZPHS SULTHANPUR	TELANGANA	25	28	6.94	7.15	3920	5150	-	-	25.35	27.52	-	-	-	-	-	-	2261	3014	0.5	0.53	BDL	0.09
4278	B/W AT AUROBINDO, HATNUR, SANGAREDDY	TELANGANA	25	28	6.84	7.41	1128	1686	-	-	12.11	19.14	-	-	-	-	-	-	657	984	0.4	0.48	BDL	0.09
4279	B/W NEAR M/S ARCH PHARMA, GUNDLA MACHANUR, SANGAREDDY	TELANGANA	25	28	7.2	7.34	1085	1474	-	-	9.16	13.13	-	-	-	-	-	-	683	848	0.5	0.55	BDL	0.09
4280	B,W AT IDS RAMPUR, HANAMKONDA, WARANGAL	TELANGANA	28	29	7.2	7.2	3792	3792	-	-	3.9	3.9	-	-	-	-	-	-	1420	2250	0.59	1.2	0.09	0.09
4281	B/W NEAR BHIMANPALLI VILLAGE (OPEN LAND ) POCHAMPALLY MANDAL	TELANGANA	25	28	7.07	7.48	2651	3350	-	-	26.15	28.18	-	-	-	-	-	-	1562	1926	0.3	0.3	BDL	0.09
4282	B/W NEAR AARLA BAVI (AGRICULTURAL FIELD), POCHAMPALLY MANDAL	TELANGANA	25	28	7	7.11	1194	1482	-	-	10.16	12.12	-	-	-	-	-	-	698	868	BDL	BDL	BDL	0.09
4283	B/W NEAR DANTUR (OPEN LAND), POCHAMPALLY MANDAL	TELANGANA	25	28	7.2	7.38	3540	4100	-	-	28.17	28.19	-	-	-	-	-	-	2028	2420	BDL	0.3	BDL	0.09
4284	B/W NEAR MALKAPUR LAKE, MALKAPUR VILLAGE (AGRICULTURAL FIELD) CHOUTUPPA; MANDAL	TELANGANA	25	28	7.16	7.4	1215	1251	-	-	10.33	14.25	-	-	-	-	-	-	715	718	BDL	0.31	BDL	0.09
4285	B/W NEAR PEDDAKONDUR VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL	TELANGANA	25	28	6.81	7.28	1992	2800	-	-	14.22	20.28	-	-	-	-	-	-	1138	1598	0.3	0.42	BDL	0.09
4286	B/W NEAR ANKIREDDIGUDAM VILLAGE (AGRUCULTURAL FIELD) CHOUTUPPAL MANDAL	TELANGANA	25	28	6.81	7.2	1614	1707	-	-	16.37	20.31	-	-	-	-	-	-	921	992	0.33	0.4	BDL	0.09
4287	B/W NEAR LINGAREDDYGUDAM VILLAGE (BESIDE	TELANGANA	25	28	7.1	7.18	1210	1484	-	-	12.27	12.32	BDL	BDL	BDL	BDL	BDL	BDL	710	868	0.29	0.3	BDL	0.09



Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N2 (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	CHOUTUPPAL- VALIGONDA ROAD) CHOUTUPPAL MANDAL																							
4288	B/W NEAR NAGARAM CHERUVU, DEVALAMMA NAGARAM VILLAGE	TELANGANA	25	28	6.83	7.39	713	793	-	-	5.16	8.18	-	-	-	-	-	-	413	458	0.28	0.3	BDL	0.09
4289	B/W NEAR PITTAM PALLE VILLAGE (OPEN LAND BESIDE VILLAGE ROAD) CHITYAL MANDAL	TELANGANA	25	28	6.7	7.39	1204	1414	-	-	8.19	12.22	-	-	-	-	-	-	695	814	0.4	0.46	BDL	0.09
4290	B/W NEAR PITTAM PEDDAKAPARTHI VIKKAGE (OPEN LAND BESIDE VILLAGE ROAD) CHITYAL MANDAL	TELANGANA	20	28	7.16	7.28	799	822	-	-	4.21	8.25	-	-	-	-	-	-	447	464	0.5	0.58	BDL	0.09

**TABLE 24: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN TRIPURA – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1405	WELL AT UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	24	27	5.6	5.6	106	114	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	68	68	BDL	BDL	BDL	BDL
1406	WELL AROUND UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	23	26.5	5.2	5.63	118	125	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	70	72	BDL	BDL	BDL	BDL
1730	KUNJBAN, AGARTALA, TRIPURA	TRIPURA	24	26	6	6.19	106	112	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	62	62	BDL	BDL	BDL	BDL
1731	LANKAMURA, TRIPURA	TRIPURA	24	25	5.7	5.95	102	108	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	58	BDL	BDL	BDL	BDL
1732	A.D.NAGAR, AGARTALA, TRIPURA	TRIPURA	24	26	5.6	6.01	118	121	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	62	70	BDL	BDL	BDL	BDL
1733	SHIBNAGAR, AGARTALA, TRIPURA	TRIPURA	24	26	5.2	5.87	108	119	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	66	BDL	BDL	BDL	BDL
1734	GANDHIGRAM, AGARTALA, TRIPURA	TRIPURA	24	25	5.2	5.78	106	116	BDL	BDL	BDL	0.51	BDL	BDL	BDL	BDL	BDL	BDL	58	58	BDL	BDL	BDL	BDL
3423	TUBE WELL AT HAPANIA, WEST TRIPURA	TRIPURA	24.5	25.5	6.3	6.47	86	97	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	52	BDL	BDL	BDL	BDL
3424	TUBE WELL AT NAGICHERRA, WEST TRIPURA	TRIPURA	24.5	25.5	5.9	6.15	92	107	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	58	BDL	BDL	BDL	BDL
3425	TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA	TRIPURA	24.5	25.5	5.8	5.94	101	111	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	56	56	BDL	BDL	BDL	BDL
3426	TUBE WELL AT B.C.MANU, SOUTH TRIPURA	TRIPURA	24	25	5.3	5.67	90	106	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	56	BDL	BDL	BDL	BDL
3427	TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA	TRIPURA	24	25	6	6.23	78	91	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	44	52	BDL	BDL	BDL	BDL
3428	TUBE WELL AT BAGAF, SOUTH TRIPURA	TRIPURA	24	25	5	5.25	90	101	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	58	BDL	BDL	BDL	BDL
3429	TUBE WELL AT 82 MILE, DHALAI	TRIPURA	24	24	5.6	5.6	101	101	BDL	BDL	BDL	BDL	-	-	-	-	-	-	58	58	BDL	BDL	BDL	BDL
3430	TUBE WELL AT JAWAHANAGAR, DHALAI	TRIPURA	24	25	6	6.15	86	95	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	40	46	BDL	0.31	BDL	BDL
3431	TUBE WELL AT KULAI, DHALAI	TRIPURA	24	25	5.3	5.86	72	87	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	40	48	BDL	0.48	BDL	BDL
3432	TUBE WELL AT CHURAI BARI (INTERSTATE BOUNDARY), NORTH TRIPURA	TRIPURA	24	25	5.6	5.71	88	95	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	56	BDL	0.77	BDL	BDL
3433	TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	24	25	6.2	6.89	82	95	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	48	BDL	0.79	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3434	TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	24	25	5.8	6.03	74	81	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	42	48	BDL	0.39	BDL	BDL
3435	TUBE WELL AT GOUR NAGAR, NORTH TRIPURA	TRIPURA	24	25	6	6.15	88	99	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	48	BDL	0.29	BDL	BDL
3436	TUBE WELL AT KAILASHAHAR, NORTH TRIPURA	TRIPURA	24	25	5.6	5.97	92	101	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	54	BDL	0.22	BDL	BDL
4185	TUBE WELL AT JIRANIA	TRIPURA	24	25.5	5.6	5.89	103	108	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	56	58	BDL	BDL	BDL	BDL
4186	TUBE WELL AT DOKLI	TRIPURA	24	25	5.6	5.83	106	112	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	62	BDL	BDL	BDL	BDL
4187	TUBE WELL AT BADHARGHAT	TRIPURA	25	25.5	6	6.15	102	111	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	56	56	BDL	BDL	BDL	BDL
4188	TUBE WELL AT ARUNDHATI NAGAR	TRIPURA	24.5	26	6.2	6.41	94	105	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	52	54	BDL	BDL	BDL	BDL
4189	TUBE WELL AT NANADANNAGAR	TRIPURA	24.5	25	5.8	5.97	84	90	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	52	BDL	BDL	BDL	BDL
4190	TUBE WELL AT DEBENDRA CHANDRA NAGAR	TRIPURA	24.5	25	5.3	5.84	86	91	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	52	56	BDL	BDL	BDL	BDL
4191	TUBE WELL AT SURYAMONI NAGAR	TRIPURA	24	25	5.8	5.93	82	90	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	56	BDL	BDL	BDL	BDL
4200	TUBE WELL AT BISHALGARH	TRIPURA	24	25	5.6	5.78	88	97	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	52	56	BDL	BDL	BDL	BDL
4201	TUBE WELL AT SONAMURA	TRIPURA	24	25	5.2	5.84	106	122	BDL	BDL	BDL	0.46	BDL	BDL	BDL	BDL	BDL	BDL	58	68	BDL	BDL	BDL	BDL
4202	TUBE WELL AT BISHRAMGANJ	TRIPURA	24	25	5.2	5.69	116	121	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	62	76	BDL	BDL	BDL	BDL
4203	TUBE WELL AT KARBOOK	TRIPURA	24	25	5.2	5.69	106	118	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	64	BDL	BDL	BDL	BDL
4204	TUBE WELL AT AMARPUR	TRIPURA	24.5	25	5.1	5.7	109	119	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	60	68	BDL	BDL	BDL	BDL
4205	TUBE WELL AT AMAR SAGAR, UDAIPUR	TRIPURA	24	25	5.6	5.92	93	107	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	62	BDL	BDL	BDL	BDL
4206	TUBE WELL AT DHANI SAGAR, UDAIPUR	TRIPURA	24	25	5.3	5.49	102	110	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	56	64	BDL	BDL	BDL	BDL
4207	TUBE WELL AT SABROOM	TRIPURA	24	25	5.4	5.79	96	105	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	58	BDL	BDL	BDL	BDL
4208	TUBE WELL AT JOLAIBARI	TRIPURA	24	25	5.5	5.85	105	119	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	68	BDL	BDL	BDL	BDL
4209	TUBE WELL AT BELONIA	TRIPURA	24	25	5.6	5.91	110	120	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	60	68	BDL	BDL	BDL	BDL
4210	TUBE WELL AT AMBASSA	TRIPURA	24	25	5.1	5.48	90	107	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	58	BDL	BDL	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4211	TUBE WELL AT KAMALPUR	TRIPURA	24	25	5.9	6.11	102	119	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	68	BDL	BDL	BDL	BDL
4212	TUBE WELL AT CHAWMANU	TRIPURA	24.5	24.5	5.6	5.6	107	107	BDL	BDL	BDL	BDL	-	-	-	-	-	-	58	58	BDL	0.22	BDL	BDL
4213	TUBE WELL AT TELIAMURA	TRIPURA	24.5	25	5.3	5.75	89	106	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	56	BDL	BDL	BDL	BDL
4214	TUBE WELL AT KHOWAI	TRIPURA	24	25	5.2	5.49	101	118	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	56	64	BDL	0.22	BDL	BDL
4215	TUBE WELL AT DHARMANAGAR	TRIPURA	24.5	25	5.2	5.79	113	122	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	64	68	BDL	0.83	BDL	BDL
4216	TUBE WELL AT DAMCHERRA	TRIPURA	25	25	5.4	5.63	84	106	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	68	BDL	0.59	BDL	BDL
4217	TUBE WELL AT KANCHANPUR	TRIPURA	25	25	5.1	5.79	108	126	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	58	70	BDL	0.71	BDL	BDL
4218	TUBE WELL AT PANISAGAR	TRIPURA	25	25	5.7	5.81	88	106	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	56	BDL	0.69	BDL	BDL
4636	TUBE WELL AT BISHALGARH	TRIPURA	24	25	6.3	6.59	91	101	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	60	BDL	BDL	BDL	BDL
4637	TUBE WELL AT RAJNAGAR	TRIPURA	24	25	6.3	6.55	82	95	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	54	BDL	BDL	BDL	BDL
4638	TUBE WELL AT CHAMPAKNAGAR	TRIPURA	24	25	6.3	6.69	80	96	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	44	62	BDL	BDL	BDL	BDL
4639	TUBE WELL AT RANIRBAZAR	TRIPURA	24	25	6.6	6.86	84	96	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	64	BDL	BDL	BDL	BDL
4641	TUBE WELL AT MELAGHAR	TRIPURA	25	25	5.87	5.87	84	84	BDL	BDL	0.32	0.32	BDL	BDL	BDL	BDL	BDL	BDL	46	46	BDL	BDL	-	-
4647	TUBE WELL AT MANUBAZAR	TRIPURA	24	25	6.7	6.95	88	96	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	62	BDL	BDL	BDL	BDL
4648	TUBE WELL AT KALADEPHA MANU	TRIPURA	23	24	7.1	7.32	96	107	BDL	BDL	BDL	0.31	BDL	BDL	BDL	BDL	BDL	BDL	54	58	BDL	BDL	BDL	BDL
4651	TUBE WELL AT CHAKMAGHAT, TELIAMURA	TRIPURA	23.5	24	6.8	7.02	92	101	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	56	BDL	BDL	BDL	BDL
4652	TUBE WELL AT TELIAMURA MARKET	TRIPURA	24	25	6.1	6.35	96	107	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	50	70	BDL	BDL	BDL	BDL
4653	TUBE WELL AT PECHARTHAL	TRIPURA	23.5	24.5	6.3	6.48	90	100	BDL	BDL	BDL	0.32	BDL	BDL	BDL	BDL	BDL	BDL	48	66	BDL	0.35	BDL	BDL

**TABLE 25: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN UTTAR PRADESH – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1736	GROUND WATER QUALITY STATION SARDARNAGAR, U.P	UTTAR PRADESH	24	24	6.9	6.9	662	662	4.6	4.6	-	-	-	-	-	-	-	-	340	340	-	-	-	-
1737	GROUND WATER QUALITY STATION CAPTANGANJ, U.P	UTTAR PRADESH	23	23	5.8	5.8	624	624	5.2	5.2	-	-	-	-	-	-	-	-	416	416	-	-	-	-
1738	SITE 1, INDUSTRIAL AREA NEAR M/S WOODWARM CHEMICAL LTD., UNNAO, U.P	UTTAR PRADESH	28	28	7.9	7.9	605	605	-	-	-	-	BDL	BDL	BDL	BDL	-	-	360	360	0.57	0.57	-	-
1739	SITE 2, INDUSTRIAL AREA NEAR M/S AMIN SONS, UNNAO, U.P	UTTAR PRADESH	27	27	7.4	7.4	1024	1024	-	-	-	-	BDL	BDL	BDL	BDL	-	-	624	624	0.66	0.66	-	-
1740	AT ROADWAYS BUS STATION, UNNAO, U.P	UTTAR PRADESH	28	28	7.4	7.4	652	652	-	-	-	-	BDL	BDL	BDL	BDL	-	-	390	390	0.79	0.79	-	-
1741	MAGAWARA INDUSTRIAL AREA NEAR M/S JAMJAM TANNERS, UNNAO, U.P	UTTAR PRADESH	27.9	27.9	7.5	7.5	848	848	-	-	-	-	BDL	BDL	BDL	BDL	-	-	522	522	0.93	0.93	-	-
1746	NAGAR PALIKA TUBE WELL, SULTANPUR, U.P	UTTAR PRADESH	19	19	7.7	7.7	788	788	-	-	-	-	-	-	-	-	-	-	652	652	-	-	-	-
1747	INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY, U.P	UTTAR PRADESH	20	20	7.9	7.9	859	859	-	-	-	-	-	-	-	-	-	-	588	588	-	-	-	-
1749	TUBE WELL AT MEERUT CITY, U.P	UTTAR PRADESH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	456	456	0.8	0.8	-	-
1750	TUBE WELL AT BAGPAT CITY, U.P	UTTAR PRADESH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	550	550	0.7	0.7	-	-
1752	SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P	UTTAR PRADESH	20	20	7.5	7.8	2120	2380	BDL	1.1	BDL	0.43	-	-	-	-	-	-	809	1600	BDL	BDL	-	-
1753	MEERUT ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20	20	7.4	7.8	1110	1340	BDL	BDL	0.32	0.35	-	-	-	-	-	-	750	805	BDL	BDL	-	-
1754	HAPUR ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20	20	7.4	7.8	650	750	BDL	BDL	BDL	0.34	-	-	-	-	-	-	345	389	BDL	BDL	-	-
1755	PILKHUA INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20	20	7.5	7.6	1200	1484	BDL	BDL	BDL	0.32	-	-	-	-	-	-	800	888	BDL	BDL	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1756	GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI, U.P	UTTAR PRADESH	25.5	25.5	7.6	7.6	437	437	-	-	1.34	1.34	-	-	-	-	-	-	262	262	-	-	-	-
1758	GROUND AROUND STP DINAPUR, VARANASI, U.P	UTTAR PRADESH	26	26	7.6	7.6	456	456	-	-	1.38	1.38	-	-	-	-	-	-	275	275	-	-	-	-
1759	IFFCO, PHOOLPUR, ALLAHABAD, U.P	UTTAR PRADESH	25.3	25.8	7.2	7.2	1108	1236	BDL	BDL	0.85	0.91	BDL	BDL	BDL	BDL	-	-	207	225	0.41	0.42	-	-
2467	CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI	UTTAR PRADESH	26.5	26.5	7.7	7.7	495	495	-	-	1.59	1.59	-	-	-	-	-	-	295	295	-	-	-	-
2468	BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR	UTTAR PRADESH	25.5	25.5	7.8	7.8	480	480	-	-	1.25	1.25	-	-	-	-	-	-	188	188	-	-	-	-
2469	AT INDUSTRIAL AREA. NAINI, ALLAHABAD	UTTAR PRADESH	25.6	25.7	7.2	7.3	1272	1345	BDL	BDL	0.84	0.93	BDL	BDL	BDL	BDL	-	-	265	272	0.45	0.48	-	-
2470	AT INDUSTRIAL AREA, FATEHPUR	UTTAR PRADESH	25.5	25.7	6.9	7	1882	1953	BDL	BDL	1.06	1.15	BDL	BDL	BDL	BDL	-	-	111	196	0.47	0.51	-	-
2471	GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR	UTTAR PRADESH	24	24	7.2	7.2	518	518	3.2	3.2	-	-	-	-	-	-	-	-	312	312	-	-	-	-
2472	VILLAGE DAURALA, MEERUT	UTTAR PRADESH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	465	465	0.9	0.9	-	-
2473	KHEKRA, BAGHPAT	UTTAR PRADESH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	550	550	0.7	0.7	-	-
2477	NEAR ARYA KANYA INTER COLLEGE. JALAUN	UTTAR PRADESH	19.2	19.2	7.1	7.1	975	975	-	-	-	-	-	-	-	-	-	-	616	616	-	-	-	-
2479	NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD	UTTAR PRADESH	22	24	7.2	7.2	234	238	BDL	BDL	0.6	0.6	BDL	BDL	34	40	-	-	430	450	BDL	0.22	-	-
2480	NEAR BRAHMAN MAJRA, PILKHANI	UTTAR PRADESH	18	18	7.2	7.2	290	290	-	-	-	-	BDL	BDL	BDL	BDL	-	-	160	160	-	-	-	-

**TABLE 26: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN UTTARAKHAND – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1748	HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD.	UTTARAKHAND	30	33	7.3	8	258	350	1.2	3.2	-	-	-	-	-	-	-	-	190	241	-	-	-	-
3441	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2	UTTARAKHAND	29	31	6.5	7.4	460	549	4	8	-	-	-	-	-	-	-	-	310	368	-	-	-	-
3442	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1	UTTARAKHAND	30	33	6.9	7.8	320	420	1.4	1.6	-	-	-	-	-	-	-	-	238	290	-	-	-	-
3443	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2	UTTARAKHAND	30	33	7.1	7.5	303	390	2	2.2	-	-	-	-	-	-	-	-	226	268	-	-	-	-
3444	GROUND WATER AT SANTIPURI KICHHA- 1	UTTARAKHAND	31	33	7	7.2	312	440	2	2.4	-	-	-	-	-	-	-	-	230	301	-	-	-	-
3445	GROUND WATER AT SANTIPURI KICHHA- 2	UTTARAKHAND	30	33	6.9	7.8	296	430	1.6	2	-	-	-	-	-	-	-	-	204	287	-	-	-	-
3446	GROUND WATER AT KASHIPUR MORADABAD ROAD- 1	UTTARAKHAND	27	29	7.5	7.8	280	410	1.6	2.1	-	-	-	-	-	-	-	-	190	275	-	-	-	-
3447	GROUND WATER AT KASHIPUR MORADABAD ROAD- 2	UTTARAKHAND	27	30	7.1	7.6	374	380	1.6	2	-	-	-	-	-	-	-	-	251	256	-	-	-	-
3448	GROUND WATER AT KASHIPUR BAJPUR ROAD- 1	UTTARAKHAND	33	33	7.2	7.2	300	300	6	6	-	-	-	-	-	-	-	-	203	203	-	-	-	-
3449	GROUND WATER AT KASHIPUR BAJPUR ROAD- 2	UTTARAKHAND	29	33	7	7.8	304	480	1.8	2	-	-	-	-	-	-	-	-	213	325	-	-	-	-
3450	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, ROSHANABAD COLLECTORATE, HARIDWAR	UTTARAKHAND	22	22	7	7	555	555	2	2	-	-	-	-	-	-	-	-	-	-	BDL	BDL	BDL	BDL
3451	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, SALEEMPUR CHOWK,ROORKEE,HARI DWAR	UTTARAKHAND	28	28	7.3	7.3	604	604	-	-	-	-	BDL	BDL	BDL	BDL	-	-	371	371	BDL	BDL	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3452	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 1	UTTARAKHAND	26	26	7.8	7.8	356	356	-	-	-	-	BDL	BDL	BDL	BDL	-	-	288	288	-	-	-	-
3453	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2, SIKANDERPUR, LAKHESWARI, ROORKEE, HARIDWAR	UTTARAKHAND	25	25	7.3	7.3	552	552	-	-	-	-	BDL	BDL	BDL	BDL	-	-	342	342	-	-	-	-
3456	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 1, DEHRADUN	UTTARAKHAND	17	17	7.5	7.5	125	125	-	-	-	-	-	-	2	2	-	-	82	82	-	-	-	-
3457	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 2, DEHRADUN	UTTARAKHAND	18	18	7.5	7.5	210	210	-	-	-	-	-	-	2	2	-	-	136	136	-	-	-	-



**TABLE 27: WATER QUALITY DATA OF GROUND WATER UNDER NWMP IN WEST BENGAL – 2020**

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1766	MINE PIT WATER ASSANSOL, WEST BENGAL	WEST BENGAL	30	30	7.77	7.77	676	676	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	376	376	0.51	0.51	-	-
1767	DURGAPUR TOWN, NEAR IISCO, BURDWAN, WEST BENGAL	WEST BENGAL	29	29	7.48	7.48	293	293	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	188	188	0.33	0.33	-	-
1768	DURGAPUR TOWN, BURDWAN, WEST BENGAL	WEST BENGAL	28	28	6.86	6.86	472	472	BDL	BDL	BDL	BDL	2	2	4	4	-	-	346	346	0.21	0.21	-	-
1769	INSIDE HINDUSTAN LIVER FACTORY, HALDIA, WEST BENGAL	WEST BENGAL	35	35	6.65	6.65	1219	1219	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	704	704	0.28	0.28	-	-
1770	NEAR IOC REFINERY HALDIA, WEST BENGAL	WEST BENGAL	33	33	6.88	6.88	1755	1755	BDL	BDL	0.4	0.4	BDL	BDL	BDL	BDL	BDL	BDL	1094	1094	0.3	0.3	-	-
1771	KALYANI INDUSTRIAL AREA, NADIA, WEST BENGAL	WEST BENGAL	29	29	7.73	7.73	904	904	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	452	452	0.26	0.26	BDL	BDL
1772	BARSAT MUNICIPALITY NORTH 24-P, WEST BENGAL	WEST BENGAL	27	27	8.1	8.1	390	390	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	220	220	0.28	0.28	BDL	BDL
1773	TANGRA, CALCUTTA , WEST BENGAL	WEST BENGAL	29	29	7.08	7.08	1931	1931	BDL	BDL	0.7	0.7	80	80	230	230	-	-	1374	1374	BDL	BDL	BDL	BDL
1774	TOPSIA CALCUTTA, WEST BENGAL	WEST BENGAL	30	30	7.12	7.12	1918	1918	BDL	BDL	0.7	0.7	BDL	BDL	BDL	BDL	BDL	BDL	1250	1250	0.32	0.32	BDL	BDL
1775	DHAPA CALCUTTA, WEST BENGAL	WEST BENGAL	26	26	7.03	7.03	1744	1744	BDL	BDL	1.5	1.5	BDL	BDL	BDL	BDL	BDL	BDL	854	854	0.38	0.38	BDL	BDL
1776	GARIA CALCUTTA, WEST BENGAL	WEST BENGAL	29	29	7.16	7.16	1017	1017	BDL	BDL	0.7	0.7	BDL	BDL	BDL	BDL	BDL	BDL	488	488	0.73	0.73	BDL	BDL
1777	BEHALA CALCUTTA, WEST BENGAL	WEST BENGAL	29	29	7.47	7.47	1048	1048	BDL	BDL	1.6	1.6	4	4	11	11	-	-	334	334	0.32	0.32	BDL	BDL
1778	DOMJUR HOWRAH, WEST BENGAL	WEST BENGAL	27	27	7.28	7.28	776	776	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	308	308	0.28	0.28	BDL	BDL
1779	DANKUNI (NEAR COAL COMPLEX), WEST BENGAL	WEST BENGAL	28	28	7.9	7.9	1081	1081	BDL	BDL	0.7	0.7	16	16	23	23	-	-	642	642	0.47	0.47	BDL	BDL
1813	RISHRA, WEST BENGAL	WEST BENGAL	28	28	7.88	7.88	753	753	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	375	375	0.42	0.42	BDL	BDL
1931	COSSIPORE - NORTH KOLKATA	WEST BENGAL	29	29	7.43	7.43	1739	1739	BDL	BDL	1.4	1.4	BDL	BDL	4	4	-	-	916	916	0.34	0.34	BDL	BDL

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1932	CENTRAL KOLKATA	WEST BENGAL	30	30	7.15	7.15	565	565	BDL	BDL	0.7	0.7	BDL	BDL	BDL	BDL	BDL	BDL	316	316	0.55	0.55	BDL	BDL
1933	NEAR GALVANISATION UNIT, HOWRAH	WEST BENGAL	30	30	7.19	7.19	1683	1683	BDL	BDL	0.5	0.5	13	13	27	27	-	-	784	784	0.44	0.44	BDL	BDL
1934	CENTRAL HOWRAH-RESIDENTIAL AREA	WEST BENGAL	29	29	7.55	7.55	1027	1027	BDL	BDL	0.4	0.4	BDL	BDL	BDL	BDL	BDL	BDL	558	558	0.42	0.42	BDL	BDL
1935	INSIDE KOLKATA LEATHER COMPLEX	WEST BENGAL	27	27	7.27	7.27	1434	1434	BDL	BDL	2.7	2.7	BDL	BDL	BDL	BDL	BDL	BDL	532	532	0.39	0.39	BDL	BDL
1936	RESIDENTIAL AREA - SONARPUR	WEST BENGAL	29	29	7.5	7.5	927	927	BDL	BDL	1.6	1.6	BDL	BDL	BDL	BDL	BDL	BDL	350	350	0.28	0.28	BDL	BDL
1937	RAJARHAT - NEW TOWNSHIP	WEST BENGAL	30	30	7.02	7.02	2084	2084	BDL	BDL	2.4	2.4	BDL	BDL	BDL	BDL	BDL	BDL	1066	1066	0.66	0.66	BDL	BDL
1938	BSIRHAT MUNICIPALITY	WEST BENGAL	27	27	8.49	8.49	1367	1367	BDL	BDL	0.7	0.7	4	4	7	7	-	-	836	836	BDL	BDL	BDL	BDL
1939	BARRAKPORE MUNICIPALITY	WEST BENGAL	28	28	7.66	7.66	409	409	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	216	216	0.55	0.55	BDL	BDL
1940	NEAR THE PHOSPHATE COMPANY-RISHRA	WEST BENGAL	29	29	7.58	7.58	633	633	BDL	BDL	BDL	BDL	9	9	12	12	-	-	346	346	0.32	0.32	BDL	BDL
1941	NEAR FLY ASH DUMPING SITE-KUNTIGHAT, BANDEL	WEST BENGAL	28	28	7.93	7.93	416	416	BDL	BDL	0.5	0.5	BDL	BDL	2	2	-	-	276	276	0.23	0.23	BDL	BDL
1942	NEAR EXIDE INDUSTRIES-HALDIA	WEST BENGAL	32	32	7.03	7.03	1313	1313	BDL	BDL	0.8	0.8	BDL	BDL	BDL	BDL	BDL	BDL	778	778	0.27	0.27	-	-
1943	INSIDE TATA METALIKS, KHARAGPUR	WEST BENGAL	29	29	6.85	6.85	554	554	BDL	BDL	0.4	0.4	BDL	BDL	BDL	BDL	BDL	BDL	292	292	BDL	BDL	-	-
1944	KHARAGPUR INDUSTRIAL AREA	WEST BENGAL	29	29	6.83	6.83	128	128	BDL	BDL	2.1	2.1	BDL	BDL	BDL	BDL	BDL	BDL	-	-	BDL	BDL	-	-
1945	ENGLISH BAZAR-MALDAH	WEST BENGAL	25	25	7.84	7.84	1125	1125	BDL	BDL	0.7	0.7	2	2	7	7	-	-	378	378	0.31	0.31	BDL	BDL
2510	GEOKHALI BUNGLOW MIDNAPUR-EAST	WEST BENGAL	30	30	7.14	7.14	1016	1016	BDL	BDL	0.8	0.8	BDL	BDL	BDL	BDL	BDL	BDL	592	592	0.3	0.3	-	-
2515	SDO OFFICE, RANAGHAT	WEST BENGAL	27	27	7.6	7.6	589	589	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	272	272	0.37	0.37	BDL	BDL
2516	SDO OFFICE, KRISHNANAGAR	WEST BENGAL	28	28	8.22	8.22	691	691	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	410	410	0.21	0.21	BDL	BDL
2526	FULBARI BARRAGE	WEST BENGAL	-	-	7.78	7.78	11	11	BDL	BDL	1.2	1.2	60	60	140	140	-	-	-	-	BDL	BDL	-	-
2528	GROUND WATER POINT INSIDE BURDWAN UNIVERSITY	WEST BENGAL	30	30	6.92	6.92	421	421	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	356	356	BDL	BDL	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2529	GROUND WATER POINT NEAR BURDWAN STATION	WEST BENGAL	30	30	6.89	6.89	1239	1239	BDL	BDL	0.6	0.6	BDL	BDL	BDL	BDL	BDL	BDL	826	826	BDL	BDL	-	-
2530	HOT SPRING AT BAKRESHWAR	WEST BENGAL	63	63	9.37	9.37	565	565	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	400	400	0.26	0.26	-	-
2533	SURI TOWN NEAR BUS STAND	WEST BENGAL	31	31	7.1	7.1	765	765	BDL	BDL	BDL	BDL	2	2	4	4	-	-	584	584	0.51	0.51	-	-
2535	VISVA BHARATI	WEST BENGAL	31	31	7.3	7.3	491	491	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	294	294	0.48	0.48	-	-
2536	NALHATI RAILWAY STATION OF BIRBHUM	WEST BENGAL	30	30	7.15	7.15	874	874	BDL	BDL	0.6	0.6	2	2	6	6	-	-	728	728	0.51	0.51	-	-
2537	BOLPUR NEAR RAILWAY STATION	WEST BENGAL	30	30	6.97	6.97	297	297	BDL	BDL	0.6	0.6	BDL	BDL	BDL	BDL	BDL	BDL	186	186	0.44	0.44	-	-
2538	MOREGRAM CROSSING	WEST BENGAL	29	29	7.5	7.5	293	293	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	204	204	0.23	0.23	-	-
2540	SATI GHAT AT BANKURA TOWN	WEST BENGAL	29	29	7.18	7.18	1164	1164	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	760	760	0.47	0.47	-	-
2542	DWARIKA AT BISHNUPUR TOWN	WEST BENGAL	28.5	28.5	6.24	6.24	281	281	BDL	BDL	0.6	0.6	BDL	BDL	BDL	BDL	BDL	BDL	216	216	0.21	0.21	-	-
2543	SDO OFFICE AT BISHNUPUR TOWN	WEST BENGAL	28	28	7.74	7.74	180	180	BDL	BDL	0.7	0.7	BDL	BDL	BDL	BDL	BDL	BDL	172	172	0.36	0.36	-	-
2545	GROUND WATER POINT AT PURULIA RK MISSION	WEST BENGAL	29	29	6.94	6.94	1653	1653	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1230	1230	BDL	BDL	-	-
2546	ULUBERIA COLLEGE AT HOWRAH	WEST BENGAL	29	29	7.15	7.15	1020	1020	BDL	BDL	3.1	3.1	BDL	BDL	BDL	BDL	-	-	242	242	0.23	0.23	BDL	BDL
2547	AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S)	WEST BENGAL	29	29	7.02	7.02	6042	6042	2.6	2.6	1.3	1.3	BDL	BDL	BDL	BDL	BDL	BDL	4012	4012	0.7	0.7	BDL	BDL
2548	HIDCO OFFICE, RAJARHAT	WEST BENGAL	31	31	7.41	7.41	253	253	2.3	2.3	1.4	1.4	8	8	17	17	-	-	24	24	0.34	0.34	BDL	BDL
4706	GROUND WATER AT KHARDAH	WEST BENGAL	28	28	7.52	7.52	1041	1041	BDL	BDL	0.4	0.4	BDL	BDL	BDL	BDL	BDL	BDL	644	644	0.51	0.51	BDL	BDL
4707	GROUND WATER AT NAIHATI	WEST BENGAL	30	30	7.91	7.91	231	231	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	148	148	0.32	0.32	BDL	BDL
4708	GROUND WATER AT BERHAMPORE	WEST BENGAL	28	28	7.91	7.91	864	864	BDL	BDL	BDL	BDL	7	7	9	9	-	-	490	490	0.35	0.35	BDL	BDL
4709	GROUND WATER AT CHINSURA	WEST BENGAL	29	29	7.94	7.94	289	289	BDL	BDL	0.6	0.6	BDL	BDL	BDL	BDL	BDL	BDL	150	150	0.38	0.38	BDL	BDL
4712	BORE WELL INSIDE M/S UNITED PHOSPHOROUS LIMITED	WEST BENGAL	32	32	7.12	7.12	2262	2262	1.1	1.1	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	1582	1582	0.24	0.24	-	-

Station Code	Name of Monitoring Location	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate - N + Nitrite - N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Faecal Streptococci (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4713	TUB WELL BESIDE GREEN BELT CANAL POINT NO.8	WEST BENGAL	32	32	7.02	7.02	1387	1387	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	876	876	0.23	0.23	-	-
4714	GROUND WATER AT ANGADPUR ANGADPUR DURGAPUR	WEST BENGAL	28	28	8.04	8.04	454	454	BDL	BDL	BDL	BDL	2	2	6	6	-	-	352	352	0.21	0.21	-	-
4715	GROUND WATER AT MUCHIPARA DURGAPUR	WEST BENGAL	28	28	7.63	7.63	232	232	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	118	118	0.34	0.34	-	-
4716	GROUND WATER AT HURALALPUR, PURULIA	WEST BENGAL	28.5	28.5	7.41	7.41	1084	1084	BDL	BDL	0.5	0.5	BDL	BDL	BDL	BDL	BDL	BDL	678	678	0.31	0.31	-	-
4721	GROUND WATER AT MATIGARA BAZAAR	WEST BENGAL	26	26	7.4	7.4	86	86	BDL	BDL	1.7	1.7	BDL	BDL	BDL	BDL	BDL	BDL	-	-	0.22	0.22	-	-
4726	GROUND WATER MIRIK DUGWELL	WEST BENGAL	14	14	7.1	7.1	148	148	BDL	BDL	2.1	2.1	BDL	BDL	BDL	BDL	BDL	BDL	110	110	BDL	BDL	-	-
4730	GROUND WATER (DUGWELL) AT HARISHPAL MORE	WEST BENGAL	25	25	7.6	7.6	668	668	BDL	BDL	1.52	1.52	BDL	BDL	BDL	BDL	BDL	BDL	188	188	BDL	BDL	-	-
4731	GROUNDWATER AT UTTARBANGA KRISHI VISHWAVIDYALAYA	WEST BENGAL	26	26	7.4	7.4	198	198	BDL	BDL	0.9	0.9	BDL	BDL	BDL	BDL	BDL	BDL	178	178	BDL	BDL	-	-
4732	GROUNDWATER AT ANANDA MOHAN COMMERCE COLLEGE	WEST BENGAL	30	30	7.2	7.2	421	421	BDL	BDL	1.3	1.3	BDL	BDL	BDL	BDL	BDL	BDL	164	164	0.24	0.24	-	-
4733	GROUNDWATER AT SUKNA FOREST RANGE	WEST BENGAL	27	27	7.3	7.3	286	286	BDL	BDL	1.3	1.3	BDL	BDL	BDL	BDL	BDL	BDL	210	210	BDL	BDL	-	-
4734	TUBE WELL INSIDE MAHISHADAL RAJBARI	WEST BENGAL	29	29	7.37	7.37	1045	1045	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	602	602	0.28	0.28	-	-
4735	TUBE WELL INSIDE MECHEDA BUS STAND	WEST BENGAL	28	28	7.06	7.06	916	916	BDL	BDL	0.8	0.8	BDL	BDL	BDL	BDL	BDL	BDL	566	566	0.24	0.24	-	-
4736	TUBE WELL AT OLD DIGHA	WEST BENGAL	31	31	6.95	6.95	880	880	BDL	BDL	1.2	1.2	BDL	BDL	BDL	BDL	BDL	BDL	552	552	0.35	0.35	-	-
4737	GROUND WATER AT SHYAMPUR BUDGE BUDGE	WEST BENGAL	26	26	6.75	6.75	4275	4275	BDL	BDL	1	1	BDL	BDL	BDL	BDL	BDL	BDL	2552	2552	0.74	0.74	BDL	BDL

**Note:-** Above data is as per the information provided by the SPCBs/PCCs through EWQDES Portal. Further clarifications, if any may please be obtained from respective SPCB/PCC

**BDL** values for Dissolved Oxygen (**0.3 mg/L**), Conductivity (**5 µmhos/cm**), BOD (**1 mg/L**), Nitrate-N + Nitrite-N (**0.3 mg/L**), Faecal Coliform, Total Coliform & Faecal Streptococci (**1.8 MPN/100 ml**), Total Dissolved Solids (**10 mg/L**), Fluoride (**0.2 mg/L**) and Arsenic (**0.01 mg/L**)