

**TABLE - 1: WATER QUALITY OF GROUND WATER IN ANDHRA PRADESH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
26	WELL AT GRAM PANCHAYAT OFFICE, KANURU, VIJAYWADA	ANDHRA PRADESH	25.0	26.0	3.9	4.8	7.8	7.9	1814	1841	0.8	1.4	0.48	3.43	2	3	39	400
1513	BOREWELL KRISHNA MURTHY, D.NO. 48-16-43 AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	26.0	26.0	3.8	4.5	7.4	7.7	1796	1873	0.8	1.4	0.74	3.81	2	3	64	800
1514	BOREWELL VIJAY KUMAR AUTONAGAR VIJAYAWADA	ANDHRA PRADESH	25.0	26.0	4.8	5.1	7.4	7.7	1561	1875	1.2	4.1	0.83	0.85	2	3	21	400
1516	BOREWELL OF NAVLOK GARDENS, NELLORE	ANDHRA PRADESH	19.0	19.0	3.8	3.9	7.8	8.1	890	1566	1.2	1.2	1.50	1.66	2	3	21	400
1517	BOREWELL NEAR TUNGBHADRA RIVER KURNOOL	ANDHRA PRADESH	22.0	22.0	4.5	4.5	7.5	7.5	5010	5010	0.8	0.8	4.00	4.00	2	2	2	2
1518	BOREWELL AT NANDYAL (KUNDU)	ANDHRA PRADESH	21.0	23.0	4.6	5.7	6.8	7.2	6620	7410	0.7	0.8	2.10	3.96	2	2	2	2
1519	BOREWELL AT NAGIRI	ANDHRA PRADESH	29.0	30.0	4.2	4.8	6.6	7.0	1820	2160	0.5	1.0	1.70	2.90	2	2	2	2
1520	BOREWELL NEAR SWARNAMUKHI RIVER AT SRIKALAHASTI	ANDHRA PRADESH	29.0	30.0	4.4	5.3	6.7	7.4	789	830	0.5	0.8	1.20	2.14	2	2	2	2
1521	OPEN WELL NEAR RAMA TEMPLE , WARD NO.2 , MINDI , VISAKHAPATNAM	ANDHRA PRADESH	28.0	28.0	4.5	5.6	7.4	8.5	2229	2295	1.2	1.5	10.81	16.35	11	21	150	240
1522	OPEN WELL PEDDANUVVI - VIZIANAGARAM	ANDHRA PRADESH	27.0	27.0	4.0	4.5	7.0	8.3	597	2669	1.0	1.4	0.38	10.47	9	11	93	150
1523	BOREWELL NEAR M/S ANDHRA SUGARS LTD. , KOVVUR	ANDHRA PRADESH	29.0	31.0	4.2	5.2	7.4	7.4	289	326	0.8	1.7	0.09	0.28	3	4	28	45
1524	OPEN WELL NEAR PARTAP NAGAR BRIDGE -KAKINADA	ANDHRA PRADESH	27.0	30.0	5.6	5.8	7.6	7.8	1089	2641	1.1	1.3	1.17	2.27	7	9	93	120
3087	BORE WELL NEAR VILLAGE SECRETARIAT, PATHAPADU (V)	ANDHRA PRADESH	26.0	28.0	4.1	4.5	7.5	7.8	2093	2152	0.8	1.0	2.74	2.80	2	3	75	800
3089	HAND PUMP AT TANAM VILL., VISHAKHAPATNAM	ANDHRA PRADESH	28.0	28.0	4.0	5.0	7.6	8.7	982	2359	2.0	2.0	9.98	10.84	11	15	21	150
3090	HAND PUMP AT PITTAVANIPALEM, VISHAKHAPATNAM	ANDHRA PRADESH	27.0	28.0	3.3	5.8	7.1	7.6	3543	4652	0.3	1.6	11.27	23.85	9	15	23	150
3091	BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM	ANDHRA PRADESH	27.0	28.0	5.4	5.5	7.4	7.5	1997	2849	1.3	1.9	5.09	5.22	7	9	93	240

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3092	BORE WELL AT ARINAMA AKKIVALASA, SRIKAKULAM	ANDHRA PRADESH	26.0	27.0	4.5	4.8	7.3	8.4	1059	1200	0.5	1.3	8.14	10.53	7	15	63	150
3093	BORE WELL AT ALLADAPALEM VILLAGE, PYDIBHIMAVARAM	ANDHRA PRADESH	28.0	29.0	4.7	5.0	7.8	8.2	1274	1876	0.8	2.6	10.41	20.06	7	11	110	110
4350	BOREWELL AT ZP HIGH SCHOOL, UDDANAM REGION, AMALAPADU (V) VAJRAPUKOTTURU	ANDHRA PRADESH	26.0	26.0	6.0	6.3	7.0	7.9	967	1291	0.6	1.7	10.50	11.22	7	7	63	63
4353	BORE WELL AT MANGARAJU HOUSE, GAJAPATHINAGARAM VILLAGE, PAYAKARAOPETA (M)	ANDHRA PRADESH	25.0	25.0	6.1	6.1	7.5	7.5	2457	2457	1.0	1.0	10.96	10.96	4	4	63	63
4354	BORE WELL, SRI NOOKATATA TEMPLE RAJAYYAPETA VILLAGE, NAKKAPALLI (M)	ANDHRA PRADESH	25.0	25.0	6.8	6.8	7.9	7.9	13150	13150	2.3	2.3	5.30	5.30	9	9	39	39
4355	BORE WELL, CHIPPADU VILLAGE, BHEEMUNIPATNAM (M)	ANDHRA PRADESH	26.0	26.0	7.2	7.2	7.5	7.5	314	314	1.1	1.1	9.97	9.97	15	15	75	75
4360	BORE WELL AT IDA, RAMANAYYAPETA, KKAINADA	ANDHRA PRADESH	25.0	25.0	5.1	5.1	7.1	7.1	1560	1560	1.2	1.2	8.94	8.94	4	4	93	93
4364	BOREWELL AT RAJIV GRUHA KA;PA, NEAR AP PAPER MAILLS WORKERS COLONY, MALLAYAPETA, KATHERU, RAJAMAHENDRAVARAM	ANDHRA PRADESH	27.0	27.0	4.9	4.9	7.3	7.3	892	892	1.5	1.5	7.65	7.65	4	4	69	69
4376	BOREWELL WATER , APIIC OFFICE, IDA KONDAPALLI, IBRAHIMPATNAM (M)	ANDHRA PRADESH	25.0	29.0	4.0	4.2	7.6	7.9	2990	3082	1.2	1.2	3.22	3.84	2	3	400	460
4377	BOREWELL AT IMITATION JEWELLARY PARK, MACHILIPATNAM	ANDHRA PRADESH	26.0	26.0	3.9	4.2	7.9	8.5	1770	5590	0.8	0.8	2.84	4.02	2	3	23	800
4380	BOREWELL WATER , SRI VENKATESWARA SWAMY TEMPLE, VENKATAPALEM (V), TULLUR (M)	ANDHRA PRADESH	21.0	22.0	4.3	4.5	7.1	7.5	782	972	0.8	0.8	3.60	4.97	2	3	28	220
4382	BOREWELL WATER POLICE STATION, AUTONAGAR, PEDAKAKANI, GUNTUR	ANDHRA PRADESH	21.0	21.0	4.4	4.4	7.5	7.5	3800	3800	0.8	0.8	6.00	6.00	3	3	15	15
4384	BOREWELL IN FRONT OF M/S BHAGEERADHA CHEMICALS & INDUSTRIES LTD,	ANDHRA PRADESH	24.0	30.0	4.2	4.6	7.4	8.2	6320	10000	0.8	1.8	5.40	9.20	2	3	120	380

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	CHERUVUKOMMUPALEM (V) ONGOLE (M)																	
4392	BOREWELL NEAR SRI GOVINDARAJA SWAMY TEMPLE, TIRUPATI TOWN	ANDHRA PRADESH	28.0	36.0	4.8	5.3	6.5	6.9	1230	1280	0.5	0.5	1.13	3.60	2	2	2	2
4393	CLOSED MSW DUMPSITE, UKKAYAPALLI (V), KADAPA (M)	ANDHRA PRADESH	24.0	26.0	3.6	4.2	7.2	7.4	2870	3230	0.7	2.6	3.60	9.50	2	2	2	2
4394	BOREWELL AT APLLC OFFICE INDUSTRIAL ESTATE GROWTH CENTRE, THUMAKUNTA, HINDUPUR (M)	ANDHRA PRADESH	25.0	26.0	4.2	4.4	6.4	7.0	2370	3470	0.5	1.5	2.10	19.60	2	2	2	2
4395	BOREWELL AT APLLC OFFICE INDUSTRIAL ESTATE, ANANTAPURAM (M)	ANDHRA PRADESH	21.0	25.0	4.2	4.4	6.7	7.2	2240	2820	0.7	0.7	1.90	2.70	2	2	2	2

**TABLE - 2: WATER QUALITY OF GROUND WATER IN ASSAM - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1533	GROUND WATER AT DIGBOI, TINSUKIA DISTT., ASSAM	ASSAM	19.0	26.0	0.0	0.0	6.5	6.8	145	452	1.7	2.6	0.80	0.80	2	2	2	2
1534	GROUND WATER AT KARBI ANGLONG DISTT., ASSAM	ASSAM	21.0	26.0	0.0	0.0	6.6	7.0	60	97	1.6	3.8	1.00	1.10	2	2	2	2
1535	GROUND WATER AT SIBSAGAR GOVT ME SCHOOL WARD 6, RED CROSS ROAD , ASSAM	ASSAM	23.0	25.0	0.0	0.0	7.1	7.6	213	290	1.8	2.8	1.00	1.20	2	2	2	2
1536	GROUND WATER NEAR BPMS H.S. SCHOOL SONARI TOWN DIST CHARAIDEO	ASSAM	24.0	30.0	0.0	0.0	7.2	7.9	233	296	1.0	2.0	0.70	1.00	2	2	2	2
1537	GROUND WATER AT (JORHAT, ASSAM)	ASSAM	25.0	25.0	0.0	0.0	7.0	7.5	130	237	1.1	2.3	1.20	3.20	2	2	2	2
1538	GROUND WATER AT SILCHAR, ASSAM	ASSAM	23.0	24.0	0.0	0.0	6.3	6.4	96	116	1.2	2.0	1.00	1.70	2	2	2	2
1539	GROUND WATER AT BARPETA, ASSAM	ASSAM	26.0	27.0	0.0	0.0	7.2	7.5	278	578	1.3	1.6	0.70	0.70	2	2	2	2
1540	GROUND WATER AT BONAIGAON, ASSAM	ASSAM	26.0	28.0	0.0	0.0	7.2	7.3	104	110	1.4	1.8	1.10	1.20	2	2	2	2
1541	GROUND WATER AT NOONMATI GUWAHATI, ASSAM	ASSAM	22.0	29.0	0.0	0.0	7.1	7.2	187	445	1.2	1.2	0.50	2.80	2	2	2	2
1542	GROUND WATER AT SIJUBARI MAZAR, NATBOMA HATIGAON	ASSAM	25.0	26.0	0.0	0.0	7.0	7.1	44	49	1.5	2.6	0.70	1.00	2	2	2	2
2243	GROUND WATER FROM LEDO, MARGHERITA, ASSAM	ASSAM	18.0	26.0	0.0	0.0	5.4	6.6	214	221	1.8	2.7	0.70	0.90	2	2	2	2
2244	GROUND WATER FROM NAZIRA, ASSAM	ASSAM	25.0	30.0	0.0	0.0	7.3	7.6	245	283	0.8	2.0	1.00	2.00	2	2	2	2
2245	GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY), ASSAM	ASSAM	24.0	27.0	0.0	0.0	5.4	6.6	116	140	1.3	4.2	1.00	1.00	2	2	2	2
2246	GROUND WATER FROM SEMENCHAPARI, ASSAM	ASSAM	18.0	24.0	0.0	0.0	7.0	7.2	109	144	1.1	2.1	0.70	1.00	2	2	2	2
2247	GROUND WATER FROM SILAPATHAR, ASSAM	ASSAM	18.0	24.0	0.0	0.0	6.8	6.9	23	191	1.2	1.8	0.80	1.00	2	2	2	2
2248	GROUND WATER FROM LAKHIMPUR TOWN, ASSAM	ASSAM	28.0	30.0	0.0	0.0	7.0	7.1	135	140	1.5	3.4	0.70	0.80	2	2	2	2
2249	GROUND WATER FROM TEZPUR (MISSION CHARIALI), ASSAM	ASSAM	26.0	27.0	0.0	0.0	6.7	7.2	137	268	1.0	2.0	0.30	0.70	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2250	GROUND WATER FROM NAGAON (PANIGAON), ASSAM	ASSAM	24.0	29.0	0.0	0.0	7.1	7.3	164	364	1.3	1.9	1.00	1.30	2	2	2	2
2251	GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT, ASSAM	ASSAM	27.0	29.0	0.0	0.0	6.3	6.3	40	919	1.3	4.0	0.70	1.60	2	2	2	2
2252	GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI, ASSAM	ASSAM	25.0	26.0	0.0	0.0	6.9	7.2	162	170	2.0	3.8	0.60	0.90	2	2	2	2
2253	GROUND WATER FROM NALBARI, ASSAM	ASSAM	26.0	29.0	0.0	0.0	6.8	7.8	171	301	1.2	4.2	0.60	1.10	2	2	2	2
2254	GROUND WATER FROM BARPETA ROAD(RLY STATION), ASSAM	ASSAM	28.0	28.0	0.0	0.0	7.0	7.6	264	364	1.3	1.4	0.80	0.90	2	2	2	2
2255	GROUND WATER NEAR BPRL, DHALIGAON, ASSAM	ASSAM	23.0	28.0	0.0	0.0	7.2	7.3	96	99	1.1	3.0	0.80	0.90	2	2	2	2
2256	GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL ), ASSAM	ASSAM	26.0	29.0	0.0	0.0	6.5	7.1	168	268	1.1	1.2	1.00	1.10	2	2	2	2
2257	GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR ), ASSAM	ASSAM	28.0	30.0	0.0	0.0	7.0	7.0	180	280	1.3	1.7	1.00	1.00	2	2	2	2
2258	GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE ), ASSAM	ASSAM	25.0	29.0	0.0	0.0	7.0	7.7	201	299	1.3	2.0	1.00	1.20	2	2	2	2
2259	GROUND WATER FROM DIPHU (GOVT. COLLEGE), ASSAM	ASSAM	20.0	27.0	0.0	6.5	7.2	8.1	56	739	1.2	4.0	1.10	2.00	2	730	2	2000
2260	GROUND WATER FROM HAMREN, ASSAM	ASSAM	23.0	24.0	0.0	0.0	5.8	6.2	90	152	1.0	1.6	0.80	1.60	2	2	2	2
2261	GROUND WATER FROM HAFLONG, ASSAM	ASSAM	20.0	21.0	0.0	0.0	6.7	7.2	116	126	1.2	1.3	0.80	0.80	2	2	2	2
2262	GROUND WATER FROM KARIMGANJ (COLLEGE), ASSAM	ASSAM	23.0	23.0	0.0	0.0	6.1	7.2	102	112	1.4	1.9	0.70	0.80	2	2	2	2
2263	GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND ), ASSAM	ASSAM	23.0	24.0	0.0	0.0	6.4	6.4	186	196	1.2	1.3	0.70	0.90	2	2	2	2
2264	GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL, ASSAM	ASSAM	23.0	24.0	0.0	0.0	6.3	6.4	142	148	1.3	4.2	1.00	1.30	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3761	GROUND WATER FROM BISWANATH CHARIALI TOWN	ASSAM	28.0	32.0	0.0	0.0	7.0	7.3	149	151	1.3	2.4	0.50	0.70	2	2	2	2
3762	GROUND WATER NEAR MUNICIPAL WASTE PROCESSING FACILITY, MORABHARLI, TEZPUR	ASSAM	26.0	28.0	0.0	0.0	7.1	7.7	42	345	1.2	1.4	0.50	0.70	2	2	2	2
3766	GROUND WATER FROM MANGALDOI TOWN	ASSAM	26.0	27.0	0.0	0.0	6.8	7.5	68	503	1.1	1.1	0.80	0.80	2	2	2	2
3770	GROUND WATER NEAR GARMUR RECREATION GROUND, JORHAT	ASSAM	25.0	28.0	0.0	0.0	7.1	7.5	235	237	1.6	2.4	2.20	2.30	2	2	2	2
3771	GROUND WATER FROM TITABAR URBAN WATER SUPPLY, TITABAR	ASSAM	24.0	28.0	0.0	0.0	7.3	7.7	276	285	2.0	2.2	1.60	3.20	2	2	2	2
3779	GROUND WATER FROM GARMUR, MAJULI	ASSAM	24.0	27.0	0.0	0.0	6.9	7.6	207	210	0.7	1.1	1.90	2.00	2	2	2	2
3790	GROUND WATER NEAR GOGAMUKH PUBLIC WATER SUPPLY SCHEME, GOGAMUKH, DHEMAJI	ASSAM	18.0	18.0	0.0	0.0	8.1	8.1	202	202	2.3	2.3	1.00	1.00	2	2	2	2
3793	TUBE WELL AT R/O SRI TANKESWAR DAS, RUPJYOTI COLONY (NAGABALI) MUNICIPALITY DUMPING SITE, GOLAGHAT	ASSAM	26.0	26.0	0.0	0.0	6.7	6.8	150	452	1.4	2.4	0.70	0.80	2	2	2	2
3794	TUBE WELL AT R/O SRI ANIL BAORA AT BOSAGAON NEAR BY THE ATHKHALIA, NAMGHAR, PO: PULIKAITONI	ASSAM	24.0	26.0	0.0	0.0	6.9	7.2	53	149	1.0	2.9	0.50	0.60	2	2	2	2
3795	TUBE WELL OF WOKHA GORONGA GIRLS ME SCHOOL, GOROUNGA TINIALI, FURKATING	ASSAM	24.0	26.0	0.0	0.0	7.2	7.4	46	53	1.2	2.9	0.60	0.70	2	2	2	2
3801	GROUND WATER FROM MEHEPUR TRENCHING GROUND, MEHERPUR, CACHAR	ASSAM	23.0	24.0	0.0	0.0	6.4	6.6	322	336	1.5	2.8	1.20	1.30	2	2	2	2
3802	GROUND WATER FROM MEHEPUR NEAR A CLUSTER OF NURSING HOME & DIAGNOSTIC CENTRE, MEHERPUR, CACHAR	ASSAM	23.0	24.0	0.0	0.0	6.7	6.8	310	316	2.0	2.6	1.00	1.40	2	2	2	2
3805	GROUND WATER NEAR BADARPUR INDUSTRIAL AREA AT BADARPUR GHAT, KARIMGANJ	ASSAM	23.0	23.0	0.0	0.0	6.1	6.5	136	138	2.0	2.6	1.00	1.10	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3813	GROUND WATER FROM BONDA, GUWAHATI	ASSAM	22.0	30.0	0.0	0.0	7.1	7.2	241	441	1.3	3.5	1.00	1.00	2	300	2	2
3815	GROUND WATER FROM KHANAPARA, GUWAHATI	ASSAM	25.0	27.0	0.0	0.0	6.8	7.5	61	534	1.1	1.5	0.80	1.00	2	2	2	2
3816	GROUND WATER FROM BASISTHA, GUWAHATI	ASSAM	24.0	26.0	0.0	0.0	6.9	7.5	60	527	1.8	1.9	0.80	1.00	2	2	2	2
3817	GROUND WATER FROM KAHILIPARA, GUWAHATI	ASSAM	24.0	25.0	0.0	0.0	7.1	7.9	195	404	1.2	1.3	0.80	1.00	2	2	2	2
3818	GROUND WATER FROM MALIGAON, GUWAHATI	ASSAM	25.0	26.0	0.0	0.0	7.2	7.3	55	289	1.0	1.6	1.20	1.40	2	2	2	2
4001	GROUND WATER FROM PANJABARI	ASSAM	25.0	27.0	0.0	0.0	7.5	7.9	34	318	1.3	2.8	0.90	1.20	2	2	2	2
4002	GROUND WATER FROM SANTIPUR	ASSAM	25.0	26.0	0.0	0.0	6.8	7.3	35	193	1.6	2.7	0.70	1.10	2	2	2	2
4003	GROUND WATER FROM TEZPUR COLLEGIATE HIGH SCHOOL	ASSAM	26.0	26.0	0.0	0.0	7.2	7.2	86	86	1.7	1.7	0.80	0.80	2	2	2	2
4007	GROUND WATER FROM LAKWAH	ASSAM	24.0	24.0	0.0	0.0	7.2	7.2	269	269	0.9	0.9	3.70	3.70	2	2	2	2
4008	GROUND WATER FROM GELEKY	ASSAM	24.0	24.0	0.0	0.0	7.5	7.5	203	203	1.7	1.7	1.80	1.80	2	2	2	2
4303	GROUND WATER FROM SATGAON	ASSAM	24.0	27.0	0.0	0.0	7.7	7.8	34	317	1.2	2.5	0.80	1.50	2	2	2	2
4327	GROUND WATER FROM RAILWAY STATION ROAD, ROWTA	ASSAM	28.0	28.0	0.0	0.0	6.9	6.9	404	404	2.8	2.8	0.80	0.80	2	2	2	2
4328	GROUND WATER BESIDE MSW DUMPING SITE, DHEKIAJULI	ASSAM	27.0	27.0	0.0	0.0	6.5	6.5	207	207	1.5	1.5	0.80	0.80	2	2	2	2
4330	GROUND WATER NEAR PANGRAM STONE CRASHER CLUSTER	ASSAM	24.0	24.0	0.0	0.0	6.5	6.5	102	102	1.2	1.2	0.60	0.60	2	2	2	2
4333	GROUND WATER FROM DEMOW WATER SUPPLY DEMOW TOWN	ASSAM	28.0	28.0	0.0	0.0	7.4	7.4	240	240	1.2	1.2	0.50	0.50	2	2	2	2
4335	GROUND WATER FROM AMGURI, AMGURI TOWN	ASSAM	27.0	27.0	0.0	0.0	7.0	7.0	144	144	1.6	1.6	0.30	0.30	2	2	2	2
4338	GROUND WATER FORM TENGA PUKHURI KUKURACHOWA WATER SUPPLY TENGA PUKHURI	ASSAM	25.0	25.0	0.0	0.0	7.3	7.3	148	148	1.0	1.0	0.40	0.40	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4339	GROUND WATER NEAR NAGAON TOWN PIPE WATER SUPPLY SCHEME(Z-111), NAGAON	ASSAM	32.0	32.0	0.0	0.0	7.3	7.3	88	88	1.5	1.5	0.80	0.80	2	2	2	2
4340	GROUND WATER FROM NAGAON COLLEGE, NAGAON	ASSAM	30.0	30.0	0.0	0.0	7.3	7.3	306	306	1.2	1.2	0.70	0.70	2	2	2	2



**TABLE - 3: WATER QUALITY OF GROUND WATER IN BIHAR - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1825	BORE WELL WATER AT KATRA BAZAR WATER TANK, MALSALAMI, PATNA	BIHAR	26.0	32.0			7.3	7.4	527	694			0.01	0.48	2	2	2	2
1826	BORE WELL WATER AT BHUT NATH ROAD WATER TANK SEC-3, KANKARBAGH, PATNA	BIHAR	25.0	30.0			7.2	7.4	478	573			0.01	0.49	2	1600	2	1600
1827	GROUND WATER FROM TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA	BIHAR	26.0	27.0			7.1	7.4	517	667			0.34	0.67	2	2	2	2
1828	BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA	BIHAR	26.0	27.0			7.1	7.4	544	693			0.13	0.64	2	11	2	22
1829	BORE WELL WATER FROM IGIMS CAMPUS, PATNA	BIHAR	26.0	27.0			7.2	7.3	520	528			0.03	0.10	2	33	2	33
1830	BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR	BIHAR	27.0	27.0			7.7	7.7	651	651			0.57	0.57	23	23	33	33
1831	BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR	BIHAR	27.0	27.0			7.6	7.6	641	641			0.77	0.77			2	2
1832	GROUND WATER NEAR TAP WATER IN CAMPUS OF KALI ASTHAN, BEGUSARAI	BIHAR	28.0	28.0			7.5	7.5	673	673			0.10	0.10				
1833	GROUND WATER NEAR TAP WATER IN CAMPUS OF S.P OFFICE, POKHARIA, BEGUSARAI	BIHAR	19.0	19.0			7.4	7.4	667	667			0.06	0.06				
1834	HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA	BIHAR	27.0	27.0			7.4	7.4	682	682			0.03	0.03				
1835	HAND PUMP WATER NEAR COURT LOWER COURT, PURNEA	BIHAR	27.0	27.0			7.1	7.1	337	337			0.23	0.23	49	49	140	140
1836	HAND PUMP WATER NEAR BUS STAND TILKS MANJI CHOWK, BEGUSARAI	BIHAR	15.0	15.0			7.4	7.4	882	882			0.72	0.72	280	280	1600	1600
1837	GROUND WATER FROM BEGUSARAI	BIHAR	15.0	15.0			7.2	7.2	370	370			0.11	0.11	11	11	11	11

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1838	GROUND WATER FROM TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER	BIHAR	21.0	21.0			7.4	7.4	1480	1480			0.40	0.40	920	920	1600	1600
1839	HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER	BIHAR	18.0	18.0			7.3	7.3	1810	1810			6.93	6.93				
1840	TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI	BIHAR	16.0	16.0			7.4	7.4	740	740			0.08	0.08	13	13	33	33
2594	GROUND WATER FROM SAHARSA	BIHAR	30.0	30.0			7.1	7.1	314	314			0.03	0.03				
2595	GROUND WATER FROM SAMASTIPUR	BIHAR	32.0	32.0			7.9	7.9	1240	1240			0.23	0.23				
2596	GROUND WATER FROM SITAMARHI	BIHAR	27.0	27.0			8.0	8.0	361	361			0.02	0.02				
2598	WELL-1 ROHTAS	BIHAR	25.0	25.0			7.6	7.6	1560	1560			0.27	0.27	79	79	1600	1600
2599	WELL-2 ROHTAS	BIHAR	25.0	25.0			7.6	7.6	1540	1540			0.08	0.08	140	140	1600	1600
2600	GROUND WATER FROM VAISHALI	BIHAR	26.0	26.0			7.2	7.2	1060	1060			1.77	1.77	1600	1600	1600	1600
3140	GROUND WATER FROM BETTIAH	BIHAR	25.0	25.0			8.0	8.0	442	442					1600	1600	1600	1600
3142	GROUND WATER FROM BIKRAMGANJ	BIHAR	24.0	24.0			7.9	7.9	696	696			0.27	0.27				
3143	GROUND WATER FROM BAGAHA	BIHAR	27.0	27.0			7.6	7.6	584	584			0.01	0.01				
3144	GROUND WATER FROM BARH	BIHAR	22.0	22.0			7.2	7.2	1090	1090			0.49	0.49	350	350	1600	1600
3147	GROUND WATER FROM JAYNAGAR	BIHAR	21.0	21.0			7.5	7.5	596	596			0.23	0.23	280	280	1600	1600
3148	GROUND WATER FROM JAMALPUR	BIHAR	16.0	16.0			7.3	7.3	1120	1120			0.50	0.50	540	540	1600	1600
3149	GROUND WATER FROM KUDRA	BIHAR	25.0	25.0			7.6	7.6	1090	1090			0.98	0.98				
3150	GROUND WATER FROM MANER	BIHAR	21.0	21.0			7.5	7.5	1120	1120			0.29	0.29				
3151	GROUND WATER FROM MOHANIA	BIHAR	24.0	24.0			7.4	7.4	1940	1940			0.44	0.44	1600	1600	1600	1600
3152	GROUND WATER FROM NARKATIAGANJ	BIHAR	27.0	27.0			7.8	7.8	303	303			0.01	0.01	26	26	33	33
3153	GROUND WATER FROM PIRO	BIHAR	23.0	23.0			8.0	8.0	519	519			0.55	0.55				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3155	GROUND WATER FROM SUPUAL	BIHAR	24.0	24.0			7.5	7.5	509	509			0.00	0.00				
3156	GROUND WATER FROM SAMASTIPUR	BIHAR	32.0	32.0			7.9	7.9	1690	1690								
3157	GROUND WATER FROM SULTANGANJ	BIHAR	16.0	16.0			7.1	7.1	1480	1480			0.22	0.22	220	220	920	920
3159	GROUND WATER FROM SHAHPUR	BIHAR	24.0	24.0			7.3	7.3	2150	2150			0.24	0.24	39	39	1600	1600
3160	GROUND WATER FROM RAXAUL	BIHAR	25.0	25.0			8.0	8.0	362	362			0.06	0.06				
3162	GROUND WATER FROM VAISHALI	BIHAR	26.0	26.0			7.4	7.4	861	861			0.06	0.06				

**TABLE - 4: WATER QUALITY OF GROUND WATER IN CHANDIGARH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2039	GROUND WATER FROM SECTOR 15, CHANDIGARH	CHANDIGARH	22.0	24.0			7.4	7.4	759	1403	0.9	2.2	3.30	4.30				
2040	GROUND WATER FROM SECTOR 22, CHANDIGARH	CHANDIGARH	21.5	24.5			7.2	7.3	639	666	1.8	2.1	1.90	3.50				
2041	GROUND WATER FROM SECTOR 34, CHANDIGARH	CHANDIGARH	22.0	25.0	BDL	BDL	7.2	7.2	913	1009	BDL	1.1	4.30	8.90	2	2	2	2
2042	GROUND WATER FROM SECTOR 47, CHANDIGARH	CHANDIGARH	22.0	24.5	BDL	BDL	7.1	7.2	732	751	BDL	2.0	3.50	4.30	2	2	2	2
2043	GROUND WATER FROM PALSORA VILLAGE, CHANDIGARH	CHANDIGARH	22.0	24.0	BDL	BDL	7.4	7.4	1156	1187	1.4	1.8	1.00	1.00	2	2	2	2
2044	GROUND WATER FROM DHANAS VILLAGE, CHANDIGARH	CHANDIGARH	22.0	24.0	BDL	BDL	7.2	7.4	635	788	BDL	0.9	2.30	3.90	2	2	2	2
2045	GROUND WATER FROM DADU MAJRA, CHANDIGARH	CHANDIGARH	21.5	24.0	BDL	BDL	7.3	7.4	842	865	1.3	1.6	0.50	4.20	2	2	2	2

**TABLE - 5: WATER QUALITY OF GROUND WATER IN CHHATTISGARH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1621	GROUND WATER AT RAIPUR REGION, CHHATTISGARH.	CHHATTISGARH	23.0	25.0	2.2	2.3	7.7	7.8	256	378								
1622	GROUND WATER AT BILASPUR REGION, CHHATTISGARH.	CHHATTISGARH	29.0	34.0	0.1	0.2	7.5	7.6	364	448	0.0	0.0	0.15	0.30			2	2
1623	GROUND WATER AT BILASPUR REGION, CHHATTISGARH.	CHHATTISGARH	30.0	30.0	0.2	0.2	7.7	7.7	481	481	0.1	0.1	0.15	0.15				
3171	HAND PUMP WATER 17/10 NEPALI MOHLLA, SHANKAR NAGAR, HEAVY INDUSTRIAL AREA, BHILAI, CHHATTISGARH.	CHHATTISGARH	22.0	28.0	6.2	7.4	7.4	7.5			0.8	0.9			2	3	2	8
3172	BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA, CHHATTISGARH.	CHHATTISGARH	25.9	26.0			7.1	7.1							20	20	20	20
3173	BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA, CHHATTISGARH.	CHHATTISGARH	25.9	26.2			7.1	7.1							20	20	20	20
3174	BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA, CHHATTISGARH.	CHHATTISGARH	26.1	26.3			7.1	7.2							20	20	20	20

**TABLE - 6: WATER QUALITY OF GROUND WATER IN DELHI - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3477	WELL AT ALIPUR, DELHI	DELHI					7.1	7.1	3390	3810			2.40	71.90	2	210	4	2400
3479	WELL AT AURBINDO MARG, DELHI	DELHI					6.9	7.0	1384	3060			23.22	362.01	18	26000	220	47000
3480	WELL AT BAWANA, DELHI	DELHI					7.1	7.1	1001	1040			11.30	11.30	2	2	2	2
3483	WELL AT BURARI, DELHI	DELHI					6.9	7.2	1580	1820			4.81	4.90	2	230	2	2400
3485	WELL AT DEFENCE COLONY, DELHI	DELHI					7.1	7.1	1410	2100			76.50	338.60	2	49	2	2
3488	WELL AT DILSHAD GARDEN, DELHI	DELHI					7.0	7.0	1750	2158			0.13	52.75	2	2	2	2
3489	WELL AT DWARKA, DELHI	DELHI					6.9	7.4	1440	2681			0.04	36.70	2	2	2	2
3490	WELL AT FATEH PUR BERI, DELHI	DELHI					6.9	7.0	748	871			41.00	70.90	2	33	2	49
3492	WELL AT GAJIPUR, DELHI	DELHI					6.8	7.0	1980	2501			0.00	2.70	2	5	2	11
3493	WELL AT GANDHI NAGAR, DELHI	DELHI					6.9	7.1	912	1649			0.04	29.13	2	2	2	2
3494	WELL AT HAIDERPUR, DELHI	DELHI					7.4	7.6	810	825			9.52	12.50	2	2	2	5
3496	WELL AT ISBT, DELHI	DELHI					7.0	7.0	939	1100			7.10	7.10	2	2	2	2
3498	WELL AT KALKA JI, DELHI	DELHI					7.1	7.2	1010	1130			46.60	63.80	2	12	5	79
3500	WELL AT KAMLA NAGAR, DELHI	DELHI					7.1	7.2	1420	1830			76.92	82.20	2	2	2	2
3503	WELL AT KAROL BAGH, DELHI	DELHI					6.9	7.1	842	3270			19.30	19.30	2	2	2	240
3514	WELL AT MATIALA, DELHI	DELHI					6.8	6.8	4410	9690			0.01	229.04	2	7	2	33
3515	WELL AT MAYA PURI, DELHI	DELHI					6.5	6.5	1261	1261					18	18	270	270
3516	WELL AT MAYUR VIHAR, DELHI	DELHI					7.1	7.3	1070	1766			0.04	3.92	2	2	2	13
3517	WELL AT NAJAFGARH, DELHI	DELHI					7.1	7.7	294	2720			0.00	200.21	2	2	2	2
3518	WELL AT NARAINA INDL AREA, DELHI	DELHI					6.4	6.7	3670	14640			6.10	74.65	13	110	13	210
3520	WELL AT OKHLA, DELHI	DELHI					6.9	7.0	1140	1380			23.40	78.60	23	46	23	46
3523	WELL AT PARIVESH BHAWAN, DELHI	DELHI					6.9	6.9	2830	3150			0.00	BDL	2	2	2	13

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3524	WELL AT PASCHIM VIHAR, DELHI	DELHI					7.2	7.4	1230	8620			4.02	4.02	18	23	33	230
3525	WELL AT PATEL NAGAR, DELHI	DELHI					7.1	7.1	1442	1442					2	2	2	2
3526	WELL AT PATPAR GANJ, DELHI	DELHI					6.9	7.3	2470	7010			0.00	2.21	2	33	2	110
3527	WELL AT PATPARGANJ INDL AREA, DELHI	DELHI					7.1	7.3	2162	3460			0.01	1.40	2	2	2	2
3528	WELL AT PEERAGARHI, DELHI	DELHI					7.4	7.4	992	992					2	2	2	2
3529	WELL AT PILANJI, DELHI	DELHI					6.9	6.9	1406	1720			63.80	100.60	2	2	5	7
3530	WELL AT PRIYA ENCLAVE, DELHI	DELHI					7.1	7.2	1327	1760			2.40	2.40	2	2	2	2
3531	WELL AT QUTAB GARH, DELHI	DELHI					6.8	7.0	5690	6910			25.70	25.70	2	49	2	49
3532	WELL AT RAJENDER NAGAR, DELHI	DELHI					6.7	6.9	927	981			54.90	54.90	2	5	2	33
3533	WELL AT RAJPURA ROAD, DELHI	DELHI					7.1	7.2	704	779			6.20	6.20	2	2	5	17
3534	WELL AT RASHTRAPATI BHAWAN, DELHI	DELHI					6.9	7.1	1470	1612			7.30	41.00	2	5	2	13
3535	WELL AT ROHINI, DELHI	DELHI					7.4	7.6	786	814			11.10	19.60	2	2	2	5
3536	WELL AT SAKET, DELHI	DELHI					6.9	7.2	1180	1221			68.01	72.60	13	40	33	1700
3537	WELL AT SHAHDARA, DELHI	DELHI					7.1	7.1	1390	2659			0.00	24.20	2	17	2	17
3538	WELL AT SINGHU BORDER, DELHI	DELHI					7.2	7.4	1790	2140			14.40	70.50	240	350	240	920
3539	WELL AT SINGOLA, DELHI	DELHI					7.4	7.4	870	1960			1.80	43.72	2	2	2	2
3540	WELL AT SULTANPURI, DELHI	DELHI					6.8	7.2	3760	5320			158.75	406.77	2	13000	5	49000
3541	WELL AT TIKRI KALAN , DELHI	DELHI					6.8	6.9	246	12250			21.69	30.90	2	2	2	2
3542	WELL AT TILAK NAGAR, DELHI	DELHI					6.8	7.1	1596	3400			58.80	58.80	2	2	4	33
3543	WELL AT TRILOKPURI, DELHI	DELHI					7.1	7.5	1248	1660			0.00	3.30	2	2	2	2
3544	WELL AT UJWAH, DELHI	DELHI					7.1	7.3	964	5160			0.06	74.20	2	22	2	79
3545	WELL AT VASANT KUNJ, DELHI	DELHI					7.0	7.0	881	1342			5.30	19.50	2	2	5	8
3546	WELL AT VASANT VIHAR	DELHI					6.9	6.9	760	1417			25.70	74.20	2	2	2	8

**TABLE - 7: WATER QUALITY OF GROUND WATER IN DAMAN AND DIU, DADRA AND NAGAR HAVELI - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1440	WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29.0	32.0	5.3	6.4	7.5	7.8	578	834	BDL	BDL	4.10	7.70	2	2	2	2
2448	GROUND WATER FROM VILLAGE BHIMPORE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	32.0	1.9	6.4	7.3	8.0	1010	1479	BDL	BDL	1.00	5.60	2	2	4	6
2449	WELL AT VILLAGE RINGANWADA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29.0	33.0	1.1	2.9	7.3	8.1	866	1940	BDL	BDL	1.90	7.40	2	2	2	2
2450	WELL AT VILLAGE DUNETHA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	32.0	1.3	3.9	7.2	7.9	528	763	BDL	BDL	2.00	3.30	2	2	2	2
2451	WELL AT VILLAGE DABHEL, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	33.0	1.5	6.1	7.0	7.9	575	1050	BDL	BDL	2.80	3.60	2	2	2	2
2452	WELL AT VILLAGE KACHIGAM, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	32.0	5.5	6.1	7.3	8.1	567	931	BDL	BDL	3.50	5.60	2	11	4	24
2453	WELL AT VILLAGE KHANVEL, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29.0	32.0	3.1	5.8	6.4	6.9	388	838	BDL	BDL	2.40	5.90	2	7	2	10
2454	WELL AT VILLAGE ATHAL, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29.0	33.0	4.5	6.7	7.2	7.3	538	655	BDL	BDL	0.30	1.80	2	2	2	2
2455	WELL AT VILLAGE MASAT, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	32.0	2.2	4.3	7.0	7.1	1410	1775	BDL	BDL	1.10	2.70	2	2	2	4
2456	WELL AT VILLAGE PIPERIA, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	29.0	32.0	4.7	6.0	7.1	7.5	1860	3270	BDL	BDL	4.00	6.50	2	2	2	4
2457	WELL AT VILLAGE GALONDA, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	33.0	2.7	5.2	7.0	7.5	489	1056	BDL	BDL	1.10	2.60	2	2	2	2
2458	WELL AT VILLAGE, DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28.0	33.0	2.1	5.7	6.9	7.5	3080	5010	BDL	BDL	1.40	3.50	2	2	2	2



**TABLE - 8: WATER QUALITY OF GROUND WATER IN GOA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2277	WELL AT VERNA INDL.ESTATE.(M/S CIPLA LIMITED)	GOA	29.0	29.0	5.6	5.6	7.1	7.1	223	223	BDL	BDL	0.38	0.38			5	5
2278	WELL AT SANCOALE INDL.ESTATE	GOA	29.0	29.0	6.4	6.4	7.1	7.1	68	68	BDL	BDL	0.78	0.78			2	2
2279	WELL AT ZUARI INDUSTRIES LTD, ZUARI NAGAR	GOA	29.0	29.0	5.2	5.2	6.3	6.3	307	307	BDL	BDL	2.89	2.89			2	2
2280	WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED)	GOA			6.5	6.5	6.5	6.5	238	238	BDL	BDL	0.10	0.10			8	8
2281	WELL AT CORLIM INDL. ESTATE	GOA			7.0	7.0	6.5	6.5	98	98	BDL	BDL	0.06	0.06			2	2
2282	WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM )	GOA	29.0	29.0	5.2	5.2	7.3	7.3	245	245	BDL	BDL	BDL	BDL			2	2
3193	BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE	GOA	31.0	31.0	5.0	5.0	7.0	7.0	41	41	BDL	BDL	0.02	0.02			2	2
3194	BORE WELL AT BETHORA INDUSTRIAL ESTATE	GOA	29.0	29.0	5.7	5.7	6.5	6.5	120	120	BDL	BDL	0.83	0.83			2	2

**TABLE - 9: WATER QUALITY OF GROUND WATER IN GUJARAT - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3	WELL AT AHMEDABAD	GUJARAT	29.0	30.0	4.3	5.1	7.4	7.6	1329	1372	0.6	1.1	0.02	0.44	2	2	2	2
6	WELL AT BARODA	GUJARAT	28.0	29.0	1.7	2.1	7.2	7.9	1291	1511	0.4	0.4	0.40	0.46	2	2	2	2
1948	GROUND WATER AT BHAVNAGAR	GUJARAT	29.0	29.0	2.4	2.8	8.0	8.1	1380	1410	1.2	1.4	0.10	0.23	2	2	2	2
1949	GROUND WATER AT AMRELI	GUJARAT	28.0	29.0	2.1	2.4	7.9	8.0	1470	1470	1.2	1.8	0.22	0.29	2	2	2	6
1950	GROUND WATER AT JUNAGADH	GUJARAT	23.0	23.0			7.6	7.6	1469	1469	0.8	0.8	1.44	1.44	2	2	2	2
1951	GROUND WATER AT RAJKOT	GUJARAT	26.0	26.0	3.7	3.7	7.5	7.5	1240	1240	0.9	0.9	0.91	0.91				
1953	GROUND WATER AT JAMNAGAR	GUJARAT	28.0	30.0			7.3	7.7	910	1020			0.30	0.31				
1954	GROUND WATER AT BHUJ	GUJARAT	32.0	35.0	3.1	3.2	7.2	7.4	2680	4130	1.1	1.4	0.21	1.80	2	2	2	2
1955	GROUND WATER AT PALANPUR	GUJARAT	27.0	30.0			7.3	7.6	1332	1516	0.9	1.2	2.03	3.73				
1956	GROUND WATER AT MEHASANA	GUJARAT	31.0	31.0	4.1	5.2	7.6	8.0	355	3118	0.8	1.2	0.12	0.19	2	2	2	2
1957	GROUND WATER AT SIDDHPUR (DIST.PATAN)	GUJARAT	28.0	29.0			7.8	7.8	1751	1858	0.7	1.2	2.71	3.70				
1958	GROUND WATER AT HIMATNAGAR	GUJARAT	27.0	27.0	5.7	5.7	7.8	7.8	826	826	1.2	1.2	3.02	3.02	2	2	2	2
1959	GROUND WATER AT NADIAD	GUJARAT	30.0	30.0			7.7	7.7	1859	1859	0.4	0.4	0.46	0.46			2	2
1960	GROUND WATER AT DAHOD	GUJARAT	31.0	31.0	2.4	2.4	7.7	7.7	832	832	0.3	0.3	0.54	0.54	2	2	2	2
1961	GROUND WATER AT GODHARA	GUJARAT	29.0	29.0	2.1	2.1	7.1	7.1	790	790	0.4	0.4	0.56	0.56	2	2	2	2
1962	VADODARA (INDUSTRIAL-NANDESARI)	GUJARAT	23.0	29.0	1.2	1.3	7.0	7.4	3220	5400	0.7	0.9	0.32	0.77	2	2	2	2
1965	MORA-HAJIRA (INDUSTRIAL), HAJIRA	GUJARAT	28.0	29.0	2.1	3.4	7.9	8.0	1227	1252	0.9	0.9	0.13	0.61	9	9	41	41
1966	GABHENI VILLAGE, SURAT (INDUSTRIAL)	GUJARAT	28.0	29.0	0.5	6.2	7.7	7.7	1340	1644	0.7	0.9	0.04	0.44	6	6	33	33
1967	ATUL, VILLAGE G.W, (VALSAD)	GUJARAT	27.0	27.0	3.6	3.8	7.9	8.0	436	498	0.2	2.3	0.25	0.26	2	2	2	2
1968	VAPI INDUSTRIAL AREA IN D/S, VAPI	GUJARAT	27.0	27.0	3.8	4.3	7.8	7.9	444	482	0.2	2.1	0.27	0.35	2	2	2	2
1969	SARIGAM VILLAGE (D/S OF INDUSTRIALAREA), VAPI	GUJARAT	29.0	29.0	4.2	4.2	8.0	8.0	1354	1354	2.2	2.2	0.33	0.33	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1970	BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPI	GUJARAT	27.0	27.0	3.6	4.3	7.8	8.0	498	672	0.2	2.0	0.35	0.41	2	2	2	2
2083	BORE WELL OF CHHATRAL GIDC.	GUJARAT	27.0	32.0	3.6	4.3	7.0	7.9	2206	3008	0.9	1.3	0.47	3.42				
2084	BORE WELL OF PALSANA VILLAGE.	GUJARAT	28.0	29.0	2.2	3.4	7.4	7.6	1394	1594	0.9	1.0	0.08	0.14	6	9	41	63
2085	BORE WELL OF SANTEJ VILLAGE.	GUJARAT	28.0	31.0	3.5	5.7	7.4	7.4	1556	1971	0.8	1.1	0.27	0.45				
2087	B/W- HAZARDOUS W. DISPOSAL SITE (GUJ. ENVIRO P.& I. LTD. )	GUJARAT	28.0	29.0	1.9	3.3	7.6	8.1	545	3522	0.9	1.1	0.03	0.07	6	16	53	53
2088	BORE WELL OF SACHIN GIDC.	GUJARAT	28.0	29.0	2.0	3.2	7.3	7.6	8331	8506	1.1	1.1	0.10	0.12	9	9	83	83
2089	B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SURAT.	GUJARAT	28.0	29.0	2.2	3.7	7.7	7.7	3403	3538	0.9	1.0	0.13	0.22	9	9	73	73
2090	WELL AT OLPAD.	GUJARAT	28.0	29.0	2.3	3.2	7.2	7.3	9574	11570	0.8	0.9	0.19	0.25	9	9	83	83
2091	BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIATION OFFICE.	GUJARAT	29.0	35.0			7.5	8.0	2627	2627	0.9	1.0	0.12	0.18	8	9	33	33
2092	WATER WORKS OF NAVSARI NEAR DHUDIA TALAV.	GUJARAT																
2093	WELL OF BARDOLI AT REST HOUSE.	GUJARAT	28.0	29.0	2.1	4.1	7.5	7.7	1054	2335	0.8	1.0	0.05	0.13	9	11	53	53
2094	WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M/S INDUSTRIAL CARBON AT ANKLESHWAR- RAJPIPLA ROAD.	GUJARAT	29.0	29.0	5.0	5.0	7.1	7.1	3670	3670	0.3	0.3	0.30	0.30	2	2	2	2
2095	BORE WELL AT STP MADHAPAR, DIST. RAJKOT.	GUJARAT	26.0	28.0	3.1	3.9	7.5	7.5	2348	4195	0.8	0.9	1.01	1.37				
2096	BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI MANDALI LTD. (CETP ), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	28.0	28.0	2.5	4.3	7.0	7.2	5308	6269	0.7	1.1	0.64	0.66	2	2	2	2
2097	BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO PROJECT, (CETP ), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	28.0	28.0	3.0	3.2	7.3	7.5	4337	4996	0.9	1.2	0.38	0.90	2	2	2	2
2098	BORE WELL OF PIRANA TERMINAL PUMPING STATION,	GUJARAT	29.0	30.0	4.4	5.6	7.1	7.2	2949	3245	1.0	1.1	0.11	0.12	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	PIRANA, NR. V. N. BRIDGE, AHMEDABAD.																	
3208	JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSAD	GUJARAT	27.0	27.0	3.6	4.4	7.8	8.0	577	1180	0.3	2.3	0.43	0.50	2	2	2	2
3209	BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSAD	GUJARAT	27.0	27.0	4.2	4.2	8.0	8.0	1450	1450	2.3	2.3	0.18	0.18	2	2	2	2
3210	BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOSAMBA INDUSTRIAL AREA, SURAT	GUJARAT	28.0	29.0	2.1	4.2	7.2	7.3	3840	4126	0.8	0.9	0.28	0.30	9	9	41	41
3211	BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURAT	GUJARAT	28.0	28.0	2.2	3.6	7.7	7.8	1449	2119	0.9	0.9	0.06	0.16	6	6	63	63
3212	BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC, VATVA, AHMEDABAD	GUJARAT	33.0	33.0			7.3	7.4	2408	2701	0.8	1.2	0.54	2.72				
3213	BOREWELL, CETP-NARODA, GIDC, NARODA-AHMEDABAD	GUJARAT	34.0	34.0			7.4	7.4	1399	1535	1.0	1.3	0.54	0.64				
3214	BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BUILDING, GIDC, ODHAV, AHMEDABAD	GUJARAT	33.0	33.0			7.4	7.4	1763	1860	0.9	1.4	1.51	2.23				
3215	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE- GYASPUR, NAROL, AHMEDABAD	GUJARAT	26.0	30.0	3.8	5.9	4.6	8.1	3183	6174	0.7	1.3	0.51	3.09	2	2	2	2
3216	BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, VATVA, AHMEDABAD	GUJARAT	33.0	34.0			7.3	7.3	2730	2885	1.0	1.5	0.33	0.99				
3217	BOREWELL NEAR TSDF SITE OF NARODA ENVIRO PROJECT.LTD, ODHAVE, AHMEDABAD	GUJARAT	34.0	34.0			7.4	7.8	1791	2135	0.7	1.4	0.94	2.07				
3218	WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASA	GUJARAT	27.0	27.0	4.3	4.3	7.0	7.0	1832	1832	1.0	1.0	15.95	15.95	2	2	2	2
3219	WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDAR	GUJARAT	27.0	27.0	5.2	5.2	7.1	7.1	1813	1813	0.7	0.7	16.74	16.74	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3220	BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDA	GUJARAT	30.0	30.0			7.6	7.6	3170	3170	0.4	0.4	0.46	0.46			2	2
3221	BOREWELL OF TOWN RAJPIPLA, DIST.NARMADA	GUJARAT	28.0	28.0			7.6	7.6	714	714	0.4	0.4	0.25	0.25	2	2	2	2
3222	BOREWELL OF GIDC, PANOLI	GUJARAT	32.0	32.0			7.3	7.3	3912	3912	0.4	0.4	0.25	0.25	2	2	2	2
3223	BOREWELL KADI INDUSTRIAL AREA	GUJARAT	30.0	30.0	3.9	3.9	7.8	7.9	1501	1819	0.8	1.1	1.26	1.38	2	2	2	2
3224	DEESA BOREWELL	GUJARAT	26.0	30.0			7.5	7.7	808	853	0.8	1.2	2.78	3.04				
3225	VISNAGAR BOREWELL	GUJARAT	30.0	30.0	3.7	4.1	7.4	7.4	1840	1848	0.7	1.3	1.73	1.83	2	2	2	2
3226	PATAN BOREWELL	GUJARAT	26.0	28.0			7.8	7.9	1701	1988	0.8	1.3	3.16	3.51				
3227	VIJAPUR (RANASAN) BOREWELL	GUJARAT	30.0	31.0	3.8	4.6	7.0	7.3	1903	2634	0.7	1.2	0.51	1.70	2	2	2	2
3228	GIDC, HALOL, PANCHMAHAL	GUJARAT	29.0	29.0	2.2	2.2	7.2	7.2	3090	3090	0.4	0.4	0.50	0.50	2	2	2	2
3229	GIDC, DAHOD, DAHOD	GUJARAT	29.0	29.0	2.6	2.6	7.0	7.0	1047	1047	0.4	0.4	0.48	0.48	2	2	2	2
3230	BOREWELL OF GIDC, JUNAGADH	GUJARAT	24.0	24.0			7.1	7.1	5480	5480	0.7	0.7	1.31	1.31	2	2	2	2
3231	BOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJECT LTD., JUNA KATARIYA, BHACHAU	GUJARAT	30.0	30.0	3.2	3.2	8.2	8.2	2490	2490	1.5	1.5	2.60	2.60				
3232	BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA, GANDEVI	GUJARAT	29.0	34.0			7.4	7.7	2477	3106	0.9	1.0	0.09	0.13	6	6	27	53
3233	BOREWELL OF KALIAWADI GRID ROAD, NAVSARI	GUJARAT	29.0	35.0			7.7	8.0	2945	3229	0.9	0.9	0.12	0.15	6	6	21	41
3234	BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIMITED, NADESARI, VADODARA	GUJARAT	23.0	29.0	BDL	BDL	6.9	7.0	10180	12350	15.0	16.0	0.36	0.79	2	2	2	2
3235	BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KALOL, GANDHINAGAR	GUJARAT	29.0	31.0	3.2	4.1	7.2	7.6	2355	3492	0.8	1.1	1.43	3.44				
3236	BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1, SR.NO. 249, UMA IND. ESTATE, VASNA , IYAVA, SANAND, AHMEDABAD	GUJARAT	28.0	28.0	5.0	5.1	7.6	7.7	1960	2261	0.9	1.1	0.10	0.62	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3237	BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD	GUJARAT	28.0	28.0	2.0	4.4	7.0	7.2	5963	6105	0.7	1.0	0.27	0.59	2	2	2	2
3238	BOREWELL OF GIDC KANSARI	GUJARAT	25.0	29.0	2.1	2.6	7.3	7.7	4050	5520	0.3	0.4	0.42	0.50			2	2
3239	BOREWELL OF GIDC, SOJITRA	GUJARAT	25.0	31.0	1.6	1.6	7.5	7.8	2770	3970	0.4	0.5	0.40	0.46			2	2
3240	BOREWELL OF AJI GIDC, RAJKOT	GUJARAT	27.0	27.0	2.2	3.0	7.5	7.9	1810	1977	0.8	1.0	0.95	1.30				
3241	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE, NAKARWADI, RAJKOT	GUJARAT	26.0	28.0	2.3	3.0	7.4	7.8	949	2261	0.8	1.2	1.10	1.49				
3242	BOREWELL NEAR TSDF OF GUJARAT MARITIME BOARD, ALANG, BHAVNAGAR	GUJARAT	29.0	30.0	2.0	2.4	8.0	8.1	1890	1910	1.6	1.8	0.25	0.34	2	2	2	2
3243	BOREWELL OF GIDC, VARTEJ, BHAVNAGAR	GUJARAT	29.0	30.0	2.1	2.6	7.7	7.9	3080	3200	1.4	1.4	0.06	0.34	2	2	2	2
3244	BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTURE LIMITED, ANKLESHWAR, BHARUCH	GUJARAT	29.0	29.0	5.1	5.1	6.8	6.8	4120	4120	0.6	0.6	0.31	0.31	2	2	2	2
3245	BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALS	GUJARAT	41.0	41.0	3.8	3.8	7.0	7.0	5157	5157	0.8	0.8	1.20	1.20	2	2	2	2
3246	BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGAR, JAMNANGAR	GUJARAT	28.0	28.0			7.2	7.7	1920	1950			0.30	0.33				
3247	BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGAR	GUJARAT	29.0	29.0			7.3	7.4	910	3020			0.28	1.49				
4411	BOREWELL OF MR. HITENDRABHAI LAKHMANBHAI KER SHIV SAI PARK, NEW SMASHAN ROAD, GANDHINAGAR	GUJARAT	28.0	28.0			8.1	8.2	2210	2240			0.28	0.30				
4412	BOREWELL OF SHRI KANKESHWAR MAHADEV MANDIR, OPP. MSW DUMPSITE, VIBHAPAR	GUJARAT	27.0	28.0			7.2	7.5	2850	3400			0.30	0.33				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4413	B/W OF JASHWANTBHAI PARMAR, S. NO. 18 AT: VILLAGE KALAMSAR, TA KHAMBHAT	GUJARAT	25.0	32.0	1.5	1.7	7.9	8.0	1241	1764	0.5	0.5	0.38	0.44			2	2
4416	BORE WELL AT VORAGAMDI	GUJARAT	29.0	29.0	1.6	1.6	7.4	7.4	1248	1248			0.48	0.48	2	2	2	2
4422	BORE WELL OF ITI COLLAGE OPP, M/S PALIWAL MILK AT MOTA SONELA, MODASA ROAD, TAL, LUNAVADA, DIST. MAHISAGAR	GUJARAT	28.0	28.0			6.8	6.8	735	735			0.44	0.44	2	2	2	2

**TABLE - 10: WATER QUALITY OF GROUND WATER IN HIMACHAL PRADESH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1555	WELL AT KALA AMB,	HIMACHAL PRADESH					7.4	7.8	644	805	0.2	0.3	0.12	1.26	2	2	2	2
1556	WELL AT PAONTA SAHIB	HIMACHAL PRADESH					7.5	7.9	581	728	0.1	0.1	0.15	1.89	2	2	2	2
1557	WELL AT PARWANOO	HIMACHAL PRADESH					7.6	7.6	991	991	0.1	0.1	0.08	0.08				
1559	GROUND WATER AT BAROTIWALA	HIMACHAL PRADESH	23.0	26.0			7.5	8.3	500	1059	0.1	0.2	0.15	0.15				
1560	GROUND WATER AT NALAGARH	HIMACHAL PRADESH	22.5	22.5			8.1	8.1	574	574	0.1	0.1	0.11	0.11				
1561	GROUND WATER AT DAMTAL	HIMACHAL PRADESH	16.0	22.0	0.0	0.0	7.8	7.9	542	1812	0.1	0.1	0.00	0.21	2	2	2	2
1562	WELL AT UNA	HIMACHAL PRADESH	14.5	19.5	0.0	0.0	7.3	7.4	193	728	0.1	0.1	0.00	0.28				
1872	GROUND WATER AT SHIMLA D/S OF MSW DUMPING SITE	HIMACHAL PRADESH	8.0	25.0	5.1	8.0	7.1	8.5	434	39630	5.2	42.0	0.14	10.32	5	920	94	1600
1873	GROUND WATER AT DHARAMSHALA KANGRA D/S OF MSW DUMPING SITE	HIMACHAL PRADESH	15.0	16.0	0.0	0.0	6.8	7.6	182	344	0.1	0.3	0.06	0.73	2	2	94	94
1874	GROUND WATER AT SOLAN-D/S OF MSW DUMPING SITE SALOGRA	HIMACHAL PRADESH	22.0	22.0	2.0	9.2	7.0	8.3	267	771	0.1	0.6	0.00	1.39	2	17	2	41
1877	GROUND WATER AT BADDI INDUSTRIAL AREA	HIMACHAL PRADESH	22.0	25.5			7.1	8.1	916	1039	0.1	0.1	0.17	0.17				
1878	GROUND WATER AT BAROTIWALA INDUSTRIAL AREA	HIMACHAL PRADESH	21.5	21.5			7.1	7.1	690	690	0.1	0.1	0.11	0.11				
1879	GROUND WATER AT NALAGARH INDUSTRIAL AREA	HIMACHAL PRADESH	23.0	23.0			6.8	6.8	1278	1278	0.1	0.1	0.11	0.11				
1880	GROUND WATER AT KALA AMB INDUSTRIAL AREA	HIMACHAL PRADESH					7.8	8.1	313	677	0.2	0.2	0.09	1.21	2	2	2	2
1881	GROUND WATER AT PAONTA SAHIB INDUSTRIAL AREA	HIMACHAL PRADESH					7.3	7.9	663	847	0.1	0.2	0.17	1.82	2	2	2	2
1882	GROUND WATER AT MEHATPUR INDUSTRIAL AREA	HIMACHAL PRADESH	20.0	20.0			7.8	7.8	76	76	0.1	0.1	0.00	0.00				
1883	GROUND WATER AT UNA INDUSTRIAL AREA	HIMACHAL PRADESH	19.5	19.5			7.2	7.7	204	5860	0.1	0.1	0.00	0.36				
2628	HAND PUMP AT SHAMSHI	HIMACHAL PRADESH	15.0	15.0			7.2	7.2	372	372	0.1	0.1			2	2	2	2
2630	HAND PUMP AT HAMIRPUR TOWN	HIMACHAL PRADESH	13.5	13.5			7.2	7.2	209	209	0.1	0.1	0.45	0.45	2	2	2	2



Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2631	HAND PUMP AT NADAUN TOWN	HIMACHAL PRADESH	13.5	25.0	0.0	0.0	7.2	7.7	245	7240	0.1	0.1	0.00	0.36				
2632	HAND PUMP AT BILASPUR TOWN	HIMACHAL PRADESH	18.0	21.0			8.1	8.2	849	885	0.0	0.0	0.00	0.00	2	2	2	2
2633	HAND PUMP AT RECONGPEO	HIMACHAL PRADESH					7.9	7.9	94	94	0.1	0.1	0.52	0.52	2	2	2	2
2634	HAND PUMP AT SHIMLA	HIMACHAL PRADESH	18.0	18.0			8.3	8.4	342	25530	0.1	0.2	0.21	1.64	2	2	2	2
2635	HAND PUMP AT RAMPUR	HIMACHAL PRADESH					7.5	8.1	97	2865	0.2	0.4	0.51	0.72	2	2	2	2
2637	HAND PUMP AT JWALAJI TEMPLE	HIMACHAL PRADESH	0.0	0.0	0.0	0.0	7.2	7.7	188	1080	0.1	0.1	0.00	0.09				
2638	HAND PUMP AT CHINTPURNI TEMPLE/ TOWN	HIMACHAL PRADESH	0.0	0.0	0.0	0.0	8.2	8.2	482	482	0.1	0.1	0.09	0.09				
2639	HAND PUMP AT CHAMUNDA DEVI TEMPLE/ TOWN	HIMACHAL PRADESH	16.0	16.0			7.5	7.8	150	152	0.1	0.1	0.00	0.06				
2640	HAND PUMP AT SANSARPUR TERRACE IA	HIMACHAL PRADESH					7.2	7.2	197	197	0.1	0.1	0.44	0.44	2	2	79	79
2644	HAND PUMP AT PARWANOO IA	HIMACHAL PRADESH	18.0	18.0	3.1	3.1	7.3	7.6	397	863	0.1	0.2	0.00	0.04	21	21	46	46
2645	HAND PUMP AT NAHAN	HIMACHAL PRADESH					7.0	8.0	593	1155	0.1	0.3	0.10	1.37	2	2	2	2
2646	HAND PUMP AT KALA AMB	HIMACHAL PRADESH					7.4	7.8	726	864	0.2	0.2	0.11	2.41	2	2	2	2
2647	HAND PUMP AT TAHLI WAL IA	HIMACHAL PRADESH	14.0	21.0			6.8	7.2	212	5350	0.1	0.1	0.00	0.42				
2648	HAND PUMP AT KEYLONG	HIMACHAL PRADESH	9.0	9.0			7.8	7.8	365	365					2	2	2	2
4434	BOREWELL OF DIC UNA AT IA JEETPUR BEHRI	HIMACHAL PRADESH	19.5	19.5	0.0	0.0	7.9	7.9	377	377	0.1	0.1	0.00	0.00				
4478	INFITING WATER SUPPLY SCHEME SAMSHI, NEAR SABJI MANDI BHUNTAR, TEHSIL KULLU, DISTT KULLU	HIMACHAL PRADESH	12.0	12.0	11.2	11.2	7.7	7.7	78	78	0.1	0.1			13	13	120	120
4483	GROUND WATER SUPPLY SCHEME (MC UNA)	HIMACHAL PRADESH	18.0	18.0	6.1	6.1	7.6	7.6	760	760	0.1	0.1	0.00	0.00				

**TABLE - 11: WATER QUALITY OF GROUND WATER IN JAMMU AND KASHMIR - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2759	DUGWELL AT GAGHWAL(KATHUA DISTT)	JAMMU & KASHMIR	23.0	23.0			7.8	7.8	685	685			0.04	0.04				
2760	MALADHAR TALAB(POND)HATLI (KATHUA)	JAMMU & KASHMIR	22.0	22.0	7.9	7.9	7.2	7.2	150	150	2.0	2.0	0.10	0.10				
2762	R.S. PURA TEHSIL, JAMMU	JAMMU & KASHMIR	20.0	22.0	5.4	7.0	8.6	8.8	790	1000	2.8	7.5	0.23	0.38				
4064	BOREWELL NEAR INDUSTRIAL AREA GANGYAL	JAMMU & KASHMIR	13.0	23.0			7.3	7.5	500	587			0.00	0.01				
4065	BOREWELL NEAR INDUSTRIAL AREA BARI-BRAHMNA	JAMMU & KASHMIR	23.0	23.0			6.8	6.8	494	494			0.01	0.01				
4066	BOREWELL NEAR INDUSTRIAL AREA SAMBA	JAMMU & KASHMIR	23.0	23.0			7.5	7.5	582	582			0.00	0.00				
4067	BOREWELL NEAR INDUSTRIAL AREA UDHAMPUR	JAMMU & KASHMIR	21.0	21.0			6.9	6.9	320	320			0.00	0.00				
4068	BABA TALAB (ANCIENT POND) AT MISHRIWALA (WETLAND)	JAMMU & KASHMIR	22.0	22.0	7.6	7.6	7.9	7.9	98	98	1.5	1.5	0.00	0.00				
4069	ANCIENT BOWLIES IN UDHAMPUR AT GANGERA BOWLI	JAMMU & KASHMIR	24.0	24.0			7.2	7.2	680	680			0.01	0.01				
4070	ANCIENT BOWLIES IN UDHAMPUR AT REHMATI MOHALLA BOWLI	JAMMU & KASHMIR	24.0	24.0			7.4	7.4	520	520			0.04	0.04				
4072	BOREWELL IN SMAILPUR NEAR CHRISTIAN HOSPITAL	JAMMU & KASHMIR	13.0	23.0			6.8	7.4	708	1122			0.00	0.05				
4073	BOREWELL NEAR MAIN CHOWK, SMAILPUR	JAMMU & KASHMIR	14.0	23.0			6.8	7.5	527	993			0.00	0.01				
4074	MANWAR TAWI BELOW SALAINI BRIDGE-RAJOURI	JAMMU & KASHMIR	22.0	22.0	8.1	8.1	8.3	8.3	163	163	0.0	0.0	0.00	0.00				

**TABLE - 12: WATER QUALITY OF GROUND WATER IN JHARKHAND AND KARNATAKA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4758	GOVT. HANDPUMP NEAR HOUSE OF RAJENDRA SINGH MUNDA, KOKRANA MURI	JHARKHAND	13.0	28.0	6.0	7.9	6.5	7.6			0.0	0.0						
3564	BOREWELL WATER NEAR MANGALIYOTHI SCHOOL MSW SITE VAMMANJOOR	KARNATAKA	27.0	28.0	2.7	5.7	6.9	7.2	144	194	3.0	3.0	1.08	1.22	2	2	2	9
4093	M/S SUGURESHWARA IND, 196 (P), KIADB IND GROWTH CENTRE, CHIKA SUGAR, RAICHUR	KARNATAKA	30.0	30.0	5.0	5.0	7.4	7.4	4363	4363	8.8	8.8	BDL	BDL				

**TABLE - 13: WATER QUALITY OF GROUND WATER IN KERALA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
19	WELL AT ALWAYE, KERALA	KERALA	27.0	28.0			5.9	6.2	140	145	0.2	0.2	0.02	0.21	340	700	490	1700
22	WELL AT CHUNGAPALLY, KERALA	KERALA	27.0	27.0			6.4	6.8	66	123	0.2	0.5	0.60	2.60	81	630	170	1000
35	WELL AT PUNALUR, KERALA	KERALA	23.0	23.0			5.8	6.9	148	154	1.0	1.0	0.48	0.58	10	26	60	79
1581	WELL AT PAPPANAMKODE, THIRUVANANTHAPURAM, KERALA	KERALA	30.0	36.0			4.5	5.7	152	152	0.9	3.4	0.01	0.20	100	200	310	400
1582	WELL AT NEDUMANGAD, THIRUVANANTHAPURAM, KERALA	KERALA	32.0	33.0			5.7	6.2	155	178	1.0	4.1	0.02	0.10	100	100	300	400
1583	WELL AT KUNDARA, KOLLAM DISTT. , KERALA	KERALA	22.0	23.0			6.5	6.7	156	166	1.2	1.2	0.52	0.62	20	48	70	100
1584	WELL AT CHERTHALA, ALLEPPY, KERALA	KERALA	26.0	28.0			6.8	6.9	299	412	1.1	1.7	0.01	0.03	10	280	100	790
1585	WELL AT VYTILA, ERNAKULAM DISTT. , KERALA	KERALA	28.0	29.0			7.5	7.7	277	520	0.2	1.4	0.06	0.80	100	1200	240	2300
1586	WELL AT EDAYAR ERNAKULAM DISTT., KERALA	KERALA	28.0	28.0			6.2	6.5	244	352	0.2	1.1	0.03	0.05	270	6300	700	7900
1587	WELL AT KALAMASSERY ERNAKULAM DISTT. , KERALA	KERALA	28.0	30.0			6.2	7.0	268	340	0.2	0.2	0.02	0.03	100	240	540	540
1588	WELL AT PUNKUNNAM TRISSUR DISTT. , KERALA	KERALA	22.0	26.0			6.0	6.3	160	267	0.9	1.1	0.01	0.50	100	280	310	2000
1589	WELL AT MALAPURAM , KERALA	KERALA	21.0	30.0			6.5	7.6	332	730	0.6	1.6	0.25	1.60	10	34	24	84
1590	WELL AT MAVOOR, KOZHIKKODE DISTT. , KERALA	KERALA	24.0	28.0			6.4	6.6	92	103	0.1	0.2	1.58	5.00	120	150	220	260
1591	WELL AT KANNUR (MUNICIPALITY) KANNUR DISTTM , KERALA	KERALA	24.0	30.0			4.6	6.7	116	119	0.3	1.2	0.25	0.58	20	21	100	150
1592	WELL AT PAYYANNUR, KANNUR DISTT. , KERALA	KERALA	27.0	28.0			6.6	6.6	328	359	0.9	2.3	0.43	0.54	17	32	100	150
2308	WELL AT FATHIMAPURAM (CHANGANASSERY)	KERALA	28.0	30.0			7.0	7.3	197	247	0.6	1.0	0.03	0.81	280	2000	540	4100
2309	WELL AT KAROOR (PALA)	KERALA	29.0	30.0			7.1	7.5	76	304	0.1	0.6	0.01	0.13	2	1800	49	3600
2310	WELL AT VAIKOM	KERALA	29.0	31.0			6.6	6.8	91	198	0.2	0.3	0.08	0.23	49	1300	140	2400

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2311	WELL AT VADAVATHOOR (KOTTAYAM)	KERALA	29.0	30.0			6.6	6.7	103	160	0.3	0.4	0.02	0.92	280	2400	600	4900
2313	WELL AT SARVODAPURAM, ALAPPUZHA	KERALA	26.0	28.0			7.5	7.6	268	485	1.2	1.2	0.01	0.02	49	200	100	400
2314	WELL AT KUREEPUZHA (KOLLAM)	KERALA	22.0	25.0			6.8	6.9	176	210	1.1	1.4	0.56	0.92	27	79	84	140
2315	WELL AT K.M.M.L. (KOLLAM)	KERALA	22.0	24.0			7.5	7.6	220	234	1.0	1.6	0.58	0.89	60	60	110	110
2316	WELL AT CHELLORA TRENCHING GROUND (KANNUR)	KERALA	26.0	34.0			5.1	6.9	54	140	1.8	2.9	0.05	0.51	20	40	100	460
2317	WELL AT PUNNALPETTIPALAM (TELLICHERRY MUNICIPALITY)	KERALA	26.0	32.0			5.5	5.9	280	308	0.9	1.3	0.17	0.26	4	10	20	60
2320	WELL AT MANJERI	KERALA	21.0	30.0			6.3	7.3	236	256	0.5	1.6	0.15	1.25	10	38	18	70
2321	WELL AT LALOOR (THRISSUR)	KERALA	22.0	27.0			5.9	6.1	180	264	0.4	0.7	0.00	1.89	10	10	100	400
2322	WELL AT OLLUR (THRISSUR)	KERALA	24.0	28.0			5.0	5.8	130	140	0.8	1.2	0.04	0.84	10	100	200	1000
2323	WELL AT BRAHMAPURAM M.S.W. DUMPARK (ERNAKULAM)	KERALA	27.0	29.0			6.5	6.9	174	218	0.3	0.6	0.02	0.29	480	1000	700	2200
2324	WELL AT HAZARDOUS WASTE DUMP (AMBALAMUGHAL)	KERALA	28.0	28.0			5.6	6.1	66	96	0.3	1.2	0.01	0.56	2	120	10	230
2327	WELL AT KARUKAMANI	KERALA	27.0	29.0			7.2	8.0	768	770	0.5	1.4	0.41	0.83	10	10	29	550
3463	WELL AT VELLIPARAMBA, KOZHEKODE	KERALA	26.0	28.0			5.2	6.2	80	99	0.3	0.7	2.78	5.50	210	4600	540	8400
3472	WELL OF TEMPLE PARASSINIKADAVU, KANNUR	KERALA	26.0	28.0			7.0	8.0	612	11750	0.9	1.0	0.13	0.85	10	10	60	100
3474	WELL AT PAYANOOR, KANNUR	KERALA	27.0	28.0			6.9	6.9	148	239	1.1	2.5	0.01	0.07	21	40	100	120
3475	WELL AT KARIMBAM, KANNUR	KERALA	26.0	27.0			4.6	4.9	67	96	1.6	2.0	0.04	0.34	4	40	49	350

**TABLE - 14: WATER QUALITY OF GROUND WATER IN LAKSHADWEEP - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1402	WELL NEAR PWD ADJACENT TO CHAKIKILUM IN KAVARATTI	LAKSHADWEEP	27.8	29.7			7.0	7.4	851	1099								
1593	WELL NEAR J.B SCHOOL	LAKSHADWEEP	27.8	29.7			7.0	7.1	1074	1348								
1594	WELL NEAR OTTAVATHIL PALLI	LAKSHADWEEP	27.9	29.6			6.9	7.5	1216	3320								
1595	WELL NEAR CHEKKILLAM HOUSE	LAKSHADWEEP	27.7	30.3			7.0	7.1	675	1389								
1596	WELL C/O KADAT PALLI	LAKSHADWEEP	10.3	27.5			7.2	7.5	838	4190								
1597	WELL NEAR BADER PALLI	LAKSHADWEEP	28.0	30.0			7.5	7.6	756	781								
1598	WELL C/O PUTHIYA PALLI	LAKSHADWEEP	28.3	30.7			7.0	7.0	587	7899								
1599	WELL C/O PURATHA PALLI	LAKSHADWEEP	27.5	29.8			7.3	7.5	651	1107								
1600	WELL C/O ANDAM PALLI	LAKSHADWEEP	27.8	29.7			7.0	7.1	937	1038								
1601	WELL C/O CIRCUIT HOUSE	LAKSHADWEEP	27.8	30.4			7.0	7.5	703	2150								
1602	WELL C/O GOVT. PRESS,	LAKSHADWEEP	27.0	29.5			7.4	7.5	1109	1204								
1603	WELL C/O OLD POLICE BARRACKS,	LAKSHADWEEP	28.4	30.6			7.0	7.5	1926	5140								
1604	WELL C/O MPSAF QUARTER	LAKSHADWEEP	28.9	30.1			7.0	7.0	3046	9510								
1605	WELL NEAR HALIPAD	LAKSHADWEEP	28.5	29.9			7.5	7.7	1840	2351								
1606	WELL (PUBLIC )OPPOSITE S.B.SCHOOL	LAKSHADWEEP	28.1	30.7			7.0	7.5	648	834								
4548	WELL NEAR KENDRIYA VIDYALAYA	LAKSHADWEEP	28.5	30.1			7.0	7.5	1049	2030								
4549	WELL NEAR STADIUM	LAKSHADWEEP	27.4	30.0			7.0	7.7	693	700								
4550	WELL C/O KENDRIYA VIDYALAYA	LAKSHADWEEP	28.3	30.0			7.5	7.9	2914	4860								
4551	WELL NEAR J.B. SCHOOL (E) WITH MOTOR)	LAKSHADWEEP	28.4	29.8			7.4	7.5	1067	1697								
4552	WELL C/O HIGH SCHOOL	LAKSHADWEEP	27.8	30.5			7.0	7.5	1507	1638								
4553	WELL C/O J.B. SCHOOL (N)	LAKSHADWEEP	28.2	30.7			7.3	7.5	1408	1614								
4554	WELL C/O I.G HOSPITAL	LAKSHADWEEP	27.6	29.8			7.0	7.5	1199	1295								

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4555	WELL NEAR HELIPAD 2	LAKSHADWEEP	27.6	29.7			7.0	7.9	1657	3320								
4556	WELL C/O SOLAR PLANT	LAKSHADWEEP	28.7	29.9			7.0	7.6	830	945								
4558	WELL C/O PURAKKATTAPOOMI	LAKSHADWEEP	29.8	29.8					1975	2040								
4559	WELL C/O THAJ MANZIL	LAKSHADWEEP	29.6	29.6					2510	4520								
4560	WELL C/O PUTHIYARA PALLI	LAKSHADWEEP	29.4	29.4					1102	11480								
4561	WELL C/O PUTHIYATHAKAL	LAKSHADWEEP	29.3	29.3					2322	3400								
4562	WELL C/O JBS (C )	LAKSHADWEEP	29.6	29.6					1328	1920								
4563	WELL C/O NURSERY SCHOOL	LAKSHADWEEP	29.8	29.8					1607	1742								
4564	WELL C/O BELAVILATHA PALLI	LAKSHADWEEP	30.3	30.3					3195	3280								
4565	WELL C/O LAGOONS BATH	LAKSHADWEEP	30.5	30.5					2540	2600								
4566	WELL NEAR S & T	LAKSHADWEEP	29.0	29.0					1615	2110								
4567	WELL C/O UJRA PALLI	LAKSHADWEEP	30.2	30.2					1351	1417								
4569	WELL C/O MANDALI	LAKSHADWEEP	29.7	29.7					1070	2948								
4570	WELL C/O FRIENDS COMMON CLUB	LAKSHADWEEP	30.0	30.0					1057	1325								
4571	WELL NEAR HARBOR COTTAGE	LAKSHADWEEP	29.9	29.9					8100	8490								
4572	WELL C/O OBSERVATORY	LAKSHADWEEP	29.9	29.9					2170	2210								
4573	WELL C/O SULTHAN VEED	LAKSHADWEEP	29.6	29.6					1827	2510								
4574	WELL C/O MOULA PALL	LAKSHADWEEP	30.1	30.1					1910	2270								
4575	WELL C/O BEEREADAM	LAKSHADWEEP	29.3	29.3					2010	2050								
4576	WELL C/O HUSSAIN MANZIL	LAKSHADWEEP	29.5	29.5					1799	1885								

**TABLE - 15: WATER QUALITY OF GROUND WATER IN MADHYA PRADESH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
52	WELL, SHRI RAO PRAJAPATI WELL , M. P.(T/W OF HANIF KHAN S/O JABBAR KHAN, AMRAWATI ROAD, BURHANPUR )	MADHYA PRADESH	24.0	24.0	4.5	4.5	7.6	7.6	962	962	1.0	1.0	3.69	3.69	2	2	81	81
1616	OPEN WELL/TUBE WELL INDUSTRIAL AREA, GOVINDPURA, BHOPAL, M.P	MADHYA PRADESH	27.0	27.0			7.2	7.2	366	366	0.8	0.8	1.00	1.00			40	40
1617	OPEN WELL/TUBE WELL INDUSTRIAL AREA MANDIDEEP, DISTT. RAISEN, M.P	MADHYA PRADESH	28.0	28.0			8.0	8.0	264	264	0.8	0.8	1.50	1.50			94	94
1618	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	26.0	26.0			7.3	7.3	2600	2600			0.40	0.40	2	2	14	14
1619	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL AREA MALANPUR, M.P	MADHYA PRADESH	26.0	26.0			7.3	7.3	2539	2539			0.40	0.40	2	2	13	13
1897	TUBE WELL AT JAINABAD, NEAR TAPTI RIVER BRIDGE, PUMPING STN. BURHANPUR, M.P.	MADHYA PRADESH	24.0	27.0	4.2	4.6	7.4	7.8	789	860	0.9	0.9	2.67	3.18	2	2	5	6
2143	WELL AT KATHODA, JABALPUR	MADHYA PRADESH	21.1	21.1			7.1	7.5	310	692	0.5	0.5	0.40	1.20	2	2	2	2
2144	WELL AT MADAI GRAM, JABALPUR	MADHYA PRADESH	21.2	21.2			7.1	7.2	379	529	0.5	0.5	0.34	1.10	2	2	2	2
2145	WELL AT MEHATWAS, NAGDA	MADHYA PRADESH	24.0	24.0			7.5	7.6	1210	1620	1.2	2.0	3.69	4.49	2	2	10	10
2146	WELL AT BHAGATPURI VILLAGE, NAGDA	MADHYA PRADESH					7.6	7.6	2846	2846	1.0	1.0	8.12	8.12	2	2	8	8
2147	WELL AT PRATAL NAGAR, DEWAS	MADHYA PRADESH	23.0	23.0			7.9	7.9	2670	2670	2.0	2.0	0.82	0.82				
2148	WELL AT DOSIGAON, RATLAM	MADHYA PRADESH	24.0	24.0			7.2	7.2	2562	2730	1.0	2.8	4.87	6.32	2	2	10	10
2149	WELL AT CULVERT ON A.B. ROAD, MAKSI	MADHYA PRADESH					7.6	7.6			2.0	2.0	6.69	6.69				
2150	WELL AT TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE	MADHYA PRADESH	24.0	28.0	4.9	5.2	7.1	7.6	1289	1489	0.6	1.1	2.90	4.20	2	2	8	55



Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2151	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE	MADHYA PRADESH	24.0	28.0	4.2	5.4	7.5	7.8	166	2024	1.0	1.1	4.07	5.11	2	2	2	83
2152	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE	MADHYA PRADESH	24.0	28.0	4.5	5.4	7.0	8.0	1556	1688	0.8	1.0	3.58	4.04	2	2	5	5
2153	WELL AT IBRAHIMGANJ NEAR BUS STAND, BHOPAL	MADHYA PRADESH	27.0	27.0			7.2	7.2	269	269	9.6	9.6						
2154	WELL AT NEAR PRIMARY SCHOOL, PILUKHEDI, RAJGARH.	MADHYA PRADESH	24.0	27.0			7.0	8.2	535	2040			0.60	0.86				
3332	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, DEWAS	MADHYA PRADESH	21.0	26.0			7.1	8.3	1864	3467	1.0	2.0	4.21	8.82				
3333	HAND PUMP WATER AT BANSKHEDI, BHOPAL	MADHYA PRADESH	27.0	27.0			8.1	8.1	2148	2148	0.7	0.7	1.50	1.50	2	2	33	33
3334	TUBE WELL NEAR BUS STAND AT BETUL	MADHYA PRADESH					6.9	6.9	781	781	1.1	1.1	0.46	0.46	2	2	150	150
3335	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, JABALPUR	MADHYA PRADESH	18.5	22.0			7.4	8.5	360	592	0.2	0.2	1.00	1.00	2	2	2	2
3336	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, CHHINDWARA	MADHYA PRADESH					7.3	7.3	570	570					3	3	11	11
3337	TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR	MADHYA PRADESH	24.8	24.8			7.2	7.5	360	821	0.4	0.4	1.20	1.20	2	2	2	2
3338	HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI RAIRU	MADHYA PRADESH	26.0	26.0			7.6	7.6	772	772			1.20	1.20	2	2	12	12
3339	TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE	MADHYA PRADESH	24.0	24.0	4.4	4.4	8.0	8.0	786	786	0.8	0.8	3.14	3.14	2	2	5	5
3340	TUBE WELL AT NEAR TRENCHING GROUND, INDORE	MADHYA PRADESH	24.0	24.0	4.9	4.9	7.0	7.0	1338	1338	0.8	0.8	3.73	3.73	2	2	12	12
3341	TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA	MADHYA PRADESH	24.0	28.0	3.2	3.9	7.7	8.0	1130	1585	0.8	1.1	2.93	3.67	2	2	3	11
3342	BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR, INDUSTRIAL AREA	MADHYA PRADESH	24.0	28.0	4.4	4.6	6.8	8.5	465	949	0.8	0.9	2.81	3.15	2	2	5	8

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3343	TUBE WELL NEAR INDUSTRIAL AREA UDYOG VIHAR , CHURAT, REWA	MADHYA PRADESH	28.9	28.9	4.6	4.6	6.9	6.9	1425	1425	1.0	1.0	3.83	3.83	2	2	6	6
3822	GROUND WATER NEAR BUS STAND, DIST NARSINGPUR	MADHYA PRADESH	22.0	22.0			7.6	8.1	330	1369	1.2	1.2	1.33	1.33	2	2	25	25
3823	GROUND WATER NEAR BUS STAND, DIST BALAGHAT	MADHYA PRADESH	21.7	21.7			7.3	7.4	468	588	0.3	0.3	1.00	1.00	2	2	2	2
3824	GROUND WATER VILL BHEEMJORI, MALAJKH, DIST BALAGHAT	MADHYA PRADESH	22.0	22.0			7.5	8.3	115	814	0.2	0.2	1.00	1.00	2	2	2	2
3825	GROUND WATER NEAR BUS STAND, DIST MANDLA	MADHYA PRADESH	25.0	25.0			7.3	7.5	330	516	0.6	0.6	1.20	1.20	2	2	2	2
3826	GROUND WATER NEAR BUS STAND, DIST SEONI	MADHYA PRADESH	25.0	25.0			7.1	7.5	330	686	0.4	0.4	1.20	1.20	2	2	2	2
3827	GROUND WATER VILL IMALIA, DIST JABALPUR	MADHYA PRADESH	25.5	25.5			7.2	7.3	356	624	0.5	0.5	1.20	1.20	2	2	2	2
3837	GROUND WATER PRIMARY SCHOOL DHOBI GHAT, DIST SINGROULI	MADHYA PRADESH	28.0	28.0			7.5	7.6	550	560			1.56	1.56				
3838	GROUND WATER NCL, JINGURDHA, QSHF-176 METENCE OFF, DIST SINGROULI	MADHYA PRADESH	27.5	28.0			7.5	7.8	660	670								
3839	GROUND WATER NEAR SHIV MANDIR, AMLORI NCL, PROJECT SINGROULI	MADHYA PRADESH	27.0	28.0			7.5	7.6	710	720			0.09	0.13				
3840	GROUND WATER NEAR SUBJEE MANDI NCL JAYANT (BESIDE POLICE STATION), SINGROULI	MADHYA PRADESH	27.0	28.5			7.5	7.5	260	270			0.17	0.20				
3841	GROUND WATER SARVESWAR RAJA COLONY JAYANT, SINGROULI	MADHYA PRADESH	28.0	28.5			7.5	7.6	400	410			2.62	2.63				
3842	GROUND WATER NEAR SUB STATION SECTOR-B, DUDHICHUA NCL PROJECT, SINGROULI	MADHYA PRADESH	27.0	28.0			7.5	7.8	410	420			0.11	0.16				
3843	GROUND WATER NEAR ENTRANCE GAGE OF VIVEKANANAD STATUE, NIGAHI, SINGROULI	MADHYA PRADESH	28.0	28.5			7.5	7.6	420	430			0.13	0.19				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3844	GROUND WATER NEAR COMMERCIAL AUTO MOBILE NEAR BHARAT PETROL PUMP, VINDHYA NAGAR, SINGROULI	MADHYA PRADESH	27.0	28.0			7.6	7.7	440	450			1.57	1.59				
3854	TUBE WELL WATER SAMPLE OF SIDHI CITY	MADHYA PRADESH	28.5	28.5	4.8	4.8	7.1	7.1	739	739	0.9	0.9	1.31	1.31	2	2	6	6
4618	GROUND WATER AT INDUSTRIAL AREA, MANERI DISTT MANDLA	MADHYA PRADESH					7.2	7.2	338	338								

**TABLE - 16: WATER QUALITY OF GROUND WATER IN MAHARASHTRA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1984	INDL. ESTATE TARAPUR, PALGHAR, THANE	MAHARASHTRA	37.0	37.0	4.8	4.8	8.1	8.1	582	582	4.8	4.8	6.11	6.11	33	33	220	220
1985	KASHIMIRA,BHAYANDER, THANE	MAHARASHTRA	39.0	39.0	5.4	5.4	7.4	7.4	1280	1280	5.3	5.3	8.34	8.34	38	38	210	210
1986	MOTAPADA,DAHANU, THANE	MAHARASHTRA	15.0	15.0	6.1	6.1	8.4	8.4	546	546	4.2	4.2	0.60	0.60	17	17	70	70
1987	GOKHIWARE,VASAI, THANE	MAHARASHTRA	38.0	38.0	5.8	5.8	8.2	8.2	540	540	3.8	3.8	8.71	8.71	31	31	150	150
1988	GHARATWADI,ALIYALI,PALGHAR, THANE	MAHARASHTRA	19.0	19.0	5.3	5.3	8.5	8.5	566	566	5.4	5.4	0.57	0.57	34	34	240	240
1989	MSW SITE, KARAWALA,TALOJA,PANVEL, RAIGAD	MAHARASHTRA	39.0	39.0	3.0	3.0	8.1	8.1	798	798	7.8	7.8	1.65	1.65	33	33	220	220
1990	BMW SITE, BURUDGAON, AHMEDNAGAR	MAHARASHTRA	24.0	24.0	BDL	BDL	7.3	7.3	652	652	10.5	10.5	3.10	3.10	120	120	1800	1800
1993	PHANDARPUR, GANGAPUR, AURANGABAD	MAHARASHTRA	36.0	36.0	6.8	6.8	7.5	7.5	20350	20350	2.6	2.6	3.72	3.72	6	6	48	48
1994	TPS-DURGAPUR, CHANDRAPUR	MAHARASHTRA	19.0	19.0	6.4	6.4	7.7	7.7	208	208	3.2	3.2	0.54	0.54	2	2	170	170
1998	BRHAMNI, KALMESHVAR, NAGPUR	MAHARASHTRA	39.0	39.0	5.7	5.7	7.7	7.7	657	657	4.8	4.8	1.51	1.51	2	2	2	2
2001	PARATWADA, ACHALPUR, AMRAVATI	MAHARASHTRA	20.0	20.0	6.3	6.3	7.8	7.8	257	257	3.4	3.4	0.61	0.61	2	2	140	140
2002	ANJANGAON,AKOT, AKOLA	MAHARASHTRA	18.0	18.0	6.2	6.2	7.7	7.7	223	223	3.4	3.4	0.47	0.47	2	2	140	140
2003	SAWARGAON, YAVATMAL	MAHARASHTRA	19.0	19.0	6.0	6.0	7.9	7.9	236	236	3.6	3.6	0.49	0.49	2	2	150	150
2004	PARVATI INDL. ESTATE, YADRAV, SHIROL, KOLHAPUR	MAHARASHTRA	29.0	29.0	4.4	4.4	7.8	7.8	59220	59220	12.0	12.0	0.90	0.90	920	920	1600	1600
2005	KHANJIRENAGAR, HATKANANGALE, KOLHAPUR	MAHARASHTRA	33.0	33.0	BDL	BDL	6.8	6.8	807	807	90.0	90.0	17.00	17.00	1600	1600	1600	1600
2006	MIDC, SHINOLI, CHANDGAD, KOLHAPUR	MAHARASHTRA	33.0	33.0	BDL	BDL	6.9	6.9	709	709	110.0	110.0	1.80	1.80	920	920	1600	1600
2007	SAVALI, MIRAJ, SANGLI	MAHARASHTRA	33.0	33.0	BDL	BDL	6.9	6.9	803	803	150.0	150.0	1.90	1.90	1600	1600	1600	1600
2008	RASULWADI-SAMBARWADI, MIRAJ-SANGLI	MAHARASHTRA	33.0	33.0	4.1	4.1	7.4	7.4	33270	33270	12.0	12.0	4.00	4.00	63	63	280	280
2200	BORE WELL AT KATPUR, NEAR Z.P SCHOOL, KATPUR, PAITHAN, AURANGABAD	MAHARASHTRA	36.0	36.0	6.5	6.5	7.6	7.6	20240	20240	2.6	2.6	3.45	3.45	5	5	49	49

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2201	DUG WELL AT RANJANGAON, GANAGAPUR, AURANGABAD	MAHARASHTRA			6.4	6.4	7.5	7.5	2839	2839	2.6	2.6	1.94	1.94				
2202	DUG WELL AT GHANE KUNT, NEAR AWASTHI, OWNED BY SHRI RAJENDRA AMRE , KHED, RATNAGIRI	MAHARASHTRA	33.0	33.0	4.7	4.7	7.4	7.4	33380	33380	10.0	10.0	4.00	4.00	46	46	280	280
2204	DUG WELL AT GUNJALWADI, SANGAMNER NEAR PRIMARY HEALTH CARE CENTER, AHMEDNAGAR	MAHARASHTRA	24.0	24.0	BDL	BDL	7.6	7.6	658	658	12.5	12.5	2.90	2.90	275	275	1800	1800
2818	BORE WELL AT M/S SPECTRON ETHERS SIDDESHWAR MAHADEV MANDIR, RASEGAON, DINDORI, NASHIK	MAHARASHTRA	28.0	28.0	3.6	3.6	8.1	8.1	645	645	7.5	7.5	1.40	1.40	550	550	1800	1800
2824	DUG WELL AT NAREGAON, AURANGABAD	MAHARASHTRA			6.9	6.9	7.8	7.8	1140	1140	2.0	2.0	0.86	0.86				
2825	BORE WELL AT WAHEGAON NEAR ZILLA PARISHAD SCHOOL, WAHEGAON, PAITHAN, AURANGABAD	MAHARASHTRA	36.0	36.0	6.5	6.5	7.6	7.6	21280	21280	2.6	2.6	2.97	2.97	6	6	46	46
2828	DUG WELL NEAR JILLA PARISHAD PRIMARY SCHOOL, VISAPUR, BALLARPUR, CHANDRAPUR	MAHARASHTRA	20.0	20.0	6.2	6.2	7.7	7.7	203	203	3.4	3.4	0.58	0.58	2	2	220	220
2829	BORE WELL AT MIDC SHIROLI NEAR M/S PRATIBHA ENTERPRISES, HATKANANGALE, KOLHAPUR	MAHARASHTRA	33.0	33.0	4.4	4.4	7.5	7.5	35330	35330	11.0	11.0	3.40	3.40	47	47	220	220
2830	BORE WELL AT MIDC GOKUL-SHIRGAON, KARVIR, KOLHAPUR	MAHARASHTRA	33.0	33.0	4.5	4.5	7.6	7.6	35240	35240	11.0	11.0	3.10	3.10	46	46	220	220
2831	DUG WELL AT SAKHARALI NEAR MIDC ISLAMPUR NEAR KRISHNA MILK INDUSTRY, WALWA, SANGALI	MAHARASHTRA	30.0	30.0	4.0	4.0	8.2	8.2	53940	53940	12.0	12.0	2.10	2.10	49	49	210	210
2832	DUG WELL NO-1 AT BRAHMANWADI ANJANWEL OWNED BY SHRI VAIDYA, GUHAGAR, RATNAGIRI	MAHARASHTRA	30.0	30.0	6.7	6.7	7.5	7.5	241	241	4.0	4.0	0.30	0.30	17	17	40	40
2833	DUG WELL NO-1 AT GROUP GRAM PANCHAYAT AT	MAHARASHTRA	30.0	30.0	3.9	3.9	8.2	8.2	54090	54090	12.0	12.0	2.10	2.10	79	79	240	240

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	ARKETWADI NEAR MASJID, KHED, RATNAGIRI																	
2834	DUG WELL NO-2 AT ARKETWADI, KHED, RATNAGIRI	MAHARASHTRA	30.0	30.0	4.4	4.4	8.1	8.1	54870	54870	10.0	10.0	2.00	2.00	49	49	220	220
2835	DUG WELL NO-2 OWNED BY GROUP GRAM PANCHAYAT BRAHMANWADI, ANJANWEL, GUHAGAR, RATNAGIRI	MAHARASHTRA	30.0	30.0	3.9	3.9	8.1	8.1	55570	55570	13.0	13.0	1.90	1.90	920	920	920	920

**TABLE - 17: WATER QUALITY OF GROUND WATER IN MANIPUR - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1920	KAKCHING	MANIPUR	22.0	22.0			7.8	7.8	953	953	55.0	55.0						
1921	HEIROK	MANIPUR	23.0	25.0			7.1	7.3	785	928	0.0	0.0	35.00	35.00				
1923	MOREH	MANIPUR	26.0	27.0			7.3	7.8	628	754			42.00	42.00			5	5
1924	PALLEL	MANIPUR	24.0	24.0			7.4	7.4	992	992			50.00	50.00				
2883	HAND PUMP AT CHURACHANDPUR	MANIPUR	24.0	24.0			7.8	7.8	658	658			35.00	35.00				

**TABLE - 18: WATER QUALITY OF GROUND WATER IN MEGHALAYA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1634	POLICE BAZAR, SHILLONG (POLICE BAZAAR SPRING)	MEGHALAYA	16.0	17.0	4.1	4.3	5.5	6.0	250	265	1.8	1.9	7.55	11.00	11	22	58	79
1635	MAWLAI, SHILLONG (MAWPDANG SPRING)	MEGHALAYA	16.0	16.0	3.5	3.6	5.2	6.1	185	290	1.6	1.8	12.46	18.30	2	11	22	23
1636	INDUSTRIAL ESTATE, BYRNIHAT (NARBONG WELL - SPRING)	MEGHALAYA	17.0	18.0	3.2	3.5	6.6	6.7	105	185	1.9	2.2	0.38	0.42	2	11	23	47
1637	SOHRA, CHERRAPUNJEE (WAH U DKHAR - SPRING)	MEGHALAYA	14.0	23.0	4.0	4.8	6.0	6.6	98	118	1.0	1.0	1.40	5.37	2	2	4	4
1638	SHANGPUNG (UMSAHEP SPRING)	MEGHALAYA	13.0	15.0	5.5	5.5	5.9	6.0	118	153	1.0	1.0	0.32	0.70	2	2	2	2
3385	MAWTHADRISHAN WELL AT MARKASA	MEGHALAYA	19.0	21.0	6.0	6.7	6.7	6.8	55	66	1.0	1.4	0.42	0.50	2	2	13	17
3386	JAKREM HOT SPRING AT JAKREM	MEGHALAYA	42.0	46.0	3.5	4.0	9.2	9.3	320	355	1.0	1.0	0.78	0.88	2	2	4	4
4323	BOREWELL AT GOOD SHAPHARD PARISH IN LADRYMBAI	MEGHALAYA	15.5	17.0	6.0	6.5	7.1	7.5	142	188	1.1	1.5	0.51	0.57	2	2	2	34
4324	BOREWELL AT KHLIEHWAH SHASEM - A IN KHLIEHRIAT	MEGHALAYA	16.0	16.0	3.7	5.4	5.0	5.2	124	135	1.2	1.3	0.19	0.33	2	2	12	49
4325	BOREWELL AT KHLIEHWAH SHASEM - B IN KHLIEHRIAT	MEGHALAYA	15.0	17.0	6.0	7.0	4.3	4.8	85	110	1.0	1.3	0.25	0.34	2	2	4	39



**TABLE - 19: WATER QUALITY OF GROUND WATER IN MIZORAM - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2054	RAMHLUM (NORTHERN PART)	MIZORAM	16.0	24.0	4.6	6.6	5.4	7.1	328	328	0.7	2.1	0.00	0.64				
2055	MISSION VENGTHLANG (SOUTHERN PART)	MIZORAM	17.0	26.0	3.1	7.3	6.3	7.8	0	478	0.9	2.1	0.00	0.18				
3725	LUNGLI TUIKHUR, REPUBLIC VENG	MIZORAM	18.0	23.0	4.9	7.8	6.4	7.3	291	291	0.9	1.2	0.00	0.20				
3726	RAMHLUN S TUIKHUR, NEAR COMMUNITY HALL	MIZORAM	18.0	23.0	4.2	7.2	5.4	7.5	255	255	0.7	1.9	0.01	0.61				
3727	TUITHANG VENG, TUIKHUR	MIZORAM	15.0	28.0	2.6	6.9	5.0	7.1	263	263	0.6	2.2	0.00	0.24				
3728	KHURPUI TUIKHUR, S HLIMEN	MIZORAM	15.0	26.0	2.6	7.2	6.6	7.9	247	247	0.7	2.0	0.00	0.04				
3729	BAWNGKAWN HAND PUMP, NEAR HB PETROL PUMP	MIZORAM	20.0	21.0	1.7	5.5	5.7	5.9			1.9	1.9	0.03	0.20				
3730	SELESIH HAND PUMP	MIZORAM	19.0	20.0	1.9	2.9	5.7	6.3			1.8	1.8	0.03	0.32				
3731	TUIKUAL HAND PUMP	MIZORAM	21.0	22.0	1.8	2.5	6.3	6.5			1.7	1.7	0.00	0.17				
3732	CHALTLANG HAND PUMP, NEAR REMI TYRE WORKS	MIZORAM	20.0	21.0	0.8	0.9	5.6	8.9			1.9	1.9	0.04	0.15				
3733	S HLIMEN HAND PUMP	MIZORAM	18.0	21.0	2.0	2.2	6.2	6.7			1.5	1.5	0.07	0.16				
3737	VAITUI TUIKHUR, THEIRIAT, LUNGLEI	MIZORAM	16.0	25.0	6.7	7.3	6.1	7.3	300	300	0.8	1.9	0.00	0.03				
3738	SAP TUIKHUR, SERKAWN NEARBY	MIZORAM	11.0	24.0	6.5	7.4	6.7	7.3	755	755	1.1	1.6	0.00	0.15				
3739	ZOBAWK VENG HAND PUMP, LUNGLEI	MIZORAM	15.0	25.0	1.7	6.4	6.3	8.1			1.5	1.5	0.01	0.09				
3741	KHURPUI TUIKHUR, LAWNGTLAI	MIZORAM	15.0	24.0	4.1	7.2	6.7	8.5	250	250	1.5	1.9	0.00	0.15				
3742	CHANMARI HAND PUMP, LAWNGTLAI	MIZORAM	17.0	24.0	2.2	3.4	6.3	7.7			1.8	1.8	0.00	0.11				
3745	CHHOCHHOPA TUIKHUR, SAIHA	MIZORAM	15.0	20.0	5.7	12.0	6.3	7.7	198	198	1.5	1.7	0.00	0.16				
3748	PROJECT VENG HAND PUMP, SERCHHIP	MIZORAM	13.0	22.0	6.6	7.7	4.7	7.5	59	59	1.3	1.9	0.00	0.48				
3753	HMAR VENG TUIKHUR, KOLASIB	MIZORAM	13.0	23.0	5.1	9.1	6.6	7.2	45	45	1.6	1.9	0.00	0.16				
3758	BETHEL VENG HAND PUMP, CHAMPHAI	MIZORAM	13.0	17.0	3.4	4.5	6.9	7.2			1.9	1.9	0.03	0.17				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4124	ELECTRIC VENG TUIKHUR, LUNGKEI (SPRING)	MIZORAM	15.0	25.0	6.3	7.5	6.1	7.5	301	301	1.6	1.8	0.00	0.09				
4126	PAWHHAWN TUIKHUR, NR GM HSS, VENGSANG, CHAMPHAI (SPRING)	MIZORAM	9.0	21.0	5.6	6.8	5.7	7.2	170	170	1.1	2.2	0.00	0.16				
4127	KHURPUI TUIKHUR, NEW COLONY, SAIHA (SPRING)	MIZORAM	16.0	20.0	4.0	8.7	5.5	7.1	242	242	1.7	1.8	0.00	0.17				
4128	HAND PUMP, NEW SAIHA BAZAR	MIZORAM	16.0	21.0	4.5	8.0	5.8	6.6			1.9	1.9	0.07	0.20				
4129	TUIVAMIT TUIKHUR, AOC VENG, LAWNGTLAI (SPRING)	MIZORAM	16.0	24.0	5.1	7.9	6.7	7.7	125	125	1.1	1.9	0.00	0.13				
4133	NGHARPET VENG TUIKHUR, LUNGSIR, MAMIT (SPRING)	MIZORAM	13.0	25.0	5.2	6.8	5.3	7.8	284	284	1.7	1.9	0.00	0.19				

**TABLE - 20: WATER QUALITY OF GROUND WATER IN NAGALAND - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2896	BOREWELL AT KOHIMA VILLAGE IN KOHIMA	NAGALAND	17.9	19.7			6.0	6.9	286	783			9.00	15.00				
2897	BOREWELL AT KAMDÍ BAZAR, PEREN	NAGALAND	24.5	27.8			6.5	6.9	276	291			0.80	1.60				
2898	OPENWELL AT DOYAPUR DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND	25.0	27.0			5.5	5.9	153	170			2.10	3.90				
2899	BOREWELL AT DHANSIRIPAR, DHANSIRIPAR DIVISION, DIMAPUR	NAGALAND	25.7	26.0			6.8	7.5	251	254			0.70	1.40				
2900	OPENWELL AT TOULAZOUMA VILLAGE, DIMAPUR	NAGALAND	25.1	26.7			5.5	6.0	201	254			1.10	15.00				
2901	OPENWELL AT LUNGWIRAM VILLAGE, DIMAPUR	NAGALAND	28.3	29.4			6.0	6.7	302	461			2.60	16.00				
2902	BOREWELL AT THAHEKHU VILLAGE, DIMAPUR	NAGALAND	24.9	27.1			7.3	8.5	358	382			0.40	1.20				
2903	OPENWELL AT SIGNAL ANGAMI VILLAGE, DIMAPUR	NAGALAND	24.5	27.0			6.6	7.5	175	1019			0.50	17.50				
2904	OPENWELL AT NAGA CEMETERY, DIMAPUR	NAGALAND	24.3	26.7			5.0	6.4	773	858			12.00	21.00				
2905	BOREWELL AT SIGNAL POINT, DIMAPUR	NAGALAND	24.4	26.5			6.5	7.0	780	959			0.50	0.90				

**TABLE - 21: WATER QUALITY OF GROUND WATER IN ODISHA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1644	JAGATPUR INDUSTRIAL AREA, CUTTACK	ODISHA	25.0	29.0			6.1	7.5	504	539	0.1	0.2	2.19	7.34	2	2	2	2
1645	MADHUPATNA- KALYAN NAGAR AREA, CUTTACK	ODISHA	26.0	28.0			6.5	7.9	297	370	0.2	0.4	0.21	0.28	2	2	2	2
1646	BIDANASHI - TULASIPUR AREA, CUTTACK	ODISHA	25.0	30.0			6.5	8.0	160	420	0.2	0.2	0.24	1.67	2	5	2	5
1647	BADAMBARI AREA, CUTTACK	ODISHA	25.0	29.0			6.7	8.4	216	393	0.4	0.9	0.86	1.54	2	2	2	2
1648	RANIHAT- MANGALABAGH AREA, CUTTACK	ODISHA	25.0	30.0			6.5	8.2	263	418	0.1	0.4	0.76	9.50	2	2	2	2
1649	KHANDAGIRI AREA, BHUBANESWAR	ODISHA	27.0	28.0			6.2	6.7	133	652	0.3	0.9	0.25	0.36	2	2	2	2
1650	CAPITAL HOSPITAL AREA, BHUBANESWAR	ODISHA	30.0	30.0			6.0	6.0	351	351	0.6	0.6	0.34	0.34	2	2	2	2
1651	OLD TOWN- SAMANTARAAIPUR AREA, BHUBANESWAR	ODISHA	27.0	30.0			6.7	7.8	408	530	0.4	1.0	0.26	0.92	2	23	23	23
1652	KALPNA - LAXMINAGAR AREA, BHUBANESWAR	ODISHA	27.0	29.0			5.9	6.3	261	284	0.2	0.3	0.13	11.39	2	2	2	23
1653	MANCHESWAR INDUSTRIAL AREA, BHUBANESWAR / CHANDRASHEKHARPUR	ODISHA	29.0	29.0			7.1	7.1	216	216	0.3	0.3	0.14	0.14	2	2	2	2
1654	SECRETARIAT- GOVERNOR HOUSE- OLDBUS STAND AREA, BHUBANESWAR	ODISHA	27.0	29.0			6.4	7.4	228	357	0.2	0.7	0.22	5.09	33	130	2	540
1655	NEAR SEA BEACH, PURI	ODISHA	27.0	27.0			8.2	8.2	600	1175	0.3	0.5	0.14	0.27	2	8	23	79
1656	NEAR JAGANNATH TEMPLE, PURI	ODISHA	27.0	28.0			7.8	8.1	701	808	0.3	0.4	0.27	0.96	2	2	2	2
1657	HOSPITAL - BUS STAND- MAUSHIMA TEMPLE AREA, PURI	ODISHA	27.0	28.0			7.9	8.1	504	975	0.2	0.2	0.30	653.01	2	13	2	240
1658	NEAR RIVER KUSHABHADRA, PURI	ODISHA	29.0	29.0			7.9	8.1	350	442	0.1	0.6	0.12	0.31	2	2	2	11
3964	NEAR MKCG MEDICAL COLLEGE, BERHAMPUR	ODISHA	17.0	24.0			7.8	8.2	670	1250	0.2	0.2	0.16	0.51	2	540	23	1600
3965	NEAR BUS STAND, BERHAMPUR	ODISHA	15.0	24.0			7.4	8.0	1283	1397	0.3	0.5	0.21	0.73	2	13	2	79
3966	NEAR BADABAZAR, BERHAMPUR	ODISHA	20.0	24.0			6.8	7.6	777	1291	0.6	0.6	4.62	9.94	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3967	NEAR RAILWAY STATION STAND, BERHAMPUR	ODISHA	20.0	24.0			7.6	7.8	988	1338	0.2	0.3	5.31	5.82	2	2	13	23
3968	NEAR VSS MEDICAL COLLEGE, BURLA, SAMBALPUR	ODISHA	28.0	32.0			7.5	8.1	422	602	0.1	0.9	0.24	0.30	2	2	2	20
3969	NEAR RAILWAY STATION, SAMBALPUR	ODISHA	29.0	32.0			7.0	7.6	606	1738	0.1	0.6	6.36	6.88	2	2	2	2
3970	NEAR PANTHANIVAS, SAMBALPUR	ODISHA	28.0	31.0			6.6	8.1	282	366	0.5	0.8	1.52	4.26	2	7	2	200
3971	ANGUL TOWNSHIP	ODISHA	26.0	28.0			7.2	7.9	776	1184	0.2	0.4	1.05	8.14	2	2	2	17
3972	NALCO TOWNSHIP, TALCHER	ODISHA	26.0	28.0			7.6	7.6	551	608	0.1	0.3	0.20	2.04	2	2	2	17
3973	MAHANADI COAL FIELD AREA, TALCHER	ODISHA	28.0	28.0			6.9	7.8	403	412	0.8	1.1	0.22	1.94	2	2	2	2
3974	KANIHA, TALCHER	ODISHA	28.0	28.0			7.5	7.9	511	527	0.1	0.4	0.17	0.27	2	2	2	45
3975	TALCHER TOWN	ODISHA	28.0	29.0			7.6	7.7	614	704	0.4	0.5	0.30	2.57	2	2	2	2
3976	MERAMUNDALI AREA, TALCHER	ODISHA	23.0	28.0			7.2	8.0	220	878	0.2	1.0	0.37	0.90	2	2	2	2
3977	TALCHER THERMAL AREA	ODISHA	28.0	28.0			7.3	7.9	922	1404	0.5	0.6	0.20	0.34	2	130	2	920
3978	BANARPAL, TALCHER	ODISHA	28.0	28.0			7.5	7.6	1078	1138	0.3	0.4	0.38	0.77	2	2	2	13
3979	KULAD, TALCHER	ODISHA	28.0	28.0			7.7	8.3	1008	1444	0.4	0.8	0.54	5.32	2	2	2	5
3980	THELKOI, JHARSUGUDA	ODISHA	21.0	21.0			6.9	6.9	241	241	0.4	0.4	0.19	0.19	2	2	2	2
3981	BURKHAMUNDA, JHARSUGUDA	ODISHA	17.0	22.0			7.1	7.4	190	196	0.2	0.2	0.46	4.79	2	17	2	49
3982	BADAMANI INDUSTRIAL ESTATE, JHARSUGUDA	ODISHA	18.0	22.0			6.8	7.2	106	215	0.4	0.9	0.65	2.97	2	2	2	2
3983	BUDHIPADAR, JHARSUGUDA	ODISHA	17.0	20.0			6.4	6.6	170	187	0.4	0.6	0.50	0.78	2	2	2	2
3984	BRAJARAJ NAGAR MINING BELT, JHARSUGUDA	ODISHA	18.0	19.0			5.8	7.3	150	262	0.3	0.9	0.54	7.31	2	2	2	2
3985	RAMPUR AREA (WATER TANK), JHARSUGUDA	ODISHA	16.0	18.0			6.6	6.8	241	286	0.1	0.5	0.21	0.38	2	2	13	23
3986	IB THERMAL POWER STATION, JHARSUGUDA	ODISHA	17.0	23.0			6.6	6.9	219	315	0.4	0.4	0.18	0.48	2	2	2	2
3987	BELPAHAR AREA, JHARSUGUDA	ODISHA	16.0	21.0			6.8	6.9	195	199	0.2	0.3	0.17	0.61	2	2	2	2
3988	BADAPADIA MARKET COMPLEX, PARADEEP	ODISHA	22.0	30.0			7.3	8.2	913	948	0.8	1.1	9.67	10.83	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3989	MUSADIHA, PARADEEP	ODISHA	22.0	30.0			7.6	8.4	698	2468	0.3	1.5	1.68	1.90	2	2	2	23
3990	TISCO, SUKINDA	ODISHA	22.0	22.0			6.8	7.9	196	284	0.3	0.4	0.20	0.26	2	2	2	13
3991	SARUABIL, SUKINDA	ODISHA	22.0	22.0			6.5	6.6	237	245	0.3	0.4	0.13	2.90	2	170	2	1600
3992	KALIAPANI, SUKINDA	ODISHA	22.0	22.0			6.7	7.8	343	500	0.1	0.2	0.12	1.49	2	11	33	540
3993	KAMARDA, SUKINDA	ODISHA	22.0	22.0			6.9	7.4	269	387	0.1	0.3	0.17	6.16	2	49	2	2
3994	CHAKULIA, BALASORE	ODISHA	24.0	26.0			6.6	6.6	180	303	0.2	0.7	0.28	6.29	2	2	2	2
3995	KUANRPUR, BALASORE	ODISHA	24.0	26.0			7.6	7.8	217	308	0.2	0.7	0.07	0.14	2	2	2	46
3996	NAIGOPALPUR, BALASORE	ODISHA	22.0	26.0			6.6	7.1	93	198	0.2	0.3	0.35	0.43	2	17	8	70

**TABLE - 22: WATER QUALITY OF GROUND WATER IN PUDUCHERRY - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1397	WELL AT MUTHIALPET AREA(I) RAMAKRISHNA NAGAR/ KRISHNA NAGAR	PUDUCHERRY	29.0	30.0			6.1	6.5	400	479	BDL	BDL	9.60	10.22	2	2	2	2
1398	WELL AT THENGAITHITTU AREA, (II)	PUDUCHERRY	31.0	32.0			6.4	6.6	1375	1598	BDL	BDL	0.02	0.41	2	2	300	300
1453	WELL AT MUTHIRAPPALAYAM (PWD)	PUDUCHERRY	30.5	31.0			6.6	7.1	576	651	BDL	BDL	4.29	4.65	2	2	350	350
1454	WELL AT KALAPET, POND. UNIVERSITY ADMN. BLOCK	PUDUCHERRY	30.0	30.0			6.1	6.8	249	282	BDL	BDL	1.81	2.07	2	2	2	2
1687	WELL AT NEHRU STATUE MISSION ST. - CHETTY KOIL	PUDUCHERRY	28.0	29.0			7.5	8.4	2220	2220	BDL	1.6	0.17	0.99	240	240	500	500
1688	WELL AT KATTERIKUPPAM	PUDUCHERRY	29.0	31.0			7.5	8.2	605	699	BDL	BDL	0.39	0.60	2	2	2	2
2009	WELL AT KURUMBAPET	PUDUCHERRY	31.0	31.0			6.4	6.4	497	552	0.0	BDL	2.91	4.97	2	2	2	2
2010	WELL AT METTUPALAYAM	PUDUCHERRY	31.0	31.5			6.4	6.5	694	1198	BDL	BDL	0.73	1.33	2	2	280	280
2011	WELL AT URUVAIYAR	PUDUCHERRY	31.0	31.5			7.4	7.5	1680	5640	BDL	BDL	0.03	0.06	2	2	2	2
2012	WELL AT MARUTHI SCHOOL, KARUVADIKUPPAM	PUDUCHERRY	30.0	30.0			6.7	6.9	2320	2500	BDL	5.7	0.63	1.38	280	280	350	350
2013	WELL AT T.R.PATTINAM, KARAİKAL	PUDUCHERRY	29.0	30.0			8.1	8.6	1784	2260	BDL	BDL	0.69	0.80	2	2	2	2
2014	WELL AT VADAMATTAM, KARAİKAL	PUDUCHERRY	28.5	29.0			8.1	8.6	1328	1598	BDL	BDL	0.81	1.18	2	2	2	2
2446	WELL AT PALLUR	PUDUCHERRY	28.0	28.0			6.3	6.3	1743	1743	BDL	BDL	0.36	0.36				
2447	WELL AT PANTHAKKAL	PUDUCHERRY	28.5	28.5			6.8	6.8	8222	8222	BDL	BDL	0.70	0.70				
3882	WELL AT ECHANKADU, KIRUMAMBAKKAM	PUDUCHERRY	30.0	33.0			6.1	6.9	401	444	BDL	BDL	0.00	0.03	2	2	2	2
3883	WELL NEAR BY LAKE BAHOUR	PUDUCHERRY	32.0	32.0			6.5	7.2	326	363	BDL	BDL	0.00	0.04	2	2	2	2
3884	WELL AT CHEVALIER SELLANE GOVERNMENT HIGH SECONDARY SCHOOL, KALAPET	PUDUCHERRY	29.0	31.0			6.5	7.0	1040	1267	BDL	BDL	11.80	17.82	2	2	280	280
3885	WELL AT DHANDERAR KULAM, SEDARAPET	PUDUCHERRY	30.0	32.0			6.7	7.1	1447	2140	BDL	BDL	0.20	2.68	240	240	300	300
3886	WELL AT KOTHAPURINATHAM, THIRUVANDARKOIL	PUDUCHERRY	27.0	30.0			6.9	8.5	1177	1362	BDL	BDL	4.88	6.64	170	170	350	350

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4631	THIRUKKANUR	PUDUCHERRY	29.0	29.0			8.1	8.1	1103	1103	BDL	BDL	2.45	2.45				
4632	MADUKARAI	PUDUCHERRY	26.0	26.0			7.1	7.1	1610	1610	BDL	BDL	6.50	6.50				
4633	PANITHITTU	PUDUCHERRY	33.0	33.0			6.1	6.1	790	790	BDL	BDL	0.05	0.05				



**TABLE - 23: WATER QUALITY OF GROUND WATER IN PUNJAB - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1898	PETROL PUMP OPP. HERO CYCLE, LUDHIANA	PUNJAB					7.0	7.0	1084	1084	BDL	BDL	25.00	25.00				
1900	GURCHAARAN SINGH HAIBOWAL DAIRY COMPLEX, LUDHIANA	PUNJAB					7.7	7.7	693	693	BDL	BDL	5.10	5.10				
1901	DUSSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA	PUNJAB					7.6	7.6	770	770	BDL	BDL	22.00	22.00				
1902	SHUKLA TEA STAL POINT, LUDHIANA	PUNJAB					7.1	7.1	1316	1316	BDL	BDL	14.00	14.00				
1903	PUNJAB AGRICULTURAL UNIVERSITY, LUDHIANA	PUNJAB					7.6	7.6	694	694	BDL	BDL	5.80	5.80				
2916	NEAR LANDFILL SITE, AMRITSAR, PUNJAB	PUNJAB					7.3	7.3	1110	1110	BDL	BDL	1.40	1.40				
2917	NEAR HARMANDIR SAHEB, AMRITSAR, PUNJAB	PUNJAB					7.1	7.1	985	985	BDL	BDL	8.00	8.00				
2918	DERA BASSI, PUNJAB	PUNJAB					7.6	7.6	2511	2511	BDL	BDL	27.00	27.00				
2919	DERA BASSI, PUNJAB	PUNJAB					7.7	7.7	3250	3250	BDL	BDL	28.00	28.00				
2920	HAMIRA VILLAGE, PUNJAB	PUNJAB					7.2	7.6	1400	1517	BDL	BDL	9.00	10.00	2	2	2	2
2921	HAMIRA VILLAGE, PUNJAB	PUNJAB					7.5	7.6	396	407	BDL	BDL	0.70	0.90	2	2	2	2
2922	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB					7.4	7.7	1554	1589	BDL	BDL	14.00	14.50	2	2	2	2
2923	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB					7.6	7.9	305	340	BDL	BDL	0.60	0.90	2	2	2	2
2924	MANDI GOBINDGARH, PUNJAB	PUNJAB					7.3	7.3	993	993	BDL	BDL	2.40	2.40				
2925	MANDI GOBINDGARH, PUNJAB	PUNJAB					6.7	6.7	2222	2222	BDL	BDL	3.60	3.60				
2926	NANGAL, PUNJAB	PUNJAB					7.5	7.5	1428	1428	BDL	BDL	18.00	18.00				
2927	NANGAL, PUNJAB	PUNJAB					7.4	7.4	1166	1166	BDL	BDL	19.00	19.00				
2928	ROPAR, PUNJAB	PUNJAB					7.5	7.5	849	849	BDL	BDL	2.20	2.20				
2929	ROPAR, PUNJAB	PUNJAB					7.8	7.8	402	402	BDL	BDL	0.90	0.90				
2930	TOANSA, PUNJAB	PUNJAB					7.8	7.8	733	733	BDL	BDL	1.20	1.20				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2931	TOANSA, PUNJAB	PUNJAB					8.2	8.2	2000	2000	BDL	BDL	1.00	1.00				
4134	TUBE WELL AT RSSB, TIBBA ROAD, LUDHIANA INDUSTRIAL AREA	PUNJAB					7.4	7.8	509	538	BDL	BDL	0.50	0.70	2	2	2	2
4135	MSW DUMPING SITE, JAMALPUR	PUNJAB					7.3	7.9	525	553	BDL	BDL	0.50	0.80	2	2	2	2
4136	STP JAMALPUR	PUNJAB					7.6	7.6	554	554	BDL	BDL	0.90	0.90				
4137	HANDPUMP IN M/S DEEP STEEL LTD, MUGHAL MAJRA, MANDI GOBBINDGARH	PUNJAB					7.2	7.2	1217	1217	BDL	BDL	2.80	2.80				
4138	HANDPUMP, 149 NEAR SANT PRITAM SCHOOL, AMBEY MAJRA, MANDI GOBINDGARH	PUNJAB					7.3	7.3	832	832	BDL	BDL	2.20	2.20				
4139	HANDPUMP AT PARK ADJOINING TO NATIONAL INDUSTRIES, E-128, PH-IV, FOCAL POINT LUDHIANA	PUNJAB					7.0	7.0	1100	1100	BDL	BDL	31.00	31.00				
4140	HANDPUMP IN SAHOTA BAGHBANI FARM, VILL HARIAN, MACHIWARA	PUNJAB					7.0	7.0	480	480	BDL	BDL	1.80	1.80				
4141	HANDPUMP INSTRIAL GROWTH CENTRE, DEFENCE ROAD, PATHANKOT	PUNJAB					6.5	6.5	335	335	BDL	BDL	4.80	4.80				
4142	HANDPUMP, VILL DHERIWAL, DIST PATHANKOT	PUNJAB					7.2	7.2	528	528	BDL	BDL	1.20	1.20				
4143	HANDPUMP NEAR ASH DYKES OF NABHA POWER LTD, VILL NALASH, RAJPURA	PUNJAB	30.0	30.0			7.3	7.7	587	891	BDL	BDL	0.60	0.90	2	2	2	2
4144	GROUND WATER SAMPLING BLOCATION IN VILLAGE MAIN	PUNJAB	20.0	20.0			7.2	7.5	613	993	BDL	BDL	3.00	3.40	2	2	2	2
4145	SAGAR PARA DRAIN MEETING WITH RIVER GHAGGAR NEAR VILL SAGAR PARA, PATRAN	PUNJAB	20.0	20.0			6.9	8.1	531	1064	BDL	BDL	0.50	0.90	2	2	2	2
4147	NEAR ASH DYKES OF GURU NANAK THERMAL POWER PLANT/ NFL, BHATINDA	PUNJAB					7.3	7.3	2224	2224	BDL	BDL	10.00	10.00				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4148	VILLAGE KANAKWAL/ PHUKOKARI GGS HMEL REFINERY, BHATINDA	PUNJAB					7.2	7.2	5020	5020	BDL	BDL	176.00	176.00				
4149	ASH DYKES OF THERMAL POWER PLANT LEHRA MOHABBAT, BHATINDA	PUNJAB					7.3	7.3	1200	1200	BDL	BDL	5.60	5.60				
4150	100 M D/S OF VILL RURIANWALI, DIST MUKTSAR	PUNJAB					7.3	7.3	1846	1846	BDL	BDL	4.10	4.10				
4151	NEAR MALBORS INTERNATIONLA P LTD, VILL MANSOORWAL, DIST FEROZPUR	PUNJAB					8.0	8.0	2190	2190	BDL	BDL	1.40	1.40				
4153	DASHMESH NAGAR, GALI NO 12, LUDHIANA	PUNJAB					7.8	7.8	533	533	BDL	BDL	21.00	21.00				
4154	TSSM SR SEC SCHOOL SHIMLAPURI, LUDHIANA	PUNJAB					7.6	7.6	802	802	BDL	BDL	24.00	24.00				
4155	DAIRY COMPLEX, TAJPUR ROAD, LUDHIANA OPP SATISH DAIRY MEAR AMRIT DHARAM KANTA	PUNJAB					7.6	7.6	759	759	BDL	BDL	8.00	8.00				
4156	HANDPUMP IN AREA ON SUA ROAD NEAR DHANDARI KALAN, LUDHIANA	PUNJAB					7.2	7.2	1102	1102	BDL	BDL	25.00	25.00				
4157	HANDPUMP SHALLOW TUBEWELL IN THE AREA OF JANTA NAGAR, LUDHIANA	PUNJAB					7.7	7.7	743	743	BDL	BDL	18.00	18.00				

**TABLE - 24: WATER QUALITY OF GROUND WATER IN RAJASTHAN - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1415	WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN), RAJASTHAN	RAJASTHAN	20.0	20.0			7.9	7.9	3500	3500			2.11	2.11	9	9	14	14
1706	RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	27.0	30.0	5.0	5.0	7.0	7.2	940	1020			2.20	2.74	3	9	3	14
1707	BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	28.0	34.0			7.3	7.5	1880	2000			1.77	1.84	3	3	4	7
1708	WELL KOTHI IN VILLAGE BAGAR RAJPUT, ALWAR, RAJASTHAN	RAJASTHAN	29.0	31.0			7.1	7.1	1340	1490			1.76	2.01	3	4	3	7
1709	WELL AT VILLAGE SANTHLA VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	26.0			8.0	8.0	1360	1360			2.20	2.20	3	3	7	7
1710	WELL AT VILLAGE ALUPUR, VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	25.0	26.0	3.9	3.9	7.3	7.9	1600	2800			2.10	2.29	3	4	4	7
1711	WELL AT VILLAGE HARCHANDPUR, VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	26.0	3.7	3.7	7.3	7.8	3000	3400			2.20	2.37	3	3	3	7
1712	WELL AT VILLAGE BHIWADI , VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	27.0	3.9	3.9	7.4	8.1	1730	1820			2.06	2.10	3	9	3	14
1713	WELL AT VILLAGE GATTAL, NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	27.0			7.4	7.9	630	790			2.06	2.20	3	4	3	7
1715	HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM KANSUA NALLAH KOTA, RAJASTHAN	RAJASTHAN	24.0	24.0			7.4	7.5	1230	1340			1.85	2.07	3	4	7	9
1720	CHAUDHARY KA WELL VILLAGE PANIALA, KOTAPUTALI NEAR	RAJASTHAN	28.0	28.0			7.6	8.0	1090	2100			2.00	2.10	3	7	3	11

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	ASSOCIATED ALCOHOL BREWERIES LTD JAIPUR, RAJASTHAN																	
1721	PHED WELL NEAR RAILWAY LINE JHOTAWARA, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	27.0			7.8	8.1	590	610			1.82	2.11	3	7	3	14
1723	HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR, RAJASTHAN	RAJASTHAN	29.0	29.0			7.5	7.9	3500	4100			1.34	1.40	3	7	3	11
1724	WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR, RAJASTHAN	RAJASTHAN	29.0	30.0			7.8	7.9	420	490			2.36	3.16	3	4	7	9
1725	PUBLIC HAND PUMP BEFORE SANGANER PULIA, RAJASTHAN	RAJASTHAN	28.0	29.0			6.9	7.2	2200	2800			1.67	1.85	3	7	7	14
2015	PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR)	RAJASTHAN	30.0	33.0			6.8	8.1	2900	4100			1.67	1.83	3	4	4	7
2017	VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR)	RAJASTHAN	30.0	30.0			6.7	7.6	2600	7100			1.84	2.37	3	4	4	7
2018	VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE)	RAJASTHAN	30.0	30.0			6.8	7.8	4300	5700			2.37	2.75	3	4	4	9
2019	NEAR UIT BRIDGE, UDAIPUR	RAJASTHAN	20.0	22.0			7.0	7.1	1630	1690			0.02	1.66	4	4	4	7
2020	NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR	RAJASTHAN	20.0	22.0			7.2	7.4	2000	2800			1.76	1.84	3	4	7	11
2021	NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR	RAJASTHAN	20.0	22.0			0.0	7.0	1760	1800			1.76	1.84	3	3	7	7
2022	NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR	RAJASTHAN	20.0	22.0			7.0	7.4	880	1710			1.40	1.60	3	4	3	7
2023	HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR	RAJASTHAN	20.0	22.0			7.1	7.3	1340	1640			1.66	1.70	3	4	7	9
2024	IN SIDE SHIV TEMPLE NEAR AIR FORCE STATION AMER ROAD, JAIPUR	RAJASTHAN	25.0	25.0			7.4	7.6	2600	2900			2.62	2.80	3	3	3	7
2025	NEAR SHREE KALYANESHWAR MAHADEV TEMPLE, JAI SINGH PURA KHURD, JAIPUR.	RAJASTHAN	27.0	27.0			7.4	8.1	1590	1700			2.07	2.11	3	4	3	7
2027	NEAR ABN CENTRAL ACADEMY, SUSILPURA, SODALA, JAIPUR.	RAJASTHAN	26.0	26.0			7.2	7.2	1900	2300			2.06	2.28	3	3	3	11

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2028	NEAR SAMSHAN VISHWAKARMA NAGAR, MAHARANIFARM, JAIPUR	RAJASTHAN	28.0	29.0			7.6	7.8	830	850			1.20	1.34	3	3	3	4
2029	NEAR GANDHI BHWAN, AJMER	RAJASTHAN	26.0	26.0			7.9	7.9	680	680			1.84	1.84	4	4	7	7
2031	NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER	RAJASTHAN	26.0	26.0			7.7	7.7	1090	1090			1.82	1.82	4	4	9	9
2032	NEAR KHANPURA TALAB, AJMER	RAJASTHAN	26.0	26.0			7.9	7.9	370	370			1.82	1.82	3	3	7	7
2960	WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU, RAJASTHAN	RAJASTHAN	28.0	28.0			7.4	7.4	5000	5000			2.21	2.21	3	3	7	7
2961	WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	26.0	26.0			8.1	8.3	760	860			1.82	2.00	3	3	3	4
2962	WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	26.0	26.0			7.7	7.8	490	770			1.84	2.06	3	4	3	7
2963	WELL OF RIICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	27.0			7.6	8.1	1610	2000			2.00	2.10	3	4	3	9
2964	WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	27.0	27.0			7.7	7.9	2100	2400			2.08	2.20	3	4	3	14
2965	SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI RIVER BRIDGE, PALI BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	19.0	19.0			8.2	8.2	5100	5100			2.69	2.69	4	4	9	9
2966	SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR-SUMERPUR BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	19.5	19.5			8.5	8.5	4900	4900			2.28	2.28	7	7	14	14
2967	SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI, RAJASTHAN	RAJASTHAN	18.5	18.5			8.3	8.3	1310	1310			2.10	2.10	4	4	7	7
2968	SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA	RAJASTHAN	20.0	20.0			8.6	8.6	4300	4300			2.06	2.06	7	7	11	11

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	ROAD, OPP. VILLAGE MANDIA, PALI, RAJASTHAN																	
2969	M/S SPECIALTY SILICA LTD., MIA ALWAR AGRO FOOD PARK, ALWAR, RAJASTHAN	RAJASTHAN	29.0	31.0			7.0	7.2	880	1070			1.66	1.76	3	4	7	9
2970	RIICO TUBE WELL, RIA, BEHROR, RAJASTHAN	RAJASTHAN	27.0	33.0	4.8	4.8	7.2	7.6	1390	1580			1.76	1.86	3	4	3	7
2971	RIICO TUBE WELL, RIA, NEEMRANA, RAJASTHAN	RAJASTHAN	28.0	32.0	0.2	0.2	7.1	7.2	2100	2400			1.76	2.00	3	3	3	7
2972	RIICO TUBE WELL, RIA, SOTANALA, RAJASTHAN	RAJASTHAN	28.0	34.0	4.0	4.0	6.9	7.0	2500	2700			1.82	2.06	4	7	4	14
2973	RIICO TUBE WELL, RIA, SHAHJAHANPUR, RAJASTHAN	RAJASTHAN	28.0	32.0	4.4	4.4	6.9	7.2	3100	4100			1.83	2.07	3	7	3	11
2974	VILLAGE AGYARA, TEHSIL-RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	29.0	30.0			7.1	7.3	1560	1630			2.06	2.10	3	7	7	11
2975	VILLAGE BAGER MEO, TEHSIL-RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	28.0	31.0			7.0	7.2	3200	3500			2.00	2.20	3	4	7	9
2976	SUJAN GANGA, BHARATPUR, RAJASTHAN	RAJASTHAN	26.0	27.0			7.4	7.9	5900	6000			4.56	5.36	75	93	210	240
2977	WELL OF RAM CHANDRA DEWRA, VILLAGE- SANGARIA, JODHPUR, RAJASTHAN	RAJASTHAN	28.0	30.0			7.0	8.1	16500	20000			2.10	2.36	3	7	4	11
2982	WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR, RAJASTHAN	RAJASTHAN	29.0	30.0			7.3	8.2	12700	15800			2.01	2.37	3	3	4	7
2985	WELL OF GIRDHARI RAM MEGHWAL, VILLAGE-NANDWAN, JODHPUR, RAJASTHAN	RAJASTHAN	29.0	30.0			6.7	7.7	14000	14100			2.80	3.04	3	3	4	11
2986	TUBE WELL OF GIRDHARI LAL, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	24.0			7.2	7.7	11500	12800			1.66	1.84	3	4	7	9
2987	CWR OF PHED, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	24.0			7.8	7.8	4600	4600			1.84	1.84	3	3	3	3
2988	WELL OF PEMA RAM MALI, BHITUJA, RAJASTHAN	RAJASTHAN	24.0	24.0			7.7	7.9	4300	9700			2.06	2.81	3	3	3	7
2989	WELL OF BABULAL UKKAD JI MALI, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	24.0	24.0			7.5	7.5	10800	10800			1.76	1.76	3	3	7	7

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2990	WELL OF BHIKSINGH S/O AMAR SINGH PUROHIT, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	25.0	25.0			7.7	7.7	13700	13700			1.84	1.84	3	3	7	7
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, JODHPUR, RAJASTHAN	RAJASTHAN	24.0	25.0			7.3	7.4	11100	11400			1.78	1.87	4	7	7	7
2993	WELL OF CHOUTHAM RAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA, RAJASTHAN	RAJASTHAN	23.0	25.0			7.8	7.9	4200	7000			3.11	3.16	3	4	7	7
2999	BORE WELL SH. PREM CHAND, VILLAGE PHALSHA MODE RIA CHOPNADI, RAJASTHAN	RAJASTHAN	25.0	26.0	4.2	4.2	7.9	8.0	1170	1490			2.07	2.46	3	4	3	7
3000	BORE WELL SH. UMESH KUMAR S/O SH. HORIDWARI RAM 3A-16 UIT, BHIWADI, RAJASTHAN	RAJASTHAN	25.0	27.0	4.0	4.0	7.3	7.7	870	1010			2.07	2.20	3	3	3	3
3001	BORE WELL SH. BHRAM JEET SERVICE STATION, BHIWADI, RAJASTHAN	RAJASTHAN	27.0	27.0			8.0	8.0	1060	1060			2.10	2.10	3	3	4	4
3002	BORE WELL M/S R.C. PALACE HOTEL, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	28.0	4.4	4.4	7.5	8.0	940	1740			2.11	2.20	3	7	3	11
3003	BORE WELL OFFICE OF RAJ. HOUSING BOARD, BHIWADI, RAJASTHAN	RAJASTHAN	26.0	27.0	3.4	3.4	7.4	7.9	1710	1800			1.76	2.07	3	3	3	7
3004	BORE WELL OF M/S MODERN PUBLIC SCHOOL, BHIWADI, RAJASTHAN	RAJASTHAN	25.0	29.0	4.8	4.8	8.0	8.1	1290	1340			2.29	2.62	3	4	7	11
3005	BORE WELL OF M/S KUNDAN EDIBLE FOOD PRODUCT, KHUSKHERA, RAJASTHAN	RAJASTHAN	26.0	27.0	4.8	4.8	7.9	8.1	860	960			2.10	2.80	3	7	3	11
3006	HAND PUMP NEAR NEVTA TIRAHA, NEVTA DAM, SANGANER, JAIPUR, RAJASTHAN	RAJASTHAN	28.0	28.0			7.8	8.0	2300	2300			1.14	1.55	3	3	3	7
4165	BORE WELL NEAR STP AT GAJADHARPURA, JAIPUR	RAJASTHAN	27.0	27.0			7.6	7.7	1040	1070			2.10	2.21	3	4	4	7
4166	BORE WELL NEAR MSW SITE/ KANOTA DAM, JAIPUR	RAJASTHAN	26.0	26.0			7.8	8.5	2200	2500			2.28	2.74	4	9	4	14
4168	HAND PUMP AT VILLAGE MANDAPIA, BHILWARA	RAJASTHAN	18.5	18.5			7.4	7.4	4100	4100			2.47	2.47	9	9	14	14



Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4169	HAND PUMP AT VILLAGE MANGROP, BHILWARA	RAJASTHAN	18.0	18.0			7.5	7.6	1060	1090			2.10	2.74	4	4	7	9
4170	HAND PUMP AT VILLAGE ATOON, BHILWARA	RAJASTHAN	17.5	19.0			7.5	7.5	1550	1700			2.36	3.65	3	4	7	7
4176	HAND PUMP NEAR RIICO INDUSTRIAL AREA, AAJOLIYON KA KHERA, GANGRAR, CHITTORGARH	RAJASTHAN	25.0	28.0			7.3	7.3	2400	2600			1.84	2.10	4	4	7	9
4177	SWAROOP NAGAR, UDAIPUR	RAJASTHAN	18.0	26.0	4.2	7.8	7.3	9.0	420	1000	0.9	3.7	1.85	2.46	9	150	28	240
4178	GOVERDHAN SAGAR, UDAIPUR	RAJASTHAN	18.0	26.0	3.8	7.9	7.7	8.9	244	1460	3.1	4.6	1.84	2.46	20	150	75	210
4180	BOREWELL OF JYOTI UCHCH MADHYMIC VIDHYALAYA, NAYAGAON, RAMPUR MUNDANA, BHIWADI	RAJASTHAN	26.0	29.0	4.0	4.0	7.5	8.0	1400	1470			1.82	2.05	3	4	4	7
4181	BOREWELL IN THE HOUSE AKRAM KHAN, AMLAKI, KHARGANJ INDL AREA, TIJARA, ALWAR	RAJASTHAN	27.0	27.0	3.5	3.5	7.6	7.9	2300	2300			2.74	3.10	3	4	7	11
4182	BOREWELL AT RO OF RSPCB, BHIWADI, TIJARA, ALWAR	RAJASTHAN	26.0	26.0	4.3	4.3	7.9	7.9	2300	2300			1.83	1.83	3	3	3	3
4183	BOREWELL AT STAR HOSPITAL, INFRONT OF STP, BHIWADI, TIJARA, ALWAR	RAJASTHAN	26.0	27.0	3.8	3.8	7.6	8.0	2100	2200			1.88	2.06	3	4	3	7
4184	BOREWELL IN CETP PREMISES, BHIWADI, TIJARA, ALWAR	RAJASTHAN	25.0	27.0	3.6	3.6	7.3	7.9	2400	2500			1.82	2.00	3	3	7	11
4759	HANDPUMP IN FRONT OF URBAN IMPROVEMENT TRUST, CIVIL LINES, AJMER	RAJASTHAN	26.0	26.0			7.6	7.6	2400	2400			2.06	2.06	4	4	9	9
4760	HANDPUMP WITHIN PREMISES OF NAGAR PARISHAD OFFICE, OLD CITY ROAD, DESHWALI MOHALLA, KRISHANGARH	RAJASTHAN	27.0	28.0			7.4	7.5	1900	2100	0.0	0.0	2.46	2.80	3	7	7	14
4761	TUBE WELL OF M/S BALOTRA WATER POLLUTION CONTROL AND RESEARCH FOUNDATION TRUST (CETP) KHED ROAD, BALOTRA	RAJASTHAN	23.0	25.0			7.4	7.4	36000	45000			1.82	2.00	3	4	7	9

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4762	TUBE WELL OF M/S VISHAL PROCESSOR, BHER JI KI BADI, BALOTRA,	RAJASTHAN	25.0	25.0			7.6	7.6	24000	24000			1.84	1.84	3	3	7	7
4763	BOREWELL OF SHRI PEMARAM MALI/DHUDARAM MALI, BITHUJA, BALOTRA	RAJASTHAN	23.0	25.0			8.0	8.2	4800	5400			1.71	1.85	3	3	3	4
4764	M/S ABHISHEK KOTHARI, NAKODA ROAD MEWA NAGAR, JASOL, PACHPADRA,	RAJASTHAN	23.0	25.0			7.6	7.8	2700	2800			1.76	2.00	3	7	3	11
4765	BOREWELL OF AJANTA TEXTILES NAKODA ROAD, JASOL,	RAJASTHAN	25.0	25.0			7.6	7.6	25000	25000			1.77	1.77	3	3	3	3
4766	BOREWELL OF AMRITLAL S/O BACHARAJ & JOINT KRISHI FORM KH. NO. 66/15, BITHUJA	RAJASTHAN	23.0	25.0			7.6	7.6	5900	13000			1.84	2.06	3	7	7	11
4767	OPEN WELL OF SAGNARAM MALI S/O RAJARAM MALI, KHASRA NO. 9, SINDRI	RAJASTHAN	23.0	25.0			7.6	7.8	8000	15500			2.02	2.13	3	3	7	11
4768	OPENWELL OF SHRI ISHWAR SINGH MALI S/O BHURJI MALI, DHANNA KI DHANI BILASAR,	RAJASTHAN	23.0	25.0			7.5	7.9	11000	14100			2.01	2.21	3	3	4	7
4774	RIICO TUBWELL NO. 1, LOCATED NEAR GANPATI TUBES & FABRICATION (P) LTD SP-A-53(A), RIA, BHIWADI, OPPOSITE TO WHEEL'O CITY AT T-POINT, TEHSIL- TIJARA	RAJASTHAN	26.0	28.0	2.5	2.5	7.6	7.9	1400	2400			2.28	2.47	3	4	4	7
4775	RIICO TUBEWELL NO. 3 LOCATED ON ROAD SIDE CLOSE TO INDAG RUBBER AND OPPOSITE TO HONDA SHOWROOM, NEELAM CHOWK, BHIWADI, TEHSIL- TIJARA	RAJASTHAN	26.0	27.0	3.5	3.5	7.6	7.9	1560	1690			2.28	2.37	3	3	3	7
4776	RIICO TUBWELL NO. 27 LOCATED OPPOSITE TO MEGATECH INTERNATIONAL, G-1428, PHASE-V, RAMPUR MUNDANA IN RIICO OPEN AREA, BHIWADI, TEHSIL- TIJARA	RAJASTHAN	25.0	27.0	3.5	3.5	7.7	7.8	1200	1340			2.06	2.20	3	4	3	7

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4777	RIICO TUBEWELL NO. 31, LOCATED NEAR BKL LIFESTYLE, PLOT NO. 1228, RIA, BHIWADI, OPP. TO ACRO PAINTS-II, TIJARA	RAJASTHAN	26.0	28.0	4.0	4.0	7.7	7.9	1190	1370			2.36	2.81	3	7	3	11
4778	RIICO TUBEWELL NO. 34, LOCATED ON ROAD SIDE OF 220 KVA POWER STATION, CLOSE TO BKT(ESI HOSPITAL), RAMPUR MUNDANA RIS BHIWADI, TIJARA,	RAJASTHAN	26.0	26.0	3.6	3.6	7.8	7.9	1250	1380			1.84	2.06	3	4	3	9
4779	BOREWELL OF VKIA RECREATIONAL CLUB JAIPUR	RAJASTHAN	26.0	26.0			7.7	7.9	880	1000			2.10	2.36	4	4	4	7
4780	BOREWELL OF SCION EXPORTS PVT.LTD, SARNA DOONGAT, JAIPUR	RAJASTHAN	27.0	27.0			7.6	7.6	5000	5000			2.05	2.05	4	4	4	4
4782	OFFICE OF ASSISTANT ENGINEER, JAIPUR, VIDHUT VITRAN NIGAM LTD, RIICO IND. AREA, BAGRU, TEHSIL-SANGANER,	RAJASTHAN	29.0	29.0			7.4	7.4	5200	5200			2.07	2.07	7	7	11	11
4783	JHALANA FOREST PARK, NEAR MALVIYA NAGAR IND. AREA, MALVIYA NAGAR JAIPUR	RAJASTHAN	28.0	28.0			7.9	7.9	590	590			1.76	1.76	20	20	28	28
4784	WELL OF SHRI HAZARI SINGH GEHLOT, NEAR PATWAR BHAWAN, SALAWAS JODHPUR	RAJASTHAN	29.0	30.0			8.0	702.0	2200	2500			3.00	3.11	3	4	4	11
4785	WELL OF SHRI TILARAM, NANDWAN, JODHPUR	RAJASTHAN	29.0	30.0			6.4	7.5	6000	9000			2.81	3.13	3	4	4	7
4786	WELL OF SHRI DEVARAM, HEER KHERA, JODHPUR	RAJASTHAN	30.0	30.0			7.6	7.6	7600	7600			3.01	3.01	3	3	7	7
4787	WELL OF SHRI DALARAM, AHEER KHERA, JODHPUR	RAJASTHAN	30.0	30.0			7.9	7.9	5800	5800			3.05	3.05	3	3	4	4
4788	WELL OF SHRI MAGARAM, NANDWAN, JODHPUR	RAJASTHAN	28.0	30.0			6.5	7.6	5200	8000			2.69	3.00	3	3	4	7
4789	WELL OF SHRI BHAGARAM BHATIA, SALAWAS-JODHPUR ROAD, SALAWAS, JODHPUR	RAJASTHAN	22.0	30.0			7.1	8.2	4300	4900			3.04	4.03	3	7	4	11
4791	HANDPUMP NEAR M/S CHAMBLE FERTILIZER & CHEMICALS, GADEPAN	RAJASTHAN	23.8	24.0			7.8	7.9	520	530			2.10	2.62	4	7	7	11

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4792	HANDPUMP NEAR M/S RAJASTHAN TEXTILE MILLS, BHAWANI MANDI	RAJASTHAN	24.0	28.0			7.6	7.8	4300	4600			1.25	1.40	3	4	7	14
4793	PUBLIC TUBEWELL, VILLAGE-NAMI, TEHSIL	RAJASTHAN	27.0	27.0			7.7	8.1	1470	1610			1.55	1.77	3	4	3	9
4794	TUBEWELL OF HARIPRASAD PANNALAL, BADA TALAB, VILL-NANI, TEHSIL	RAJASTHAN	26.0	27.0			8.0	8.2	890	900			1.60	1.83	3	3	3	7
4796	OPEN WELL OF SARAS DAIRY, VILAS, NH-08, UDAIPUR	RAJASTHAN	20.0	22.0			7.2	7.3	1370	1510			1.66	1.82	4	7	7	11
4797	BOREWELL NEAR MAIN GATE, CITY PALACE, NEAR SHEETLA MATA TEMPLE, UDAIPUR	RAJASTHAN	20.0	22.0			7.2	7.7	930	1320			1.70	1.84	4	9	7	14
4798	BOREWELL OF BSNL OFFICE, SECTOR-03, HIRAN MARG, UDAIPUR	RAJASTHAN	20.0	22.0			7.4	7.7	1510	1540			2.20	2.46	4	4	7	7
4799	DISTRICT COLLECTOR, BARAN	RAJASTHAN	24.0	24.0			7.3	7.7	1070	1580			1.34	1.50	3	4	7	11
4800	DISTRICT COLLECTOR, CHURU	RAJASTHAN	27.0	28.0			7.6	8.1	890	2700			1.66	1.84	3	3	3	7
4801	DISTRICT COLLECTOR, DAUSA	RAJASTHAN	29.0	29.0			7.6	7.6	3100	3100			1.84	1.84	4	4	7	7
4802	DISTRICT COLLECTOR, KARAUJI	RAJASTHAN	27.0	29.0			7.3	7.7	1610	1800			1.82	2.10	3	3	3	4
4803	SHAHID CAPT, CHANDRA CHOUDHARY PARK, BIKANER	RAJASTHAN	27.0	28.3			7.2	7.5	5000	5300			1.61	1.70	3	7	3	14
4806	SHRI BABUAL SOPATRA, SHEKHO KI DDHANI PALI	RAJASTHAN	18.5	26.5			8.0	9.7	4200	4500			2.47	2.80	4	4	7	9
4807	SHRI MUKESH RAJPUROHIT, INFORNT OF GS-197-A, PUNAYATA INDUSTRY ROAD, NEAR BY NATIONAL HIGHWAY PALI-JODHPUR, CETP-IV, PALI	RAJASTHAN	19.0	28.0			7.8	8.5	5400	8500			1.70	2.11	4	7	7	11
4808	SHRI KHUM SINGH RAJPUROHIT, NEAR SBI BANK, RIICO PHASE I&II IND. AREA, PALI	RAJASTHAN	18.0	27.5			7.7	8.3	4400	4900			2.37	2.81	3	4	7	7
4809	SHRI RANARAM, NEAR BHANWAR SINGH MANDLI FROM HOUSE NH-PALI-SUMERPUR	RAJASTHAN	19.5	27.0	4.4	4.4	7.7	8.6	1690	4300	1.2	1.2	3.00	3.08	4	4	7	11

**TABLE - 25: WATER QUALITY OF GROUND WATER IN TAMIL NADU - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
32	WELL AT MUSIRI, TAMIL NADU	TAMIL NADU	30.0	30.0	6.7	6.7	8.0	8.0	406	406	0.1	0.1	0.03	0.03	2	2	2	2
1449	COLLECTOR WELL AT THIRUPUVANAM FOR MADURAI WAT. SUPPLY SCHEME, TAMILNADU	TAMIL NADU	26.0	33.0	6.0	6.3	7.3	7.6	818	890	2.0	5.0	0.58	1.80	2	2	4	4
4810	SURIYAMPALAYAM BOREWELL (HAND PUMP) OWNED BY ERODE CORPORATION LOATED OPPOSITE TO M/S. PIONEER PROCESSING INDIA PVT. LTD., BHAVANI MAIN ROAD, R.N. PUDUR POST, ERODE	TAMIL NADU	30.0	30.0	3.1	3.1	7.5	7.5	2460	2460	0.2	0.2	0.01	0.01	2	2	6	6
4811	BOREWELL LOCATED AT M/S. PHOENIX TEXTILE PROCESSORS, VENDIPALAYAM, ERODE	TAMIL NADU	30.0	30.0	6.2	6.2	7.7	7.7	2060	2060	0.1	0.1	4.03	4.03	4	4	9	9
4814	HOUSE OF THIRU MURUGAN, S/O. ESAKKI, NO.16B, MEENAKSHIPURAM, ANNA NAGAR, TIRUNELVELI	TAMIL NADU	27.0	30.0	4.3	5.0	6.7	7.0	1641	2410	BDL	2.0	0.29	7.64	2	4	4	10
4815	MUNICIPAL CORPORATION BORE WELL LOCATED IN PERUMALPURAM STREET, NARANAMMALPURAM, TIRUNELVELI	TAMIL NADU	28.0	30.0	3.5	5.2	6.6	7.2	814	1052	0.0	2.1	0.22	0.95	2	24	4	79
4816	AUTHOR A- MUKKANI AGRAGARAM STREET INFRONT OF THIRU N. SAMUTHRAPANDI HOUSE BORE WELL	TAMIL NADU	27.0	27.0	4.0	4.0	6.9	6.9	1401	1401	2.9	2.9	2.32	2.32	2	2	2	2
4817	ERAL A- CHARMAM ARUNACHALA SWAMY TEMPLE WEST OF BORE WELL	TAMIL NADU	27.0	27.0	5.5	5.5	7.2	7.2	72	72	2.9	2.9	0.07	0.07	2	2	4	4
4818	ALWARTHIRUNAGARI A- VETERINARY DISPENSARY, WEST CAR STREET NEAR OVER HEAD TANK OF BORE WELL	TAMIL NADU	28.0	28.0	7.3	7.3	6.7	6.7	2330	2330	BDL	BDL	0.00	0.00	2	2	4	4

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4819	SRIVAIKUNDAM A- BLOCK DEVELOPMENT OFFICE A- OPEN WELL	TAMIL NADU	28.0	28.0	7.0	7.0	6.9	6.9	179	179	2.1	2.1	0.29	0.29	7	7	24	24
4820	SRIVAIKUNDAM A- TNEB SUB STATION 33 KVA OPPOSITE TO TIRUNELVELI MAIN ROAD OPEN WELL	TAMIL NADU	28.0	28.0	6.0	6.0	6.6	6.6	178	178	2.5	2.5	1.30	1.30	32	32	110	110
4821	BOREWELL NEAR KAMBARASAMPETTAI INTAKE WELL (TRICHY UPSTREAM)	TAMIL NADU	28.0	28.0	6.8	6.8	7.0	7.0	388	388	0.4	0.4	0.06	0.06	4	4	11	11
4824	PARAMASIVAM WATER SERVICE STATION, BLOCK NO.13 BSNL EXCHANGE OPPOSITE, METTUR DAM A- 636 402.	TAMIL NADU	29.0	29.0	5.9	5.9	7.4	7.4	3360	3360	1.6	1.6	2.01	2.01	2	2	4	4
4825	M. KALIAPPAN, SANGILIMUNIYAPPAN KOVIL, ERIKKADU, METTUR	TAMIL NADU	29.0	29.0	6.7	6.7	7.6	7.6	1958	1958	0.7	0.7	0.25	0.25	2	2	4	4
4826	SAKTHI NAGAR, NEAR MUNICIPALITY SEWAGE TREATMENT PLANT, KOMPURANKADU, METTUR	TAMIL NADU	29.0	29.0	6.6	6.6	7.9	7.9	360	360	0.4	0.4	1.65	1.65	4	4	6	6

**TABLE - 26: WATER QUALITY OF GROUND WATER IN TELANGANA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
15	WELL AT KUYUYURA	TELANGANA	27.0	27.0	0.1	0.1	7.3	7.3	725	725			2.20	2.20				
16	WELL AT TADAVAI A.P.	TELANGANA	28.0	28.0			7.6	7.6	753	753			13.00	13.00				
27	WELL AT PEDDAVOORA	TELANGANA	21.0	21.0			7.3	7.6	514	1577	2.4	2.4	15.29	15.29	2	2	2	2
1515	B/W. - NAGARAM(V), PALVONCHA, KHAMMAM DIST.	TELANGANA	27.0	27.0	2.8	2.8	7.2	7.2	1120	1120			6.00	6.00				
1525	B/W - IDA , NEAR CHAITANYA CHLORIDES , PASHAMAYLAM , MEDAK DIST.	TELANGANA	23.0	27.0			6.7	6.9	2600	2890	4.5	4.5	38.38	38.38	2	2	2	2
1791	B/W. - EAST OF SAICHERUVU , PAIDIPALLY (V), WARANGAL DIST.	TELANGANA	27.0	27.0			7.2	7.2	1702	1702			7.00	7.00				
1792	B/W -NEAR CKM COLLEGE , ENUMAMULA (V) , WARANGAL DIST.	TELANGANA	28.0	28.0			8.1	8.1	1637	1637			12.00	12.00				
1793	O/W - BHOOMIAIAH NEAR ASHPONDS OF NTPC , KUNDANPALLY (V) , RAMAGUNDAM , KARIMNAGAR	TELANGANA	27.0	27.0			7.5	7.5	1711	1711			1.20	1.20				
1794	B/W - MANAKONDUR (V) , KARIMNAGAR DIST.	TELANGANA	27.0	27.0			7.2	7.2	1238	1238			3.20	3.20				
1795	B/W. - PANCHAYAT OFFICE , , BOLLARAM (V) MEDAK DIST.	TELANGANA	22.0	26.0			7.2	7.2	2900	3120	5.6	5.6	36.42	36.42	2	2	2	2
1810	B/W - SRI RAMNAGAR COLONY, SHAKKAR NAGAR, BODHAN, NIZAMABAD DIST.	TELANGANA	28.0	28.0			7.4	7.4	2652	2652			25.37	25.37				
1811	B/W. - PRIMARY SCHOOL - RUDRAVELLI (V) , BIBINAGAR (M), NALGONDA DIST.	TELANGANA	21.0	21.0			7.2	7.6	1847	1900	2.7	2.7	0.35	18.35	2	2	2	2
3088	B/W AT J.NARASIMHA RAO'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE, KOTHAGUDEM, KHAMMAM	TELANGANA	27.0	27.0	2.2	2.2	7.2	7.2	1767	1767			10.00	10.00				
3094	B/W AT AKBARNAGAR, RAMAGUNDAM, KARIMNAGAR	TELANGANA	27.0	27.0			7.7	7.7	967	967			1.60	1.60				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4260	BORE WELL NEAR MSW DUMP YARD, MEDAK TOWN MEDAK DISTRICT	TELANGANA	26.0	27.0			7.2	7.5	1084	1326	7.0	7.0	15.43	15.43	2	2	2	2
4261	BORE WELL AT M/S SHALINI STEELS LTD, IDA BOLLARAM, JINNARAM MANDAL, SANGAREDDY DISTRICT	TELANGANA	26.0	27.0			6.4	7.2	4600	5340	14.7	14.7	35.41	35.41	2	2	2	2
4262	BOREWELL NEAR GRAMPANCHYAT OFFICE, KISTAIPALLY VILLAGE JINNARM MANDAL, SANGAREDDY DISTRICT	TELANGANA	26.0	28.0			6.8	7.4	2161	2198	3.3	3.3	35.41	37.42	2	2	2	2
4263	BOREWELL NEAR MPP SCHOOL GADDAPOTHARAM VILLAGE, JINNARAM MANDAL, SANGAREDDY DISTRICT	TELANGANA	27.0	27.0			7.0	7.3	3480	3640	8.4	8.4	29.29	29.29	2	2	2	2
4264	BORE WELL WATER POINT AT ZP GIRLS HIGH SCHOOL BHUDAM POCHAMPALLY (V & M) YADADRI DISTRICT	TELANGANA	20.0	20.0			6.6	7.2	2100	3510	3.2	3.2	23.49	23.49	2	2	2	2
4265	B/W AT GRAM PANCHAYATH OFFICE, DOTHIGUDAM	TELANGANA	22.0	22.0			6.8	7.2	1556	2590	1.5	1.5	21.20	21.21	2	2	2	2
4266	BOREWELL NEAR PRIMARY SCHOOL, ADLOOR YELLAREDDY (N) SADASHIVANAGAR (M) KAMAREDDY DIST	TELANGANA	24.0	28.0			7.1	7.4	1180	1518	3.0	3.0	13.23	13.23	2	2	2	2
4268	BOREWELL LOCATED AT HOUSE OF SRI VITAL RAO, H.NO. 2-42 875, ABESTOS COLONY, GANDHI NAGAR, BALANAGAR, MEDCHAL DISTRICT	TELANGANA	27.0	27.0			7.8	7.8	1226	1226			9.00	9.00				
4269	BOREWELL LOCATED AT HOUSE OF SRI P NEKATESH RAJU, PLOT NO 115,22 321, APIIC, CO-OPERATIVE CONONY, JEEDIMETLA, QUTHBULLAPUR (M) MEDCHAL DISTRICT	TELANGANA	27.0	27.0			6.8	6.8	3480	3480			1.40	1.40				
4270	BOREWELL LOCATED AT HOUSE OF P. ANJANEYULU, PLOT NO,25,	TELANGANA	27.0	27.0			7.2	7.2	2510	2510			13.00	13.00				



Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
	SHAKTHIPURAM, PRASHANTH NAGAR, I. E. KUKATPALLY, MEDCHAL DISTRICT																	
4271	BOREWELL LOCATED AT GOVERNMENT PRIMARY SCHOOL, SY. NO 32 DHULAPALLY (V) QUTHBULLAPUR (M) MEDCHAL DISTRICT.	TELANGANA	27.0	27.0			7.7	7.7	1652	1652			20.00	20.00				
4272	BOREWELL LOCATED AT RAHIV GRUHA KA;PA, AHMEDGUDA, AMBEDKAR NAGAR, KAPRA MEDCHAL DISTRICT.	TELANGANA	27.0	27.0			7.8	7.8	826	826			2.30	2.30				
4273	BOREWELL LOCATED AT THANDA DUNDIGAL (V) DHUNDIGAL (M) MEDCHAL DISTRICT	TELANGANA	27.0	27.0			6.8	6.8	2998	2998			19.00	19.00				
4274	BOREWELL POINTS AT THE PERIPHERY OF THE IDA, JEEDIMETLA	TELANGANA	27.0	27.0			7.0	7.0	2186	2186			20.00	20.00				
4275	BOREWELL POINTS AT THE PERIPHERY OF THE ISA BALANAGAR	TELANGANA	27.0	27.0	1.4	1.4	7.2	7.2	2256	2256			11.00	11.00				
4276	BOREWELL NEAR GRAM PANCHAYAT OFFICE, KHAZIPALLY VILLAGE, SANGAREDDY DISTRICT	TELANGANA	27.0	27.0			7.3	7.3	2215	2215			39.36	39.36				
4277	B/W AT ZPHS SULTHANPUR	TELANGANA	25.0	25.0			6.6	7.4	6100	6890	9.0	9.0	37.57	37.57	2	2	2	2
4278	B/W AT AUROBINDO, HATNUR, SANGAREDDY	TELANGANA	25.0	25.0			6.8	7.2	1254	1674	5.0	5.0	21.12	21.12	2	2	2	2
4279	B/W NEAR M/S ARCH PHARMA, GUNDLA MACHANUR, SANGAREDDY	TELANGANA	25.0	25.0			6.7	6.9	440	3200	1.2	1.2	11.18	11.18	2	2	2	2
4280	B,W AT IDS RAMPUR, HANAMKONDA, WARANGAL	TELANGANA	29.0	29.0	2.0	2.0	7.5	7.5	3875	3875			4.80	4.80				
4281	B/W NEAR BHIMANPALLI VILLAGE (OPEN LAND ) POCHAMPALLY MANDAL	TELANGANA	21.0	21.0			7.2	7.3	3010	4290	3.3	3.3	25.17	25.17	2	2	2	2
4282	B/W NEAR AARLA BAVI (AGRICULTURAL FIELD), POCHAMPALLY MANDAL	TELANGANA	22.0	22.0			6.9	7.3	1667	1695	1.8	1.8	35.12	35.12	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4283	B/W NEAR DANTUR (OPEN LAND), POCHAMPALLY MANDAL	TELANGANA	21.0	21.0			6.7	7.4	2915	3920	2.0	2.0	32.15	32.15	2	2	2	2
4284	B/W NEAR MALKAPUR LAKE, MALKAPUR VILLAGE (AGRICULTURAL FIELD) CHOUTUPPA; MANDAL	TELANGANA	20.0	20.0			7.2	7.4	753	1732	1.2	1.2	19.32	19.32	2	2	2	2
4285	B/W NEAR PEDDAKONDUR VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL	TELANGANA	21.0	21.0			7.2	7.2	1259	2775	3.0	3.0	27.26	27.26	2	2	2	2
4286	B/W NEAR ANKIREDDIGUDAM VILLAGE (AGRUCULTURAL FIELD) CHOUTUPPAL MANDAL	TELANGANA	21.0	21.0			7.0	7.1	678	2031			27.42	27.42	2	2	2	2
4287	B/W NEAR LINGAREDDYGUDAM VILLAGE (BESIDE CHOUTUPPAL-VALIGONDA ROAD) CHOUTUPPAL MANDAL	TELANGANA	20.0	20.0			6.9	7.1	1078	1732	1.8	1.8	18.37	18.37	2	2	2	2
4288	B/W NEAR NAGARAM CHERUVU, DEVALAMMA NAGARAM VILLAGE	TELANGANA	22.0	22.0			7.4	9.7	520	1160			11.15	11.15	2	2	2	2
4289	B/W NEAR PITTAM PALLE VILLAGE (OPEN LAND BESIDE VILLAGE ROAD) CHITYAL MANDAL	TELANGANA	21.0	21.0			7.0	7.0	1705	1705			18.37	18.37				
4290	B/W NEAR PITTAM PEDDAKAPARTHI VIKKAGE (OPEN LAND BESIDE VILLAGE ROAD) CHITYAL MANDAL	TELANGANA	20.0	20.0			7.1	7.1	325	325			11.15	11.15				

**TABLE - 27: WATER QUALITY OF GROUND WATER IN TRIPURA - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1405	WELL AT UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	24.5	25.5	0.4	0.5	5.9	6.1	136	143	0.0	0.0	0.18	0.23	2	2	2	2
1406	WELL AROUND UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	24.0	25.5	0.4	0.6	6.0	6.1	159	161	0.0	0.0	0.25	0.30	2	2	2	2
1730	KUNJBAN, AGARTALA, TRIPURA	TRIPURA	24.0	26.0	0.2	0.2	6.1	6.3	131	135	0.0	0.0	0.28	0.34	2	2	2	2
1731	LANKAMURA, TRIPURA	TRIPURA	24.0	26.5	0.1	0.2	6.0	6.1	128	139	0.0	0.0	0.18	0.20	2	2	2	2
1732	A.D.NAGAR, AGARTALA, TRIPURA	TRIPURA	24.5	25.5	0.0	0.2	5.4	5.6	142	153	0.0	0.0	0.27	0.31	2	2	2	2
1733	SHIBNAGAR, AGARTALA, TRIPURA	TRIPURA	24.0	26.0	0.4	0.5	5.8	6.0	137	144	0.0	0.1	0.25	0.28	2	2	2	2
1734	GANDHIGRAM, AGARTALA, TRIPURA	TRIPURA	23.5	25.5	0.0	0.2	6.1	6.4	135	149	0.0	0.0	0.26	0.31	2	2	2	2
3423	TUBE WELL AT HAPANIA, WEST TRIPURA	TRIPURA	24.5	24.5	1.1	1.1	6.2	6.2	122	122	0.0	0.0	0.20	0.20	2	2	2	2
3424	TUBE WELL AT NAGICHERRA, WEST TRIPURA	TRIPURA	25.0	25.0	1.1	1.1	6.2	6.2	122	122	0.2	0.2	0.17	0.17	2	2	2	2
3425	TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA	TRIPURA	25.5	25.5	0.8	0.8	5.9	5.9	127	127	0.0	0.0	0.24	0.24	2	2	2	2
3426	TUBE WELL AT B.C.MANU, SOUTH TRIPURA	TRIPURA	24.5	24.5	0.3	0.3	5.9	5.9	129	129	0.0	0.0	0.18	0.18	2	2	2	2
3427	TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA	TRIPURA	24.5	24.5	0.5	0.5	6.0	6.0	98	98	0.2	0.2	0.13	0.13	2	2	2	2
3428	TUBE WELL AT BAGAFI, SOUTH TRIPURA	TRIPURA	24.5	24.5	0.8	0.8	5.7	5.7	125	125	0.1	0.1	0.15	0.15	2	2	2	2
3429	TUBE WELL AT 82 MILE, DHALAI	TRIPURA	24.0	24.0	0.8	0.8	6.0	6.0	118	118	0.1	0.1	0.17	0.17	2	2	2	2
3430	TUBE WELL AT JAWAHANAGAR, DHALAI	TRIPURA	24.5	24.5	0.8	0.8	6.0	6.0	101	101	0.2	0.2	0.20	0.20	2	2	2	2
3431	TUBE WELL AT KULAI, DHALAI	TRIPURA	24.5	24.5	0.8	0.8	5.7	5.7	91	91	0.1	0.1	0.14	0.14	2	2	2	2
3432	TUBE WELL AT CHURABARI (INTERSTATE BOUNDARY), NORTH TRIPURA	TRIPURA	25.0	25.0	0.7	0.7	5.6	5.6	112	112	0.1	0.1	0.21	0.21	2	2	2	2
3433	TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	24.5	24.5	0.8	0.8	6.2	6.2	109	109	0.2	0.2	0.20	0.20	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
3434	TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	25.0	25.0	0.6	0.6	5.7	5.7	107	107	0.0	0.0	0.22	0.22	2	2	2	2
3435	TUBE WELL AT GOUR NAGAR, NORTH TRIPURA	TRIPURA	24.5	24.5	0.6	0.6	6.1	6.1	115	115	0.1	0.1	0.17	0.17	2	2	2	2
3436	TUBE WELL AT KAILASHAHAR, NORTH TRIPURA	TRIPURA	25.0	25.0	0.6	0.6	5.8	5.8	129	129	0.1	0.1	0.22	0.22	2	2	2	2
4185	TUBE WELL AT JIRANIA	TRIPURA	23.5	23.5	1.6	1.6	6.3	6.3	118	118	0.1	0.1	0.21	0.21	2	2	2	2
4186	TUBE WELL AT DOKLI	TRIPURA	25.0	25.0	0.8	0.8	6.0	6.0	102	102	0.2	0.2	0.23	0.23	2	2	2	2
4187	TUBE WELL AT BADHARGHAT	TRIPURA	25.5	25.5	1.1	1.1	6.6	6.6	110	110	0.1	0.1	0.25	0.25	2	2	2	2
4188	TUBE WELL AT ARUNDHATI NAGAR	TRIPURA	25.0	25.0	1.5	1.5	6.8	6.8	106	106	0.1	0.1	0.20	0.20	2	2	2	2
4189	TUBE WELL AT NANADANNAGAR	TRIPURA	25.0	25.0	1.8	1.8	6.3	6.3	95	95	0.1	0.1	0.18	0.18	2	2	2	2
4190	TUBE WELL AT DEBENDRA CHANDRA NAGAR	TRIPURA	25.5	25.5	1.2	1.2	5.7	5.7	98	98	0.2	0.2	0.21	0.21	2	2	2	2
4191	TUBE WELL AT SURYAMONI NAGAR	TRIPURA	25.0	25.0	0.8	0.8	6.3	6.3	114	114	0.2	0.2	0.27	0.27	2	2	2	2
4200	TUBE WELL AT BISHALGARH	TRIPURA	25.0	25.0	0.5	0.5	6.2	6.2	119	119	0.0	0.0	0.19	0.19	2	2	2	2
4201	TUBE WELL AT SONAMURA	TRIPURA	25.0	25.0	0.6	0.6	5.2	5.2	157	157	0.1	0.1	0.19	0.19	2	2	2	2
4202	TUBE WELL AT BISHRAMGANJ	TRIPURA	25.0	25.0	1.5	1.5	5.6	5.6	169	169	0.3	0.3	0.16	0.16	2	2	2	2
4203	TUBE WELL AT KARBOOK	TRIPURA	24.5	24.5	0.5	0.5	5.6	5.6	149	149	0.1	0.1	0.29	0.29	2	2	2	2
4204	TUBE WELL AT AMARPUR	TRIPURA	25.0	25.0	0.6	0.6	5.8	5.8	137	137	0.2	0.2	0.36	0.36	2	2	2	2
4205	TUBE WELL AT AMAR SAGAR, UDAIPUR	TRIPURA	25.0	25.0	0.7	0.7	6.1	6.1	131	131	0.2	0.2	0.34	0.34	2	2	2	2
4206	TUBE WELL AT DHANI SAGAR, UDAIPUR	TRIPURA	25.0	25.0	0.5	0.5	5.6	5.6	121	121	0.2	0.2	0.45	0.45	2	2	2	2
4207	TUBE WELL AT SABROOM	TRIPURA	25.0	25.0	0.7	0.7	6.1	6.1	139	139	0.3	0.3	0.26	0.26	2	2	2	2
4208	TUBE WELL AT JOLAIBARI	TRIPURA	25.0	25.0	0.6	0.6	5.8	5.8	143	143	0.4	0.4	0.32	0.32	2	2	2	2
4209	TUBE WELL AT BELONIA	TRIPURA	25.5	25.5	0.3	0.3	6.0	6.0	147	147	0.0	0.0	0.28	0.28	2	2	2	2
4210	TUBE WELL AT AMBASSA	TRIPURA	25.0	25.0	0.3	0.3	5.8	5.8	130	130	0.1	0.1	0.27	0.27	2	2	2	2
4211	TUBE WELL AT KAMALPUR	TRIPURA	24.5	24.5	0.3	0.3	6.1	6.1	132	132	0.0	0.0	0.23	0.23	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4212	TUBE WELL AT CHAWMANU	TRIPURA	24.0	24.0	0.4	0.4	6.0	6.0	124	124	0.2	0.2	0.34	0.34	2	2	2	2
4213	TUBE WELL AT TELIAMURA	TRIPURA	25.0	25.0	0.5	0.5	5.9	5.9	124	124	0.2	0.2	0.26	0.26	2	2	2	2
4214	TUBE WELL AT KHOWAI	TRIPURA	25.0	25.0	0.5	0.5	5.6	5.6	149	149	0.2	0.2	0.27	0.27	2	2	2	2
4215	TUBE WELL AT DHARMANAGAR	TRIPURA	24.5	24.5	0.3	0.3	5.2	5.2	155	155	0.1	0.1	0.30	0.30	2	2	2	2
4216	TUBE WELL AT DAMCHERRA	TRIPURA	25.0	25.0	1.1	1.1	5.4	5.4	140	140	0.2	0.2	0.18	0.18	2	2	2	2
4217	TUBE WELL AT KANCHANPUR	TRIPURA	25.0	25.0	0.5	0.5	5.6	5.6	155	155	0.0	0.0	0.21	0.21	2	2	2	2
4218	TUBE WELL AT PANISAGAR	TRIPURA	24.5	24.5	0.5	0.5	5.9	5.9	126	126	0.2	0.2	0.18	0.18	2	2	2	2

**TABLE - 28: WATER QUALITY OF GROUND WATER IN UTTAR PRADESH - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1736	GROUND WATER QUALITY STATION SARDARNAGAR, U.P	UTTAR PRADESH	22.0	24.0			5.6	7.9	658	680	4.4	4.8						
1737	GROUND WATER QUALITY STATION CAPTANGANJ, U.P	UTTAR PRADESH	22.0	24.0	0.0	0.0	5.6	5.8	618	680	5.0	5.4			2	2	2	2
1738	SITE 1, INDUSTRIAL AREA NEAR M/S WOODWARM CHEMICAL LTD., UNNAO, U.P	UTTAR PRADESH	27.0	27.0			7.3	7.5	615	675	1.8	1.8	0.68	0.68	2	2	2	13
1739	SITE 2, INDUSTRIAL AREA NEAR M/S AMIN SONS, UNNAO, U.P	UTTAR PRADESH	27.0	27.0			7.3	7.4	1214	1521	0.4	0.4	0.65	0.65	2	93	2	2
1740	AT ROADWAYS BUS STATION, UNNAO, U.P	UTTAR PRADESH	28.0	28.0			7.6	7.7	428	1845	0.8	0.8	0.55	0.55	2	2	2	23
1741	MAGAWARA INDUSTRIAL AREA NEAR M/S JAMJAM TANNERS, UNNAO, U.P	UTTAR PRADESH	27.0	27.0			7.4	7.6	573	878	1.2	1.2	0.42	0.42	2	220	2	540
1742	CHINHAT INDUSTRIAL AREA IN LUCKNOW NEAR M/S INDIA PESTICIDES LUCKNOW, U.P	UTTAR PRADESH	26.1	26.1			7.3	7.5	456	963	BDL	BDL	1.00	1.40	40	40	68	350
1743	AISHBAGH INDUSTRIAL AREA AT LUCKNOW NEAR M/S EVEREADY INDUSTRIES LTD. LUCKNOW, U.P	UTTAR PRADESH	25.8	25.8			7.2	7.6	508	520	BDL	BDL	3.80	4.28	2	2	2	49
1744	JAJMAU INDUSTRIAL AREA NO. 6 KANPUR, U.P	UTTAR PRADESH	30.0	30.0			7.5	7.5	848	848	0.0	0.0			2	2	2	2
1745	PANKI INDUSTRIAL AREA NEAR INDUSTRY OF AMMONIA FERTIZER KANPUR, U.P	UTTAR PRADESH	30.0	30.0			7.9	7.9	2050	2050	0.0	0.0			2	2	2	2
1746	NAGAR PALIKA TUBE WELL, SULTANPUR, U.P	UTTAR PRADESH	19.0	19.0			7.8	7.8	1161	1161			0.11	0.11				
1747	INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY, U.P	UTTAR PRADESH	20.0	20.0			8.0	8.0	1189	1189			0.16	0.16				
1749	TUBE WELL AT MEERUT CITY, U.P	UTTAR PRADESH	18.0	18.0			7.2	7.2	695	695			2.20	2.20				
1750	TUBE WELL AT BAGPAT CITY, U.P	UTTAR PRADESH	17.0	17.0			7.4	7.4	725	725			1.80	1.80			2	2
1751	TUBE WELL IN INDUSTRIAL AREA AT GAJRAULA, MORADABAD, U.P	UTTAR PRADESH					7.4	7.5	413	421	BDL	1.0	0.38	0.38	2	20	2	92

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1752	SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P	UTTAR PRADESH	23.0	23.0			6.6	6.6	1730	1730	1.2	1.2	0.42	0.42	2	2	2	2
1753	MEERUT ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20.0	23.0			6.9	7.9	501	1232	0.3	2.8	0.39	0.40	2	2	2	2
1754	HAPUR ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20.0	24.0			6.9	7.0	960	982	0.4	0.7	0.38	0.40	2	2	2	2
1755	PILKHUA INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20.0	24.0			6.7	6.8	1198	1210	0.2	0.3	0.30	0.38	2	2	2	2
1756	GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI, U.P	UTTAR PRADESH	22.0	25.5			7.6	7.6	422	482	1.3	1.3	1.60	1.80				
1758	GROUND AROUND STP DINAPUR, VARANASI, U.P	UTTAR PRADESH	22.2	25.5			7.5	7.8	468	534	0.8	0.8	1.56	2.10				
1759	IFFCO, PHOOLPUR, ALLAHABAD, U.P	UTTAR PRADESH	25.3	26.3			6.8	7.1	848	956	0.2	0.3	1.08	1.14	2	2	2	2
1760	M/S KANORIA CHEMICAL SONBHADRA, U.P	UTTAR PRADESH	24.0	24.0			8.2	8.2	485	485	1.3	1.3	1.40	1.40				
2467	CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI	UTTAR PRADESH	22.2	26.0			7.6	7.6	482	525	0.9	0.9	2.40	194.00				
2468	BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR	UTTAR PRADESH	22.8	26.0			7.6	7.7	458	474	1.2	1.2	0.16	1.40				
2469	AT INDUSTRIAL AREA. NAINI, ALLAHABAD	UTTAR PRADESH	25.4	26.5	0.0	0.0	7.0	7.1	1188	1400	0.2	0.4	1.25	1.33	2	2	2	2
2470	AT INDUSTRIAL AREA, FATEHPUR	UTTAR PRADESH	25.3	26.2	0.0	0.0	7.1	7.1	1624	1673	0.3	0.4	1.54	1.61	2	2	2	2
2471	GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR	UTTAR PRADESH	22.0	24.0			5.6	7.2	516	560	2.6	3.6						
2472	VILLAGE DAURALA, MEERUT	UTTAR PRADESH	17.0	17.0			7.2	7.2	640	640			1.60	1.60				
2473	KHEKRA, BAGHPAT	UTTAR PRADESH	17.0	17.0			7.1	7.1	715	715			2.10	2.10			2	2
2474	UNCHAHAAR (NEAR THERMAL POWER PLANT)	UTTAR PRADESH	19.0	19.0			7.8	7.8	1182	1182			0.12	0.12				
2475	INDUSTRIAL AREA, SULTANPUR ROAD	UTTAR PRADESH	18.0	18.0			8.1	8.1	1118	1118			0.14	0.14				
2477	NEAR ARYA KANYA INTER COLLEGE. JALAUN	UTTAR PRADESH	24.6	25.1			7.2	7.4	932	1582								

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2478	DEVA ROAD, INDUSTRIAL AREA, CHAINHAT, LKO NEAR UPTRON POLICE CHOWKI, LUCKNOW	UTTAR PRADESH	26.0	26.0			7.3	7.8	487	587	BDL	BDL	1.24	1.62	2	2	2	2
2479	NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD	UTTAR PRADESH	23.0	25.0	6.4	6.4	7.2	7.3	232	236	0.3	0.5			2	2	33	37
2480	NEAR BRAHMAN MAJRA, PILKHANI	UTTAR PRADESH	19.0	19.0	1.8	1.8	7.0	7.0	340	340								



**TABLE - 30: WATER QUALITY OF GROUND WATER IN UTTARAKHAND - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1748	HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD.	UTTARAKHAND	28.0	30.0	0.0	0.0	7.5	7.5	240	360	2.4	3.2						
3440	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 1	UTTARAKHAND	29.0	30.0	0.0	0.0	6.8	7.5	390	535	1.6	1.8						
3441	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2	UTTARAKHAND	29.0	30.0	0.0	0.0	7.1	7.5	323	520	1.4	13.0						
3442	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1	UTTARAKHAND	29.0	29.0	0.0	0.0	7.4	7.6	296	306	1.4	1.8						
3443	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2	UTTARAKHAND	29.0	30.0	0.0	0.0	7.4	7.5	263	320	2.0	2.4						
3444	GROUND WATER AT SANTIPURI KICHHA- 1	UTTARAKHAND	32.0	32.0	0.0	0.0	7.2	7.2	350	350	1.2	1.2						
3445	GROUND WATER AT SANTIPURI KICHHA- 2	UTTARAKHAND	32.0	32.0	0.0	0.0	7.4	7.4	580	580	1.6	1.6						
3446	GROUND WATER AT KASHIPUR MORADABAD ROAD- 1	UTTARAKHAND	26.0	30.0	0.0	0.0	7.3	7.5	249	420	1.4	1.6						
3447	GROUND WATER AT KASHIPUR MORADABAD ROAD- 2	UTTARAKHAND	28.6	28.6	0.0	0.0	7.3	7.3	320	320	1.8	1.8						
3448	GROUND WATER AT KASHIPUR BAJPUR ROAD- 1	UTTARAKHAND	25.0	30.0	0.0	0.0	7.3	7.4	296	490	1.2	8.0						
3449	GROUND WATER AT KASHIPUR BAJPUR ROAD- 2	UTTARAKHAND	30.0	30.0	0.0	0.0	7.2	7.2	340	340	2.2	2.2						
3450	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, ROSHANABAD COLLECTORATE, HARIDWAR	UTTARAKHAND	17.0	18.0			7.0	7.5	422	486							2	2
3451	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, SALEEMPUR CHOWK,ROORKEE,HARIDWAR	UTTARAKHAND	17.0	20.0			7.4	7.4	451	970							2	2
3452	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 1	UTTARAKHAND	19.0	19.0			7.1	7.1	1770	1770							2	2
3453	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2,	UTTARAKHAND	18.0	18.0			7.2	7.7	372	1044							2	2

[illegible]

**TABLE - 31: WATER QUALITY OF GROUND WATER IN WEST BENGAL - 2019**

Station Code	Station Name	State Name	Temperature °C		Dissolved O <sub>2</sub>		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1766	MINE PIT WATER ASSANSOL, WEST BENGAL	WEST BENGAL	27.0	30.5			8.4	8.4	669	752	0.5	0.6	BDL	0.05			2	2
1767	DURGAPUR TOWN, NEAR IISCO, BURDWAN, WEST BENGAL	WEST BENGAL	26.0	27.0			8.0	8.2	174	431	0.5	0.6	0.11	0.21				
1768	DURGAPUR TOWN, BURDWAN, WEST BENGAL	WEST BENGAL	23.5	30.0			7.8	8.3	406	462	0.5	0.7	0.13	0.21	2	2	3	7
1769	INSIDE HINDUSTAN LIVER FACTORY, HALDIA, WEST BENGAL	WEST BENGAL	31.0	31.0			7.3	7.9	1265	2422	0.4	0.7	0.38	0.75				
1770	NEAR IOC REFINERY HALDIA, WEST BENGAL	WEST BENGAL	26.0	34.0			7.4	7.7	2090	2369	0.6	1.2	0.16	1.17				
1771	KALYANI INDUSTRIAL AREA, NADIA, WEST BENGAL	WEST BENGAL	27.0	28.0			7.3	7.6	868	1245	0.7	2.6	0.52	0.60	3	3	5	5
1772	BARSAT MUNICIPALITY NORTH 24-P, WEST BENGAL	WEST BENGAL	27.0	29.0			7.4	7.9	377	1094	0.1	0.6	0.24	0.37	3	3	6	6
1773	TANGRA, CALCUTTA , WEST BENGAL	WEST BENGAL	29.0	31.0			7.6	7.7	2154	2463	0.5	0.6	0.12	1.44	110	110	220	300
1774	TOPSIA CALCUTTA, WEST BENGAL	WEST BENGAL	26.0	27.0			7.4	7.4	2309	2343	0.6	1.3	0.10	2.80	4	4	9	9
1775	DHAPA CALCUTTA, WEST BENGAL	WEST BENGAL	27.0	27.0			7.4	7.7	2060	2300	0.6	1.4	0.05	0.05	2	2	4	4
1776	GARIA CALCUTTA, WEST BENGAL	WEST BENGAL	25.0	29.0			7.7	7.8	872	939	0.5	2.9	0.07	0.49				
1777	BEHALA CALCUTTA, WEST BENGAL	WEST BENGAL	28.0	28.0			7.9	8.2	966	1101	0.8	1.4	0.03	0.29	2	2	2	4
1778	DOMJUR HOWRAH, WEST BENGAL	WEST BENGAL	24.0	29.0			7.5	7.8	738	836	0.9	1.3	0.15	0.34				
1779	DANKUNI (NEAR COAL COMPLEX), WEST BENGAL	WEST BENGAL	27.0	28.0			7.6	8.4	635	999	0.2	0.3	0.49	1.00	3	3	4	4
1813	RISHRA, WEST BENGAL	WEST BENGAL	22.0	27.0			7.4	7.5	487	722	0.2	0.3	0.17	0.22	2	2	3	3
1931	COSSIPORE - NORTH KOLKATA	WEST BENGAL	29.0	30.0			7.4	7.4	2642	3047	0.3	4.0	0.12	0.33				
1932	CENTRAL KOLKATA	WEST BENGAL	28.0	31.0			7.6	7.9	894	957	0.2	0.4	0.14	0.33				
1933	NEAR GALVANISATION UNIT, HOWRAH	WEST BENGAL	28.0	30.0			7.0	7.3	1518	1715	0.3	0.8	0.05	0.67	2	2	2	2

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
1934	CENTRAL HOWRAH-RESIDENTIAL AREA	WEST BENGAL	28.0	29.0			7.3	7.6	2634	2992	0.1	0.5	0.07	0.86				
1935	INSIDE KOLKATA LEATHER COMPLEX	WEST BENGAL	29.0	30.0			7.1	7.5	1648	1936	0.4	0.6	0.05	1.94	9	9	14	14
1936	RESIDENTIAL AREA - SONARPUR	WEST BENGAL	28.0	28.0			7.8	7.9	949	1009	0.3	0.8	0.48	4.75			2	2
1937	RAJARHAT - NEW TOWNSHIP	WEST BENGAL	29.0	30.0			7.4	7.8	387	2992	0.7	3.1	0.03	0.13				
1938	BSIRHAT MUNICIPALITY	WEST BENGAL	27.0	30.0			8.3	8.4	828	1788	0.4	0.5	0.66	0.89	3	3	6	6
1939	BARRAKPORE MUNICIPALITY	WEST BENGAL	27.0	28.0			7.5	7.7	358	385	0.5	0.7	0.48	0.49				
1940	NEAR THE PHOSPHATE COMPANY-RISHRA	WEST BENGAL	21.0	27.0			7.3	7.4	560	893	0.3	0.4	0.27	0.56	2	2	2	2
1941	NEAR FLY ASH DUMPING SITE-KUNTIGHAT, BANDEL	WEST BENGAL	27.0	28.0			7.6	7.8	405	494	0.3	0.5	0.50	0.73	2	2	2	2
1942	NEAR EXIDE INDUSTRIES-HALDIA	WEST BENGAL	31.0	31.0			7.6	7.7	1319	1701	0.3	0.4	0.03	0.12				
1943	INSIDE TATA METALIKS, KHARAGPUR	WEST BENGAL	25.0	31.0			7.0	7.5	501	593	0.5	0.6	0.17	0.90				
1944	KHARAGPUR INDUSTRIAL AREA	WEST BENGAL	27.0	30.0			5.8	7.6	113	144	0.8	1.1	0.28	1.24				
1945	ENGLISH BAZAR- MALDAH	WEST BENGAL	25.0	39.0			7.6	7.9	440	551	0.3	0.3	0.14	0.15	3	3	5	5
2510	GEOKHALI BUNGLOW MIDNAPUR-EAST	WEST BENGAL	29.0	32.0			7.3	7.8	1029	1154	0.5	0.5	0.22	1.96				
2515	SDO OFFICE, RANAGHAT	WEST BENGAL	27.0	28.0			7.3	8.3	571	597	0.3	0.5	0.36	0.43	3	3	4	4
2516	SDO OFFICE, KRISHNANAGAR	WEST BENGAL	27.0	28.0			7.6	7.6	575	746	0.4	0.8	0.12	0.35	2	2	2	2
2526	FULBARI BARRAGE	WEST BENGAL	26.0	26.0			6.9	7.4	89	261	0.8	2.8	1.11	2.69	70	90	110	140
2528	GROUND WATER POINT INSIDE BURDWAN UNIVERSITY	WEST BENGAL	24.0	27.5			8.1	8.4	404	610	0.5	0.8	0.11	0.55	2	2	3	4
2529	GROUND WATER POINT NEAR BURDWAN STATION	WEST BENGAL	26.0	27.5			7.7	8.1	972	1102	0.7	0.9	0.06	0.70				
2530	HOT SPRING AT BAKRESHWAR	WEST BENGAL	60.0	66.0			8.9	9.1	532	636	0.5	0.6	0.15	0.24				
2533	SURI TOWN NEAR BUS STAND	WEST BENGAL	28.0	32.0			8.1	8.3	667	835	0.8	0.9	0.19	0.58	2	2	3	4
2535	VISVA BHARATI	WEST BENGAL	29.0	32.0			8.0	8.4	450	507	0.9	0.9	0.05	0.87	2	2	2	3
2536	NALHATI RAILWAY STATION OF BIRBHUM	WEST BENGAL	28.0	29.0			8.0	8.1	1168	1233	0.7	0.9	0.66	0.91	2	2	2	3

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
2537	BOLPUR NEAR RAILWAY STATION	WEST BENGAL	29.0	30.0			7.9	8.1	569	1056	0.8	0.9	0.71	0.92	2	2	2	2
2538	MOREGRAM CROSSING	WEST BENGAL	28.0	29.0			8.1	8.3	317	392	0.9	0.9	0.20	0.84				
2540	SATI GHAT AT BANKURA TOWN	WEST BENGAL	26.5	27.0			7.8	8.3	1228	1502	0.9	0.9	0.11	0.12				
2542	DWARIKA AT BISHNUPUR TOWN	WEST BENGAL	27.0	27.5			7.9	8.1	635	1984	0.6	0.6	0.61	0.78				
2543	SDO OFFICE AT BISHNUPUR TOWN	WEST BENGAL	26.0	28.5			7.0	7.5	191	216	0.6	0.7	0.73	0.92				
2545	GROUND WATER POINT AT PURULIA RK MISSION	WEST BENGAL	25.0	27.0			7.3	7.8	1643	1984	0.6	0.6	0.10	0.95	2	2	2	2
2546	ULUBERIA COLLEGE AT HOWRAH	WEST BENGAL	29.0	30.0			7.5	7.7	944	1118	0.6	0.7	0.10	0.23				
2547	AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S)	WEST BENGAL	28.0	28.0			7.5	7.8	273	9146	3.5	5.7	0.12	0.19				
2548	HIDCO OFFICE, RAJARHAT	WEST BENGAL	29.0	30.0			7.7	7.9	303	388	2.4	3.2	0.15	0.81	2	4	7	8
4706	GROUND WATER AT KHARDAH	WEST BENGAL	28.0	28.0			7.3	7.3	866	866	0.7	0.7	0.32	0.32				
4707	GROUND WATER AT NAIHATI	WEST BENGAL	27.0	27.0			8.4	8.4	294	294	0.8	0.8	0.31	0.31				
4708	GROUND WATER AT BERHAMPORE	WEST BENGAL	28.0	28.0			7.6	7.6	776	776	0.6	0.6	0.28	0.28				
4709	GROUND WATER AT CHINSURA	WEST BENGAL	28.0	28.0			7.8	7.8	263	263	0.2	0.2	0.25	0.25	2	2	2	2
4712	BORE WELL INSIDE M/S UNITED PHOSPHOROUS LIMITED	WEST BENGAL	31.0	31.0			7.9	7.9	3367	3367	0.8	0.8	0.43	0.43				
4713	TUB WELL BESIDE GREEN BELT CANAL POINT NO.8	WEST BENGAL	31.0	31.0			7.7	7.7	1890	1890	0.4	0.4						
4714	GROUND WATER AT ANGADPUR ANGADPUR DURGAPUR	WEST BENGAL	24.0	24.0			8.0	8.0	699	699	0.7	0.7	0.13	0.13	3	3	5	5
4715	GROUND WATER AT MUCHIPARA DURGAPUR	WEST BENGAL	24.0	24.0			7.2	7.2	380	380	0.6	0.6	0.22	0.22				
4716	GROUND WATER AT HURALALPUR, PURULIA	WEST BENGAL	27.0	27.0			7.5	7.5	392	392	0.7	0.7	0.53	0.53				
4721	GROUND WATER AT MATIGARA BAZAAR	WEST BENGAL	28.0	28.0			7.7	7.7	91	91	0.2	0.2	0.50	0.50				
4726	GROUND WATER MIRIK DUGWELL	WEST BENGAL	21.0	21.0			7.2	7.2	161	161	0.5	0.5	0.30	0.30				

Station Code	Station Name	State Name	Temperature °C		Dissolved O2		pH		Conductivity (µmhos/cm)		B.O.D.		Nitrate-N + Nitrite-N (mg/l)		Total Coli form (MPN/100ml)		Faecal Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
4730	GROUND WATER (DUGWELL) AT HARISHPAL MORE	WEST BENGAL	26.0	26.0			7.6	7.6	882	882	0.8	0.8	1.77	1.77				
4731	GROUNDWATER AT UTTARBANGA KRISHI VISHWAVIDYALAYA	WEST BENGAL	26.0	26.0			7.7	7.7	293	293	0.3	0.3	0.45	0.45				
4732	GROUNDWATER AT ANANDA MOHAN COMMERCE COLLEGE	WEST BENGAL	28.0	28.0			7.9	7.9	611	611	0.6	0.6	0.88	0.88				
4733	GROUNDWATER AT SUKNA FOREST RANGE	WEST BENGAL	26.0	26.0			7.4	7.4	365	365	0.5	0.5	1.71	1.71				
4737	GROUND WATER AT SHYAMPUR BUDGE BUDGE	WEST BENGAL	28.0	28.0			7.7	7.7	7439	7439	0.5	0.5	0.93	0.93				