PRD — Leish! Aesthetic Marketplace

Document	01 — Product Requirements Document
Product	Leish! Aesthetic Marketplace
Version	1.0
Date	2026-10-08
Status	Draft for review
Owner	Product / Duta Integra Solutions

1. Summary

Leish! is a luxury **makeup-artistry booking marketplace** for the Klang Valley / Kuala Lumpur market. It connects two supply-side entities — **independent freelance MUAs** (mobile artists) and **luxury makeup studios / ateliers** — with **clients** looking to book bridal, red-carpet, editorial, soft-glam and airbrush services.

Differentiation comes from three pillars:

1. **Curated discovery** — split listings for MUAs vs. studios, category filters, a map locator, and listing detail pages with services, staff, hours and reviews.
2. **AI-assisted decision making** — an AI Lookbook (trend-grounded look specs), an AI Advisor (personalized service recommendations), an AI review summarizer, and a provider-facing AI quality audit, all powered by Gemini.
3. **Operational tooling** — a client portal (appointments, cancellation, reviews) and a provider dashboard (appointment management, service CRUD, profile editing, AI audit), plus a Google Workspace hub for business workflows.

The product is delivered as a single-page React application backed by an Express API, deployable to Vercel, with Gemini called server-side only.

2. Problem & Opportunity

- **Fragmented discovery.** Clients find artists through Instagram DMs and word-of-mouth; there is no structured way to compare price, travel radius, rating, availability, or specialty.
- **No booking infrastructure.** Artists manage bookings through chat threads and manual calendars; no-shows, double-bookings and status confusion are common.
- **Weak presentation of craft.** Makeup is visual, but listings rarely convey *what a look actually consists of* (palette, complexion, eye, lip, longevity) in a way clients can act on.
- **Back-office overload.** Small studios juggle Gmail, Drive, Sheets and chat manually for confirmations, reminders, and records.
- **Market context.** Malaysia is a RM-denominated market with a dense, mobile-first audience and high Instagram engagement — an ideal fit for a curated, visually rich marketplace.

3. Goals

#	Goal	Measure
G1	Make discovery fast and trustworthy	Time-to-first-detail-view < 60s; search →
G2	Convert browsing into bookings	Detail → booking-start → booking-comple
G3	Differentiate with AI that is genuinely useful	Lookbook/Advisor sessions → bookings at
G4	Give providers a reason to return weekly	Provider dashboard weekly active; appoi
G5	Demonstrate Google/Gemini/Workspace capability end-to-end	Workspace actions completed; AI endpoi

Non-goals (v1)

- Payments / commissions / escrow (booking is a request, money changes hands offline).
- Native mobile apps.
- Real-time chat between client and provider.
- Multi-city / multi-country expansion.
- Provider-side payouts or tax tooling.

---

4. Personas

P1 — Client (demand side)

Books bridal, event and editorial glam. Visually driven, compares 3–5 providers, cares about rating, price floor, travel-to-venue capability and portfolio. Expects confirmation of a request and a clear record of appointments. *Example:* `shamelali@gmail.com` *(demo account).*

P2 — Freelance MUA (supply side, mobile)

Works from a personal kit, travels within a radius, lists starting price and kit brands, sells on Instagram. Needs bookings, statuses, and a portfolio — not a complex POS. *Seed:* `mua-1` *…* `mua-4`*.*

P3 — Studio Director (supply side, fixed location)

Runs a multi-staff atelier with a service menu and working hours. Needs appointment triage, service CRUD, profile management, and quality/consistency insight. *Seed:* `salon-1` *…* `salon-6`*; demo accounts* `director@atelierleish.com`*,* `rosewood@beauty.com`*.*

P4 — Workspace power user (secondary)

A provider or operator who wants confirmations, documents, forms and task lists handled inside Gmail/Drive/Tasks/Docs.

---

5. Personas → Roles

`User.role: 'client' | 'provider' | 'admin'` (see `src/types.ts`). Admin is defined in the model but has no dedicated surface in v1; it is reserved for marketplace operations.

---

6. Scope — Epics & Functional Requirements

E1 — Discovery & Search (`activeTab: 'explore'`)

ID	Requirement
FR-1.1	Hero section with a curated, user-switchable hero image persisted across sessions.
FR-1.2	Free-text search across listing name, tagline, location and services.
FR-1.3	Category chips: `all`, `bridal`, `editorial`, `soft-glam`, `airbrush`, `masterclass`.
FR-1.4	Listing-type filter (`all / mua / studio`) and rating filter + sorting.
FR-1.5	Split results: MUA grid (`MUACard`) and studio grid (`SalonCard`), each with trust badges (verified, rating, price
FR-1.6	Interactive Google Map with per-listing markers, MUA/Studio marker pills, info windows, and ”View Pro
FR-1.7	Empty state with recovery actions when filters return nothing.

E2 — Listing Detail (`SalonDetails`)

ID	Requirement	Priority
FR-2.1	Gallery, description, category, rating and review count.	P1
FR-2.2	Full service menu (name, price, duration, description, category).	P1

ID	Requirement	Priority
FR-2.3	Staff roster with role and rating; working hours.	P2
FR-2.4	Reviews list plus **AI review summary** (`vibe`, `bestFor`, `tip`) generated by Gemini.	P2
FR-2.5	Travel-quote estimate for on-location events (venue + distance + fee).	P2
FR-2.6	Primary CTA into the booking funnel.	P1

E3 — Booking Funnel (`BookingModal`)

ID	Requirement
FR-3.1	Three steps: ① **date & time** → ② **client details (name, email, phone, notes) + on-location ven**
FR-3.2	Client-side validation with zod/react-hook-form, server-side re-validation with zod.
FR-3.3	Optional attachment of an AI Lookbook moodboard (look name, palette, lip formula, eye style) to the
FR-3.4	Booking is created as `pending` and appears in both client and provider views.
FR-3.5	Inline, visible error feedback on failure — never a silent failure.

E4 — AI Lookbook Studio (`activeTab: 'lookbook'`)

ID	Requirement
FR-4.1	Input: occasion/category + preferences → output a structured look spec: name, category, vibe, color
FR-4.2	Grounded in **live trend research** (Gemini with Google Search tool), with a timeout and graceful fallb
FR-4.3	”Book This Look” hands the spec into the booking funnel as an attached moodboard.

E5 — AI Advisor / Stylist (`activeTab: 'ai-stylist'`)

ID	Requirement
FR-5.1	Input: goals, skin/hair profile, occasion, optional preferred category.
FR-5.2	Output: recommendation text + a ranked list of suggested services drawn from the live catalog (servi
FR-5.3	Every recommendation deep-links to the provider's detail page.

E6 — Client Portal (`activeTab: 'client'`)

ID	Requirement	Priority
FR-6.1	Appointment feed for the signed-in client's email, with status badges.	P0
FR-6.2	Cancel an upcoming appointment (status → `cancelled`).	P0
FR-6.3	Leave a review (rating + text) on a completed appointment.	P1
FR-6.4	Require authentication; show a sign-in prompt for guests.	P0

E7 — Provider Dashboard (`activeTab: 'provider'`)

Four sub-tabs: `appointments | services | profile | audit`.

ID	Requirement
FR-7.1	Appointments list scoped to the provider's salon, with status transitions (`pending → confirmed → completed /`
FR-7.2	Service CRUD (add / edit / delete) against the provider's own listing.
FR-7.3	Studio profile editing (name, tagline, description, hours, gallery).
FR-7.4	**AI quality audit**: Gemini scores the listing's completeness/quality and returns actionable fixes.
FR-7.5	Provider access gated by role; a guest sees an acquisition/sign-in entry point.

E8 — Google Workspace Hub (`activeTab: 'workspace'`)

Nine sub-tabs: `overview, gmail, drive, docs, forms, tasks, contacts, chat, classroom`.

ID	Requirement
FR-8.1	Google OAuth sign-in (Firebase Google provider) with the documented scopes (Drive, Gmail send/read
FR-8.2	Gmail: compose & send confirmation emails.
FR-8.3	Drive/Docs: list and create documents.
FR-8.4	Forms: list forms and their responses (e.g., consultation intake).
FR-8.5	Tasks: list and create follow-up tasks.
FR-8.6	Contacts / Chat / Classroom: read-only listing in v1.

E9 — Auth & Accounts

ID	Requirement	Priority
FR-9.1	Email/password registration and login with JWT (7-day expiry) and bcrypt password hashing.	P0
FR-9.2	Sign-in / sign-up modal with demo quick-login for client and provider personas.	P1
FR-9.3	Profile view/edit (name, phone, bio, avatar).	P1
FR-9.4	Session persists across reloads (localStorage) and hydrates on boot.	P0

E10 — Platform AI (chat & media)

ID	Requirement
FR-10.1	Assistant chatbot grounded in the live directory with Google Search or Maps grounding and model tie
FR-10.2	Image studio: generate/edit listing imagery via Gemini image models with aspect-ratio control.
FR-10.3	Veo video studio: generate short promo clips (16:9 / 9:16), poll status, download MP4.
FR-10.4	All AI endpoints must degrade to a deterministic mock when the API key is missing or the call fails.

---

7. Success Metrics

Category	Metric	Target (first 90 days)
Activation	Demo-account sessions that reach a detail page	≥ 70%
Conversion	Detail view → booking started	≥ 25%
Conversion	Booking started → `pending` booking created	≥ 60%
AI	Lookbook/Advisor sessions with non-fallback output	≥ 90%
AI → commerce	Bookings with an attached moodboard	≥ 15% of bookings
Provider	Providers completing a status transition weekly	≥ 50% of seeded providers
Reliability	Booking API 4xx rate	< 2%
Quality	Lighthouse performance (mobile)	≥ 80

---

8. Non-Functional Requirements

ID	Requirement
NFR-1	**Security**: JWT-authenticated mutations, bcrypt password storage, Helmet headers, rate limiting (auth
NFR-2	**Authorization**: a user may only mutate resources they own (own profile, own salon, own bookings).
NFR-3	**Privacy**: no public enumeration of users, emails or bookings; PII never returned to unauthenticated ca
NFR-4	**Availability of AI**: every AI feature must have a deterministic fallback; a Gemini outage must never b
NFR-5	**Accessibility**: WCAG 2.1 AA contrast (documented ratios: body 15.4:1, muted 8.0:1, accent-text 4.5:
NFR-6	**Performance**: initial route interactive < 2.5s on 4G; AI calls client-visible < 3s (with timeout + fallbac
NFR-7	**Data durability**: user-generated data must survive deploys and scale horizontally. *Currently unmet –*
NFR-8	**Locale correctness**: single currency (RM) and units (km) across UI, copy, and structured data. *Curre*

---

9. Constraints

- Server-side-only Gemini key; no API key may ship to the client.
- Vercel serverless filesystem is read-only → no durable local writes as-is.
- No payments provider in scope → bookings are requests, not transactions.
- Team size and timeline: see Implementation Plan (docs/06).

---

10. Risks & Mitigations

#	Risk
R1	**Booking creation currently fails silently** (server zod date regex corrupted; client error swallowed).
R2	**Authenticated mutations omit the `Authorization` header** in ClientPortal, ProviderDashboard, ProfileModa
R3	**Data resets on every deploy** (JSON store written to `/tmp` on Vercel).
R4	**Over-exposed API**: public booking reads, public demo-user listing, unauthenticated reviews, missing ow
R5	Committed secrets (Firebase web key, Maps key, dev JWT secret fallback).
R6	Three complete AI studios (image, Veo, chat) are built but **unmounted** — wasted capability.
R7	Currency/unit inconsistency (`$` vs `RM`, miles vs km) erodes trust in a Malaysian market.
R8	Rate limit is global per IP → heavy AI use can lock users out of auth endpoints.

---

11. Open Questions

1. Should bookings require client authentication, or stay guest-friendly with email-based lookup?
2. Is `admin` a real v1 surface (moderation, verification badges) or deferred?
3. Do we wire the image / Veo / chat studios into navigation, or cut them from scope?
4. Verification badges: manual (ops) or automated (KYC/documents)?
5. Preferred launch shape: Firestore from day one, or a managed Postgres?

---

12. Release Criteria (v1)

- ☐ A guest can search → open a listing → complete a booking and see it in the client portal.
- ☐ A provider can sign in, confirm a booking, add a service, and edit their profile.
- ☐ All writes are authorized (owner-only) and validated (zod, server-side).
- ☐ Data persists across a redeploy.
- ☐ Every AI feature shows a graceful fallback, never a spinner forever.
- ☐ Single currency (RM) and distance unit (km) everywhere.
- ☐ No secrets in the repository; `JWT_SECRET` has no development fallback in production.