

09-Glossary

Glossary — Leish! v2

Glossary — Leish! v2

TERM	DEFINITION
Admin	Platform operator with <code>role='admin'</code> ; can access <code>/admin/*</code> and <code>/api/admin/*</code> ; all mutations audit-logged to <code>admin_audit_log</code> .
Agnost AI	Analytics SDK (<code>agnostai</code>) initialized at startup (<code>src/instrumentation.ts</code>) and client (<code>src/lib/agnost-client.ts</code>); register/login/booking/quotation/payment/profile-edit; dashboard <code>3e27e121...</code> .
Artist	Role <code>artist</code> ; MUA serving customers; must claim a catalog profile (<code>artist_profiles</code>) to receive/act on bookings.
Balance	<code>payments.type='balance'</code> — second payment = <code>quotation.total - deposit</code> ; due 3 days before event (<code>balanceDueDate</code>); when paid triggers payout. Non-refundable as deposits are, but balance is refundable on cancelled.
Billplz	Malaysian hosted payment gateway API v3; configured via <code>BILLPLZ_API_KEY</code> , <code>BILLPLZ_COLLECTION_ID</code> , <code>BILLPLZ...</code> ; bills created at <code>POST /bills</code> with HMAC webhook <code>X-Billplz-Signature</code> . Fallback <code>provider='dev'</code> when not co...
BridalEvent	Enum <code>engagement\ solemnization\ reception\ full-package\ bridal-other</code> ; used in artist tags and <code>BRIDAL_EV...</code> .
Booking	Central entity (<code>bookings</code> table) with <code>id,user_id,artist_id,studio_id,artist_name,service,price,date,time,notes,event_type,venue,guest_coun...</code> ; status state machine <code>requested→accepted→confirmed→completed\ cancelled</code> ; slot guarded by partial unique index.
Booking Fee / Deposit	Flat non-refundable amount <code>booking_fee_sen</code> (default RM50 = 5000 sen) — first payment to confirm an <code>accepted</code> platform-kept; configured in <code>platform_settings</code> .
Budget	Filter on <code>listArtists</code> (<code>budget</code> → SQL <code>price_from ≤ budget</code>); integer sen equivalent client sends MYR.
Catalog	DB tables <code>artists,studios</code> (runtime source of truth); <code>src/lib/data.ts</code> <code>SEED_ARTISTS/STUDIOS</code> are seed-only ; repository <code>src/server/catalog.ts</code> (auto-seeds via <code>ensureCatalogSeeded</code>).
Claim	Linking a platform user to a catalog entity: <code>artist_profiles(user_id→artist_id)</code> or <code>studio_profiles</code> ; scopes (<code>bookings</code> to claimed ids (<code>getClaimedArtistIds</code>).
Client / Customer	Role <code>customer</code> ; external user booking services; only owner of booking can pay/cancel.
Commission	Platform keep computed by <code>computeCommission(totalSen, rateBps, waiverSen)</code> — waived when <code>total < waive...</code> otherwise <code>round(total*rate/10000)</code> ; deducted from payout (not added to client price).
CSP (Content Security Policy)	Per-request nonce CSP set in <code>next.config.ts</code> ; no <code>unsafe-inline</code> for scripts (theme inline uses nonce) plus <code>X-Fr...</code> <code>Options:DENY</code> , etc.
DbFacade	Two-backend DB abstraction <code>getDb(): DbFacade {prepare,exec}</code> hiding PG (<code>pg.Pool</code>) vs SQLite (<code>node:sqlite DatabaseSync</code>); placeholder translation <code>@name/? → \$n</code> ; <code>getDb()</code> synchronous.
Deposit	Alias for Booking Fee (flat RM50). <code>payments.type='deposit'</code> .
Dev Provider	<code>provider='dev'</code> — synthetic payment row with <code>provider_ref=dev_...</code> and no Billplz call; webhook auto-settled in te... never charges real money.
Email Outbox	Table <code>email_outbox</code> sink for <code>EMAIL_PROVIDER=dev</code> ; viewable at <code>/dev/emails</code> (dev only).

TERM	DEFINITION
Event Type	<code>event_type</code> on bookings (bridal/non-bridal taxonomy label); <code>venue</code> , <code>guest_count</code> sibling fields.
FRS	Functional Requirements Specification (<code>docs/03-FRS-...</code>); per-module <code>FR-xxx</code> with acceptance criteria.
Guest	Unauthenticated visitor; can browse catalog but is redirected for booking/auth actions.
BRS / BRD	Business Requirements Specification (<code>docs/01-BRS-...</code>); business-level <code>BR-xx</code> , <code>BRL-xx</code> .
NFR	Non-Functional Requirements (<code>docs/04-NFR-...</code>) covering performance, security, reliability etc.
JTI / JWT	JWT with JTI revocation table <code>sessions(jti,revoked)</code> ; HS256 via <code>jose</code> ; cookie <code>leish_session</code> 7-day TTL.
NonBridalEvent	Enum <code>dinner\ graduation\ ceremony\ corporate\ touch-up\ non-bridal-other</code> ; <code>NON_BRIDAL_EVENTS</code> .
Payout	Settlement row (<code>payouts</code> : <code>gross,commission,net,status pending→settled\ failed,setttable_at=event+24h</code> when balance is paid; <code>net = gross - commission - deposit</code> ; admin settles via <code>/admin/payouts</code>).
PDPA	Malaysia Personal Data Protection Act 2010 — consent (<code>users.consent</code>), export (<code>/api/me/export</code>), delete (<code>DELETE /api/me</code>), retention per <code>docs/PDPA_RETENTION_GUIDELINES.md</code> .
Platform Settings	<code>platform_settings</code> key/value store runtime-configurable by admin: <code>booking_fee_sen</code> , <code>commission_rate_bps</code> (clamp), <code>commission_waiver_sen</code> (default RM100). Cached 30s.
Pre-Check vs Index	Booking slot pre- <code>SELECT</code> friendly 409 + race <code>catch</code> on <code>UNIQUE</code> / <code>duplicate key</code> — hard guarantee is DB partial in <code>uq_bookings_slot</code> .
Quotation	Line-item price breakdown (<code>quotations</code> : base/travel/earlyCall/accommodation + extras) with <code>total</code> sen; <code>status pending expired superseded paid</code> ; TTL 24h (<code>QUOTATION_TTL_MS</code>); re-quote supersedes.
RTM	Requirements Traceability Matrix (<code>docs/08-Traceability-Matrix.md</code>); BR→SRS→FRS→API→DB→test.
SRS	Software Requirements Specification (<code>docs/02-SRS-...</code>); SRS-F features with §4 external interfaces.
SSE	Server-Sent Events <code>text/event-stream</code> for per-booking chat: <code>GET /api/bookings/[id]/messages/stream</code> via <code>ch</code> .
State Machine	<code>applyBookingTransition(current,action,{isOwner,role})</code> + <code>confirmOnFeePaid</code> defining valid transitions (diag §20).
Studio	Role <code>studio</code> and catalog <code>studios</code> table; may have distinct flow in future but today shares Artist flows scoped by <code>st</code> when claimed; seed holds 4 studios.
Terms of Reference	<code>BR</code> , <code>SRS-F</code> , <code>FR</code> , <code>NFR</code> , <code>UC</code> , <code>US</code> , <code>BRL</code> naming convention across docs.
Turnstile	Cloudflare Turnstile bot protection widget (<code>TurnstileWidget</code>) + server verify (<code>TURNSTILE_SECRET_KEY</code>); required on <code>balance</code> when configured.
Use Case / User Story	<code>UC-xx</code> (Cockburn steps) and <code>US-xx</code> (INVEST) in <code>docs/05-Use-Cases-and-User-Stories.md</code> .
Verification	<code>email_verifications</code> — hashed single-use token for email verification; shown in <code>/dev/emails</code> in dev.