Experiment No : 2

Title: .Find out the sum of even numbers between 1 to 50 using loops.

Name of Student: Shamiksha Chaudhari
Class: SY **Div:** SY1 **PRN No:** B25ET1005 **Batch:** A1

PART A

Program:

```
#include <iostream>
using namespace std;
int main() {
   int i , sum = 0 ;
   for (i = 0 ; i<=50 ; i++)
   {
      if( i%2 == 0)
        sum += i;
   }
   cout<<"the sum of first 50 even numbers is :"<<sum;

   return 0;
}
```

Output :

```
Output
the sum of first 50 even numbers is :650

=== Code Execution Successful ===
```

PART B

Program:

```
#include <iostream>
using namespace std;
class NumberSum
{
```

```
    private:
    int i , start , end , oddsum = 0,evensum = 0;

    public:
    void range();
    void sum();
    int geteven_sum();
    int getodd_sum();
};

void NumberSum :: range()
{
    cout<<"Enter the starting number : ";
    cin>>start;
    cout<<"Enter the ending number : ";
    cin>>end;
}

void NumberSum :: sum()
 {
       for (i = start ; i <= end ; i++)
    {
       if(i%2 == 0)
         evensum += i;
       else
         oddsum += i;
    }
 }

 int NumberSum :: geteven_sum()
 {
     return evensum;
 }

 int NumberSum :: getodd_sum()
 {
     return oddsum;
 }

 void display (NumberSum N)
 {
     cout << "Sum of even numbers in the given range is :  " << N.geteven_sum();
     cout << "\nSum of odd numbers in the given range is : " << N.getodd_sum();
 }
```

```
int main()
{
   NumberSum N;
   N.range();
   N.sum();
   display(N);
   return 0;
}
```

Output :

```
Output

Enter the starting number : 30
Enter the ending number : 50
Sum of even numbers in the given range is :  440
Sum of odd numbers in the given range is : 400

=== Code Execution Successful ===
```