

Cucumber Report

Jun 2, 2024, 4:01:24 PM

Start : Jun 02, 4:01:23.512 PM

End : Jun 02, 4:01:23.569 PM

Duration : 0.057 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	0.057 s	1	1	0	0	2	2	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@abc	1	1	0	0	1	1	0	0
@VerifyloginwithInvalidCredentials	1	1	0	0	1	1	0	0
@tag	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	1	0	0	0.057 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>running abc tag</u>	2	2	0	0	0.052 s

Title of your feature

PASSED	DURATION - 0.057 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:01:23.512 PM // 4:01:23.569 PM /					

running abc tag

PASSED	DURATION - 0.052 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:01:23.517 PM // 4:01:23.569 PM /				
Title of your feature				
@abc @VerifyloginwithInvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.011 s
2	And some other precondition	PASSED	0.002 s