

Cucumber Report

Jun 2, 2024, 4:02:20 PM

Start : Jun 02, 4:02:10.184 PM

End : Jun 02, 4:02:19.755 PM

Duration : 9.571 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	9.571 s	1	1	0	0	2	2	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@abc	1	1	0	0	1	1	0	0
@VerifyloginwithInvalidCredentials	1	1	0	0	1	1	0	0
@tag	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	1	0	0	9.571 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>running abc tag</u>	2	2	0	0	9.565 s

Title of your feature

PASSED	DURATION - 9.571 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:02:10.184 PM // 4:02:19.755 PM /					

running abc tag

<div>PASSED</div>	<div>DURATION - 9.565 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:02:10.190 PM // 4:02:19.755 PM /</div>				
<div>Title of your feature</div>				
<div>@abc @VerifyloginwithInvalidCredentials @tag</div>				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	image		
			
2	And some other precondition	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	image		
	